

## REFERENCES

- active organics (1996). Information on Actiplex® 1177, Fruit Acid Complex.
- Alban Muller International (1996). Information on Sugar Cane Amidroxy.
- ASTM-E1490-92 (1999). American Society for Testing and Materials. ASTM practice for descriptive skin feel analysis of cream and lotions (E1490-92). In *Annual Book of ASTM Standards*. Philadelphia: ASTM, 1999.
- ASTM-E1958-98 (1999). American Society for Testing and Materials. ASTM standard guide for sensory claim substantiation (E1958-98). In *Annual Book of ASTM Standards*. Philadelphia: ASTM, 1999.
- Alderson, S.G., Barrat, M.D. and Black, G. (1984). Skin treatment compositions. Patent 4,424,234. U.S.
- Anderson, P.H. (1995). In vivo cutaneous assays to evaluate topical corticosteroids and nonsteroidal anti-inflammatory drugs using reflectance spectroscopy. In Berrardasca, E., Elsner, P. and Maibach, H.I., (ed). *Bioengineering of the Skin: Cutaneous Blood Flow and Erythema*. Boca Raton: CRC Press (p. 281-291).
- Anderson, P.H. and Bjerring, P. (1995). Remittance spectroscopy: hardware and measuring principles. In Berrardasca, E., Elsner, P. and Maibach, H.I., (ed). *Bioengineering of the Skin: Cutaneous Blood Flow and Erythema*. Boca Raton: CRC Press (p. 231-241).
- Andreassi, L. and Flori, L. (1995). Practical applications of cutaneous colorimetry. *Clinics in Dermatology* **13**. 369 - 373.
- Barnett, G. (1972). Emollient creams and lotions. In Balsam, M.S. and Sagarin, E., (ed). *Cosmetic Science and Technology*, 2nd ed. New York: Wiley Interscience (p. 27-104).
- Bartolone, J., Rawlings, A.V. and Sabin, R. (1995a). Cosmetic composition containing alpha hydroxy acids. Patent. WO 95/03032. PCT International patent application.
- Bartolone, J. Santhanam, U., Penksa, C. and Lang, B. (1995b). Alpha hydroxyl acids modulate skin cell biology. *J. Invest. Dermatol.* **104**. 609 (Abstract).
- Barton, S.P. and Black, D.R. (1998). Surface contour: Variability, significance and measurements. In: Marks, R., Barton, S.P., Edwards, C. (ed). *The Physical Nature of the Skin*. U.K.: MTP Press, Lancaster (p. 23-30).
- Bashir, J.S. and Maibach, H. I. (2000). Cosmetic efficacy: An evidence-oriented approach. In Schlossman, L.M., (ed). *The Chemistry and Manufacture of Cosmetics*. Illinois, U.S.: Allured Publishing Corporation (p. 171-181).
- Berstein, E.F. and Uitto, J. (1995). Connective tissue alteration in photoaged skin and the effects of alpha hydroxy acids. *J. Geriatr. Dermatol.* **3**. 7A-18A.

Bjerring, P. (1995). Spectrophotometric characterization of skin pigments and skin colour. In Serup, J and Jemec, G (ed.). *In Vivo Examination of the Skin: A Handbook of Non-invasive Methods*. Boca Raton: CRC Press (p. 373-375).

Blichmann C.W. and Serup, J. (1988). Assessment of skin moisture. *Acta Derm. Venereol.*, Stockh. **68**. 284-290.

Boschert, S. (1994). The dark side of alpha hydroxy acids: Hyperpigmentation. *Skin & Allergy News*. January, (p. 13).

Braddon S.S., Jarrett, S.G. and Munoz, M.A. (2002). Consumer testing methods. In Leyden, J. and Rawlings, V.A. (ed). *Skin Moisturisation*. New York: Marcel Dekker, Inc. (p. 433-459).

Briggs, G. (1996a). Colloidal stability. *Module 2 Colloid and Surface Science*. Diploma in Cosmetic Science for Society of Cosmetic Scientists. U.K.: Licensing Agency Ltd. (p. 14-25).

Briggs, G. (1996b). The liquid-liquid interface. *Module 2 Colloid and Surface Science*. Diploma in Cosmetic Science for Society of Cosmetic Scientists. U.K.: Licensing Agency Ltd. (p. 33-38 )

BSI (1993). British Standards Institution. BS 7667: Part 1:1993 (ISO 8586-1:1993).

Brooks, G. (2000). Cosmetic Emulsions - Creams and Liquids. In Schlossman, L.M. (ed.). *The Chemistry and Manufacture of Cosmetics, Vol. 11 – Formulating*. Illinois, U.S.: Allured Publishing Corp. (p. 22, 31-36).

Bruin, J.J. (1994). Hydrophobically modified cellulose ether for personal care. *SOFW J*. **15**. 20-26.

Cannell, S.J. (1993). Stability Testing. In Butler, H. (ed.), *Poucher's Perfumes, Cosmetics and Soaps*. London : Chapman & Hall Publ. (p. 620-636).

Chan S.Y. and Li, W.P. (1993). Quantitative evaluation of drug induced erythema by using a tristimulus colour analysis. *Skin Pharmacology*. **6**. 298-312.

Choudhury, T.H., Marty, J.P., Orecchioni, A.M., Seiller, M. and Wepierre. (1985). Emollient creams and moisturisation., *J. Soc. Cosmet. Chem.* **3**., 255-269.

CIR (1998). Cosmetic Ingredient Review. Final report on the safety assessment of glycolic acid, ammonium, calcium, potassium and sodium glycolates, methyl, ethyl, propyl, and butyl glycolates, and lactic acid, ammonium, calcium, potassium, sodium and TEA-lactates, methyl, ethyl, isopropyl and butyl lactates and lauryl, myristyl, and ceryl lactates. *Int. J Toxicol*, 17 (suppl 1): 1-242.

Clar, E.J., Her, C.P. and Sturelle, C.G. (1975). Skin impedance and moisturisation., *J. Soc. Cosmet. Chem.* **26**. 337-353.

Clarys, P. Alewaeters, K., Lambrecht, R. and Barel, O.A. (2000). Skin color measurements: comparison between three instruments: the ChromameterR, the DermaSpectrometerR and the MexameterR. *Skin Research and Tech.* **6**. 230-238.

Cook, T., Craft, T. Brunelle, R., Norris, F. and Griffin, W. (1982). Quantification of the skin's topography by skin profilometry. *Int. J. Cosmet. Science.* **4.** 195-205.

Courage & Khazaka (1997). Information and Operating Instructions of the Sebumeter SM 810, Corneometer CM825 and Skin-pH-Meter PH 900, Koln, Germany.

DermaSpectrometer (1999). Operation Manual, Cortex Technology ApS, Hadsund, Denmark.

Diffey, B.L. and Farr, P.M. (1991). Quantitative aspects of ultraviolet erythema. *Clin Phys Physiol Meas.* **12.** 311-325.

Diffey, B.L., Oliver, R.J. and Farr, P.M. (1984). A portable instrument for quantifying erythema induced by ultraviolet radiation. *Br. J. Dermatol.* **111.** 663-672.

DiNardo J.C., Grove, G.L. and Moy, L.S. (1995a). 12% ammonium lactate "vs" 8% glycolic acid (95-AHA-0013). Report. CIR 95 AHA.

DiNardo J.C., Grove, G.L. and Moy, L.S. (1995b). Clinical and histological effects of glycolic acid at different concentrations and pH levels (95-AHA-0012). Report. CIR 95 AHA.

DiSalvo, M.R. (2000). Cosmeceuticals. In Schlossman, L.M. (ed.) *The Chemistry and Manufacture of Cosmetics*. Illinois, U.S.: Allured Publishing Corp. (p. 188-192).

Ditre, C..M., Griffin, T.T., Murrphy, G.F., Sueki, H., Telagani, B., Johnson, W.C., Yu, R.J., and Van Scott, E.J. (1994). The effects of alpha hydroxy acids (AHAs) on photoaged skin: A pilot clinical, histological and ultrastructural study. AHA 95 Preview, December 3-4, Orlando, FL.

Ditre, C..M., Griffin, T.T., Murrphy, G.F., Sueki, H., Telagani, B., Johnson, W.C., Yu, R.J., and Van Scott, E.J. (1995). The effects of alpha hydroxy acids (AHAs) on photodamaged skin: A pilot clinical, histological and ultrastructural study. *J. Invest. Dermatol.* **104.** 690 (Abstract).

Dweck, C.A. (2002). Herbal Medicine for the skin - their chemistry and effects on skin and mucuous membranes. Asia Pacific Personal Care Magazine. UK: Step Communications Ltd. (p. 19-21).

Elson, M.L. (1993). Treatment of photoaging - a personal comment and open study of the use of glycolic acid. *J. Dermatol. Treat.* **4,** 215-218.

Fabrizi, G. and Morganti, P. (1994). Skin hydration and lipid casual level. A quantitative monitoring in Italy. *J Appl Cosmetol.* **12.** 41.

Farr, P.M. and Diffey, B.L. (1984). Quantitative on cutaneous erythema induced by ultraviolet radiation. *Br. J. Dermatol.* **111.** 663-672.

Fartasch, M. (1997). The epidermal barrier in disorders of the skin. *Microsc Res Technique*. **38**. 361-372.

FDA (1999). Alpha Hydroxy Acids for Skin Care – Smooth Sailing or Rough Seas? May 1999.

FDA (2000). AHAs and UV Sensitivity: Results of New FDA-Sponsored Studies, U.S. Food and Drug Administration, Center for Food Safety and Applied Nutrition, Office of Cosmetics and Colors Fact Sheet, March 7, 2000.

Fiedler, M., Meier, W-D and Hoppe, U. (1995). Texture analysis of the surface of the human skin. *Skin Pharmacol*. **8**. 252-265.

Fishman, M.H. (2000). Cosmetics, Past, Present, Future. In Schlossman, L.M. (ed.). *The Chemistry and Manufacture of Cosmetics*. Illinois, U.S.: Allured Publishing Corp. (p. 1-10).

Frosch, P.J. and Kurte, A. (1995). Efficacy of skin barrier creams (IV). The repetitive irritation test (RIT) with a set of 4 standard irritants. *Contact Dermatitis* **31**. 161-168.

Gacula, M.C.(1993). Design and analysis of sensory optimization. Trumbull, C.T.: Food and Nutrition Press.

Gattefosse (2000), Papaya Secrets in Fruit Secrets - Concentrated delicacies for cosmetics, France.

Ghadially, R., Reed, J.I. and Elias, P.M. (1995). The aged epidermis permeability barrier. *J Clinical Invest*, **95**. 2281-2290.

Goodman, G. and Richards, S. (1994). The treatment of facial scars and wrinkles. *Modern Medicine of Australia*. **37**. 50-63.

Green, L. and Cole, G.W. (1994). A comparison study of 7.5% lactic acid cream and 12% lactic acid lotion in psoriatic patients with xerosis cutis. *Cosmet. Dermatol*. **7**. 44-45.

Green, S.C., Stewart, M.E. and Downing, D.T. (1984). Variation in sebum fatty acid composition among adult humans. *J. Invest Dermatol*. **83**. 114.

Griffin, T.D. and Van Scott, E.J. (1991). Use of pyruvic acid in the treatment of actinic keratoses: A clinical and histopathological study. *Cutis* **47**. 325-329.

Grove, G.L. (1994). Measurement of stratum corneum function with special emphasis on AHA effects. AHA 95 Preview, December 3-4, Orlando, FL.

Harber, L.C. and Baer, R.L. (1972). Pathogenic Mechanisms of Drug-Induced Photosensitivity. *J. Invest. Dermatol*. **58**. 327-341.

Harding, C.R. and Scott, R.I. (2002). Stratum corneum moisturising factors. In Leyden, J. and Rawlings, V.A. (ed.) *Skin Moisturisation*. New York: Marcel Dekker, Inc. (p. 61-63).

Harding, N. (1996). Questionnaires and Interviewing. *Module 27 Consumer and Market Research*. Diploma in Cosmetic Science for Society of Cosmetic Scientists. UK: Licensing Agency Ltd. (p. 25-29).

Hashimoto-Kumasaka, K. Takahashi and K., Tagami, H. (1993). Electrical measurement of the water content of the stratum corneum in vivo and in vitro under various conditions. *Acta Derm. Venereol (Stockh)*. **73**. 335.

Herh, P., Tkachuk, J., Wu, S., Bernzen, M. and Rudolph, B. (1998). The rheology of pharmaceutical and cosmetic semisolids. (Article extracted from manual book of STRESSTECH Rheometer, ATS RheoSystems, NJ, U.S.).

Hill, J.C., White, R.H., Barrat, M.D. and Mignini, E. (1995). The skin plasticization effect of a medium chain 2-hydroxy acid and the use of potentiators. *J. Appl. Cosmetol.* **6**. 53-68.

Holland, D. (1991). Measuring and interpreting the rheological properties of cosmetic products. (Article supplied by HAAKE GmbH, Karlsruhe, Germany)

Hou, S.Y.E., Mitra, A.K. and White, S.H. (1991). Membrane structures in normal and essential fatty acid - deficient stratum corneum: Characterization by ruthenium tetroxide staining and x-ray diffraction. *J Invest Dermatol.* **96**. 215-223.

Hwang, S.L. (1994). Acid-based wrinkle creams: fountain of youth or snake oil? *Wall Street Journal*, April 13, B1-B8.

IFSCC Monograph, Number 1 (1998). *Principles of Product Evaluation: Objective Sensory Methods*. International Federation of Societies of Cosmetic Chemists. UK: Michelle Press. (p. 44-47, 50-51, 58-59).

Imokawa, G. and Hettori, A. (1985). A possible function of structural lipid in the water-holding of the stratum corneum. *J. Invest Dermatol.* **84**. 282-284.

Jackson, E.M. (1994). Reactions to AHAs and other natural cosmetic ingredients. *Cosmet. Dermatol.* **7**. 42-45.

Johnson, A.W. (2002). Hydroxyacids. In: Leyden, J. and Rawlings, V.A. (ed.) *Skin Moisturisation*. New York: Marcel Dekker, Inc. (p. 323-347).

Johnson, A.W., Stoudermayer, T.S., Kligman, A.M. (2000). Application of 4% and 8% glycolic acid to human skin in commercial skin creams formulated to CIR guidelines does not thin the stratum corneum or increase sensitivity to UVR. *J Cosmet Sci.* **51**. 343-349.

- Jokiman, R., Paidi, Z., Hashim, P., Baharom, R., Noor, M.N. (2001). Personal care product with serai wangi oil. In: Chang *et. al.* (ed.). *Towards modernisation of research and technology in herbal industries. Proceedings of the seminar on medicinal and aromatic plants*. Malaysia: Forest Research Institute Malaysia (FRIM), (p. 83-84).
- Keane P.(199 ). The flavor profile. In: ASTM Manual Series MNL 13. Manual on Descriptive Analysis Testing. Philadelphia: ASTM, 1992.
- Klaus, M.V., Wehr, R.F., Rogers, R.S., Russel, T.J., and Krochmal, L. (1990). Evaluation of ammonium lactate in the treatment of seborrheic keratoses. *J. Am. Acad. Dermatol.* **22**. 199-203.
- Klein, K. (2001). Understanding Factors That Influence Emulsion Instability: Stokes' Law. *Cosmetics & Toiletries Magazine*, Vol. 116(2). Illinois, U.S.: Allured Publishing Corp. (p. 20-22).
- Kligman, A.M., Zheng, P. and Layker, R.M. (1985). The anatomy and pathogenesis of wrinkles. *Br. J Dermatol.* **113**. 37-42.
- Knowlton, J. (1993). Emulsion Theory. In Butler, H.(ed.). *Poucher's Perfumes, Cosmetics and Soaps*. London: Chapman & Hall Publ. (p. 538-539).
- Knowlton, J. (1996a). Emulsions and their use in cosmetics. *Module 12 Emulsions*. Diploma in Cosmetic Science for Society of Cosmetic Scientists. U.K.: Licensing Agency Ltd. (p. 9, 28-30, 54).
- Knowlton, J.(1996b). Chemical Compatibility and the Selection of Nonionic Emulsifiers. *Module 12 Emulsions*. Diploma in Cosmetic Science for Society of Cosmetic Scientists. U.K.: Licensing Agency Ltd. (p. 37-40).
- Knowlton, J.(1996c). Physical Properties of Emulsions. *Module 12 Emulsions*. Diploma in Cosmetic Science for Society of Cosmetic Scientists. U.K.: Licensing Agency Ltd. (p. 43-50).
- Knowlton, J.(1996d). The Stability of Cosmetic Emulsions and its Assessment. *Module 12 Emulsions*. Cosmetic Science for Society of Cosmetic Scientists. U.K.: Licensing Agency Ltd. (p. 51-53).
- Knowlton, J.(1996e). Measuring Product Stability. *Module 26 Product Stability*. Cosmetic Science for Society of Cosmetic Scientists. U.K.: Licensing Agency Ltd. (p. 11-12, 20-21).
- Kollias, N. (1995). The physical basis of skin color. *Clinics in Dermatology*. **13**. 361 - 367.
- Kornhauser, A., Warmer, W., Giles, A. and Szabo, G. (1982). Mechanisms of light-induced dermal toxicity. In Frost, P. and Horwitz, S.N. (ed.). *Principles of Cosmetics for the Dermatologist*. St. Louis: C.V. Mosby (p. 244-258).

- Lauber, J., Parsons, M. and Millikan, L. (1995). Use of alpha-glycolic acid in the treatment of comedonal acne. *South Med. J.* **8**. 15.
- Lawless, H.T. and Heymann, H. (1998). *Sensory evaluation of food*. London: Chapman and Hall.
- Leonard, M. (1996a). Physicochemical Properties. *Module 7 Surfactants*. Cosmetic Science for Society of Cosmetic Scientists. U.K.: Licensing Agency Ltd. (p. 10-16).
- Leonard, M. (1996b). Nonionic Surfactants. *Module 7 Surfactants*. Cosmetic Science for Society of Cosmetic Scientists. U.K.: Licensing Agency Ltd. (p. 39).
- Leveque, J.L. and De Rigal, J. (1983). Impedance methods for studying skin moisturization. *J. Soc. Cosmet. Chem.* **34**. 419-429.
- Leyden, J.J., Lavker, R.M., Grove, G. and Kaidbey, K. (1995). Alpha hydroxy acids are more than moisturizers. *J. Geriatr. Dermatol.* **3**. 33A-37A.
- Lin, J.T.(2000). Rheology Fundamentals and Applications in Cosmetics Formulation, Manufacturing and Quality Control. *The Chemistry and Manufacture of Cosmetics. Vol. 1, Basic Science*. U.S.: Allured Publishing Corp. (p. 366-367).
- Marenius, D.K. (1998). Skin conditioning benefits of moisturizing products. In Aust B.L. (ed.). *Cosmetic Claims Substantiation*. New York: Marcel Dekker, Inc. (p. 97-112).
- Marks, R. and Barton, S.P. (1983). The significance of the size and shape of corneocytes. In Marks, R. and Plewig, G. (ed.). *Stratum Corneum*. Springer-Verlag: Berlin. (p. 161-170, 175-180).
- Meilgaard, M., Civille, G.V. and Carr, B.T. (1991). *Sensory Evaluation Techniques*. 2nd ed. Boca Raton: CRC Press.
- Menon, K.G. and Norlen, L.(2002). Stratum corneum ceramides and their role in skin barrier function. In: Leyden, J.J. and Rawlings, V.A. (ed.). *Skin Moisturisation*. New York: Marcel Dekker, Inc. (p. 31-55).
- Mexameter MX16 (1999). Operation Manual, Courage-Khazaka Electronic, Koln, Germany.
- Middleton, J.D. (1974). Development of a skin cream designed to reduce dry and flaky skin. *J. Soc. Cosmet.* **25**. 519-534.
- Miner, E.P.(1993). Emulsion Rheology: Creams and Lotions. In Laba, D. (ed.). *Rheological Properties of Cosmetics and Toiletries*. New York: Marcel Dekker, Inc. (p. 349-351).
- Minolta (1988). Minolta Colour Brochure.

- Mohamed, S., Hassan, Z. and Hamid, A.N. (1994). Antimicrobial activity of some tropical fruit wastes (guava, starfruit, banana, papaya, passionfruit, langsat, duku, rambutan and rambai). *Pertanika J Trop. Agric. Sci.*, **17** (3). 219-227.
- Morganti, P. (1996). Clinical relevance of cutaneous check-up. *Cosmet Toil Manuf Worldwide*, Vol. 6. (p. 227-230).
- Morganti, P. (1999). Skin hydration. In Magdassi, S. and Touitou, E. (ed.). *Novel cosmetic Delivery systems*. NewYork : Marcel Dekker, Inc. (p. 71-89).
- Morganti, P. and Randazzo, S.D. (1985). Essential fatty acids and skin ageing. *J Appl Dermatol.* **3**. 211-222.
- Morganti, P. and Randazzo, S.D. (1990a). Skin hydration control and treatment: recent updates. *J Appl Cosmetol.* **8**. 103-112.
- Morganti, P. and Randazzo, S.D. (1990b). Skin moisturizing factors: method of determination. *J Appl Cosmetol.* **8**. 23.
- Morganti, P., Radazzo, S.D., Palombo, P. and Bruno, C. (1994). Topical gelatin-glycine and alpha-hydroxy acids for photoaged skin. *J. Appl. Cosmetol.* **12**. 1-10.
- Morton, J. (1987). Rambai (*Baccaurea motleyana hook. f.*). In: Fruits of warm climates. (eds. Morton, J.F.), Fl, US., pg. 220.
- Moseley, H., English, J. S. C., Coghill, G.M. and Mackie, R.M. (1985). Assessment and use of a new skin hygrometer. *Bioeng, Skin 1* (p. 177-192).
- Moy, L.S., Murad, H., and Moy, R.L. (1993). Glycolic acid peels for the treatment of wrinkles and photoaging. *J. Dermatol. Surg. Oncol.* **19**. 243-246.
- Munoz, M. and Cville G.V. (1992). The spectrum descriptive analysis method. In *ASTM Manual Series MNL 13. Manual on Descriptive Analysis Testing*. Philadelphia: ASTM, 1992.
- Murad, H., Shamban, A.T., and Premo, P.S.S. (1995). The use of glycolic acid as peeling agent. *Cosmet. Dermatol.* **13**. 285-307.
- Murad, H., Shamban, A.T., Moy, L.S. and Moy, R.L. (1992). Study shows that acne improves with glycolic acid regimen. *Cosmet. Dermatol.* **5**. 32-35.
- Nae, N.H. (1993). Introduction to Rheology. In *Rheological Properties of Cosmetics and Toiletries*, Marcel Dekker, Inc., New York, USA pg. 9.
- Nole, G., Edgerly, S., Johnson, A. and Znaiden, A. (1995). Global face assessment: A clinical evaluation method. *Cosmetics and Toiletries*. Vol. 109. (p. 69-72).
- Prencipe, M., Masters, G.J., Thomas, P.K. and Norfleet, J. (1995). Squeezing out a better toothpaste. American Chemical Society.



Pugliese, T.P. (2001). Behaviour of normal skin. In *Physiology of the Skin II*. Illinois, U.S.: Allured Publishing Corp. (p. 1-15).

Queille-Roussel, C., Poncet M. and Schaefer, H. (1991). Quantification of skin colour changes induced by topical corticosteroid preparations using the Minolta Chromameter. *Br. J. Dermatol.* **124**. 264-270.

Raof, A.A., Ismail, I., Ismaila., H and Ghin, Y.B. (1999). Single-phase anaerobic digestion of oleochemical wastewater. 10th National Biotechnology Seminar, Kuala Lumpur, Malaysia. (27-28 Oct. 1999).

Rawlings, A.V., Scott, I.R., Harding, C.R. and Bowser, P.A. (1994). Stratum corneum moisturization at the molecular level. *J. Invest Dermatol.* **103**. 731-740.

Reed, J.I., Ghadially, R. and Elias, P.M. (1995). Skin type, but neither race or gender influence epidermal permeability barrier function. *Arch Dermatol.* **131**. 1134-1138.

Rodrigues, F. (1999). The beginnings of esthetic and cosmetological care in ancient Rome. *Cosmetic News*, XXII.

Rodrigues, F. and Flores, S.E. (1998). The splendour of the cosmetology in ancient Greece. *Cosmetic News*, XXI.

Roenigk, H.H. (1995). Treatment of the aging face. *Cosmet. Dermatol.* **13**. 245-261.

Rogers, R.S., Callen, J. Wehr, R., and Krochmal, L. (1989). Comparative efficacy of 12% ammonium lactate lotion and 5% lactic acid lotion in the treatment of moderate to severe xerosis. *J. Am. Acad. Dermatol.* **21**. 714-716.

Rogiers, V., Derde, M.P., Verleye, G. and Roseuw, D (1990). Assessment of skin surface hydration: The need for standardized conditions in capacitance measurements.

Rubin, M.G. (1994). Therapeutics: Personal practice. The clinical use of alpha hydroxy acids. *Australas. J. Dermatol.* **35**. 29-33.

Rubin, M.G., Becker, F and Spellman, P. (1995). Comparative safety and efficacy of glycolic acid peels with various pH levels (95-AHA-0008). Report. CIR 95 AHA.

Ryan, J. (1996). Different categories of evaluation techniques. *Module 20 Product Evaluation*. Diploma in Cosmetic Science for Society of Cosmetic Scientists. U.K.: Licensing Agency Ltd. (p. 17-25).

Sargisson, S. (1994). The AHA phenomenon. *Drug & Cosmetic Industry.* **154**. 24-30.

Sauder, D. (1995). Study report - Effect of 4% glycolic acid (GA) on skin dryness, roughness and minimal erythema dose. In Sauder, D. (ed.). *Alpha-Hydroxy Acids and the Skin Barrier: A Presentation to the Cosmetic Ingredient Review*. Washington D.C.: CTFA. (Appendix N., December 12).

- Scalia, S., Callegari, R. and Villani, S. (1998). Determination of glycolic acid in cosmetic products by solid-phase extraction and reversed-phase ion-pair high performance liquid chromatography. *J. Chromatography A*. **795** (2). 219-225.
- Schaefer, H., Redelmeier, E.T. and Benech-Kieffer, F. (1999). The skin and its permeability. In: Magdassi, S. and Touitou, E. (ed.). *Novel Cosmetic Delivery Systems*. New York : Marcel Dekker, Inc. (p. 9-41).
- Scholz, D., Brooks, G.J., Parish, D.F. and Burmeister, F. (1994). Fruit acid extracts, a fresh approach to skin renewal. *Int. J. Cosmet. Sci.* **16**. 265-272.
- Schramm, G. (2000). Aspects of Rheometry. *A Practical Approach to Rheology and Rheometry*. Germany : Gebrueder HAAKE GmbH. (p. 22-24).
- Schueller, R. and Romanowski, P. (1999a). Novel Delivery Systems for Cosmetic Products. *Beginning Cosmetic Chemistry*. IL, USA: Allured Publishing Corp. (p. 77).
- Schueller, R. and Romanowski, P. (1999b). Surfactant Science. *Beginning Cosmetic Chemistry*. IL, USA: Allured Publishing Corp. (p. 43-45).
- Schueller, R. and Romanowski, P. (1999c). Understanding Emulsions. *Beginning Cosmetic Chemistry*. IL, USA: Allured Publishing Corp. (p. 69-75).
- Schueller, R. and Romanowski, P. (1999d). Successful Product Development. *Beginning Cosmetic Chemistry*. IL, USA: Allured Publishing Corp. (p. 118-121).
- Schueller, R. and Romanowski, P. (1999e). Laboratory Batching of Cosmetic Product. *Beginning Cosmetic Chemistry*. IL, USA: Allured Publishing Corp. (p. 123).
- Schwartz N.O. (1975). Adaptation of the sensory texture profile method to skin care products. *J Texture Studies*. **6**. 33-42.
- Seitz, J.C. and Whitmore C.G. (1988). Measurement of erythema and tanning responses in human skin using a Tristimulus Colorimeter. *Dermatologica*. **177**. 70-75.
- Sepp, T.D. (1998). In: The ABC's of Alpha-Hydroxy Acids. (As published in Les Nouvelles Esthetiques, December 1998).
- Serban, G.P., Henry, S.M., Cotty, V.F., Marcus, A.D.C. (1981). In vivo evaluation of skin lotions by electrical capacitance and conductance. *J. Soc. Cosmet. Chem.* **32**. 421.
- Siskin, S.B., Quinlan, P.J., Finkelstein, M.S., Marlucchi, M., Maglietta, T.G. and Gibson, J. R. (1993). The effects of ammonium lactate 12% lotion versus no therapy in the treatment of dry skin of the heels. *Int. J. Dermatol.* **32**. 905-907.
- Smith, W.P. (1993). Hydroxy acids and skin aging. *Soap, Cosm., Chem. Specialties* **69**. 54-76, 109, 41-48.

Smith, W.P. (1994a). Hydroxy acids and skin aging. *Cosmetics and Toiletries* **109**, 41-48.

Smith, W.P. (1994b). Skin barrier and cosmetic function. Society of Cosmetic Chemists Annual Scientific Seminar, May 5-6, Las Vegas, NV. 109. (p. 41-48).

Stone H. and Sidel, J.L.(1993). *Sensory Evaluation Practices*. 2nd ed. New York: Academic Press.

Stone H. (1992). Quantitative descriptive analysis (QDA). *ASTM Manual Series MNL 13. Manual on Descriptive Analysis Testing*. Philadelphia: ASTM, 1992.

Subhadrabandhu, S (2001). Under utilized tropical fruits of Thailand.

Tagami, H. (1988). Impedance measurement for evaluation of the hydration state of the skin surface. In Leveque, J.L. (ed.). *Cutaneous Investigation in Health and Disease*. New York: Marcel Dekker. (p. 79-111).

Takahashi, M., Machida, Y. and Tsuda, Y. (1985). The influence of hydroxy acids on the rheological properties of stratum corneum. *J. Soc. Cosmet. Chem.* **36**, 177-187.

Takiwaki, H. and Serup, J. (1995). Measurement of erythema and melanin indices. In Serup, J. and Jemec, G. (ed.). *In Vivo Examination of the Skin. A handbook of Non-Invasive Methods*. Boca Raton: CRC Press. (p. 377-384).

Takiwaki, H., Overgaard, L. and Serup, J. (1994). Comparison of narrowband reflectance spectrophotometer and tristimulus colorimetric measurements of skin color. *Skin Pharmacol.* **7**, 217-225.

Tanemura, K., Kida, K., Ikbai, Matsumoto, J. and Sonoda, Y. (1994). Anaerobic treatment of wastewater with high salt content from pickled-plum manufacturing process. *J Ferment. and Bioeng.* **77(2)**, 188-193.

The Skin (2002). Skin education.

Thune, P., Nilsen, T., Handstad, K. Gustavsen, T. and Lovigdall, H. (1988). The water barrier function of the skin in relation to the water content of stratum corneum, pH and skin lipids. *Acta Derm. Venereol.*, Stockh. **68**, 277-283.

Van Scott, E.J. and Yu, R.J. (1975). Treatment of disturbed keratinization. Patent. 3,920,835. U.S.

Van Scott, E.J. and Yu, R.J. (1977). Prophylactic and therapeutic treatment of acne vulgaris utilizing lactamids and quaternary ammonium lactates. Patent 4,021,571. U.S.

Van Scott, E.J. and Yu, R.J. (1983). Topical treatment of dry skin; one or more hydroxycarboxylic acids. Patent. 4,380,549. U.S.

- Van Scott, E.J. and Yu, R.J. (1984). Hyperkeratinization, corneocyte cohesion and alpha hydroxy acids. *J. Am. Acad. Dermatol.* **11**. 867-879.
- Van Scott, E.J. and Yu, R.J. (1989a). Alpha hydroxy acids: Procedures for use in clinical practice. *Cutis.* **43**. 222-228.
- Van Scott, E.J. and Yu, R.J. (1989b). Alpha hydroxy acids: therapeutic potentials. *Canadian J. Dermatol.* **1**. 108-112.
- Van Scott, E.J. and Yu, R.J. (1980). Treatment of dry skin. Patent. 4,197,316. U.S.
- Van Scott, E.J. and Yu, R.J. (1994). Alpha-hydroxy acids: Science and therapeutic use. *Cosmet. Dermatol.* Oct. Suppl. **12**. 20.
- Van De Graaff, M.K. and Fox, I.S. (1995). *Human anatomy and physiology*. U.S.: Wm.C. Brown Publishers. (p. 138-148).
- Vaughan, D. C. (1993). Predicting Stability in Rheologically Modified Systems. In Laba, D.(ed.). *Rheological Properties of Cosmetics and Toiletries*. New York: Marcel Dekker, Inc. (p.371-383).
- Ward, B.J., Kinney, F.J. and Saad, Y.H. (1974). Application of rheological studies to product formulation, stability and processing problems. *J. Soc. Cosmet. Chem.*, **25**, 437-454.
- Warner R.R. and Lilly, N.A. (1994). Water and the stratum corneum. In: Elsner, Berardesca, Maibach (eds.). *Bioengineering of the skin*. Boca Raton: CRC Press. (p. 3).
- Warner, R.R., Myers, M.C. and Taylor, D.A. (1988). Electron probe analysis of human skin: determination of the water concentration profile. *J Invest Dermatol.* **90**. 218-224.
- Wehr, R., Krochmal, L., Bagatell, F., and Ragsdale, W. (1986). A controlled two-center study of lactate 12 percent lotion and a petrolatum-based crème in patients with xerosis. *Cutis.* **37**. 205-209.
- Wester, R.C. and Maibach, H.I. (1989). Regional variations in percutaneous absorption. In: Bronaugh, R.L. and Maibach, H.I. (ed.) *Percutaneous absorption*. Basel, U.S.: Marcel Dekker. (p. 111-120).
- Westerhof W. (1995). CIE Colorimetry. In Serup, J. and Jemec, G. (ed.). *In Vivo Examination of the Skin. A handbook of Non-Invasive Methods*. Boca Raton: CRC Press. (p. 385-397).
- Westerhof, W., Van Hasselt, B.A. and Kammeijer, A. (1986). Quantification of UV induced erythema with a portable computer controlled chromameter. *Photodermatology.* **3**. 310-314.
- Wickett, R.R. (1996). Effects of hydroxy acids on skin. (Report submitted to FDA, US.). (p. (1-1)-(9-4)).

Wiechers, W.J. and Wortel, L.A.V. (2000). Bridging the language gap between cosmetic formulators and consumers. *Allured's Cosmetics & Toiletries Magazine*, U.S.: Allured Publishing Corp. (p. 33-41).

Wilhelm, K.P., and Maibach, H.I. (1995). Evaluation of irritation tests by chromametric measurements. In: Bearardesca, E., Elsner, P., Maibach, H.I. *Bioengineering of the Skin: Cutaneous Blood Flow and Erythema*. Boca Raton: CRC Press. (p. 269-279).

Wilhelm, K.P., Surber C.Q. and Maibach, H.I. (1989). Quantification of sodium lauryl sulfate irritant dermatitis in man. Comparison of four techniques: skin color reflectance, transepidermal water loss, laser Doppler low measurement and visual scores. *Arch. Dermatology. Res.* **218**. 293 - 295.

Wolf, B.A., Kwan, S.C., Moral, J. and Rhein, L. (1995). Development of in vitro methods for evaluating the epidermal and dermal effects of alpha hydroxy acids and amides. *J. Invest. Dermatol.* **104**. 69 (Abstract).

Zhen Y.X., Suetake, T. and Tagami, H. (1999). Number of cell layers of stratum corneum in normal skin - relationship to the anatomical location on the body, age, sex and physical parameters. *Arch Dermatol Res.* **291**. 555-559.