

REFERENCES

- Acar, J.F. and Goldstein, J.W. (1982). Genetic aspects and epidemiologic implications of resistance to trimethoprim. *Rev. Infect. Dis.* **4**: 270-275.
- Adrian, P.V., Thomson, C.J., Klugman, K.P., and Amyes, S.G.B. (1995). Prevalence and genetic location of non-transferable genes in South African commensal faecal isolates. *Epidemiol. Infect.* **115**: 255-267.
- Agarwal, K.C., Panhotra, B.R., Mahanta, J., Arya, V.K., and Grag, R.K. (1981). Typhoid fever due to chloramphenicol resistant *Salmonella typhi* associated with R plasmid. *Indian J. Med. Res.* **73**: 484-488.
- Akinkugbe, O.O., Lewis, E.A., Montefiore, D., and Odbadejo, O.A. (1968). Trimethoprim and sulphamethoxazole in typhoid. *Brit. Med. J.* **3**: 721-722.
- Allard, J., Gibson, M.L., Vu, L.H., Nguyen, T.T., and Bertrand, K.P. (1993). Nucleotide sequence of class D tetracycline resistance genes from *Salmonella ordonez*. *Mol. Gen. Genet.* **237**: 301-305.
- Alton, N.K. and Vapnek, D. (1979). Nucleotide sequence analysis of the chloramphenicol resistance transposon Tn9. *Nature (London)* **282**: 864-869.
- Anderson, E.S. (1965). A rapid screening test for transfer factors in drug sensitive *Enterobacteriaceae*. *Nature* **208**: 1016.
- Anderson, E.S. (1968). The ecology of transferable drug resistance in the *Enterobacteriaceae*. *Ann. Rev. Microbiol.* **22**: 131-152.
- Anderson, E.S. and Smith, H.R. (1972). Chloramphenicol resistance in the typhoid bacillus. *Brit. Med. J.* **3**: 329-331.
- Ansary, A., Ismail, S., and Cheong, Y.M. (1995). Occurrence and genetic characterization of chloramphenicol resistant *Salmonella typhi* isolated in Malaysia. *Malaysian J. Sci.* **16A**: 33-38.
- Arakawa, Y., Murakami, M., Suzuki, K., Ito, H., Wacharotayankun, R., Ohsuku, S., Kato, N., and Ohta, M. (1995). A novel integron-like element carrying the metallo β -lactamase gene *bla_{IMP}*. *Antimicrob. Agents Chemother.* **39**: 1612-1615.
- Arthur, A., Nimmo, E.R., Hettle, S.J.H., and Sherratt, D.J. (1984). Transposition and transposition immunity of transposon Tn3 derivatives having different ends. *EMBO J.* **3**: 1723-1729.
- Ball, P.R., Shales, S.W., and Chopra, I. (1980). Plasmid-mediated resistance

involves increased efflux of the antibiotic. *Biochem Biophys. Res. Commun.* **93**: 74-81.

Barg, N.L., Register, S., Thomson, C., and Amyes, S. (1995). Sequence identity with type VIII and associated with IS176 of type IIIc dihydrofolate reductase from *Shigella sonnei*. *Antimicrob. Agents Chemother.* **39**: 112-116.

Bennett, P.M. (1992). Transposable elements. In *Encyclopedia of Microbiology*, Vol. 4, pp. 311-325. Academic Press, Inc.

Bennett, P.M., and Grinsted, J. (1988). Detection and use of transposons. *Methods Microbiol.* **21**: 205-231.

Bennett, P.M., and Hawkey, P.M. (1991). The future contribution of transposition to antimicrobial resistance. *J. Hosp. Infect.* **18** (SupplA): 211-221.

Bennett, P.M., Grinsted, J., and Richmond, M.H. (1977). Transposition of TnA does not generate deletions. *Mol. Gen. Genet.* **154**: 205-221.

Berg, C.M. and Berg, D.E. (1987). Uses of transposable elements and maps of known insertions. In *Escherichia coli and Salmonella typhimurium : Cellular and Molecular Biology* (Eds. Neidhart F.C., Ingraham J.L., Low K.B., Magasanik B., Schaechter M., and Umberger H.E.), pp. 1071-1109. American Society for Microbiology, Washington D.C.

Berg, D.E., Davies, J., Allet, B., and Rochaix, J.D. (1975). Transposition of R factor genes to bacteriophage lambda. *Proc. Natl. Acad. Sci. USA* **72**: 3628-3632.

Birnboim, H.C. (1983). A rapid alkaline extraction method for the isolation of plasmid DNA. *Methods Enzymol.* **100**: 243-255.

Bissonnette, L. and Roy, P.H. (1992). Characterization of In0 of *Pseudomonas aeruginosa* plasmid pVS1, an ancestor of integrons of multiresistance plasmids and transposons of Gram negative bacteria. *J. Bacteriol.* **174**: 1248-1257.

Bloom, M.V., Freyer, G.A., and Micklos, D.A. (1996). Appendix 3. In *Laboratory DNA Science: An Introduction to Recombinant DNA Techniques and Methods of Genome Analysis*, pp. 408. The Benjamin/Cummings Publishing C., Inc., Menlo Park, CA.

Brau, B. and Pieperberg, W. (1983). Cointegrational transduction and mobilization of gentamycin resistance plasmid pWP14a is mediated by IS140. *Mol. Gen. Genet.* **189**: 298-303.

Brock, T.D. and Madigan, M.T. (1991). Major microbial diseases. In *Biology of Microorganism*, 6th ed., pp. 513-561. Prentice Hall, New Jersey.

- Broda, P.** (1979). *Plasmids*. W.H. Freeman and Co. Ltd., Oxford and San Francisco.
- Brosius, J., Cate, R.L., and Perlmutter, A.P.** (1982). Precise location of two promoters for the β -lactamase gene in *Haemophilus ducreyi*. *J. Biol. Chem.* **257**: 9205-9210.
- Brown, A.M., Coupland, G.M., and Willets, N.S.** (1984). Characterization of IS46, an insertion sequence found on two IncN plasmids. *J. Bacteriol.* **159**: 472-481.
- Brown, N.L., Misra, T.K., Winnie, J.N., Seiff, M., and Silver, S.** (1986). The nucleotide sequence of the mercuric resistance operons of plasmid R100 and transposon Tn501: further evidence for *mer* genes which enhance the activity of the mercuric ion detoxification system. *Mol. Gen. Genet.* **202**: 143-151.
- Brown, H.J., Stokes, H.W., and Hall, R.M.** (1996). The integrons In0, In2, and In5 are defective transposon derivatives. *J. Bacteriol.* **178**: 4429-4437.
- Bukhari, A.J., Shapiro, J.A., and Adhaya, S.** (1977). *DNA Insertion Elements, Episome and Plasmids*. Cold Spring Harbor Laboratory Press, New York.
- Bushby, S.R.M. and Hitchings, G.H.** (1968). Trimethoprim, a sulfonamide potentiator. *Br. J. Pharmacol. Chemother.* **33**: 72-90.
- Butler, T., Linh, N.N., Arnold, K. and Pollack, M.** (1973). Chloramphenicol-resistant typhoid fever in Vietnam associated with R factor. *Lancett* **ii**: 983.
- Butler, T., Rumans, L., and Arnold, K.** (1982). Response of typhoid fever caused by chloramphenicol-susceptible and chloramphenicol-resistant strains of *Salmonella typhi* to treatment with trimethoprim-sulfamethoxazole. *Rev. Infect. Dis.* **4**: 551-561.
- Calquhoun, J. and Weetch, R.S.** (1950). Resistance to chloramphenicol developing during treatment of typhoid fever. *Lancet* **ii**: 621-623.
- Cannon, P.M. and Strike, P.** (1992). Complete nucleotide sequence and gene organization of plasmid NTP16. *Plasmid* **27**: 220-230.
- Chen, S.T. and Clowes, R.C.** (1984). Two improved promoter sequences for β -lactamase expression arising from a single base-pair substitution. *Nucleic Acids Res.* **12**: 3219-3234.
- Chen, S.T. and Clowes, R.C.** (1987). Variation between the nucleotide sequences in Tn1, Tn2, and Tn3 and expression of β -lactamase in *Pseudomonas aeruginosa* and *Escherichia coli*. *J. Bacteriol.* **169**: 913-916.
- Cheong, Y.M.** (1992). Phages types of *Salmonella typhi* isolated in Malaysia over the last 10-year period 1980-1989. In *Typhoid Fever: Strategies for the 90's*. Selected papers

from the first Asia-Pacific Symposium on typhoid fever. (Eds. Pang, T., Koh, C.L., and Puthucheavy, S.D.), pp. 17-22. World Scientific Publishing Co. Pte. Ltd., Singapore.

Chiou, C.S. and Jones, A.L. (1993). Nucleotide sequence analysis of a transposon (Tn5393) carrying streptomycin resistance genes in *Erwinia amylovora* and other Gram negative bacteria. *J. Bacteriol.* **175**: 732-740.

Chong, S.S. (1992). *Conjugative R Plasmids from Multiple Antibiotic Resistant Salmonella typhi Strains*. B.Sc. (Hons.) thesis, session 1991/92. Dept. of Genetics and Cellular Biology, University of Malaya.

Chopra, I., and Ball, P.R. (1982). Transport of antibiotics into bacteria. *Adv. Microb. Physiol.* **23**: 183-240.

Chun, D., Sung, Y.S., Dong, T.C., and Tak, R. (1977). Drug resistance and R plasmids in *Salmonella typhi* isolated in Korea. *Antimicrob. Agents Chemother.* **11**: 209-213.

Collis, C. M. and Hall, R.M. (1992a). Site-specific deletion and rearrangement of integron insert genes catalyzed by the integron DNA integrase. *J. Bacteriol.* **174**: 1574-1585.

Collis, C. M. and Hall, R.M. (1992b). Gene cassettes from the insert region of integrons are excised as covalently closed circles. *Mol. Microbiol.* **6**: 2875-2885.

Collis, C. M. and Hall, R.M. (1995). Expression of antibiotic resistance genes in the integrated cassettes of integrons. *Antimicrob. Agents Chemother.* **39**: 155-162.

Collis, C. M., Grammaticopoulos, G., Briton, J., Stokes, H.W., and Hall, R.M. (1993). Site-specific insertion gene cassettes into integrons. *Mol. Microbiol.* **9**: 41-52.

Coovadia, Y.M. and Ende, J.V.D. (1987). Chloramphenicol-resistant *Salmonella typhi* in Durban, South Africa. *Trop. Geogr. Med.* **39**: 64-66.

Coovadia, Y.M., Gatiram, V., Bhamjee, A., Garatt, R.M., Mlisana, K., Pillay, N., Madlalose, T., and Shorts, M. (1992). An outbreak of multiresistance *Salmonella typhi* in South Africa. *Quarterly J. Med. (New Series 82)* **298**: 91-100.

Dale, J.W. and Smith, J.T. (1974). R-factor-mediated β -lactamases that hydrolyze oxacillin: evidence for two distinct groups. *J. Bacteriol.* **119**: 351-356.

Datta, N. and Kontamichalou, P. (1965). Penicillinase synthesis controlled by R-factors in *Enterobacteriaceae*. *Nature (London)* **208**: 239-241.

Datta, N., Richards, H., and Datta, C. (1981). *Salmonella typhi* in vivo acquires resistance to both chloramphenicol and cotrimoxazole. *Lancet* **1(8231)**: 1181-1183.

Davies, J. (1994). Inactivation of antibiotics and dissemination of resistance genes. *Science* **264**: 375-381.

Davies, J. and Smith, D.I. (1978). Plasmid-determined resistance to antimicrobial agents. *Ann. Rev. Microbiol.* **32**: 469-518.

Dorman, C.J. (1994). Genome rearrangement: reiterated sequences, transposition and site-specific recombination. In *Genetics of Bacterial Virulence*, pp. 88-113. Blackwell Scientific Publications.

de la Cruz, F. and Grinsted, J. (1982). Genetic and molecular characterization of Tn21, a multiple resistance transposon from R100-1. *J. Bacteriol.* **151**: 222-228.

Dorman, C.J. and Forster, T.J. (1982). Non-enzymatic chloramphenicol resistance determinants specified by plasmid R26 and R55-1 in *Escherichia coli* K-12 do not confer resistance to fluorinated analogs. *Antimicrob. Agent Chemother.* **22**: 914-941.

Ehrlich, S.D. (1989). Illegitimate recombination in bacteria. In *Mobile DNA* (Eds. Berg, D.E. and Howe, M.M.), pp. 799-832. Washington: American Society for Microbiology.

Ezaki, T., Liu, S.L., Sasakawa, C., and Yoshikawa, M. (1987). Molecular characterization of a conjugative R-lac plasmid in *Salmonellatyphi* isolated from a patient with typhoid fever. *Ann. Inst. Pasteur Microbiol.* **138**: 303-311.

Falkow, S. (1975). Historical perspective: drug resistance and R-factors. In *Infectious Multiple Drug Resistance*, pp. 1-7. Pion Ltd., London.

Fayet, O., Froment, Y., and Piffaretti, J.C. (1982). Beta-lactamase specifying plasmids isolated from *Neisseria gonorrhoeae* have retained an intact right part of a Tn3-like transposon. *J. Bacteriol.* **149**: 136-144.

Forster, T.J. (1983). Plasmid-determined resistance to antimicrobial drugs and toxic metal ions to bacteria. *Microbial. Rev.* **47**: 361-409.

Francia, M.V., de la Cruz, F., and Garcia Lobo, J.M. (1993). Secondary sites for integration mediated by Tn21 integrase. *Mol. Microbiol.* **10**: 823-828.

Francia, M.V., Avila, P., de la Cruz, F., and Garcia Lobo, J.M. (1997). A hot spot in plasmid F for site-specific recombination mediated by Tn21 integron integrase. *J. Bacteriol.* **179**: 4419-4425.

Gaffney, D.F., Forster, T.J., and Shaw, W.V. (1978). Chloramphenicol acetyltransferases determined by R plasmids from Gram negative bacteria. *J. Gen. Microbiol.* **109**: 351-358.

Galas, D.J. and Chandler, M. (1989). Bacterial insertion sequences, In *Mobile DNA*

(Eds. Berg, D.E., and Howe, M.M.), pp.109-162. Washington: American Society for Microbiology.

Gardner, E.J., Simmons, M.J., and Snustad, D.P. (1991). *Principles of Genetics*. 8th Ed. John Wiley and Sons Inc.

Gerlach, B.A. and Wiedemann, B. (1985). Tn3 as the molecular basis of ampicillin resistance in *E. coli* : an epidemiology survey. *Zbl. Bakt. Hyg.* **260**: 139-150.

Goldstein, F.W., Chumpitaz, J.C., Gueveram, J.M., Papadopolou, B., Acar, J.F., and Vieu, J.F. (1986). Plasmid-mediated resistance to multiple antibiotics in *Salmonella typhi*. *J. Infect. Dis.* **153**: 261-265.

Goussard, S. and Courvalin, P. (1991). Sequence of the genes *blaT-1B* and *blaT-2*. *Gene* **102**: 71-73.

Grindley, N.D.F. (1988). Transpositional and site-specific recombination mediated by bacterial transposons. In *The Recombination of Genetic Material*. (Ed. Low, K.B.), pp. 283-380. Academic Press Ltd., London.

Grindley, J.N. and Nakada, D. (1981). The nucleotide sequence of the replication origin of plasmid NTP1. *Nucleic Acids Res.* **9**: 4355-4366.

Grinsted, J. and Bennett, P.M. (1988). Introduction. *Methods Microbiol.* **21**: 1-10.

Grinsted, J., Bennett, P.M., and Richmond, M.H. (1977). A restriction of enzyme map of R-plasmid RP1. *Plasmid* **1** : 34-37.

Grinsted, J., Bennett, P.M., Higginson, S., and Richmond, M.H. (1979). Sites of insertion of TnA and TnM I RP1 and its derivatives. *Contr. Microbiol. Immunol.* **6**: 16-25.

Grinsted J., de la Cruz F., and Schmitt, R. (1990). The Tn21 subgroup of bacterial transposable elements. *Plasmid* **24**: 163-189.

Guthrie, R.K. (1991). Salmonellosis : The infection. In *Salmonella*, pp. 41-61. CRC Press, Boca Raton.

Hall, R.M. (1987). pKM101 is an IS46-promoted deletion of R46. *Nucleic Acids Res.* **15**: 5479.

Hall, R.M., Brookes, D.E., and Stokes, H.W. (1991). Site-specific insertion of genes into integrons: role of the 59-base element and determination of the recombination cross-over point. *Mol. Microbiol.* **5**: 1941-1959.

Hall, R.M., Brown, H.J., Brookes, D.E., and Stokes, H.W. (1994). Integrons found

in different locations have identical 5' ends but variable 3' ends. J. Bacteriol. **176**: 6286-6294.

Hanahan, D. (1983). Studies on transformation of *Escherichia coli* with plasmids. J. Mol. Biol. **166**: 557-580.

Hanahan, D. (1985). Techniques for transformation of *E. coli*. In *DNA Cloning: A Practical Approach* (Ed. Glover, D.M.), vol. I, pp. 109-135. IRL Press, Oxford.

Hannecart-Pokorni, E., Depuydt, F., de Wit, L., van Bossuyt, E., Content, J., and Vanhoof, R. (1997). Characterization of the 6'-N-aminoglycoside acetyltransferase gene *aac(6')*-II associated with a *sull*-type integron. Antimicrob. Agents Chemother. **41**: 314-318.

Hansen, J.B. and Olsen, R.H. (1978). Isolation of large bacterial plasmids and characterization of P2 incompatibility group plasmids pGMI and pGMG. J. Bacteriol. **135**: 227-228.

Hardy, K. (1986). Structure and replication. In *Bacterial Plasmids*, pp. 3-22. American Society for Microbiology, U.S.A.

Hartl D.L., Lozovskaya, E.R., Nurminsky, D.I., and Lohe, A.R. (1997). What restricts the activity of *mariner*-like transposable elements? Trends Genet. **13**: 197-201.

Hartley, J.L. and Donelson, J.E. (1980). Nucleotide sequence of yeast plasmid. Nature **286**: 860-864.

Hassan, A., Wahab, M.F.A., Sanborn, W.R., Kent, D.C., Yassa, A., and Hathout, S.E. (1970). Trimethoprim-sulphamethoxazole in enteric fevers. Brit. Med. J. **3**: 323-324.

Hauer, B. and Shapiro, J.A. (1984). Control of Tn7 transposition. Mol. Gen. Genet. **194**: 149-158.

Hawley, D.K. and McClure, W.R. (1983). Compilation and analysis of *Escherichia coli* promoter DNA sequences. Nucleic Acids Res. **11**: 2237-2255.

Heery, D.M., Gannon, F., and Powell, R. (1990). A simple method for subcloning DNA fragments from gel slices. Trends Genet. **6**: 173.

Heffron, F., McCarthy, B.J., Ohtsubo, H., and Ohtsubo, E. (1979). DNA sequence analysis of the transposon Tn3: three genes and three sites involved in transposition of Tn3. Cell **18**:1153-1164.

Helinski, D.R. (1973). Plasmid determined resistance to antibiotics: molecular properties of R-factor. Ann. Rev. Microbiol. **27**: 437-470.

- Heritage, J. and Bennett, P.M.** (1985). Plasmid functions mediated by one end of TnA. *J. Gen. Microbiol.* **131**: 1131-1140.
- Howarth, A.J., Gardner, R.C., Messing, J., and Shepherd, R.J.** (1981). Nucleotide sequence of naturally occurring deletion mutants of cauliflower mosaic virus. *Virology* **112**: 678
- Hughes, V.M. and Datta, N.** (1983). Conjugative plasmids in bacteria of the 'pre-antibiotic' era. *Nature (London)* **302**: 725-726.
- Huovinen, P.** (1987). Trimethoprim resistance. *Antimicrob. Agents Chemother* **31**: 1451-1456.
- Huovinen, P., Sundstrom, L., Swedberg, G., and Skold, O.** (1995). Trimethoprim and sulfonamide resistance. *Antimicrob. Agents Chemother.* **39**: 279-289.
- Iida, S., Meyer, J., Linder, P., Goto, N., Nakaya, R., Reif, H.J., and Arber, W.** (1982). The kanamycin resistance transposon Tn2680 derived from the R plasmid Rts1 and carried by phage p1Km has flanking 0.8 kb-long direct repeats. *Plasmid* **8**: 187-198.
- Jacoby, G.A. and Matthew, M.** (1979). The distribution of β -lactamase gene on plasmids found in *Pseudomonas*. *Plasmids* **2**: 41-47
- Jansson, C. and Skold, O.** (1991). Appearance of a new trimethoprim resistance gene, *dhfr*IX, in *Escherichia coli* from swine. *Antimicrob. Agents Chemother.* **35**: 1891-1899.
- Jegathesan, M. and Khor, S.Y.** (1980). First isolates of chloramphenicol resistant *S. typhi* in Malaysia. *Med. J. Malaysia* **34**: 395-398.
- Jones, C. and Stanley, J.** (1992). *Salmonella* plasmids of the pre-antibiotic era. *J. Gen. Microbiol.* **138**: 189-197.
- Joset, F. and Guespin-Michel, J.** (1993). Transposable elements. In *Prokaryotic Genetics: Genome Organization, Transfer and Plasticity*, pp. 132-164. Blackwell Science Ltd., U.K..
- Kadambeswaran, B.** (1993). *Plasmid- and Transposon-Mediated Resistance in Two Multiple Antibiotic Resistant Salmonella typhi Isolates*. B.Sc. (Hons.) thesis, session 1992/93. Dept. of Genetics and Cellular Biology, University of Malaya.
- Kado, C.I. and Liu, S.T.** (1981). Rapid procedure for detection and isolation of large and small plasmids. *J. Bacteriol.* **145**: 1365-1373.
- Kim, E.H. and Aoki, T.** (1994). The transposon-like structure of IS26-tetracycline, and kanamycin resistance R plasmid of fish pathogen, *Pasteurella piscicida*. *Microbiol.*

Immunol. **38**: 31-38.

Kleckner, N. (1981). Transposable elements in prokaryotes. *Ann. Rev. Genet.* **15**: 341-404.

Koh, C.L., Lim, M.E., and Wong Y.H. (1983). Plasmid-mediated transferable chloramphenicol and tetracycline resistance in *Salmonella typhi* (V: Phage Type 25) isolated in Peninsular Malaysia. *Med. J. Malaysia* **38**: 320-324.

Labigne-Roussel, A., Briaux-Gerbaud, S., and Courvalin, P. (1983). Tn1525, a kanamycin R determinant flanked by two direct copies of IS15. *Mol. Gen. Genet.* **189**: 90-101.

Lambert, C.M., Hyde, H., and Strike, P. (1987). Conjugal mobility of the multicopy plasmids NTP1 and NTP16. *Plasmid* **18**: 99-110.

Lederberg, J. (1952). Cell genetics and hereditary symbiosis. *Physiol. Rev.* **32**: 403-430.

Levesque, C., Piche, L., Larose, C., and Roy, P.H. (1995). PCR mapping of integrons reveals several novel combinations of resistance genes. *Antimicrob. Agents Chemother.* **39**: 185-191.

Levy, S.B. (1988). Tetracycline resistance determinants are widespread. *ASM News* **54**: 418-421.

Levy, S.B. and McMurray, L. (1978). Probing the expression of plasmid-mediated tetracycline resistance in *Escherichia coli*. In *Microbiology-1978*. (Ed. Schlessinger, D.), pp. 177-180. American Society for Microbiology, Washington, D.C..

Lichenstein, C. and Brenner, S. (1982). Unique insertion site of Tn7 in the *E. coli* chromosome. *Nature* **297**: 601-603.

Ling, J. and Chau, P.Y. (1984). Plasmids mediating resistance to chloramphenicol, trimethoprim, and ampicillin in *Salmonella typhi* strains isolated in the South Asian Region. *J. Infect. Dis.* **149**: 652.

Liss, L.R. (1987). New M13 Host : DH5 α F' competent cells. *Focus* **9(3)**: 13.

Lye, F.S. (1997). *Subcloning of the Trimethoprim Resistance Gene of a Multiple Antibiotic Resistance Transposon from Salmonella typhi*. B. Sc. (Hons.) thesis, session 1996/97. Dept. of Genetics and Cellular Biology, University of Malaya.

Mabilat, C. and Courvalin, P. (1990). Development of 'oligotyping' for characterization and molecular epidemiology of TEM β -lactamases in members of the family Enterobacteriaceae. *Antimicrob. Agents Chemother.* **34**: 2210-2216.

- Mabilat, C., Lourenco-Vital, J., Goussard, S., Courvalin, P.** (1992). A new example of physical linkage between TnI and Tn2I: the antibiotic multiple-resistance region of plasmid pCFF04 encoding extended-spectrum β -lactamase TEM-3. *Mol. Gen. Genet.* **225**: 113-121.
- Marcoli, R., Iida, S., and Bickle, T.A.** (1980). The DNA sequence of an ISI-flanked transposon coding for resistance to chloramphenicol and fusidic acid. *FEBS Lett.* **110**: 11-14.
- Martin, C., Gomez-Lus, R., Ortiz, J.M. and Garcia-Lobo, J.M.** (1987). Structure and mobilization of an ampicillin and gentamycin resistance determinant. *Antimicrob. Agents Chemother.* **31**: 1266-1270.
- Martin, C., Timm, J., Rauzier, J., Gomez-Lus, R., Davies, J., and Gicquel, B.** (1990). Transposition of an antibiotic resistance element in mycobacteria. *Nature* **345**: 739-743.
- Matthew, M., Hedges, R.W., and Smith, J.T.** (1979). Types of β -lactamase determined by plasmids in Gram negative bacteria. *J. Bacteriol.* **138**: 657-662.
- May, E.W. and Craig, N.L.** (1996). Switching from cut and paste to replicative Tn7 transposition. *Science* **272**: 401-404.
- Mazodier, P., Cossart, P., Giraud, E., and Gasser, F.** (1985). Completion of the nucleotide sequence of the central region of Tn5 confirms the presence of three resistance genes. *Nucleic Acids Res.* **13**: 195-205.
- McClintock, B.** (1951). Chromosome organization and genic expression. *Cold Spr. Harb. Symp. Quant. Biol.* **16**: 13-47.
- Mercier, J., Lachapelle, J., Couture, F., Lafond, M., Vezina, G., Bossinot, M., and Levesque, R.C.** (1990). Structural and functional characterization of *mpl*, a recombinase locus in Tn2I and related β -lactamase transposons. *J. Bacteriol.* **172**: 3745-3757.
- Messing, J.** (1983). New M13 vectors for cloning. *Methods Enzymol.* **101 part c**: 20-78.
- Micklos, D.A. and Freyer, G.A.** (1990). *DNA Science: A First Course in Recombinant DNA Technology*. Carolina Biological Supply Company and Cold Spring Harbor Laboratory Press.
- Miller, J.H.** (1972). *Experiments in Molecular Genetics*. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York.
- Mims, C.A., Playfair, J.H.L., Roitt, I.M., Wakelin, D., and Williams, R.** (1993).

Medical Microbiology. Times Mirror International Publishers Ltd., London.

Mitsuhashi, S., Kameda, M., Harada, K., and Suzuki, M. (1969). Formation of recombinants between non-transmissible drug-resistance determinants and transfer factors. *J. Bacteriol.* **97**: 1520.

Mollet, B., Iida, S., Shepherd, J., and Arber, W. (1983). Nucleotide sequence of IS26, a new prokaryotic mobile genetic element. *Nucleic Acids Res.* **11**: 6319-6330.

Mosher, R.H. and Vining, L.C. (1992). Antibiotic resistance. *Encyclopedia of Microbiology*, Vol. 1. pp.97-106. Academic Press, Inc.

Motsch, S. and Schmidt, R. (1984). Replicon fusion mediated by a single-ended derivative of transposon Tn1721. *Mol. Gen. Genet.* **195**: 281-287.

Murray, B.E., Levine, M.M., Cordano, A.M., D'ottone, K., Jayanetra, P., Kopecko, D., Pan-Urae, R., and Prenzel, I. (1985). Surveys of plasmids in *Salmonella typhi* from Chile and Thailand. *J. Infect. Dis.* **151**: 551-555.

Murthi, R.B., Rajyalakshmi, K., and Baskaran, C.S. (1962). Resistance of *Salmonella typhi* to chloramphenicol. *J. Clin. Pathol.* **15**: 544-551.

Mutschler, E., Derendorf, H., Schafer-Korting, M., Elrod, K., and Estes, K.S. (1995). *Drug Actions: Basic Principles and Therapeutics Aspects*. CRC Press, Boca Raton.

Nagai, Y. and Mitsuhashi, S. (1972). New types of R factors incapable of inactivating chloramphenicol. *J. Bacteriol.* **109**: 1-7.

Narayanan, K. (1995). *Plasmid- and Transposon-Mediated Multiple Antibiotic Resistances in Salmonella typhi*. B.Sc. (Hons.) thesis, sessions 1994/95, Dept. of Genetics and Cellular Biology, University of Malaya.

Nies, B.A., Meyer, J.F., Kratz, J., and Wiederman, B. (1985). R1767, an example of the evolution of resistance plasmids. *Plasmid* **13**: 163-172.

Nikaido, H. (1994). Prevention of drug access to bacterial targets: Permeability barriers and active efflux. *Science* **264**: 382-388.

Njoku-Obi, A.N. and Njoku-Obi, J.C. (1965). Resistance of *Salmonella typhi* to chloramphenicol. *J. Bacteriol.* **90**: 552-553.

Novick, R.P. (1969). Extrachromosomal inheritance in bacteria. *Bacteriol. Rev.* **33**: 210-263.

Novick, R.P., Clowes, R.C., Cohen, S.N., Curtiss III, R., Datta, N., and Falkow,

S. (1976). Uniform nomenclature for bacterial plasmids: a proposal. *Bacteriol. Rev.* **40**: 168-189.

Nucken, E.J., Henschke, R.B., and Schmidt, F.R. (1990). Nucleotide sequence of insertion element IS15-deltaIV from plasmid pBP11. *DNA Seq.* **1**: 85-88.

Olarte, J. and Galindo, E. (1973). *Salmonella typhi* resistant to chloramphenicol, ampicillin, and other antimicrobial agents: strains isolated during an extensive typhoid fever epidemic in Mexico. *Antimicrob. Agents Chemother.* **4**: 597-601.

Olszewska, E. and Jones, K. (1988). Vacuum blotting enhances nucleic acid transfer. *Trends Genet.* **4**: 92-94.

Ouellette, M., Gerband, G., Lambert, T., and Courvalin, P. (1987). Acquisition by a *Campylobacter*-like strain of *aphA-1*, a kanamycin resistance determinant from members of the family *Enterobacteriaceae*. *Antimicrob. Agents Chemother.* **31**:1021-1026.

Osano, E., Arakawa, Y., Wacharotayankun, R., Ohta, M., Horii, T., Ito, H., Yoshimura, F., and Kato N. (1994). Molecular characterization of an enterobacterial metallo-beta lactamase found in a clinical isolate of *Serratia marcescens* that shows imipenem resistance. *Antimicrob. Agents Chemother.* **38**: 71-78.

Paniker, C.K.J. and Vimala, K.N. (1972). Transferable chloramphenicol resistance in *Salmonella typhi*. *Nature* **239**: 109-110.

Pansegrau, W., Lanka, E., Barth, P.T., Figurski, D.H., Guiney, D.G. Haas, D., Helinski, D.R., Schwab, H., Stanisich, V.A., and Thomas, C.T. (1994). Complete nucleotide sequences of Birmingham IncP α plasmids: compilation and comparative analysis. *J. Mol. Biol.* **239**: 623-663.

Parker, M.T. (1983). *Salmonella*. In *Topley and Wilson's Principles of Bacteriology, Virology and Immunity* (Eds. M.T. Parker, Sir G. Wilson, and Sir A. Miles), 7th ed., Vol. 2, pp. 332-355. Edward Arnold Ltd., London.

Paulsen, T.T., Littlejohn, T.G., Radstrom, P., Sundstrom, L., Swedberg, G., and Skurray, R.A. (1993). The 3' conserved segment of integrons contains a gene associated with multidrug resistance to antiseptics and disinfectants. *Antimicrob Agents Chemother.* **37**: 761-768.

Peacock, A.C. and Dingman, C.W. (1967). Resolution of multiple ribonucleic acid species by polyacrylamide gel electrophoresis. *Biochemistry* **6**: 1818-1827.

Phipps, M., Pang, T., Koh, C.L., and Puthucheary, S. (1991). Plasmid incidence rate and conjugative chloramphenicol and tetracycline resistance plasmids in Malaysian isolates of *Salmonella typhi*. *Microbiol. Immunol.* **35**: 157-161.

- Radstrom P. and Swedberg G.** (1988). RSF1010 and a conjugative plasmid contain *sulII*, one of the two known genes for plasmid-borne sulfonamide resistance dihydropterate synthase. *Antimicrob. Agents Chemother.* **32**: 1684-1692.
- Rapleye, C.A. and Roth, J.R.** (1997). Transposition without transposase: a spontaneous mutation in bacteria. *J. Bacteriol.* **179**: 2047-2052.
- Recchia, G.D. and Hall, R.M.** (1995). Gene cassettes: a new class of mobile element. *Microbiol.* **141** : 3015-3027.
- Recchia, G.D., Stokes, H.W., and Hall, R.M.** (1994). Characterization of specific and secondary recombination sites recognised by the integron DNA integrase. *Nucleic Acids. Res.* **22**: 2071-2078.
- Richards, H. and Datta, N.** (1982). Plasmids and transposons acquired by *Salmonella typhi* in man. *Plasmid* **8**: 9-14.
- Rosenberg, C., Casse-Delbart, F., Dusha, I., David, M., and Boucher, C.** (1982). Megaplasms in plant-associated bacterium *Rhizobium meliloti* and *Pseudomonas solanacearum*. *J. Bacteriol.* **150**: 402-410.
- Rotger, R., Rubio, F., and Nombela, C.** (1986). A multi-resistance plasmid isolated from commensal *Neisseria* species is closely related to the enterobacterial plasmid RSF1010. *J. Gen. Microbiol.* **132**: 2491-2496.
- Rubin, L.G., Medeiros, A.A., Yolken, R.H., and Moxon, E.R.** (1981). Ampicillin treatment failure of apparently β -lactamase-negative *Haemophilus influenzae* type b meningitis due to novel β -lactamase. *Lancet* **ii**: 1008-1010.
- Salyers, A.A., Speer, B.S., and Shoemaker, N.B.** (1990). New perspectives in tetracycline resistance. *Mol. Microbiol.* **4**: 151-156.
- Sambrook, J., Fristch, E.F., and Maniatis, T.** (1989). *Molecular Cloning : A Laboratory Manual*, 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York.
- Sanger, F., Nicklen, S., and Coulson, A.R.** (1977). DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA* **74**: 5463-5467.
- Scholz, P., Haring, H., Wittmann-Liebold, B., Ashman, K., Bagdasarian, M., and Scherzinger, E.** (1989). Complete nucleotide sequence and gene organization of the broad-host-range plasmid RSF1010. *Gene* **75**: 271-288.
- Scott, J.R. and Churchward, G.G.** (1995). Conjugative transposition. *Ann. Rev. Microbiol.* **49**: 367-397.

- Shaw, W.V., Pakman, L.C., Burleigh, B.D., Dell, A., Morris, H.R., and Hartley, B.S.** (1979). Primary structure of a chloramphenicol acetyltransferase specified by R plasmid. *Nature (London)* **282**: 870-872.
- Shaw, K.J., Rather, P.N., Hare, R.S., and Miller, G.H.** (1993). Molecular genetics of aminoglycoside resistance genes and familial relationships of the aminoglycoside-modifying enzymes. *Microbiol. Rev.* **57**: 138-163.
- Sheldon, R. and Brenner, S.** (1976). Regulatory mutants of dihydrofolate reductase in *Escherichia coli* K12. *Mol. Gen. Genet.* **175**: 31-38.
- Sherratt, D.J.** (1974). Bacterial plasmids. *Cell* **3**: 189-195.
- Sherratt, D.J.** (1989). Tn3 and related transposable elements: Site-specific recombination and transposition. In *Mobile DNA* (Eds. Berg, D.E. and Howe, M.M.), pp. 163-184. Washington: American Society for Microbiology.
- Sippel, J.E., Diab, A.S., and Mikhail, I.A.** (1981). Chloramphenicol resistant *Salmonella typhi* in Egypt. *Trans. Roy. Soc. Trop. Med. And Hyg.* **75**: 613.
- Snyder, M.J., Perroni, J., Gonzalez, O., Palomina, C., Music, S., Du Pont, H.L., Hornick, R.B., and Woodward, T.E.** (1973). Trimethoprim-sulphamethoxazole in the treatment of typhoid and paratyphoid fevers. *J. Infect. Dis.* **128**: 5734-5737.
- Sridhar, H., Macagen, R., Devi, M.C.L., and Bhat, P.** (1983). Chloramphenicol resistant *Salmonella typhi* in Bangalore. *Indian J. Med. Res.* **78**: 314-318.
- Stanisich, V.A.** (1988). Identification analysis of plasmids at genetic level. *Methods Microbiol.* **21**: 11-47.
- Stokes, H.W. and Hall, R.M.** (1989). A novel family of potentially mobile DNA elements encoding site-specific gene integration functions. *Mol. Microbiol.* **3**: 1669-1683.
- Sundstrom, L., Jansson, C., Bremer, K., Heikkila, E., Olsson-Liljequist, B., and Skold, O.** (1995). A new *dhfrVIII* trimethoprim-resistance gene, flanked by IS26, whose product is remote from other dihydrofolate reductases in parsimony analysis. *Gene* **154**: 7-14.
- Sundstrom L., Radstrom P., Swedberg, G., and Skold, O.** (1988). Site-specific recombination promotes linkage between trimethoprim and sulfonamide resistance genes. Sequence characterization of *dhfrV* and *sulI* and a recombination active of Tn21. *Mol. Gen. Genet.* **213**: 191-201.
- Sundstrom, L., Swedberg, G., and Skold, O.** (1993). Characterization of transposon Tn5086, carrying the site-specifically inserted gene *dhfrVII* mediating trimethoprim

resistance. *J. Bacteriol.* **175**: 1796-1805.

Sutcliffe, J.G. (1978). Nucleotide of the ampicillin resistance gene of *E. coli* plasmid pBR322. *Proc. Natl. Acad. Sci. USA* **75**: 3737-3741.

Swedberg, G. (1987). Organization of two sulfonamide resistance genes on plasmids of Gram negative bacteria. *Antimicrob. Agents Chemother.* **31**: 306-311.

Swedberg, G. and Skold, O. (1983). Plasmid-borne sulfonamide resistance determinants studied by restriction enzymes analysis. *J. Bacteriol.* **153**: 1228-1237.

Then, R.L. (1982). Mechanism of resistance to trimethoprim, the sulfonamides and trimethoprim-sulfamethoxazole. *Rev. Infect. Dis.* **4**: 261-269.

Tietze, E. and Brevet, J. (1991). The trimethoprim resistance transposon Tn7 contains a cryptic streptothricin resistance gene. *Plasmid* **25**: 217-220.

Toussaint, A. (1985). Bacteriophage Mu and its use as a genetic tool. In *Genetics of Bacteria* (Eds. Scaife, J., Leach, D., and Galizzi, A.), pp. 117-146. Academic Press, New York.

Trieu-Cout, P. and Courvalin, P. (1984). Nucleotide sequence of the transposable element IS15. *Gene* **30**: 113-120.

van Treeck, U.F., Schmidt, F., and Wiedemann, B. (1981). Molecular nature of a streptomycin and sulfonamide resistance plasmid (pBP1) prevalent in clinical *Escherichia coli* strains and integration of an ampicillin resistance transposon (TnA). *Antimicrob. Agents Chemother.* **19**: 371-380.

Watanabe, T. (1963). Infective heredity of multiple drug resistance in bacteria. *Bacteriol. Rev.* **27**: 87-115.

Waters, S.H., Rogowsky, P., Grinsted, J., Altenbuchner, J. And Schmitt, R. (1983). The tetracycline resistance determinants of RP1 and Tn1721: Nucleotide sequence analysis. *Nucleic Acids Res.* **11**: 6089-6105.

Willet, N.S. (1980). The conjugation system of F-like plasmids. *Ann. Rev. Genet.* **14**: 41-76.

Wong, S. W. (1991). *Conjugative R Plasmids from Two Chloramphenicol and Tetracycline Resistant Salmonella typhi Strains*. B. Sc. (Hons.) thesis, session 1990/91, Dept. of Genetics and Cellular Biology, University of Malaya.

Woodcock, D.M., Crowther, P.J., Doherty, J., Jefferson, S., Cruz, E. de, Noyer-Weidner, M., Smith, S.S., Michael, M.Z., and Graham, M.W. (1989). Quantitative evaluation of *Escherichia coli* strains for tolerance to cytosine methylation

in plasmid and phage recombinants. *Nucleic Acids Res.* **17**: 3469-3478.

Wrighton, C.J. and Strike, P. (1987). A pathway for the evolution of plasmid NTP16 involving the novel kanamycin resistance transposon Tn4352. *Plasmid* **17**: 37-45.

Yamada, Y., Calane, K.L., Grindley, J.N., and Nakada, D. (1979). Location of an ampicillin resistance transposon Tn1701 in a group of small non-transferring plasmids. *J. Bacteriol.* **137**: 990-999.

Young, H.K., Qumsieh, M.J., and McIntosh, M.L. (1994). Nucleotide sequence and genetic analysis of the type Ib trimethoprim-resistant, Tn4132-encoded dihydrofolate reductase. *J. Antimicrob. Chemother.* **34**: 715-725.