

## References

- Aarts, H. J. M.**, Vanlith, L. A. J. T., and Keljer, J. 1998. High-resolution genotyping of *Salmonella* strains by AFLP fingerprinting. Letts. Appl. Microbiol. 26 : 131-135.
- Ainsworth, P. J.**, Surh, L. C., and Coulter, M. M. B. 1991. Diagnostic single strand conformational polymorphism (SSCP) : a simplified non-radioisotopic method as applied to a Tay-Sachs B1 variant. Nucleic Acids Res. 19 : 405-406.
- Altweig, M.**, Hickman-Brenner, F. W., and Farmer III, J. J. 1989. Ribosomal RNA gene restriction patterns provide increased sensitivity for typing *Salmonella typhi* strains. J. Infect. Dis. 160 : 145-149.
- Anderson, E. S.** 1968. Drug resistance in *Salmonella typhimurium* and its implication. British Med. J. 3 : 333-339.
- Anderson, E. S.**, and Hobbs, B. C. 1973. Studies of the strain *Salmonella typhi* responsible for the Aberdeen typhoid outbreak. Israel J. Med. Sci. 9 : 162-174.
- Anderson, E. S.** 1975. The problem and implications of chloramphenicol resistance in the typhoid bacillus. J. Hyg. 74 : 289-299.
- Anon.** 1989. *Salmonella* in eggs. PHLS Microbiol. Digest. 6 : 1-9.
- Arbeit, R. D.** 1995. Laboratory procedures for the epidemiologic analysis of microorganisms. In : Murray, P. R., Baron, E. J., Pfaller, M. A., Tenover, F. C., and Yolk, R. H. (eds.). Manual of clinical microbiology (6<sup>th</sup> edition). ASM Press, Washington D. C. pp. 190-208.
- Arber, W.** 2000. Genetic variation : Molecular mechanisms and impact on microbial evolution. Fems Microbiol. Rev. 24 : 1-7.
- Ashdown, L. R.** 1992. Melioidosis and safety in the clinical laboratory. J. Hosp. Infect. 21 : 301-306.
- Baqar, N.**, Threlfall, E. J., Rowe, B., and Stanley, J. 1993. Molecular subtyping within a single *Salmonella typhimurium* phage type DT 204C, with a PCR-generated probe for IS200. FEMS Microbiol. Lett. 112 : 217-222.
- Baqar, N.**, Burnens, A., and Stanley, J. 1994. Comparative evaluation of molecular typing of strains from a national epidemic due to *Salmonella brandenburg* by rRNA gene and IS200 probes and pulsed-field gel electrophoresis. J. Clin. Microbiol. 32 : 1876-1880.
- Barker, R. M.**, and Old, D. C. 1979. Biotyping and colicine typing of *Salmonella typhimurium* strains of phage type 141 isolated in Scotland. J. Med. Microbiol. 12 : 265-276.

- Barker, R. M.**, Old, D. C., and Sharp, J. C. M. 1980. Phage type/biotype groups of *Salmonella typhimurium* in Scotland 1974-6 : Variation during spread of epidemic clones. *J. Hyg.* 84 : 115-125.
- Barker, R. M.**, and Old, D. C. 1989. The usefulness of biotyping in the epidemiology and phylogeny of *Salmonellae*. *J. Med. Microbiol.* 29 : 81-88.
- Beltran, P.**, Musser, J. M., Helmuth, R., Farmer III, J. J., Frerichs, W. M., Wachsmuth, I. K., Ferris, K., McWhorter, A. C., Wells, J. G., Cravioto, A., and Selander, R. K. 1988. Toward a population genetic analysis of *Salmonella* : genetic diversity and relationships among strains of serotypes *S. cholerasuis*, *S. derby*, *S. dublin*, *S. enteritidis*, *S. heidelberg*, *S. infantis*, *S. newport*, and *S. typhimurium*. *Proc. Natl. Acad. Sci. USA.* 85 : 7753-7.
- Beyer, W.**, Mukendi, F. M., Kimming, P., and Böhm, R. 1998. Suitability of repetitive-DNA- sequence- based PCR fingerprinting for characterizing epidemic isolates of *Salmonella enterica* serovar Saintpaul. *J. Clin. Microbiol.* 36 : 1549-1554.
- Bik, E. M.**, Bunschoten, A. E., Gouw, R. A., and Mooi, F. R. 1995. Genesis of the novel epidemic *Vibrio cholerae* 139 strain : evidence for horizontal transfer of genes involved in polysaccharide synthesis. *EMBO.* 14 : 209-16.
- Birch, A.**, Häusler, A., and Hütter, R. 1990. Genome rearrangements and genetic instability in *Streptomyces* spp. *J. Bacteriol.* 172 : 4138-4142.
- Birnboim, H. C.**, and Doly, J. 1979. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res.* 7 : 1513-1523.
- Biseric, M.**, and Ochman, H. 1993. The ancestry of insertion sequences common to *Escherichia coli* and *Salmonella typhimurium*. *J. Bacteriol.* 175 : 7863-7868.
- Blanc-Potard, A. B.**, Solomon, F., Kayser, J., and Groisman, E. A. 1999. The SPI-3 pathogenic island of *Salmonella enterica*. *J. Bacteriol.* 181 : 998-1004.
- Boumedine, K. S.**, and Rodolakis, A. 1998. AFLP allows the identification of genomic markers of ruminant *Chlamydia psittaci* strains useful for typing and epidemiological studies. *Res. Microbiol.* 149 : 735-44.
- Boyd, F. E.**, Wang, F. S., Whittam, T. S., and Selander, R. K. 1996. Molecular genetic relationships of the *Salmonellae*. *Appl. Environ. Microbiol.* 62 : 804-808.
- Brian, M. J.**, Van, R., and Townsend, I. 1993. Evaluation of the molecular epidemiology of an outbreak of multiple resistant *Shigella sonnei* in a drug care centre by using pulsed-field gel electrophoresis and plasmid DNA extraction. *J. Clin. Microbiol.* 31 : 2152-6.
- Brow, M. A. D.**, Oldenburg, M. C., Lyamichev, V., Heisler, L. M., Lyamicheva, N., Hall, J. G., Eagen, N. J., Olive, D. M., Smith, L. M., Fors, L., and Dahlberg, J. E. 1996. Differentiation of bacterial 16S rRNA genes and intergenic regions and *Mycobacterium katG* genes by structure specific endonuclease cleavage. *J. Clin. Microbiol.* 34 : 3129-3137.

**Brown, T. A.** 1999. The molecular basis of genome evolution. In : Genomes. BIOS Scientific Publishers Ltd. U. K. pp. 330-353.

**Bruneau, H.**, de Montclos, H., Drouet, E., and Denoyel, G. A. 1994. rRNA gene restriction patterns of *Streptococcus pyogenes* : epidemiological applications and relation to serotypes. J. Clin. Microbiol. 32 : 2953-2958.

**Burnens, A. P.**, Stanley, J., Sechter, I., and Nicolet, J. 1996. Evolutionary origin of a monophasic *Salmonella* serovar 9, 12 : 1, V : -, revealed by IS200 profiles and restriction fragment polymorphisms of the *fliB* gene. J. Clin. Microbiol. 34 : 1641-1645.

**Burr, M. D.**, Josephson, K. L., and Pepper, I. L. 1998. An evaluation of ERIC- PCR and AP PCR fingerprinting for discriminating *Salmonella* serotypes. Lett. Appl. Microbiol. 27 : 24-30.

**Calva, E.**, Ordóñez, L. G., Fernandez- Mora, M., Santana, F. J., Bobadilla, M., and Puente, J. L. 1997. Distinctive IS200 insertion between *gyrA* and *rcsC* genes in *Salmonella typhi*. J. Clin. Microbiol. 35 : 3048-3052.

**Carle, G. F.**, and Olson, M. V. 1984. Separation of chromosomal DNA molecules for yeast by orthogonal- field- alternation gel electrophoresis. Nucleic Acids Res. 12 : 5647-5664.

**Carle, G. F.**, Frank, M., and Olson, M. V. 1986. Electrophoretic separation of large DNA molecules by periodic inversion of the electric field. Science. 232 : 65-68.

**Casadesus, J.**, and Roth, J. R. 1989. Absence of mutations among spontaneous mutants of *Salmonella typhimurium*. Mol. Gen. Genet. 216 : 210-216.

**Cebula, T. A.**, and LeClerc, J. E. 1997. Hypermutability and homologous recombination : ingredients for rapid evolution. Bull. Inst. Pasteur. 95 : 97-106.

**Chambon, L.**, and Fournier, J. 1956. Constitution antigenique de malleomyces pseudomallei. I. caractères morphologiques, culturaux, biochimiques et variations de type immunologique. Ann. Inst. Pasteur (Paris). 91 : 355-362.

**Chaudry, R.**, Ray, K., and Kumar, R. 1994. Polymerase chain reaction for the detection of *Salmonella typhi* in the blood of patients of typhoid fever. In : Program abstract ; 2<sup>nd</sup> Asia-Pacific Symposium on Typhoid Fever and Other Salmonellosis. Bangkok, Thailand. pp. 134.

**Chee, M.**, Yang, R., Hubbell, E., Berno, A., Huang, X. C., and Stern, D. 1996. Accessing genetic information with high- density DNA arrays. Science. 274 : 610-614.

**Cheong, Y. M.**, Jegathesan, M., and Tee, G. H. 1992. Phage types of *Salmonella typhi* isolated in Malaysia over the last 10 year period 1980-89. In : Pang, T., Koh, C. L., and Puthucheary, S. (eds.). Typhoid fever- strategies for the 90's. world scientific Publishing, Singapore. pp. 17-22.

- Chisholm, S. A.**, Crichton, P. B., and Old, D. C. 1999. Molecular typing of *Salmonella* serotype Thompson strains isolated from human and animal sources. *Epidemiol. Infect.* 122 : 33-9.
- Chiou, C. H.**, and Ou, J. T. 1996. Rapid identification of *Salmonella* serovars in feces by specific detection of virulence genes, *invA* and *spvC*, by an enrichment broth culture multiplex PCR combination assay. *J. Clin. Microbiol.* 34 : 2619-2622.
- Christensen, H.**, Nordentoft, S., and Olsen, J. E. 1998. Phylogenetic relationships of *Salmonella* based on rRNA sequences. *Int. J. Syst. Bacteriol.* 48 : 605-610.
- Chu, G.**, Vollrath, D., and Davis, R. W. 1986. Separation of large DNA molecules by contour clamped homogenous electric field. *Science*. 234 : 1582-1585.
- Coccolin, L.**, Manzano, M., Astori, G., Botta, G. A., Cantoni, C., and Comi, G. 1998. A highly sensitive and fast non-radioactive method for the detection of polymerase chain reaction products from *Salmonella* serovars such as *Salmonella typhi*, in blood specimens. *FEMS Immunol. Med. Microbiol.* 22 : 233-239.
- Conn, N. K.**, Heyman, C. S., Jamieson, A., McWilliams, J. M., and Scott, T. G. 1972. Water-borne typhoid fever caused by an unusual Vi-phage type in Edinburgh. *J. Hyg.* 70 : 245.
- Connerton, P.**, Wain, J., Hien, T. T., Ali, T., Parry, C., Chinh, N. T., Vinh, H., Ho, V. A., Diep, T. S., Day, N. P. J., White, N., Dougan, G., and Farrar, J. 2000. Epidemic typhoid in Vietnam : Molecular typing of multiple-antibiotic resistant *Salmonella enterica* Serotype Typhi from four outbreaks. *J. Clin. Microbiol.* 38 : 894-897.
- Cordano, A. M.**, and Virgilio, R. 1990. *Salmonella* contamination of surface waters. In : Custillo, G. (ed.). *Proceedings of the Second Biennial Water Quality Symposium : Microbiological Aspects*. Institute of Public Health, Santiago, Chile. pp. 249-252.
- Cowan, S. T.**, and Steel, J. 1993. In : Cowan and Steel's manual for the identification of medical bacteria, 3<sup>rd</sup> edition. Cambridge University Press, Cambridge.
- Craigie, J.**, and Yen, C. H. 1938a. The demonstration of types of *Bacillus typhosus* by means of preparations of type II Vi-phage. *Can. J. Public Health*. 29 : 448-463.
- Craigie, J.**, and Yen, C. H. 1938b. The demonstration of types of *Bacillus typhosus* by means of preparations of type II Vi-phage 2. *Can. J. Public Health*. 29 : 484-496.
- Craigie, J.**, and Felix, A. 1947. Typing of typhoid bacilli with Vi bacteriophage. *Lancet*. i : 823-827.
- Crichton, P. B.**, Old, D. C., and Morphy, H. F. 1998. Distribution of insertion sequence IS200 among different clonal lines of the related *Salmonella* serotypes Livingstone and Eimsbüttel. *J. Med. Microbiol.* 47 : 791-7.

- Dasen, S. E.**, LiPuma, J. J., Kostman, J. R., and Stull, T. L. 1994. Characterization of PCR-ribotyping for *Burkholderia (Pseudomonas) cepacia*. *J. Clin. Microbiol.* 32 : 2422-2424.
- Dauga, C.**, Zabrovskaia, A., and Grimont, P. A. D. 1998. Restriction fragment length polymorphism analysis of some flagellin genes in *Salmonella enterica*. *J. Clin. Microbiol.* 36 : 2835-2834.
- Deiwick, J. I.**, Nikolaus, T., Shea, J. E., Gleeson, C., Holden, D. W., and Hensel, M. 1998. Mutations in *Salmonella* pathogenicity island 2 (SPI-2) genes affecting transcription of SPI-1 genes and resistance to antimicrobial agents. *J. Bacteriol.* 180 : 4775-4780.
- Denisov, I. I.** 1985. The polysaccharide component of *Pseudomonas pseudomallei* slime. *Zh. Mikrobiol. Epidemiol. Immunol.* 11 : 23-26.
- Duguid, J. P.**, Anderton, E. S., Alfredsson, G. A., Barker, R. M., and Old, D. C. 1975. A new biotyping scheme for *Salmonella typhimurium* and its phylogenetic significance. *J. Med. Microbiol.* 8 : 149-166.
- Duij, B.**, Kruljt, E., vanLeeuwen, W., vanZijderveld, F., and Wagenuar, J. 1997. Application of the DNA fingerprinting method AFLP to differentiate strains of *Salmonella enteritidis* and *Salmonella dublin*. In : Proceedings of the molecular epidemiology of *Camphylobacter* and *Salmonella*. pp. 81-86.
- Echeita, M. A.**, and Usera, M. A. 1998. Chromosomal rearrangements in *Salmonella enterica* serotype Typhi affecting molecular typing in outbreak investigations. *J. Clin. Microbiol.* 36 : 2123-2126.
- Edelman, R.**, and Levine, M. M. 1986. Summary of an international workshop on typhoid fever. *Rev. Infect. Dis.* 8 : 329-349.
- Eisenstein, B. I.** 1990. New molecular techniques for microbiol epidemiology and the diagnosis of infectious disease. *J. Infect. Dis.* 161 : 595-602.
- El- Adhami, W.**, Roberts, L., Vickery, A., Inglis, B., Gibbs, A., and Stewart, P. 1991. Epidemiological analysis of a methicillin- resistant *Staphylococcus aureus* outbreak using restriction fragment length polymorphism of genomic DNA. *J. Gen. Microbiol.* 137 : 2713-2720.
- Esteban, E.**, Snipes, K., and Hird, D. 1993. Use of ribotyping for characterization of *Salmonella* serotypes. *J. Clin. Microbiol.* 31 : 233-237.
- Ezquerre, E.**, Burnrns, A., Jones, C., and Stanley, J. 1993. Genotypic typing and phylogenetic analysis of *Salmonella paratyphi* B and *S. java* with IS200. *J. Gen. Microbiol.* 139 : 2409-2414.
- Felix, A.**, and Pitt, R. M. 1934. A new antigen of *Bacillus typhosus*. *Lancet.* ii : 186-191.

**Ferrero, R. L.**, Thilberge, J. M., Kansau, I., Wuscher, N., Huerre, M., and Labigne, A. 1995. The GroES homolog of *Helicobacter pylori* confers protective immunity against mucosal infection in mice. Proc. Natl. Acad. Sci. USA. 92 : 6499-6503.

**Fica, A. E.**, Miranda, S. P., Ricci, A. F., D'ottone, K., and Cabello, F. C. 1996. Epidemic typhoid in Chile : analysis by molecular and conventional methods of *Salmonella typhi* strain diversity in epidemic (1977 and 1981) and non-epidemic (1990) years. J. Clin. Microbiol. 34 : 1701-1707.

**Franco, A.**, Gonzalez, C., Levine, O. S., Lagos, R., Hall, R. H., Hoffman, S. L., Moechtar, M. A., Gotuzzo, E., Levine, M. M., Hone, D. M., and Morris, J. G. 1992. Further consideration of the clonal nature of *Salmonella typhi* : evaluation of molecular and clinical characteristics of strains from Indonesia and Peru. J. Clin. Microbiol. 30 : 2187-2190.

**Frankel, G.**, Newton, S. M. C., Schoolnik, G. K., and Stocker, B. A. D. 1989. Unique sequence in region vi of the flagellin gene of *Salmonella typhi*. Mol. Microbiol. 3 : 1379-1383.

**Galan, J. E.**, and Curtiss III, R. 1989. Cloning and molecular characterization of genes whose products allow *S. typhimurium* to penetrate tissue culture cells. Proc. Natl. Acad. Sci. USA. 86 : 6383-6387.

**Galan, J. E.**, and Curtiss III, R. 1991. Distribution of the *invA*, -B, -C, and -D genes of *Salmonella typhimurium* among other *Salmonella* serovars : *invA* mutants of *Salmonella typhimurium* are deficient for entry into mammalian cells. Infect. Immun. 59 : 2901-2908.

**Gardiner, K.** Laas, W., and Patterson, D. 1986. Fractionation of large mammalian DNA restriction fragments using vertical pulsed-field gradient gel electrophoresis. Somatic Cell Mol. Genet. 12 : 185-195.

**Gargallo- Viola, D.** 1989. Enzyme polymorphisms, prodigiosin production and plasmid fingerprints in clinical and naturally occurring isolates of *Serratia marcescens*. J. Clin. Microbiol. 27 : 860-868.

**Georgiou, P. R.**, Doggett, A. M., Kielhofner, M. A., Stout, J. E., Watson, D. A., Lupski, J. R., and Hamil, R. J. 1994. Molecular fingerprinting of *Legionella* species by repetitive element PCR. J. Clin. Microbiol. 32 : 2989-2994.

**Gibert, I.**, Barbe, J., and Casadesus, J. 1990. Distribution of insertion sequence IS200 in *Salmonella* and *Shigella*. J. Gen. Microbiol. 136 : 2555-2560.

**Gibson, J. R.**, Slater, E., Xerry, J., Tompkins, D. S., and Owen, R. J. 1998. Use of an amplified fragment length polymorphism technique to fingerprint and differentiate isolates of *Helicobacter pylori*. J. Clin. Microbiol. 36 : 2580-5.

**Gill, O. N.**, Sockett, P. N., Bartlett, C. L. R., Vaille, M. S. B., Rowe, B., Gilbert, R. J., Dulake, C., Murrell, H. C., and Salnas, S. 1983. Outbreak of *Salmonella napoli* infections caused by contaminated chocolate bars. Lancet. i : 574-577.

- Grimont, F.**, and Grimont, P. A. D. 1986. Ribosomal ribonucleic acid gene restriction patterns as potential taxonomic tools. Ann. Inst. Pasteur Microbiol. 137B : 165-175.
- Grimont, F.**, and Grimont, P. A. D. 1991. DNA fingerprinting. In : Stackebrant, E., and Goodfellow, M. (eds.). Nucleic acid techniques in bacterial systematics ; modern microbiological methods. John Wiley and Sons, Chichester. pp. 249-280.
- Groisman, E. A.**, Saier, M. H., and Ochman, H. 1992. Horizontal transfer of a phosphate gene as evidence for mosaic structure of the *Salmonella* genome. EMBO. 11 : 1309-1316.
- Groisman, E. A.**, and Ochman, H. 1996. Pathogenicity islands : bacterial evolution in quantum leaps. Cell. 87 : 791-794.
- Gross, R.** 1993. Signal transduction and virulence regulation in human and animal pathogens. FEMS Microbiol. Rev. 104 : 301-326.
- Grunner, E.**, Flepp, M., Gabathuler, U., Thong, K. L., and Altwegg, M. 1997. Outbreak of typhoid fever in a non- endemic area : comparison of three molecular typing methods. J. Microbiol. Methods. 28 : 179-185.
- Guerra, B.**, Landeras, E., Hevia, A. G., and Mendoza, M. C. 1997. A three- way ribotyping scheme for *Salmonella* serotype Typhimurium and its usefulness for phylogenetic and epidemiological purposes. J. Med. Microbiol. 46 : 307-313.
- Hall, L. M. C.** 1994. Are point mutations or DNA rearrangements responsible for the restriction fragment length polymorphisms that are used to type bacteria? Microbiol. 140 : 197-204.
- Hampton, M. D.**, Ward, L. R., Rowe, B., and Threlfall, E. J. 1998. Molecular fingerprinting of multidrug- resistant *Salmonella enterica* serotype Typhi. Emerging Infect. Dis. 4 : 317-320.
- Hare, J. M.**, Wagner, A. K., and McDonough, K. A. 1999. Independent acquisition and insertion into different chromosomal locations of the same pathogenicity islands in *Yersinia pestis* and *Yersinia pseudotuberculosis*. Mol. Microbiol. 31 : 291-303.
- Hashimoto, Y.**, Li, N., Yokoyama, H., and Ezaki, T. 1993. Complete nucleotide sequence and molecular characterization of *viaB* region encoding Vi- antigen in *Salmonella typhi*. J. Bacteriol. 175 : 4456-4465.
- Hashimoto, Y.**, Itoh, Y., Fujinaga, Y., Khan, A. Q., Sultana, F., Miyaka, M., Hirose, K., Yamamoto, H., and Ezaki, T. 1995. Development of a nested PCR based on the *viaB* sequence to detect *Salmonella typhi*. J. Clin. Microbiol. 33 : 775-777.
- Hashimoto, Y.**, and Khan, A. Q. 1997. Comparison of *viaB* regions of Vi- positive organisms. FEMS Microbiol. Lett. 157 : 55-57.
- Hayashi, K.** 1992. PCR- SSCP : a method for detection of mutations. GATA. 9 : 73-79.

- Heneine, W.**, Matar, G., Reeves, M., and Swaminathan, B. 1991. Molecular characterization of *Salmonella typhi* isolates from patients with severe and mild typhoid fever. Eur. J. Epidemiol. 7 : 192-193.
- Hensel, M.**, Shea, J. E., Baümler, A. J., Gleeson, C., Blattner, F., and Holden, D. W. 1997. Analysis of the boundaries of *Salmonella* pathogenicity island 2 and the corresponding chromosomal region of *E. coli* K12. J. Bacteriol. 179 : 1105-1111.
- Hermans, P. W.**, Saha, S. K., vanLeeuwen, W. J., Verbrugh, H. A., vanBelkum, A., and Goessens, W. H. F. 1996. Molecular typing of *Salmonella typhi* strains from Dhaka (Bangladesh) and development of DNA probes identifying plasmid encoded multi- drug resistant isolates. J. Clin. Microbiol. 34 : 1373-1379.
- Herrman, B.**, Winqvist, D., Mattsson, J. G., and Kirsebom, L. A. 1996. Differentiation of *Chlamydia* spp. by sequence determination and restriction endonuclease cleavage of RNA genes. J. Clin. Microbiol. 34 : 1897-1902
- Hickman, F. W.**, and Farmer III, J. J. 1978. *Salmonella typhi* : Identification, antibiograms, serology and bacteriophage typing. Am. J. Med. Technol. 44 : 1049.
- Hickman- Brenner, F. W.**, and Farmer III, J. J. 1983. Regional centres for *Salmonella typhi* bacteriophage typing in the United States from 1974 through 1981. J. Clin. Microbiol. 17 : 172-174.
- Hinrikson, H. P.**, Dutly, F., Nair, S., and Altweig, M. 1999. Detection of 3 different types of *Tropheryma whippelii* directly from clinical specimens by sequencing, single- strand conformation polymorphism (SSCP) analysis and type- specific PCR of their 16S-23S ribosomal intergenic spacer region. Int. J. Syst. Bacteriol. 49 : 1701-1706.
- Hitchcock, P. J.**, and Brown, T. M. 1983. Morphological heterogeneity among *Salmonella* lipopolysaccharide chemotypes in silver stained polyacrylamide gel. J. Bacteriol. 154 : 269-277.
- Hoffman, S. L.** 1991. Typhoid fever. In : Strickland, G. T. (ed.). Hunter's tropical medicine. W. B. Saunders CO, Philadelphia. pp. 344-359.
- Hulton, C. S. J.**, Higgins, C. F., and Sharp, P. M. 1991. ERIC sequences : a novel family of repetitive elements in the genomes of *Escherichia coli*, *Salmonella typhimurium* and other Enterobacteria. Mol. Microbiol. 5 : 825-834.
- Hunter, P. R.**, and Gaston, M. A. 1988. Numerical index of the discriminatory ability of typing system : an application of Simpson's index of diversity. J. Clin. Microbiol. 26 : 2465-2466.
- Huys, G.**, Coopman, R., Janssen, P., and Kersters, K. 1996. High resolution genotypic analysis of the genus *Aeromonas* by AFLP fingerprinting. Int. J. Syst. Bacteriol. 46 : 572-80.

- Ivanoff, B.** 1995. Typhoid fever : Global situation and WHO recommendations. Southeast Asian Journal of Tropical Medicine and Public Health. 26(suppl. 2) : 1-6.
- Ivanoff, B.** 1998. Typhoid fever : a global overview. Med. J. Indonesia. Suppl 1 : 5-8.
- Jae- Hoon, S.**, Cho, H., Park, M. Y., Na, D. S., Moon, H. B., and Pai, C. H. 1993. Detection of *Salmonella typhi* in the blood of patients with typhoid fever by polymerase chain reaction. J. Clin. Microbiol. 31 : 1439-1443.
- Janssen, P.**, Coopman, R., Huys, G., Swings, J., Bleeker, M., Vos, P., Zabeau, M., and Kersters, K. 1996. Evaluation of the DNA fingerprinting method AFLP as a new tool in bacterial taxonomy. Microbiol. 142 : 1881-1893.
- Jensen, M. A.**, Webster, J. A., and Strauss, N. 1993. Rapid identification of bacteria on the basis of polymerase chain reaction amplified ribosomal DNA spacer polymorphism. Appl. Environ. Microbiol. 59 : 945-952.
- Jensen, M. A.**, and Hubner, R. J. 1996. Use of homoduplex ribosomal DNA spacer amplification products and heteroduplex cross- hybridization products in the identification of *Salmonella* serovars. Appl. Environ. Microbiol. 62 : 2741-2746.
- Jiang, C.**, Li, C., Chi, D. S., Ferguson, D. A., Ha, T., Laffan, J. J., and Thomas, E. 1998. Combination of single- and double- stranded conformational polymorphism for direct discrimination of gastric ***Helicobacter pylori***. J. Microbiol. Methods. 34 : 1-8.
- Jimenez- Lucho, V.**, and Foulds, J. 1990. Heterogeneity of lipopolysaccharide phenotype among *Salmonella typhi* strains. J. Infect. Dis. 162 : 763-764.
- Jordon, S. J.**, Dodd, C. E. R., and Stewart, G. S. A. B. 1999. Use of single- strand conformation polymorphism analysis to examine the variability of the *rpoS* sequence in environmental isolates of *Salmonellae*. Appl. Environ. Microbiol. 65 : 3582-3587.
- Kado, C. I.**, and Liu, S. T. 1981. Rapid procedures for detection and isolation of large and small plasmids. J. Bacteriol. 145 : 1365-1373.
- Kapliev, V. I.**, Denisov, I. I., and Kurilov, V. I. 1990. The morphological characteristics of mucoid variants of *Pseudomonas pseudomallei*. Zh. Mikrobiol. Epidemiol. Immunol. 10 : 41-45.
- Kariuki, S.**, Cheesbrough, J., Mauridid, A. K., and Hart, C. A. 1999. Typing of *Salmonella enterica* serotype Paratyphi C isolates from various countries by plasmid profiles and pulsed- field gel electrophoresis. J. Clin. Microbiol. 37 : 2058-60.
- Kauffmann, F.** 1966. The bacteriology of Enterobacteriaceae. Williams and Wilkins, Baltimore. pp. 56-57.
- Kauffmann, F.** 1972. In : Serological diagnosis of *Salmonella* species. Munksgaard International Publishers Ltd, Copenhagen.

- Kaufhold, A.**, Podbielski, A., Johnson, D. R., Kaplan, E. L., Lütticken, R. 1992. M Protein gene typing of *Streptococcus pyogenes* by non- radioactively labeled oligonucleotide probes. *J. Clin. Microbiol.* 30 : 2391-2397.
- Kerouanton, A.**, Brisaboi, A., Grout, J., and Picard, B. 1996. Molecular epidemiological tools for *Salmonella dublin* typing. *FEMS Immunol. Med. Microbiol.* 14 : 25-9.
- Kerr, K. G.** 1994. The rap on REP- PCR based typing systems. *Rev. Med. Microbiol.* 5 : 233-244.
- Kilger, G.**, and Grimont, P. A. D. 1993. Differentiation of *Salmonella* phase 1 flagellar antigen types by restriction of the amplified *fliC* gene. *J. Clin. Microbiol.* 31 : 1108-1110.
- Kooleman, J. G.**, Stoof, J., Biesmans, D. J., Savelkoul, P. H., and vanDenbroucke- Grauls, C. M. 1998. Comparison of amplified ribosomal DNA restriction analysis, random amplified polymorphic DNA fingerprinting for the identification of *Acinetobacter* genomic species and typing of *Acinetobacter baumannii*. *J. Clin. Microbiol.* 36 : 2522-9.
- Kondo, E.**, Naigowit, P., Phanichruttiwong, P., Patkanchanapong, W., Chetanachan, P., Triawattanasuk, N., and Kanai, K. 1991. Fatty acid profile and acid phosphatase activity of fresh isolates of *Pseudomonas pseudomallei*. *Jpn. J. Med. Sci.* 44 : 195-211.
- Kostman, J. R.**, Edlind, T. D., LiPuma, J. J., and Stull, T. L. 1992. Molecular epidemiology of *Pseudomonas cepacia* determined by polymerase chain reaction-ribotyping. *J. Clin. Microbiol.* 30 : 2084-2087.
- Krawiec, S.**, and Riley, M. 1990. Organization of the bacterial chromosome. *Microbiol. Rev.* 54 : 502-539.
- Kumeda, Y.**, and Asao, T. 1996. SSCP analysis of PCR- amplified ribosomal DNA internal transcribed spacers to differentiate species of *Aspergillus* section Flavi. *Appl. Environ. Microbiol.* 62 : 2947-2952.
- Laconcha, I.**, Lopez- Molina, N., Rementeria, A., Audicana, A., Perales, I., and Garaizar, J. 1998. Phage typing combined with pulsed- field gel electrophoresis and random amplified polymorphic DNA increases discrimination in the epidemiological analysis of *Salmonella enteritidis* strains. *Int. J. Food. Microbiol.* 40 : 27-34.
- Lagatolla, C.**, Dolzani, L., Tonin, E., Lavenia, A., Dimichele, M., Tommasin, T., and Monti- Bragadin, C. 1996. PCR- ribotyping and characterizing *Salmonella* isolates of different serotypes. *J. Clin. Microbiol.* 34 : 2440-2443.
- Lai, E.**, Birren, B. W., Clark, S. M., Simon, M. J., and Hood, L. 1989. Pulsed- field electrophoresis : overview. *Biotechniques.* 7 : 34-41.
- Lam, S.**, and Roth, J. R. 1983. A *Salmonella* specific insertion sequence. *Cell.* 34 : 951-961.

- Lan, R.**, and Reeves, P. R. 1996. Gene transfer is a major factor in bacterial evolution. Mol. Biol. Evol. 13 : 47-55.
- Landeras, E.**, and Mendoza, M. C. 1998. Evaluation of PCR- based methods and ribotyping performed with a mixture of *Pst*I and *Sph*I to differentiate strains of *Salmonella* serotype Enteritidis. J. Med. Microbiol. 47 : 427-434.
- LeClerc, J. E.**, Li, B., Payne, W. L., and Cebula, T. A. 1996. High mutation frequencies among *Escherichia coli* and *Salmonella* pathogens. Science. 274 : 1208-1211.
- Leelarasamee, A.**, and Bovornkitti, S. 1989. Melioidosis : review and update. Rev. Infect. Dis. 11 : 413-425.
- LeMinor, L.** 1984. *Salmonella* lignieres. In : Kreig, N. R., and Holt, J. G. (eds.). Bergey's manual of systematic bacteriology. Vol. I. Williams and Wilkins, Baltimore. pp. 427-458.
- LeMinor, L.** 1988. Typing of *Salmonella* species. Eur. J. Clin. Microbiol. Infect. Dis. 7 : 214-218.
- Lew, A. E.**, and Desmarchellier, P. M. 1993. Molecular typing of *Pseudomonas pseudomallei* : restriction fragment length polymorphism of rRNA genes. J. Clin. Microbiol. 31 : 533-539.
- Lim, P. L.**, Tam, F. C. H., Cheong, Y. M., and Jegathesan, M. 1998. One- step 2- minute test to detect typhoid specific antibodies based on particle separation in tubes. J. Clin. Microbiol. 36 : 2271-2278.
- Lindberg, A. A.**, and LeMinor, L. 1984. Serology of *Salmonella*. Methods Microbiol. 15 : 1- 141.
- Lindler, L. E.**, and Hayes, J. M. 1994. Nucleotide sequence of the *Salmonella typhi* groEL heat shock gene. Microbiol. Pathogen. 17 : 271-275.
- Liu, S. L.**, Hessel, A., and Sanderson, K. E. 1992. The *Xba*I- *Bln*I- *Ceu*I genomic cleavage map of *Salmonella typhimurium* LT2 determined by double digestion, end labelling and pulsed- field gel electrophoresis. J. Bacteriol. 175 : 4104-4120.
- Liu, S. L.**, Hessel, A., and Sanderson, K. E. 1993. The *Xba*I- *Bln*I- *Ceu*I genomic cleavage map of *Salmonella enteritidis* shows an inversion relative to *Salmonella typhimurium* LT2. Mol. Microbiol. 10 : 655-664.
- Liu, S. L.**, Hessel, A., Cheng, H. Y. M., and Sanderson, K. E. 1994. The *Xba*I- *Bln*I- *Ceu*I genomic cleavage map of *Salmonella paratyphi* B. J. Bacteriol. 176 : 1014-1024.
- Liu, S. L.**, and Sanderson, K. E. 1995. Rearrangements in the genome of the bacterium *Salmonella typhi*. Proc. Natl. Aca. Sci. USA. 92 : 1018-1022.

- Liu, S. L.**, and Sanderson, K. E. 1996. The genome of *Salmonella typhi* is highly plastic. Proc. Natl. Acad. USA. 93 : 10303-10308.
- Lockhart, S. R.**, Reed, B. D., Pierson, C. L., and Soll, D. R. 1996. Most frequent scenario for recurrent *Candida vaginitis* is strain maintenance with "substrain shuffling": demonstration by sequential DNA fingerprinting with probes Ca3, C1 and CARE2. J. Clin. Microbiol. 34 : 767-777.
- Luk, J. M. C.**, and Lindberg, A. A. 1991. Anti-*Salmonella* lipopolysaccharide monoclonal antibodies. Characterization of *Salmonella* BO-, CO-, DO-, and EO specific clones and their diagnostic usefulness. J. Clin. Microbiol. 29 : 2424-2433.
- Luk, J. M. C.**, Kongmuang, U., Tsang, R. S. W., and Lindberg, A. A. 1997. An enzyme-linked immunosorbent assay to detect PCR products of the *rfbS* gene from serogroup D salmonellae: a rapid screening prototype. J. Clin. Microbiol. 35 : 714-718.
- Luz, S. P.**, Rodriguez-Valera, F., Lan, R., and Reeves, P. R. 1998. Variation of the ribosomal operon 16S-23S gene spacer region in representatives of *Salmonella enterica* subspecies. J. Bacteriol. 180 : 2144-2151.
- Maes, N.**, Gheldre, Y. D., Ryck, R. F., Vaneechoutte, M., Meugnier, H., Etienne, J., and Struelens, M. J. 1997. Rapid and accurate identification of *Staphylococcus* species by tRNA intergenic spacer length polymorphism analysis. J. Clin. Microbiol. 35 : 2477-2481.
- Maher, K. O. D.**, Morris, J. G., Gotuzzo, E., Ferreccio, C., Ward, L. R., Benavenre, L., Black, R. E., and Rowe, B. 1986. Molecular techniques in the study of *Salmonella typhi* in epidemiology studies in endemic areas: comparison with Vi-phage typing. Am. J. Trop. Med. Hyg. 35 : 831-835.
- Martinez- Flores, I.**, Oropeza, R., Cano, R., Sampieri, C. L., Puente, J. L., and Calva, E. 1998. Novel porin genes are modes of porin regulation in *Salmonella typhi*. Med. J. Indonesia. Suppl 1 : 25-29.
- Martini, A.**, Filetici, E., and Fantasia, M. 1992. Epidemiological markers of *Salmonella typhimurium* isolates in Rome. J. Med. Microbiol. 37 : 104-108.
- Maslow, J. N.**, Mulligan, M. E., and Arbeit, R. D. 1993. Molecular epidemiology: application of contemporary techniques of the typing of microorganisms. Clin. Infect. Dis. 17 : 153-164.
- Masoud, H.**, Ho, M., Schoolhardt, T., and Perry, M. B. 1997. Characterization of the capsular polysaccharide of *Burkholderia (Pseudomonas) pseudomallei* 304b. J. Bacteriol. 179 : 5663-5669.
- Matic, I.**, Radman, M., Taddei, F., Picard, B., Doit, C., Bingen, E., Denamur, E., and Ellion, J. 1997. Highly variable mutation rates in commensal and pathogenic *Escherichia coli*. Science. 277 : 1833-1834.

- McClelland, M.**, Jones, R., Patel, Y., and Nelson, M. 1987. Restriction endonuclease for pulsed-field mapping of bacterial genomes. *Nucleic Acids Res.* 15 : 5985-6005.
- Mecas, J.**, and Strauss, E. J. 1996. Molecular mechanisms of bacterial virulence : Type III secretion and pathogenic islands. *Emerging Infect. Dis.* 2: 271-288.
- Medigue, C.**, Rouxel, T., Vigier, P., Henaut, A., and Danchin, A. 1991. Evidence of horizontal gene transfer in *E. coli* speciation. *J. Mol. Biol.* 222 : 851-856.
- Meitert, T.**, and Meitert, E. 1978. Usefulness, applications and limitations of epidemiological typing methods to elucidate nosocomial infections and the spread of communicable diseases. In : Bergen, T., and Norris, J. R. (eds.). *Methods in microbiology*. Vol. 10. Academic Press, London.
- Mhand, R. A.**, Brahimi, N., Mousaoui, N., Mdaghri, N. E., Amarouch, H., Grimont, F., Bingen, E., and Benbahir, M. 1999. Characterization of extended spectrum  $\beta$ - lactamase producing *Salmonella typhimurium* by phenotypic and genotypic typing methods. 37 : 3769-3773.
- Mikhail, I. A.**, Haberberger, R. L., Farid, Z., Gergis, N. I., and Woody, J. N. 1989. Antibiotic- multiresistant *Salmonella typhi* in Egypt. *Trans. R. Soc. Trop. Med. Hyg.* 83 : 120.
- Milkman, R.** 1973. Electrophoretic variation in *Escherichia coli* from natural sources. *Science*. 182 : 1024-1026.
- Millemann, Y.**, Lesage- Descauses, M. C., Lafont, J. P., and Chaslus- Dancla, E. 1996. Comparison of random amplified polymorphic DNA analysis and enterobacterial repetitive intergenic consensus PCR for epidemiological studies of *Salmonella*. *FEMS Immunol. Med. Microbiol.* 14 : 129-134.
- Mohabeer, A. J.**, Hiti, A. L., and Martin, W. J. 1991. Non- radioactive single- strand conformation polymorphism (SSCP) using the Pharmacia "Phastsystem". *Nucleic Acids Res.* 19 : 3154.
- Murakami, Y.**, Katahira, M., Makino, R., Hayashi, K., Hirohashi, S., and Sekiya, T. 1991. Inactivation of the retinoblastoma gene in a human lung carcinoma cell line detected by single- strand conformation polymorphism analysis of the polymerase chain reaction product of cDNA. *Oncogene*. 6 : 37-42.
- Murdoch, D. A.**, Banatvala, N. A., Bone, A., Shoismatulloev, B. I., Ward, L. R., and Threlfall, E. J. 1998. Epidemic ciprofloxacin- resistant *Salmonella typhi* in Tajikistan. *Lancet*. 351 : 339.
- Murray, B. E.**, Levine, M. M., Cordano, A. M., D'ottone, K., Jayanentra, P., Kopecko, D., Pan- urae, R., and Prenzel, I. 1985. Survey of plasmids in *Salmonella typhi* in Chile and Thailand. *J. Infect. Dis.* 151 : 551-555.

- Muyzer, G.**, Dewaal, E. C., and Uitterlinden, A. G. 1993. Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction amplified genes coding for 16SrRNA. *Appl. Environ. Microbiol.* 59 : 695-700.
- Nair, S.**, Poh, C. L., Lim, Y. S., Tay, L., and Goh, K. T. 1994. Genome fingerprinting of *Salmonella typhi* by pulsed- field gel electrophoresis for subtyping common phage types. *Epidemiol. Infect.* 113 : 391-402.
- Najdenski, H.**, Iteman, I., and Carniel, E. 1995. The genome of *Yersinia enterocolitica* is the most stable of the three pathogenic species. *Contrib. Microbiol. Immunol.* 13 : 281-284.
- Nakao, H.**, Mazurova, I. K., Glushkevich, T., and Popovic, T. 1997. Analysis of heterogeneity of *Corynebacterium diphtheriae* toxin gene, *tox*, and its regulatory element, *dtxR*, by direct sequencing. *Res. Microbiol.* 148 : 45-54.
- Nakao, H.**, and Popovic, T. 1998. Development of a rapid ribotyping method for *Corynebacterium diphtheriae* by using PCR Single- strand conformation polymorphism : comparison with standard ribotyping. *J. Microbiol. Methods.* 31 : 127-134.
- Nandi, S.**, Khetawat, G., Sengupta, S., Majumder, R., Kar, S., Bhadra, R. K., Roychaudhury, S., and Das, J. 1997. Rearrangements in the genome of *Vibrio cholerae* strains belonging to different serovars and biovars. 47 : 858-862.
- Nastasi, A.**, Mammina, C., and Villafrate, M. R. 1991. rDNA fingerprinting as a tool in epidemiological analysis of *Salmonella typhi* infections. *Epidemiol. Infect.* 107 : 565-576.
- Nastasi, A.**, and Mammina, C. 1995. Epidemiological evaluation by PCR-ribotyping of sporadic and outbreak associated strains of *Salmonella enterica* serotype Typhimurium. *Res. Microbiol.* 146 : 99-106.
- Ng, I.**, Liu, S. L., and Sanderson, K. E. 1999. Role of genomic rearrangements in producing new ribotypes of *Salmonella typhi*. *J. Bacteriol.* 181 : 3536-3545.
- O'Brien, A. D.**, and Holmes, R. K. 1987. Shiga and Shiga- like toxin. *Microbiol. Rev.* 51 : 206-220.
- Ochman, H.** and Bergthorsson, U. 1995. Genome evolution in enteric bacteria. *Current Opinion in Genetics and Development.* 5 : 734-738.
- Old, D. C.**, Rankin, S. C., and Crichton, P. B. 1999. Assessment of strain relatedness among *Salmonella* serotypes Salinatis, Duisburg and Sandiego by biotyping, ribotyping, IS200 fingerprinting and pulsed- field gel electrophoresis. *J. Clin. Microbiol.* 37 : 1687-1692.
- Olive, D. M.**, and Bean, P. 1999. Principles and application of methods for DNA- based typing of microbial organisms. *J. Clin. Microbiol.* 37 : 1661-1669.

- Olsen, J. E.**, Skov, M. N., Threlfall, E. J., and Brown, D. J. 1994. Clonal lines of *Salmonella enterica* serotype Enteritidis documented by IS200-, ribo-, pulsed- field gel electrophoresis and RFLP typing. *J. Med. Microbiol.* 40 : 15-22.
- Olsen, J. E.**, Skov, M. N., Angen, O., Threlfall, E. J., and Bisgaard, M. 1997. Genomic relationships between selected phage types of *Salmonella enterica* serotype Typhimurium defined by ribotyping, IS200 typing and PFGE. *Microbiol.* 143 : 1471-1479.
- Orbach, M. J.**, Vollrath, D., Davis, R. W., and Yanofsky, C. 1988. Electrophoresis karyotype of *Neurospora crassa*. *Mol. Cell Biol.* 8 : 1469-1473.
- Orita, M.**, Iwahana, H., Kanazawa, H., Hayashi, K., and Sekiya, T. 1989. Detection of polymorphisms of human DNA by gel electrophoresis as single- strand conformation polymorphism. *Proc. Natl. Acad. Sci. USA.* 86 : 2766-2770.
- Palmer, S. R.**, and Rowe, B. 1986. Trends in *Salmonella* infections. *PHLS Microbiol. Digest.* 3 : 18-22.
- Pang, T.**, Altwegg, M., Martinetti, G., Koh, C. L., and Puthucheary, S. 1992a. Genetic variations among Malaysian isolates of *Salmonella typhi* as detected by ribosomal RNA gene restriction patterns. *Microbiol. Immunol.* 36 : 539-543.
- Pang, T.** 1992b. Typhoid fever- a continuing problem. In : *Typhoid fever : Strategies for the 90's. Selected papers from the 1<sup>st</sup> Asia- Pacific Symposium on Typhoid Fever*. World Scientific Publishing Co. Pte. Ltd., Singapore. pp. 1-2.
- Pang, T.**, Bhutta, Z. A., Finlay, B. B., and Altwegg, M. 1995. Typhoid fever and other salmonellosis : a continuing challenge. *Trends in Microbiol.* 3 : 253-255.
- Pang, T.**, Levine, M. M., Ivanoff, B., Wain, J., and Finlay, B. B. 1998a. Typhoid fever – important issues still remain. *Trends in Microbiol.* 6 : 131-133.
- Pang, T.** 1998b. Genetic dynamics of *Salmonella typhi*- diversity in clonality. *Trends in Microbiol.* 6 : 339-342.
- Parsons, C. M.**, Limberger, R. J., and Shayegani, M. 1997. Alterations in levels of DnaK and GroEL results in diminished survival and adherence of stressed *Haemophilus ducreyi*. *Infect. Immun.* 65 : 2413-2419.
- Passey, M.**, Suve, N., Taime, J., Clegg, A., Ivivi, R., Javati, A., Joannes, M., Kerigifa, K., Kave, H., Kave, P., Kimin, S., Lupiwa, S., Namuili, P., ans Alpers, M. 1985. Highly endemic typhoid fever in Papua New Guinea. *Southeast Asian J. Trop. Med. Publ. Health.* (Suppl. 2). 26 : 83-84.
- Pelkonen, S.**, Romppanen, E. L., Siitonen, A., and Pelkonen, J. 1994. Differentiation of *Salmonella* serovar infantis isolates from human and animal source by fingerprinting IS200 and 16Srrn loci. *J. Clin. Microbiol.* 32 : 2128-2133.

**Philips, C. A.**, and George, J. T. 1994. Guess what's lurking in the lunch. *Biologist*. 41 : 76-80.

**Poh, C. L.**, Yeo, C. C., and Tay, L. 1992a. Genome fingerprinting by pulsed- field gel electrophoresis and ribotyping to differentiate *Pseudomonas aeruginosa* serotype O11 strain. *Eur. J. Clin. Microbiol. Infect. Dis.* 11 : 817-822.

**Popoff, M. Y.**, and LeMinor, L. 1992. Antigenic formulas of the *Salmonella* serovars, 6<sup>th</sup> revision. W.H.O Collaborating Centre for Reference and Research on *Salmonella*, Institute Pasteur, Paris, France.

**Popoff, M. Y.**, Bockemühl, J., and McWhorter- Murlin, A. 1994. Supplement 1993 (no. 37) to the Kauffmann- White Scheme. *Res. Microbiol.* 145 : 711-716.

**Powell, N. G.**, Threlfall, E. J., Chart, H., Schofield, S. L., and Rowe, B. 1995. Correlation of change in phage type with pulsed- field profile and 16Srrn profile in *Salmonella enteritidis* phage types 4, 7, and 9a. *Epidemiol. Infect.* 114 : 403-411.

**Poxton, I. R.**, and Arbuthnott, J. P. 1991. Determinants of bacterial virulence. In : Linton, A. H., and Dick, H. M. (eds.). *Principles of bacteriology, virology and immunity* (8<sup>th</sup> edition) Vol. 1. Edward Arnold Publishers, London. pp. 331-353.

**Prevost, G.**, Jaulhac, B., and Piemont, Y. 1992. DNA fingerprinting by pulsed-field gel electrophoresis is more effective than ribotyping in distinguishing among methicillin-resistant *Staphylococcus aureus* isolates. *J. Clin. Microbiol.* 30 : 967-973.

**Puohiniemi, R.**, Heiskanen, T., and Siitonens, A. 1997. Molecular epidemiology of two international sprout- borne *Salmonella* outbreaks. *J. Clin. Microbiol.* 35 : 2487-2491.

**Rajakumar, K.**, Sasakawa, C., and Adler, B. 1997. Use of a novel approach termed island probing, identifies the *Shigella flexneri she* pathogenicity island which encodes a homology of the immunoglobulin A protease like family of protein. *Infect. Immun.* 65 : 4606-4614.

**Reeves, M. W.**, Evins, G. M., Heiba, A. A., Plikaytis, B. D., and Farmer III, J. J. 1989. Clonal nature of *Salmonella typhi* and its genetic relatedness to other *Salmonella* as shown by multilocus enzyme electrophoresis and proposal of *Salmonella bongori* comb. Nov. *J. Clin. Microbiol.* 27 : 313-320.

**Ridley, A. M.**, Punia, P., Ward, L. R., Rowe, B., and Threlfall, E. J. 1996. Plasmid characterization and pulsed- field electrophoretic analysis demonstrate that ampicillin-resistant strains of *Salmonella enteritidis* phage type 6a are derived from *Salmonella enteritidis* phage type 4. *J. Appl. Bacteriol.* 81 : 613-618.

**Rodriguez, D. C.**, Tauxe, R. E., and Rowe, B. 1990. International increase in *Salmonella enteritidis* : A new pandemic. *Epidemiol. Infect.* 105 : 21-27.

- Rodriguez, A. V.**, Vidal, Y. L., Puente, J. L., Palacios, G. M. R., and Calva, E. 1993. Early diagnosis of typhoid fever by enzyme immunoassay using *Salmonella typhi* outer membrane protein preparations. Eur. J. Clin. Microbiol. Infect. Dis. 12 : 248-254.
- Roth, J. R.**, Benson, N., Galitski, T., Haack, K., Lawrence, J. G., and Misel, L. 1996. Rearrangements of the bacterial chromosome : Formation and applications. In : eds. Neidhardt, F. C., Curtiss, R. III, Ingraham, J. L., Lin, E. C. C., Low, K. B., Magasanik, B., Reznikoff, W. S., Riley, M., Schaeffer, M., and Umbarger, H. E. *Escherichia coli and Salmonella typhimurium : Cellular and molecular biology*. ASM Press, Washington D. C. pp. 2256-76.
- Rowe, B.**, Hall, H. L. M., Ward, L. R., and DeSa, J. D. H. 1980. Epidemic spread of *Salmonella hadar* in England and Wales. British Med. J. 1 : 1065-1066.
- Rowe, B.**, and Threlfall, E. J. 1984. Drug resistance in gram- negative aerobic bacilli. British Med. Bull. 40 : 68-76.
- Rubin, F. A.**, McWhirter, P. D., Punjabi, N. H., Lase, E., Sudarmono, P., Pulungish, S. P., Lesmana, M., Kumala, S., Kopecko, D. J., and Hoffman, S. L. 1989. Use of a DNA probe to detect *Salmonella typhi* in the blood of patients with typhoid fever. J. Clin. Microbiol. 27 : 1112-1114.
- Saiki, R. K.**, Gelfand, D. H., and Stoffel, S. 1988. Primer directed enzymatic amplification of DNA with thermostable DNA polymerase. Science. 239 : 487-91.
- Saito, H.**, and Miura, K. 1963. Preparation of transforming deoxyribonucleic acid by phenol treatment. Biochim. Biophys. Acta. 72 : 619-629.
- Salyers, A. A.**, and Whitt, D. D. 1994. *Salmonella* infections. In : Bacterial Pathogenesis ; A molecular approach. ASM Press, Washington D. C. pp. 229-243.
- Sanderson, K. E.** 1976. Genetic relatedness in the family Enterobacteriaceae. Annu. Rev. Microbiol. 30 : 327-349.
- Sanderson, K. E.** and Liu, S. L. 1998. Chromosomal rearrangements in *Salmonella* spp. Med. J. Indonesia . Suppl. 1 : 30-37.
- Sato, T.**, Sato, M., Matsuyama, J., and Hoshino, E. 1997. PCR- restriction fragment length polymorphism analysis of genes coding for 16SrRNA in *Veillonella* spp. Int. J. Syst. Bacteriol. 47 : 1268-1270.
- Savelkoul, P. H. M.**, Aarts, H. J. M., DeHaas, J., Dijkshoorn, L., Duim, B., Otsen, M., rademaker, J. L. W., Schouls, L., and Lenstra, J. 1999. Amplified fragment length polymorphism analysis : the state of an art. J. Clin. Microbiol. 37 : 3083-3091.
- Schmid, M. B.**, and Roth, J. R. 1987. Gene location affects expression level in *S. typhimurium*. J. Bacteriol. 169 : 2872-2875.

- Schmidt, T. J.**, Barrett, J. S., Schrader, J. S., Scherach, C. S., McGee, H. P., Feldman, R. A., and Brenner, D. J. 1982. Salmonellosis associated with marijuana. A multi- state outbreak traced by plasmid fingerprinting. *New Eng. J. Infect. Med.* 306 : 1249-1253.
- Schroppel, K.**, Rotman, M., Galask, R., Mac, K., and Soll, D. R. 1994. Evolution and replacement of *Candida albicans* strains during recurrent vaginitis demonstrated by DNA fingerprinting. *J. Clin. Microbiol.* 32 : 2646-2654.
- Schwartz, D. C.**, Suffran, W., Welsh, J., Haas, R., Goldenberg, M., and Cantor, C. R. 1982. New techniques for purifying large DNAs and studying their properties and packing. *Cold Spring Harbor Symp. Quant. Biol.* 47 : 189-195.
- Schwartz, D. C.**, and Cantor, C. R. 1984. Separation of yeast chromosomal DNAs by pulsed- field gradient gel electrophoresis. *Cell.* 37 : 67-75.
- Selander, R. K.**, and Levin, B. R. 1980. Genetic diversity and structure in *Escherichia coli* populations. *Science.* 210 : 545-547.
- Selander, R. K.**, Caugant, D. A., Ochman, H., and Musser, J. M. 1986. Methods of multilocus enzyme electrophoresis for bacterial population genetics and systematics. *Appl. Environ. Microbiol.* 51 : 873-884.
- Selander, R. K.**, Beltran, P., Smith, N. H., Helmuth, R., Rubin, F. D., Kopecko, D. J., Ferris, K., Tall, B. D., Cravioto, A., and Musser, J. M. 1990. Evolutionary genetic relationships of clones of *Salmonella* serovars that cause human typhoid and other enteric fevers. *Infect. Immun.* 58 : 2262-2275.
- Selander, R. K.**, Beltran, P., and Smith, N. H. 1991. Evolutionary genetics of *Salmonella*. In : Selander, R. K., Clark, A. G., and Whittam, T. S. (eds.). *Evolution at the molecular level*. Sinauer Associates Inc., Massachusetts. pp. 25-57.
- Shanahan, P. M. A.**, Jesudason, M. V., Thomson, C. J., and Amyes, S. G. B. 1998. Molecular analysis of and identification of resistance genes in clinical isolates of *Salmonella typhi* from India. *J. Clin. Microbiol.* 36 : 1595-1600.
- Shanahan, P. M. A.**, Karamat, K. A., Thompson, C. J., and Amyes, S. G. B. 2000. Characterization of multi- drug resistant *Salmonella typhi* isolated from Pakistan. *Epidemiol. Infect.* 124 : 9-16.
- Shangkuan, Y. H.**, and Lin, H. C. 1998. Application of random amplified polymorphic DNA analysis to differentiate strains of *Salmonella typhi* and other *Salmonella* species. *J. Appl. Microbiol.* 85 : 693-702.
- Sibley, L. D.**, and Boothroyd, J. C. 1992. Virulent strains of *Toxoplasma gondii* comprise a single clonal lineage. *Nature.* 359 : 82-85.

**Slovs, J. H.**, Janssen, P., vanBoven, C. P., and Dijkshoorn, L. 1998. AFLP typing of *Staphylococcus epidermidis* in multiple sequential blood cultures. Res. Microbiol. 149 : 221-8.

**Smeltzer, M. S.**, Pratt, F. L., Gillaspy, A. F., and Young, L. A. 1996. Genomic fingerprinting for epidemiological differentiation of *Staphylococcus aureus* clinical isolates. J. Clin. Microbiol. 34 : 1364-1372.

**Sneath, P. H. A.**, and Sokal, R. R. 1973. Numerical taxonomy : the principles and practice of numerical classification. W. H. Freeman, San Francisco.

**Sonnenwirth, A. C.** 1980. The enteric organisms. In : Davis, B. D., Dulbecco, R., Eisen, H. N., and Ginsberg, H. S. (eds.) Microbiology, including immunology and molecular genetics (3<sup>rd</sup> edition). Harper and Row Publishers Inc. pp. 646-672.

**Stanley, J.**, Jones, C. S., and Threlfall, E. J. 1991. Evolutionary lines among *Salmonella enteritidis* phage types are identified by insertion sequence IS200 distribution. FEMS Microbiol. Lett. 82 : 83-90.

**Stanley, J.**, Chowdry, N., Powell, N., and Threlfall, E. J. 1992a. Chromosomal genotypes (evolutionary lines) of *Salmonella berta*. FEMS Microbiol. Lett. 95 : 247-252.

**Stanley, J.**, Burnens, A., Powell, N., Chowdry, N., and Jones, C. 1992b. The insertion sequence IS200 fingerprints chromosomal genotypes and epidemiological relationships in *Salmonella heidelberg*. J. Gen. Microbiol. 138 : 2329-2336.

**Stanley, J.**, Baquar, N., and Threlfall, E. J. 1993. Genotypes and phylogenetic relationships of *Salmonella typhimurium* defined by molecular fingerprinting of IS200 and 16Srrn loci. J. Gen. Microbiol. 139 : 1133-1140.

**Stanley, J.**, Powell, N., Jones, C., and Burnens, A. P. 1994. A framework for IS200, 16SrrNA gene and plasmid profile analysis in *Salmonella* serogroup D1. J. Med. Microbiol. 41 : 112-119.

**Stanley, J.**, Baquar, N., and Burnens, A. 1995. Molecular subtyping scheme for *Salmonella panama*. J. Clin. Microbiol. 33 : 1206-1211.

**Stanley, J.**, and Saunders, N. 1996. DNA insertion sequences and the molecular epidemiology of *Salmonella* and *Mycobacterium*. J. Med. Microbiol. 45 : 236-251.

**Struelens, M. J.**, Deplano, A., Godard, C., Maes, N., and Serruys, E. 1992. Epidemiologic typing and delineation of genetic relatedness of methicillin-resistant *Staphylococcus aureus* by macrorestriction analysis of genomic DNA by using pulsed-field gel electrophoresis. J. Clin. Microbiol. 30 : 2599-2605.

**Struelens, M. J.**, Schwam, V., Deplano, A., and Baran, D. 1993. Genome macrorestriction analysis of diversity and variability of *Pseudomonas aeruginosa* strains infecting cystic fibrosis patients. J. Clin. Microbiol. 31 : 2320-2326.

- Stull, T. L.**, LiPuma, J. J., and Edlind, T. D. 1988. A broad-spectrum probe for molecular epidemiology of bacterial ribosomal RNA. *J. Infect. Dis.* 157 : 280-286.
- Swaminathan, B.**, and Mater, G. M. 1993. Molecular typing methods. In : Persing, D. H., Smith, T. F., Tenover, F. C., and White, T. J. (eds.). *Diagnostic molecular microbiology : principles and application*. ASM Press, Washington D. C. pp. 26-50.
- Tackett, C. O.** 1989. Molecular epidemiology of *Salmonella*. *Epidemiol. Rev.* 11 : 99-108.
- Tang, S. W.**, Abubakar, S., Devi, S., Puthucheary, S., and Pang, T. 1997. Induction and characterization of heat shock proteins of *Salmonella typhi* in their reactivity with sera from patients with typhoid fever. *Infect. Immun.* 65 : 2983-2986.
- Tenover, F. C.**, Arbeit, R. D., Goering, R. V., Mickelsen, P. A., Murray, B. E., Persing, D. H., and Swaminathan, B. 1995. Interpreting chromosomal DNA restriction patterns produced by pulsed-field gel electrophoresis : criteria for bacterial strain typing. *J. Clin. Microbiol.* 33 : 2233-2239.
- Tompkins, L. S.**, Troup, N., Labaigne-Roussel, A., and Cohen, M. L. 1986. Cloned, random cromosomal sequence as probes to identify *Salmonella* species. *J. Infect. Dis.* 154 : 156-162.
- Torre, E.**, Threlfall, E. J., Hampton, M. D., Ward, L. R., Gibert, I., and Rowe, B. 1993. Characterization of *Salmonella virchow* phage types by plasmid profile and IS200 distribution. *J. Appl. Bacteriol.* 75 : 435-440.
- Thompson-Carter, F. M.**, Carter, P. E., and Pennington, T. H. 1989. Differentiation of *Staphylococcal* species and strains by ribosomal RNA gene restriction patterns. *J. Gen. Microbiol.* 135 : 2093-2097.
- Thong, K. L.**, Cheong, Y. M., Puthucheary, S., Koh, C. L., and Pang, T. 1994. Epidemiologic analysis of sporadic *Salmonella typhi* isolates and those from outbreaks by pulsed-field gel electrophoresis. *J. Clin. Microbiol.* 32 : 1135-1141.
- Thong, K. L.**, Puthucheary, S., Yassin, R. M., Sudarmono, P., Padmidewi, M., Soewandojo, E., Handojo, I., Sarasombath, S., and Pang, T. 1995. Analysis of *Salmonella typhi* isolates from Southeast Asia by pulsed-field gel electrophoresis. *J. Clin. Microbiol.* 37 : 1938-1941.
- Thong, K. L.**, Cheong, Y. M., and Pang, T. 1996. A probable case of laboratory acquired infection with *Salmonella typhi* : evidence from phage typing, antibiograms and analysis by pulsed-field gel electrophoresis. *Int. J. Infect. Dis.* 1 : 96-97.
- Thong, K. L.**, and Pang, T. 1996a. A rapid simplified method for preparation of chromosomal DNA for pathogenic bacteria for use in pulsed-field gel electrophoresis. *Asia Pac. J. Mol. Biol. Biotechnol.* 4 : 59-62.

- Thong, K. L.**, Passey, M., Clegg, A., Combs, B. G., Yassin, R. M., and Pang, T. 1996b. Molecular analysis of isolates of *Salmonella typhi* obtained from patients with fatal and non-fatal typhoid fever. *J. Clin. Microbiol.* 34 : 1029-1033.
- Thong, K. L.**, Cordano, A. M., Yassin, R. M., and Pang, T. 1996c. Molecular analysis of environmental and human isolates of *Salmonella typhi*. *Res. Microbiol.* 148 : 229-35.
- Thong, K. L.** 1996d. Macrorestriction analysis of DNA from *Salmonella typhi* and other *Salmonella* species. A thesis submitted for the degree of doctor of philosophy (Ph. D.) to the Institute of Advanced Studies, University Malaya, Kuala Lumpur, Malaysia.
- Thong, K. L.**, Puthucheary, S. D., and Pang, T. 1997. Genome size variations among recent human isolates of *Salmonella typhi*. *Res. Microbiol.* 148 : 229-35.
- Thong, K. L.**, Nair, S., Chaudry, R., Seth, P., Kapil, A., Kumar, D., Kapoor, H., Puthucheary, S., and Pang, T. 1998. Molecular analysis of *Salmonella paratyphi* A from an outbreak in New Delhi, India. *Emerging Infect. Dis.* 4 : 507-508.
- Threlfall, E. J.**, Ward, L. R., and Rowe, B. 1978. The spread of multiresistant strain of *Salmonella typhimurium* phage types 204 and 193 in Britain. *British Med. J.* 6143 : 997-998.
- Threlfall, E. J.**, and Frost, J. A. 1990. The identification, typing and fingerprinting of *Salmonella*: laboratory aspects and epidemiological applications. *J. Appl. Bacteriol.* 68 : 5-16.
- Threlfall, E. J.**, Frost, J. A., Ward, L. R., and Rowe, B. 1990. Plasmid profile typing can be used to subdivide phage type 49 of *Salmonella typhimurium* in outbreak investigations. *Epidemiol. Infect.* 104 : 243-251.
- Threlfall, E. J.**, Rowe, B., and Ward, L. R. 1992. Recent changes in the occurrence of antibiotic resistance in *Salmonella* isolated in England and wales. *PHLS Microbiol. Digest.* 9 : 69-71.
- Threlfall, E. J.**, Torre, E., Ward, L. R., Rowe, B., and Gibert, I. 1993. Insertion sequence IS200 can differentiate drug-resistant and drug-sensitive *Salmonella typhi* of Vi-phage types E1 and M1. *J. Med. Microbiol.* 39 : 454-458.
- Threlfall, E. J.**, Torre, E., Ward, L. R., Davalos-Perez, A., Rowe, B., and Gibert, I. 1994. Insertion sequence IS200 fingerprinting of *Salmonella typhi*: an assessment of epidemiological applicability. *Epidemiol. Infect.* 112 : 253-261.
- Threlfall, E. J.**, Hampton, M. D., Ward, L. R., and Rowe, B. 1996. Application of pulsed-field gel electrophoresis to an international outbreak of *Salmonella agona*. *Emerging Infect. Dis.* 2 : 130-132.
- Threlfall, E. J.** 1998. Development and application of molecular typing methods for salmonella spp. The U. K. experience. *Med. J. Indonesia.* Suppl. 1 : 151-154.

**Towner, K. J.**, and Cockayne, A. 1993. In : Molecular methods for microbial identification. Chapman and Hill, London. pp. 1-150.

**Trakulsomboon, S.**, Dance, D. A., Smith, M. D., White, N. J., and Pitt, T. L. 1997. Ribotype differences between clinical and environmental isolates of *Burkholderia pseudomallei*. *J. Med. Microbiol.* 46 : 565-570.

**Tsen, H. Y.**, Lin, J. S., Hu, H. H., Liu, P. R., and Wang, T. K. 1999. Use of pulsed- field gel electrophoresis as an epidemiological tool for analysis of sporadic associated strains of *Salmonella typhi* isolated in Taiwan. *J. Appl. Microbiol.* 86 : 761-768.

**Ueda, K.**, Seki, T., Kudo, T., Yoshida, T., and Kataoka, M. 1999. Two distinct mechanisms cause heterogeneity of 16S rRNA. *J. Bacteriol.* 181 : 78-82.

**Usera, M. A.**, Echeita, A., Aladuena, A., Alvarez, J., Carreno, C., Orcau, A., and Planas, C. 1995. Investigation of an outbreak of water- borne typhoid fever in Catalonia in 1994. *Enferm. Infec. Microbiol. Clin.* 13 : 450-4.

**Uzzau, S.**, Hovi, M., and Stocker, B. A. 1999. Application of ribotyping and IS200 fingerprinting to distinguish the five *Salmonella* serotype O6, 7 : 1, 5 groups : Cholerasuis sensu stricto, Cholerasuis var. Kunzendorf, Cholerasuis var. Decatur, Paratyphi C and Typhisuis. *Epidemiol. Infect.* 123 : 37-46.

**Vanechoutee, M.**, Dijkshoorn, L., Tjernberg, I., Elaichouni, A., DeVos, P., Claegs, G., and Verschraegen, G. 1995. Identification of *Acinetobacter* genomic species by amplified ribosomal DNA restriction analysis. *J. Clin. Microbiol.* 33 : 11-15.

**Van Embden, J. D. A.**, Cave, M. D., Crawford, J. T., Dale, J. W., Eisenach, K. D., and Gicquel, B. 1993. Strain differentiation of *Mycobacterium tuberculosis* by DNA fingerprinting : recommendations for a standard methodology. *J. Clin. Microbiol.* 37 : 406-409.

**Varnam, A. H.**, and Evans, M. G. 1991. *Salmonella*. In : Foodborne pathogens. An illustrated text. Wolfe Publishers Ltd, London. pp. 51-85.

**Versalovic, J.**, Koeuth, T., and Lupski, K. 1991. Distribution of repetitive DNA sequences in eubacteria and application to fingerprinting of bacterial genomes. *Nucleic Acids Res.* 19 : 6823-6831.

**Vos, P.**, Hogers, R., Bleeker, M., Reijans, M., Van de Lee, T., Horne, M., Frijters, A., Pot, J., Peleman, J., Kuiper, M., and Zabeau, M. 1995. AFLP : a new technique for DNA fingerprinting. *Nucleic Acids Res.* 23 : 4407-4444.

**Wain, J.**, Diep, T. S., Chinh, N. T., Vinh, H., Fortune, S., Hoa, N. T. T., White, N. J., Piddock, L. J. V., Parry, C. M., and Farrar, J. F. 1998. Resistance to antimicrobial agents in *Salmonella typhi* in Vietnam. Clinical response to therapy and molecular mechanisms. *Med. J. Indonesia*: Suppl 1 : 5-8.

**Wain, J.**, Hien, T. T., Connerton, P., Ali, T., Parry, C. M., Chinh, N. T. T., Vinh, H., Phuong, C. X. T., Ho, V. A., Diep, T. S., Farrar, J. J., White, N. J., and Dougan, G. 1999. Molecular typing of multiple- antibiotic resistant *Salmonella enterica* serotype Typhi from Vietnam : application to acute and relapse cases of typhoid fever. *J. Clin. Microbiol.* 37 : 2460-2472.

**Wallich, R.**, Helmes, C., Schaible, U. E., Lobet, Y., Moter, S. E., Kramer, M. D., and Simon, M. M. 1992. Evaluation of genetic divergence among *Borrelia burgdorferi* isolates by use of *ospA*, *fla*, Hsp60 and Hsp70 gene probes. *Infect. Immun.* 60 : 4856-4866.

**Wang, L. F.**, Voysey, R., and Yu, M. 1994. Simplified large- scale alkaline lysis preparation of plasmid DNA using minimal phenol. *Biotechniques*. 17 : 26-28.

**Waterhouse, R. N.**, and Glover, L. A. 1993. Identification of procaryotic repetitive DNA suitable for use as fingerprinting probes. *Appl. Environ. Microbiol.* 59 : 1391-1397.

**Weide- Botjes, M.**, Liebisch, B., Schwarz, S., and Watts, J. L. 1996. Molecular characterization of *Salmonella enterica* subsp. *enterica* serovar Cholerasuis field isolates and differentiation from homologous live vaccine strains Suisaloral and Sc- 54. *J. Clin. Microbiol.* 34 : 2460-2463.

**Weide- Botjes, M.**, Kobe, B., Large, C., and Schwarz, S. 1998. Molecular typing of *Salmonella enterica* subsp. *enterica* serovar Hadar : evaluation and application of different typing methods. *Vet. Microbiol.* 61 : 215-27.

**Weisburg, W.**, Barns, S. M., Pelletier, D. A., and Lane, D. J. 1991. 16S ribosomal DNA amplification for phylogenetic study. *J. Bacteriol.* 173 : 697-703.

**White, P. B.** 1926. Further studies of the *Salmonella* group. Great Britain Medical Research Council Special Report. No. 103. London. HMSO.

**Widjojoatmodjo, M. N.**, Fluit, A. C., and Verhoet, J. 1994. Rapid identification of bacteria by PCR- single strand conformation polymorphism. *J. Clin. Microbiol.* 32 : 3002-3007.

**Wiedmann, M.**, Bruce, J. L., Keating, C., Johnson, A. E., McDonough, P. L., and Batt, C. A. 1997. Ribotypes and virulence gene polymorphisms suggest three distinct *Listeria monocytogenes* lineages with differences in pathogenic potential. *Infect. Immun.* 65 : 2707-2716.

**Willshaw, G. A.**, Threlfall, E. J., Ward, L. R., Ashley, A. S., and Rowe, B. 1980. Plasmid studies of drug- resistant epidemic strains of *Salmonella typhimurium* belonging to phage types 204 and 193. *J. Antimicrobial. Chemo.* 6 : 763-773.

**Woods, C. R.**, Versalovic, J., Koeuth, T., and Lupski, J. R. 1992. Analysis of relationships among isolates of *Citrobacter diversus* by using DNA fingerprints generated by repetitive sequence based primers in the polymerase chain reaction. *J. Clin. Microbiol.* 30 : 2921-2929.

**Xercavins, M.**, Llovet, T., Navarro, F., Morera, M. A., More, J., Bella, F., Freixas, N., Simo, M., Echeita, A., Coll, P., Garan, J., and Prats, G. 1997. Epidemiology of an unusually prolonged outbreak of typhoid fever in Terrassa, Spain. Clin. Infect. Dis. 24 : 506-10.

**Xiang, S. H.**, Haase, A. M., and Reeves, P. R. 1993. Variation of the *rfb* gene clusters in *Salmonella enterica*. J. Bacteriol. 175 : 4877-4884.

**Young, J. P. W.** 1989. The population genetics of bacteria. In : Hopwood, D. A. and Chater, K. F. (eds.). Genetics of bacterial diversity. Academic Press, London. pp. 417-438.

**Zabeau, M.**, and Vos, P. 1993. Selective restriction fragment amplification : a general method for DNA fingerprinting. Publication O534858A1. European patent Office, Munich, Germany.

**Zhu, Q.**, and Lim, C. K. 1994. Detection of *Salmonella typhi* by PCR. In : Program abstract ; 2<sup>nd</sup> Asia- Pacific Symposium on Typhoid Fever and Other Salmonellosis. Bangkok, Thailand. pp. 80.

**Zuerner, R. L.**, and Bolin, L. A. 1997. Differentiation of *Leptospira interrogans* isolates by IS1500 hybridization and PCR- assay. J. Clin. Microbiol. 35 : 2612-2617.

**Zügel, U.**,and Kaufmann, S. H. E. 1999. Role of heat shock proteins in protection from and pathogenesis of infectious diseases. Clin. Microbiol. Rev. 12 : 19-39.