

REFERENCES

Abdul Kadir, M.F.Z., Teo, L.P., Majid, S.R., Arof, A.K., Conductivity studies on plasticized PEO/chitosan proton conducting polymer electrolyte, *Materials Research Innovations* 13 (2009) 191-194.

Acosta, J.L., Morales, E., Structural, morphological and electrical characterization of polymer electrolytes based on PEO/PPO blends, *Solid State Ionics* 85 (1996) 85-90.

Agrawal, R.C., Hashmi, S.A., Pandey, G.P., Electrochemical cell performance studies on all-solid-state battery using nano-composite polymer electrolyte membrane, *Ionics* 13 (2007) 295-298.

Aiba, S., Izume, M., Minoura, N., Fujiwara, Y., (1986) Chitosan based membranes for separation process. In R.A.A. Muzzarelli, C. Jeuniaux, & G.M. Gooday (Eds.), *Chitin in nature and technology* (pp.396-398). New York: Plenum Press.

Alexy, P., Káčová, D., Kršiak, M., Bakoš, D., Šimková, B., Poly (vinyl alcohol) stabilisation in thermoplastic processing, *Polymer Degradation and Stability* 78 (2002) 413-421.

Armand, M.B., Chabagno, J.M., Duclot, M.J., In fast ion transport in solids, (Eds.) Vashita, P., Mundy, J.N., Shenoy, G.K., Elsevier, North Holland, New York, 1979.

Arof, A.K., Majid, S.R., Electrical Studies on chitosan based proton conductors and application in capacitors, *Molecular Crystal Liquid Crystal* 484 (2008) 107-116.

Baril, D., Michot, C., Armand, M., Electrochemistry of liquids vs. solids: Polymer electrolytes, *Solid State Ionics* 94 (1997) 819-822.

Baskaran, R., Selvasekarapandian, S., Hirankumar, G., Bhuvaneswari, M.S., Vibrational, ac impedance and dielectric spectroscopic studies of poly(vinylacetate)-N, N-dimethylformamide-LiClO₄ polymer gel electrolytes, *Journal of Power Sources* 134 (2004) 235-240.

Bel'nikovich, N.G., Bobrova, N.V., Bronnikov, S.V., Kalyuzhnaya, L.M., Budtova, T.V., Properties of some chitosan-containing blends and films thereform, *Russian Journal of Applied Chemistry.: Macromolecules Chemistry and Polymeric Materials* 77 (2004) 313-318.

Bohnke, O., Frand, G., Rezrazi, M., Truche, C., Fast ion transport in new lithium electrolytes gelled with PMMA. 2. Influence of lithium salt concentration, *Solid State Ionics* 66 (1993) 105-112.

Briscoe, B., Luckman, P., Zhu, S., The effects of hydrogen bonding upon the viscosity of aqueous poly(vinyl alcohol) solutions, *Polymer* 41 (2000) 3851-3860.

Bruce, P.G., Vincent, C.A., Polymer electrolytes, *Journal of Chemical Society of Faraday Transition* 89 (1993) 3187-3203.

Buraidah, M.H., Teo, L.P., Majid, S.R., Arof, A.K., Ionic conductivity by correlated barrier hopping in NH_4I doped chitosan solid electrolyte, *Physica B: Condensed Matter* 404 (2009) 1373-1379.

Buraidah, M.H., Teo, L.P., Majid, S.R., Arof, A.K., Characteristics of TiO_2 /solid electrolyte junction solar cells with I^-/I_3^- redox couple, *Optical Materials* 32 (2010) 723-728.

Cha, D.K., Park, S.-M., Electrochemical characterization of polyethylene glycols as solid polymer electrolytes, *Journal of Electroanalytical Chemistry* 459 (1998) 135-144.

Cha, E.H., Macfarlane, D.R., Forsyth, M., Lee, C.W., Ionic conductivity studies of polymeric electrolytes containing lithium salt with plasticizer, *Electrochimica Acta* 50 (2004) 335-338.

Chagnes, A., Allouchi, H., Carré, B., Odou, G., Willmann, P., Lemordant, D., “ γ -Butyrolactone-ethylene carbonate based electrolytes for lithium-ion batteries”, *Journal Applied Electrochemistry* 33 (2003) 589-595.

Chandy, T., Sharma, C.P., Prostaglandin E1-immobilized poly(vinyl alcohol)-blended chitosan membranes; blood compatibility and permeability properties, *Journal of Applies Polymer Science* 44 (1992) 2145-2156.

Chávez, E.L., Magadán, J.M.M., Roa, R.O., Guzmán, J., Salgado, J.R., Cruz, J.M., Molecular modeling and simulation of ion-conductivity in chitosan membranes, *Polymer* 46 (2005) 7519-7527.

Chintapalli, S., Frech, R., Effect of plasticizers on high molecular weight PEO-LiCF₃SO₃ complexes, *Solid State Ionics* 86-88 (1996) 341-346.

Chuang, W.-Y., Young, T.H., Yao, C.H., Chiu, W.Y., Properties of the poly (vinyl alcohol)/chitosan blend and its affect on the culture of fibroblast in vitro, *Biomaterials* 20 (1999) 1479-1487.

Desbrieres, J., Martinez, C., Rinaudo, M., Hydrophobic derivatives of chitosan: Characterization and rheological behaviour, *International Journal of Biological Macromolecules* 19 (1996) 21-28.

Donoso, J.P., Lopes, L.V.S., Pawlicka, A., Fuentes, S., Retnert, P.J., Gonzalez, G., Nuclear magnetic resonance study of PEO-chitosan based polymer electrolytes, *Electrochimica Acta* 53 (2007) 1455-1460.

Dutta, P., Biswas, S., De, S.K., Dielectric relaxation in polyaniline-polyvinyl alcohol composites, *Materials Research Bulletin* 37 (2002) 193-200.

Ebrahim, S., Kashyout, A.-H., Soliman, M., Ac and Dc conductivities of polyaniline/poly vinyl formal blend films, *Current Applied Physics* 9 (2009) 448-454.

Fenton, D.E., Parker, J.M., Wright, P.V., *Polymer* 14 (1973) 589-594.

Fiory, F.S., Croce, F., D'Epifanio, A., Licoccia, S., Scrosati, B., Traversa, E., PEO based polymer electrolyte lithium-ion battery, *Journal of the European Ceramic Society* 24 (2004) 1385-1387.

Frech, R., Chintapalli, S., Effect of propylene carbonate as a plasticizer in high molecular weight PEO-LiCF₃SO₃ electrolytes, *Solid State Ionics* 85 (1996) 61-66.

Fuentes, S., Retuert, J.P., González, G., Transparent conducting polymer electrolyte by addition of lithium to the molecular complex chitosane-poly(aminopropyl siloxane), *Electrochimica Acta* 48 (2003) 2015-2019.

Furda, I., Brine, C.J., (1990) *New developments in dietary fiber*, New York: Plenum

Ghaouth, A.E.I, Arul, J., Ponnampalalan, R., Boulet, M., Chitosan coating effect on storability and quality of fresh strawberries, *Journal of Food Science* 56 (1991) 1618-1624.

Gu, H.-B., Kim, J.-U., Song, H.-W. Park, G.-C., Park, B.-K., Electrochemical properties of carbon composite electrode with polymer electrolyte for electric double-layer capacitor, *Electrochimica Acta* 45 (2000) 1533-1563.

Govindaraj, G., Baskaran, N., Shahi, K., Monoravi, P., Preparation, conductivity complex permittivity and electrical modulus in AgI-Ag₂O-SeO₃-MoO₃ glasses, *Solid State Ionics* 76 (1995) 47-55.

Hardy, L.C., Shriver, D.F., Chloride ion conductivity in a plasticized quaternary ammonium polymer, *Macromolecules* 17 (1984) 975-977.

Hashim, M.A., Majid, S.R., Ibrahim, Z.A., Arof, A.K., Electrochemical double layer capacitor based on cellulose-PVA hybrid electrolyte, *Ionics* 11 (2005) 464-467.

Hashmi, S.A., Kumar, A., Maurya, K.K., Chandra, S., Proton-conducting polymer electrolyte I. The polyethylene oxide NH₄ClO₄ system, *Journal of Physics D: Applied Physics* 23 (1990) 1307-1314.

Hema, M., Selvasekarapandian, S., Arunkumar, D., Sakunthala, A., Nithya, H., FTIR, XRD and ac impedance spectroscopic study on PVA based polymer electrolyte doped with NH₄X (X = Cl, Br, I), *Journal of Non-Crystalline Solids* 355 (2009b) 84-90.

Hema, M., Selvasekerapandian, S., Hirankumar, G., Sakunthala, A., Arunkumar, D., Nithya, H., Structural and thermal studies of PVA: NH₄I, *Journal of Physics and Chemistry of Solids* 70 (2009a) 1098-1103.

Hema, M., Selvasekerapandian, S., Sakunthala, A., Arunkumar, D., Nithya, H., Structural, vibrational and electrical characterization of PVA-NH₄Br polymer electrolyte system, *Physica B* 403 (2008) 2740-2747.

Hema, M., Selvasekarapandian, S., Hirankumar, G., Vibrational and impedance spectroscopic analysis of poly (vinyl alcohol)-based solid polymer electrolytes, *Ionics* 13 (2007) 483-487.

Hirankumar, G., Selvasekarapandian, S., Kuwata, N., Kawamura, J., Hattori, T., Thermal, electrical and optical studies on the poly(vinyl alcohol) based polymer electrolytes, *Journal of Power Sources* 144 (2005) 262-267.

Idris, N.H., Senin, H.B., Arof, A.K., Dielectric spectra of LiTFSI-doped chitosan/PEO blends, *Ionics* 13 (2007)

- Inganäs, O., Electroactive polymer blends, *British Polymer Journal* 20 (1987) 233-236.
- Ishikawa, M., Ihara, M., Morita, M., Matsuda, Y., Electric double layer capacitors with new gel electrolytes, *Electrochimica Acta* 40 (1995) 2217-2222.
- Jacob, M.M.E., Arof, A.K., FTIR studies of DMF plasticized polyvinylidene fluoride based polymer electrolytes, *Electrochimica Acta* 45 (2000) 1701-1706.
- Jia, Y.-T., Gong, J., Gu, X.-H., Kim, H.-Y., Dong, J., Shen, X.-Y., Fabrication of poly (vinyl alcohol)/chitosan blend nanofibers produced by electrospinning method, *Carbohydrate Polymer* 67 (2007) 403-409.
- Jiang, Z., Rahimi, -E.H., Design, modeling and simulation of a green building energy system, *Power & Energy Society General Meeting* (2009) 1-7.
- Jiang, Z., Zheng, X., Wu, H., Pan, F., Proton conducting membranes prepared by incorporation of organophosphorus acids into alcohol barrier polymers for direct methanol fuel cells, *Journal of Power Sources* 185 (2008) 85-94.
- Kamisan, A.S., Kudin, T.I.T., Ali, A.M.M., Yahya, M.Z.A., Gel polymer electrolyte based on methyl-grafted natural rubber for proton batteries, *Materials Research Innovations* 13 (2009) 195-197.
- Kang, Y., Kim, H.J., Kim, E., Oh, B., Cho, J.H., Photocured PEO-based solid polymer electrolyte and its application to lithium-polymer batteries, *Journal of Power Sources* 92 (2001) 255-259.
- Khair, A.S.A., Plasticized and filler doped chitosan-ammonium triflate ionic conducting membranes for electrochemical systems, Ph.D. Thesis, University of Malaya, 2006.
- Khair, A.S.A., Puteh, R., Arof, A.K., Conductivity studies of chitosan-based polymer electrolyte, *Physica B: Condensed Matter* 373 (2006) 23-27.
- Kim, C., Lee, G., Liou, K., Ryu, K.S., Kang, S.-G., Chang, S.H., Polymer electrolytes prepared by polymerizing mixtures of polymerizable PEO-oligomers, copolymer of PVDC and poly (acrylonitrile) and lithium triflate, *Solid State Ionics* 123 (1999) 251-257.

Kim, C.S., Oh, S.M., Importance of donor number in determining solvating ability of polymers and transport properties in gel-type polymer electrolytes, *Electrochimica Acta* 43 (2000) 2101-2109.

Kim, D.-W., Park, J.-K., Rhee, H.-W., Conductivity and thermal studies of solid polymer electrolytes prepared by blending poly (ethylene oxide), poly (oligo[oxyethylene]oxysebacoyl) and lithium perchlorate, *Solid State Ionics* 83 (1996) 49-56.

Kim, W.J., Kim, D.-W., Sulfonated poly(ether ether ketone) membranes for electric double layer capacitors, *Electrochimica Acta* 53 (2008) 4331-4335.

Koyano, T., Koshizaki, N., Umehara, H., Nagura, M., Minoura, N., Surface states of PVA/chitosan blended hydrogels, *Polymer* 41 (2000) 4461-4465.

Kufian, M.Z., Majid, S.R., Arof, A.K., Dielectric and conduction mechanism studies of PVA-orthophosphoric acid polymer electrolyte, *Ionics* 13 (2007) 231-234.

Kumar, M., Sekhon, S.S., Ionic conductance behaviour of plasticized polymer electrolytes containing different plasticizers, *Ionics* 8 (2002a) 223-233.

Kumar, M., Sekhon, S.S., Role of Plasticizer's dielectric constant on conductivity modification of PEO-NH₄F polymer electrolytes, *European Polymer Journal* 38 (2002b) 1297-1304.

Lakshmi, N., Chandra, S., Rechargeable solid-state battery using a proton-conducting composite as electrolyte, *Journal of Power Sources* 108 (2002) 256-260.

Lewandowski, A., Skorupska, K., Novel proton conducting polymer electrolyte based on poly(vinyl alcohol) and trifluoromethane sulfonic acid, *Polish Journal of Chemistry* 75 (2001a) 1745-1752.

Lewandowski, A., Galinski, M., Chemical capacitor based on activated carbon powder and poly(vinyl alcohol)-H₂SO₄ proton conducting polymer electrolyte, *Polish Journal of Chemistry* 75 (2001b) 1913-1920.

Li, Q., Imanishi, N., Hirano, A., Takeda, Y., Yamamoto, O., Four volts class solid lithium polymer batteries with a composite polymer electrolyte, *Journal of Power Sources* 110 (2002) 38-45.

Lian, K., Li, C.M., Solid polymer electrochemical capacitors using heteropoly acid electrolytes, *Electrochemistry Communications* 11 (2009) 22-24.

Lin, Z., Zhang, X., Zeng, R., Preparation and properties of polyvinyl acetal sponge modified by chitosan, *Frontiers of Chemistry China* 3 (2008) 172-177.

Mahendran, O., Rajendran, S., Ionic conductivity studies in PMMA/PVdF polymer blend electrolyte with lithium salts, *Ionics* 9 (2003) 282-288.

Mahendran, O., Chen, S.Y., Chen-Yang, Y.W., Lee, J.Y., Rajendran, S., Investigation on PMMA-PVdF polymer blend electrolyte with esters of dibenzoic acids as plasticizers, *Ionics* 11 (2005) 251-258.

Majeti, N.V., Ravi, K., A review of chitin and chitosan applications, *Reactive and Functional Polymers* 46 (2000) 1-27.

Majid, S.R., Arof, A.K., Conductivity studies and performance of chitosan based polymer electrolytes in H₂/air fuel cell, *Polymer Advanced Technology* 20 (2009) 524-528.

Majid, S.R., Arof, A.K., Electrical behavior of proton-conducting chitosan-phosphoric acid-based electrolytes, *Physica B: Condensed Matter* 390 (2007) 209-215.

Majid, S.R., Arof, A.K., FTIR studies of chitosan-orthophosphoric acid-ammonium nitrate-aluminosilicate polymer electrolyte, *Molecular Crystal Liquid Crystal* 484 (2008) 117-126.

Majid, S.R., Arof, A.K., Proton-conducting polymer electrolyte films based on chitosan acetate complexed with NH₄NO₃ salt, *Physica B: Condensed Matter* 355 (2005) 78-82.

Martinelli, A., Matic, A., Jacobsson, P., Börjesson, L., Navarra, M.A., Fericola, A., Panero, S., Scrosati, B., Structural analysis of PVA-based proton conducting membranes, *Solid State Ionics* 177 (2006) 2431-2435.

Masuda, M., In: Finch, C.A., editor, *Poly vinyl alcohol-development*. New York: Wiley; 1991.

Maurya, K.K., Hashmi, S.A., Chandra, S., Proton conducting polymer electrolytes: polyethylene oxide + (NH₄)₂SO₄ system, *Journal of the Physical Society of Japan* 61 (1992a) 1709-1716.

Maurya, K.K., Srivastava, N., Hashmi, S.A., Chandra, S., Proton conducting polymer electrolyte: II poly ethylene oxide + NH_4I system, *Journal of Materials Science* 27 (1992b) 6357-6364.

Maurya, K.K., Hashmi, S.A., Chandra, S., in: Chowdari, B.V.R., Chandra, S., Singh, S., Srivastava P.C., (Eds.), *Solid State Ionics: Materials and Applications*, World Scientific, Singapore (1992c) 573-577.

Mi, F.-L., Tan, Y.-C., Liang, H.-F., Sung, H.-W., In vivo biocompatibility and degradability of a novel injectable-chitosan-based implant, *Biomaterials* 23(1) (2002) 181-191.

Michael, M.S., Jacob, M.M.E., Prabakaran, S.R.S., Radhakrishna, S., Enhanced lithium ion transport in PEO-based solid polymer electrolytes employing a novel class of plasticizers, *Solid State Ionics* 98 (1997) 167-174.

Minoura, N., Koyano, T., Koshizaki, N., Umehara, H., Nagura, M., Kobayashi, K.-I., Preparation, properties, and cell attachment/growth behavior of PVA/chitosan-blended hydrogels, *Materials Science and Engineering C* 6 (1998) 275-280.

Missan, H.P.S., Chu, P.P., Sekhon, S.S., Ion conduction mechanism in non-aqueous polymer electrolytes based on oxalic acid: Effect of plasticizer and polymer, *Journal of Power Sources* 158 (2006) 1472-1479.

Mitra, S., Shukla, A.K., Sampath, S., Electrochemical capacitors with plasticized gel-polymer electrolytes, *Journal of Power Sources* 101 (2001) 213-218.

Miya, M., Iwamoto, R., Mima, S., FTIR study of intermolecular interaction in polymer blends, *Journal of Polymer Science. Part A-2, Polymer Physics* 22 (1984) 1149-1151.

Mohamad, A.A., Degradation in polymer Ni-MH battery, *Ionics* 11 (2005) 294-2005.

Mohamad, S.A., Ali, M.H., Ibrahim, Z.A., Arof, A.K., Photovoltaic properties of semiconductor (ZnSe)/polymer (PEO-chitosan blend) junction for solar cells applications, *Materials Science Forum* 517 (2006) 287-289.

Mohamad, S.A., Ali, M.H., Yahya, R., Ibrahim, Z.A., Arof, A.K., Photovoltaic activity in a ZnSe/PEO-chitosan blend electrolyte junction, *Ionics* 13 (2007b) 235-240.

Mohamad, S.A., Yahya, R., Ibrahim, Z.A., Arof, A.K., Photovoltaic activity in a ZnTe/PEO-chitosan blend electrolyte junction, *Solar Energy and Materials Solar Cells* 91 (2007a) 1194-1198.

Mohamed, N.S., Subban, R.H.Y., Arof, A.K., Polymer batteries fabricated from lithium complexed acetylated chitosan, *Journal of Power Sources* 56 (1995) 153-156.

Mohamed, S.N., Johari, N.A., Ali, A.M.M., Harun, M.K., Yahya, M.Z.A., Electrochemical studies on epoxidised natural rubber-based gel polymer electrolytes for lithium–air cells, *Journal of Power Sources* 183 (2008) 351-354.

Morita, M., Qiao, J.-L., Yoshimoto, N., Ishikawa, M., Application of proton conducting polymeric electrolytes to electrochemical capacitors, *Electrochimica Acta* 50 (2004) 837-841.

Morni, N.M., Arof, A.K., Chitosan-lithium triflate electrolyte in secondary lithium cells, *Journal of Power Sources* 77 (1999) 42-48.

Mucha, M., Rheological properties of chitosan blends with poly (ethylene oxide) and poly (vinyl alcohol) in solution, *Reactive and Functional Polymers* 38 (1998) 19-25.

Muhammad, F.H., Subban, R.H.Y., Majid, S.R., Winie, T., Arof, A.K., Characterization of Al₂O₃ doped hexanoyl chitosan-LiCF₃SO₃-EC polymer electrolyte, *Materials Research Innovations* 13 (2009) 181-183.

Mukhina, V.R., Pastukhova, N.V., Semchikov, Y.D., Smirnova, L.A., Kir'yanov, K.V., Zhernenkov, M.N., Properties of solutions and films of chitosan blends with poly(vinyl alcohol), *Vysokomol. Soedin. Ser. A* 43 (2001) 1797-1804.

Mukoma, P., Jooste, B.R., Vosloo, H.C.M., Synthesis and characterization of cross-linked chitosan membranes for application as alternative proton exchange membrane materials in fuel cells, *Journal of Power Sources* 136 (2004) 16-23.

Muzzarelli, R.A.A., *Chitin*, Pergamon Press, (1977) Oxford.

Muzzarelli, R.A.A., Human enzymatic activities related to the therapeutic administration of chitin derivatives, *Cellular and Molecular Life Sciences* 53 (1997) 131-140.

- Nakatsuka, S., Andradý, A.L., Permeability of vitamin B-12 in chitosan membranes. Effect of crosslinking and blending with poly (vinyl alcohol) on permeability, *Journal of Applied Polymer Science* 44 (1992) 17-28.
- Neto, C.G.T., Dantas, T.N.C., Fonseca, J.L.C., Pereira, M.R., Permeability studies in chitosan membranes. Effects of crosslinking and poly(ethylene oxide) addition, *Carbohydrate Research* 340 (2005) 2630-2636.
- Ng, L.S., Mohamad, A.A., Effect of temperature on the performance of proton batteries based on chitosan-NH₄NO₃-EC membrane, *Journal of Membrane Science* 325 (2008) 653-657.
- Ng, L.S., Mohamad, A.A., Protonic battery based on a plasticized chitosan-NH₄NO₃ solid polymer electrolyte, *Journal of Power Sources* 163 (2006) 382-385.
- Okuyama, K., Noguchi, K., Kanenari, M., Egawa, T., Osawa, K., Ogawa, K., Structural diversity of chitosan and its complexes, *Carbohydrate Polymer* 41 (2000) 237-247.
- Osman, Z., Anzor, N.M., Chew, K.W., Kamarulzaman, N., Infrared and conductivity studies on blends of PMMA/PEO based polymer electrolytes, *Ionics* 11 (2005) 431-435.
- Osman, Z., Arof, A.K., FTIR studies of chitosan acetate based polymer electrolytes, *Electrochimica Acta* 48 (2003) 993-999.
- Osman, Z., Ibrahim, Z.A., Arof, A.K., Conductivity enhancement due to ion dissociation in plasticized chitosan based polymer electrolytes, *Carbohydrate Polymers* 44 (2001) 167-173.
- Othman, L., Chew, K.W., Osman, Z., Impedance spectroscopy studies of poly (methyl methacrylate)-lithium salts polymer electrolyte systems, *Ionics* 13 (2007) 337-342.
- Pandey, K., Lakshmi, N., Chandra, S., A rechargeable solid-state proton battery with an intercalating cathode and an anode containing a hydrogen-storage material, *Journal of Power Sources* 76 (1998) 116-123.
- Pitawala, H.M.J.C., Dissanayake, M.A.K.L., Seneviratne, V.A., Combined effect of Al₂O₃ nano-fillers and EC plasticizer on ionic conductivity enhancement in the solid polymer electrolyte (PEO)₉LiTf, *Solid State Ionics* 178 (2007) 885-888.

Pitawala, H.M.J.C., Dissanayake, M.A.K.L., Seneviratne, V.A., Mellander, B.-E., Albinson, I., Effect of plasticizers (EC or PC) on the ionic conductivity and thermal properties of the (PEO)₉-LiTf:Al₂O₃ nanocomposite polymer electrolyte system, *Journal of Solid State Electrochemistry* 12 (2008) 783-789.

Pratap, R., Singh, B., Chandra, S., Polymeric rechargeable solid-state proton battery, *Journal of Power Sources* 161 (2006) 702-706.

Qian, X., Gu, N., Cheng, Z., Yang, X., Wang, E., Dong, S., Impedance study of (PEO)₁₀ LiClO₄-Al₂O₃ composite electrolyte with blocking electrodes, *Electrochimica Acta* 46 (2001) 1829-1836.

Rajendran, S., Mahendran, O., Experimental investigations on plasticized PMMA/PVA polymer blend electrolytes, *Ionics* 7 (2001) 463-468.

Rajendran, S., Sivakumar, M., Subadevi, R., Effect of salt concentration in poly (vinyl alcohol)-based solid polymer electrolytes, *Journal of Power Sources* 124 (2003) 225-230.

Rajendran, S., Sivakumar, P., An investigation of PVdF/PVC-based blend electrolytes with EC/PC as plasticizers in lithium battery applications, *Physica B: Condensed Matter* 403 (2008) 509-516.

Rajendran, S., Uma, T., Lithium ion conduction in PVC-LiBF₄ electrolytes gelled with PMMA, *Journal of Power Sources* 88 (2000) 282-285.

Ramesh, C., Velayutham, G., Murugesan, N., Ganesan, V., Dhathathreyan, K.S., Periaswami, G., An improved polymer electrolyte-based amperometric hydrogen sensor, *Journal of Solid State Electrochemistry* 7 (2003) 511-516.

Ramesh, S., Winie, T., Arof, A.K., Investigation of mechanical properties of polyvinyl chloride-polyethylene oxide (PVC-PEO) based polymer electrolytes for lithium polymer cells, *European Polymer Journal* 43 (2007) 1963-1968.

Ramesh, S., Arof, A.K., A study incorporating nano-sized silica into PVC-blend-based polymer electrolytes for lithium batteries, *Journal of Materials Science* 44 (2009) 6404-6407.

Ratner, M.A., Aspects of the theoretical treatments of polymer solid electrolytes: Transport theory and models, In *polymer electrolyte review I* (1987) 173-237.

Razak, N.A.A., Ahmad, A.H., Winie, T., Effect of amino acid (L-Leucine) on the conductivity of PVA/Chitosan-LiCF₃SO₃, American Institute of Physics Conference Proceedings 1136 (2009) 21-25.

Reiter, J., Velická, J., Míka, M., Proton-conducting polymer electrolytes based on methacrylates, *Electrochimica Acta* 53 (2008) 7769-7774.

Rhazi, M., Desbrieres, J., Taloimate, A., Rinaudo, M., Vottero, P., Alagui, A., Influence of the nature of the metal ions on the complexation with chitosan. Application to the treatment of liquid waste, *European Polymer Journal* 38 (2002) 1523-1530.

Rice, M.J., Roth, W.L., Ionic transport in super ionic conductors: A theoretical model, *Journal of Solid State Chemistry* 4 (1972) 294-310.

Rinaudo, M., Pavlov, G., Desbrieres, J., Influence of acetic acid concentration on the solubilization of chitosan, *Polymer* (1999) 7029-7032.

Saaïd, S.I.Y., Kudin, T.I.T., Ali, A.M.M., Ahmad, A.H., Yahya, M.Z.A., Solid state proton battery using plasticized cellulose-salt complex electrolyte, *Materials Research Innovations* 13 (2009) 184-186.

Sandoval, C., Castro, C., Gargallo, L., Radic, D., Freire, J., Specific interactions in blends containing Chitosan and functionalized polymers. Molecular dynamics simulations, *Polymer* 46 (2005) 10437-10442.

Sekhon, S.S., Singh, G., Agnihotry, S.A., Chandra, S., Solid polymer electrolytes based on polyethylene oxide-silver thiocyanate, *Solid State Ionics* 80 (1995) 37-44.

Selvasekarapandian, S., Baskaran, R., Hema, M., Complex AC impedance, transference number and vibrational spectroscopy studies of proton conducting PVAc-NH₄SCN polymer electrolytes, *Physica B* 357 (2005b) 412-419.

Selvasekarapandian, S., Hirankumar, G., Kawamura, J., Kuwata, N., Hattori, T., ¹H solid state NMR studies on the proton conducting polymer electrolytes, *Materials Letters* 59 (2005a) 2741-2745.

Shuhaimi, N.E.A., Alias, N.A., Majid, S.R., Arof, A.K., Electrical double layer capacitor with proton conducting κ-carrageenan-chitosan electrolytes, *Functional Materials Letters* 3 (2008) 195-201.

Shuhaimi, N.E.A., Majid, S.R., Arof, A.K., On complexation between methyl cellulose and ammonium nitrate, *Materials Research Innovations* 13 (2009) 171-174.

Singh, R., Gupta, N., Poole, K.F., Global green energy conversion revolution in 21st century through solid state devices, 26th International Conference on Microelectronics Proceedings, MIEL 2008, 45-54.

Sivakumar, M., Subadevi, R., Rajendran, S., Wu, N.-L., Lee, J.-Y., Electrochemical studies on [(1 - x)PVA-xPMMA] solid polymer blend electrolytes complexed with LiBF₄, *Materials Chemistry and Physics* 97 (2006) 330-336.

Song, J.Y., Wang, Y.Y., Wang, C.C., Review of gel-type polymer electrolytes for lithium-ion batteries, *Journal of Power Sources* 77 (1999) 183-197.

Srivastava, N., Chandra, A., Chandra, S., Dense branched growth of (SCN)_x and ion transport in the poly (ethylene oxide) NH₄SCN polymer electrolyte, *Physical Review B* 52 (1995) 225-230.

Srivastava, N., Chandra, S., Studies on a new proton conducting polymer system: poly(ethylene succinate) + NH₄ClO₄, *European Polymer Journal* 36 (2000) 421-433.

Starkey, S.S., Frech, R., Plasticizer interactions with polymer and salt in propylene carbonate-poly(acrylonitrile)-lithium triflate, *Electrochimica Acta* 42 (1997) 471-474.

Subba Reddy, Ch.V., Sharma, A.K., Narasimha Rao, V.V.R., Conductivity and discharge characteristics of polyblend (PVP + PVA + KIO₃) electrolyte, *Journal of Power Sources* 114 (2003) 338-345.

Subba Reddy, Ch.V., Sharma, A.K., Narasimha Rao, V.V.R., Effect of plasticizer on electrical conductivity and cell parameters of PVP + PVA + KClO₃ blend polymer electrolyte system, *Journal of Power Sources* 111 (2002) 357-360.

Subba Reddy, Ch.V., Zhu, Q.-Y., Mai, L.-Q., Chen, W., Electrochemical studies on PVC/PVdF blend-based polymer electrolyte, *Journal of Solid State Electrochemistry* 11 (2007) 543-548.

Subban, R.H.Y., Arof, A.K., Radhakrishna, S., Polymer batteries with chitosan electrolyte mixed with sodium perchlorate, *Materials Science Engineering B* 38 (1996) 156-160.

Subban, R.H.Y., Arof, A.K., Plasticizer interactions with polymer and salt in PVC-LiCF₃SO₃-DMF electrolytes, *European Polymer Journal* 40 (2004) 1841-1847.

Subramania, A., Sundaram, N.T.K., Kumar, G.V., Vasudevan, T., New polymer electrolyte based on (PVA-PAN) blend for Li-ion battery applications, *Ionics* 12 (2006) 175-178.

Suthanthiraraj, S. A., Sheeba, D.J., Paul, B.J., Impact of ethylene carbonate on ion transport characteristics of PVdF-AgCF₃SO₃ polymer electrolyte system, *Materials Research Bulletin* 44 (2009) 1534-1539.

Uma, T., Mahalingam, T., Rajendran, S., Stimming, U., Structural and ionic conductivity studies of solid polymer electrolytes based on poly (vinyl chloride) and poly (methyl methacrylate) blends, *Ionics* 9 (2003) 274-281.

Vassal, N., Salmon, E., Fauvarque, J.-F., Electrochemical properties of an alkaline solid polymer electrolyte based on P(ECH-co-EO), *Electrochimica Acta* 45 (2000) 1527-1532.

Vatsalarani, J., Kalaiselvi, N., Karthikeyan, R., Effect of mixed cations in synergizing the performance characteristics of PVA-based polymer electrolytes for novel category Zn/AgO polymer batteries-a preliminary study, *Ionics* 15 (2009) 97-105.

Wan, Y., Creber, K.A.M., Peppley, B., Bui, V.T., Ionic conductivity of chitosan membranes, *Polymer* 44 (2003) 1057-1065.

West, R.C., Astle, M.J., Beyer, W.H., *CRC Handbook of Chemistry and Physics*, CRC Press Inc, Florida, 1985.

Winie, T., Ramesh, S., Arof, A.K., Studies on the structure and transport properties of chitosan based polymer electrolytes, *Physica B: Condensed Matter* 404 (2009) 4308-4311.

Wintersgill, M.C., Fontanella, J.J., in *Polymer electrolyte reviews I* (Ed.) J.R.McCallum and C. A. Vincent Elsevier Applied Sciences Publisher, London, 1987.

Wu, Q., Zhang, J., Sang, S., Preparation of alkaline solid polymer electrolyte based on PVA-TiO₂-KOH-H₂O and its performance in Zn-Ni battery, *Journal of Physics and Chemistry of Solids* 69 (2008) 2691-2695.

Xi, J., Qiu, X., Li, J., Tang, X., Zhu, W., Chen, L., PVdF-PEO blends based microporous polymer electrolyte: Effect of PEO on pore configurations and ionic conductivity, *Journal of Power Sources* 157 (2006) 501-506.

Xu, K., Nonaqueous liquid electrolytes for lithium-based rechargeable batteries, *Chemical Review* 104 (2004) 4303-4417.

Yahya, M.Z.A., Arof, A.K., Effect of oleic acid plasticizer on chitosan-lithium acetate solid polymer electrolytes, *European Polymer Journal* 39 (2003) 897-902.

Yahya, M.Z.A., Arof, A.K., Conductivity and X-ray photoelectron studies on lithium acetate doped chitosan films, *Carbohydrate Polymers* 55 (2004) 95-100.

Yang, C.-C., Chiu, S.-J., Chien, W.-C., Development of alkaline direct methanol fuel cells based on crosslinked PVA polymer membranes, *Journal of Power Sources* 162 (2006) 21-29.

Yang, C.-C., Hsu, S.-T., Chien, W.-C., All solid-state electric double-layer capacitors based on alkaline polyvinyl alcohol polymer electrolytes, *Journal of Power Sources* 152 (2005) 303-310.

Yang, C.-C., Wu, G.M., Study of microporous PVA/PVC composite polymer membrane and its application to MnO₂ capacitors, *Materials and Chemistry Physics* 114 (2009) 948-955.

Yang, L., Lin, J., Wang, Z., Wang, C., Zhou, R., Liu, Q., Effects of plasticizers on properties of poly(ethylene oxide) complex electrolytes, *Solid State Ionics* 40-41 (1990) 616-619.

Zhang, Y., Huang, X., Duan, B., Wu, L., Li, S., Yuan, X., Preparation of electrospun chitosan/poly(vinyl alcohol) membranes, *Colloid Polymer Science* 285 (2007) 855-863.

Zong, Z., Kimura, Y., Takahashi, M., Yamane, H., Characterization of chemical and solid state structures of acylated chitosans, *Polymer* 41 (2000) 899-906.