

REFERENCES

- Auler, H and Banzer, G. 1942. Untersuchungen über die Rolle der Porphyrine bei geschwulstkranken Menschen und Tieren. *Z. Krebsforschung* 53 : 65-71.
- Barker, D.S., Henderson, R.W. and Storey, E. 1970. The *in-vivo* localization of porphyrins. *Br. J. Exp. Path.* 51: 628.
- Barr, H., Tralau, C.J., MacRobert, A.J., Kranser, N., Boulos, P.B., Clark, C.G. and Brown, S.G. 1987. Photodynamic therapy in the normal rat colon with phthalocyanine sensitization. *Br. J. Cancer.* 56 : III.
- Bellnier, D.A., Ho, Y.K., Pandey, R.K., Misset, J.R. and Dougherty, T.J. 1989. Distribution and elimination of Photofrin II in mice. *Photochem. Photobiol.* 50 : 221-228.
- Berenbaum, M.C., Bonett, R. and Scourides, P.A. 1982. *In-vivo* biological activity of the components of Haematoporphyrin Derivative. *Br. J. Can.* 45 : 571-581.
- Blum, H.F. and Pace, N. 1937. Studies of photosensitization by porphyrins. *Br. J. Dermatol. Syphilol.* 49:465-485.
- Bonnett, R. 1989. A death ray for cancer ? *New Scientist.* 28 : 55-58.
- Bonnett, R. 1995a. Studies on 5,10, 15, 20-Tetrakis (m-hydroxyphenyl) chlorin, m-THPC (Temoporfin). In 5th International Photodynamic Association Biennial Meeting. Cortese, D.A. (ed), *Proc. SPIE.* 2371 : 31-38.
- Bonnett, R. 1995b. Photosensitizer of the Porphyrin and Phthalocyanine series for Photodynamic Therapy. *Chemical Society Reviews:* 19-33.
- Boulnois, J.L. 1986. Photophysical processes in recent medical lasers. *Lasers in Med. Sc.* 1 : 47-60.
- Brown, S.B., Shillcock, M. and Jones, P. 1976. Equilibrium and kinetic studies of the aggregation of Porphyrins in aqueous solution. *Biochem. J.* 153 ; 279-285.
- Brown, S.B. and Vernon, D.I. 1991. The quantitative determination of porphyrins in tissues and body fluids : applications in studies of Photodynamic Therapy. In Photodynamic Therapy of neoplastic disease. Kessel, D.(ed). Vol : 1. CRC Press, 109-128.
- Brown, S.B., Vernon, D.I., Holroyd, J.A., Marcus, S., Trust, R., Hawkins, W., Shah, A. and Torelli, A. 1992. Pharmacokinetics of Photofrin in man. In Photodynamic Therapy and Biomedical Lasers. Spinelli, P., Dal Fante, M. and Marchesini, R. (eds). Elsevier, Amsterdam.

Buettner, G.R. and Hall, R.L. 1987. Superoxide, hydrogen peroxide and singlet oxygen in Hematoporphyrin Derivative, - cysteine, - NADH and light systems. *Biochimica et Biophysica Acta*. 923: 501-507.

Bulgelski, P., Porter C. and Dougherty, T.J. 1981. Autoradiographic distribution of Hematoporphyrin Derivative in normal and tumour tissue of the mouse. *Can. Res.* 41 : 4060-4612.

Byrne, C.J., Marshallsay, L.V. and Ward, A.D. 1987. The structure of the active component in Hematoporphyrin Derivative. *Photochem. Photobiol.* 46: 575-580.

Byrne, C.J., Marshallsay, L.V. and Ward, A.D. 1990. The composition of Photofrin II. *J. Photochem. Photobiol. B : Biology* 6 : 13-27.

Cadby, P.A., Dimitriadis, E., Grant, H.G., Ward, A.D., Forbes, I.J. 1983. The analysis of Hematoporphyrin Derivative. In *Porphyrin Photosensitzation*. Kessel, D. and Dougherty, T.J. (eds). Plenum Press. New York/ London. 251-263.

Candide, C., Morliere, P., Maziere, J.C., Goldstein, S., Santus, R., Dubertret, L., Reyftman, J.P. and Polonovski, J. 1986. *In vitro* interaction of the photoactive anticancer porphyrin derivative Photofrin II with low density lipoprotein and its delivery to cultured human fibroblasts. *FEBS Lett.* 207 : 133-138.

Chan , H.K., Low, K.S., Yip, C.H. and Chang, K.W. 1994. Photodynamic therapy in the practice of oncology. *Medit. J. Surg. Med.* Vol 2(3) : 157-160.

Cheah, K.E. 1992. Investigation of an eutectic gold vapour laser. M. Phil thesis. University of Malaya, Malaysia.

Clezy, P.S., Hai, T.T., Henderson, R.W. and van Thuc, L. 1980. The chemistry of pyrrolic compounds. XLV Hematoporphyrin Derivative: Hematoporphyrin Diacetate as the main product of the reaction of hematoporphyrin with a mixture of acetic and sulphuric acids. *Aust. J. Chem.* 33 : 585-597.

Cowled, P.A. and Forbes, I.J. 1989. Modification by vasoactive drugs of tumour destruction by photodynamic therapy with Hematoporphyrin Derivative. *Br. J. Cancer*. 59:904-909.

Daniell, M.D. and Hill, J.S. 1991. A history of photodynamic therapy. *Aust. N.Z. J. Surg.* 61 : 340-348.

Das, M., Mukhtar, H., Greenspan, E.R. and Bickers, D.R. 1985. Photoenhancement of lipid peroxidation associated with the generation of reactive oxygen species in hepatic microsomes of hematoporphyrin derivative treated rats. *Can. Res.* 45 : 6328-6330.

- Diamond, I., Granelli, S., McDonagh, A., Neilsens, S., Wilson, C.B. and Jaenicke, R. 1972. Photodynamic Therapy of malignant tumours. *Lancet*. 2 : 1175-1177.
- Doiron, D.R. 1982. Fluorescence bronchoscopy for the early localization of lung cancer. PhD Thesis, University of California, Santa Barbara, USA.
- Doiron, D.R. and Svaasand, L.O. 1983. Light dosimetry in tissue : Application to photoradiation therapy. In Porphyrin Photosensitization. Kessel, D. and Dougherty, T.J. (eds). Plenum Press : 63-76.
- Dougherty, T.J., Grindey, G.B., Fiel, R., Weishaupt, R. and Boyle, D.G. 1975. Photoradiation therapy II. Cure of animal tumours with hematoporphyrin and light. *J. Natl. Can. Inst.* 55:1.
- Dougherty, T.J., Boyle, D.G., Weishaupt, K.R., Gomer, C.J., Borcicky, D., Kaufman, J.E., Goldfarb, A. and Grindley, G. 1977. Phototherapy of human tumours. In Research in photobiology. Castellani, A.(ed).Plenum Press, New York. 735.
- Dougherty, T.J., Kaufman, F.E., Goldfarb, A., Weishaupt, K.R. Boyle, D.G. and Mittelman, A. 1978. Photoradiation therapy for the treatment of malignant tumours. *Can. Res.* 38 : 2628-2635.
- Dougherty, T.J., Lawrence, G., Kaufman, J.H., Boyle, D.G., Weishaupt, K.R. and Goldfarb, A. 1979. Photoradiation in the treatment of recurrent breast carcinoma. *J. Natl.Cancer, Inst.* 62(2) : 231.
- Dougherty, T.J. 1981. Photoradiation therapy for cutaneous and subcutaneous malignancies. *J. Invest. Derm.* 77: 122.
- Dougherty, T.J., Boyle, D.G., Weishaupt, K.R., Henderson, B.W., Potter, W.R., Bellnier, D.A. and Wityk, K.E. 1983. Photoradiation therapy - Clinical and drug advances. In Porphyrin Photosensitization. Kessel, D and Dougherty, T.J.(eds). Plenum Press. New York and London. 3-14.
- Dougherty, T.J. 1983. Research note: Hematoporphyrin as a photosensitizer of tumours. *Photochem. Photobiol.* 38(3) : 377-379.
- Dougherty, T.J., Potter, W.R. and Weishaupt, K.R. 1984. The structure of the active component of Hematoporphyrin Derivative. In Porphyrin Localization and Treatment of Tumours (eds: Doiron D.R. and Gomer, C.J.). 301-305.
- Dougherty, T.J. 1984. Photodynamic therapy (PDT) of malignant tumours. *CRC Crit. Rev. Biochem.* 2(2) : 83-116.
- Dougherty, T.J. 1987a. Studies on the structure of porphyrins contained in Photofrin II. *Photochem. Photobiol.* 46 : 569-573.

Dougherty, T.J. 1987b. Photosensitizers: therapy and detection of malignant tumours. *Photochem. Photobiol.* 45(6) : 879-889.

Dougherty, T.J., Henderson, B.W. Schwartz, S., Winkelman, J.W. and Lipson, R.L. 1992. Historical perspectives in photodynamic therapy. In *Photodynamic Therapy : Basic Principles and Clinical Applications*. Henderson, B.W. and Dougherty, T.J.(eds). Marcel Dekker, N.Y. 1-15.

Dougherty, T.J. 1997. PDT is 25! (so is the ASP). *The international photodynamic association news.* 12 : 4.

Emiliiani, C. and Delmelle, M. 1983. The lipid solubility of porphyrins modulates their phototoxicity in membrane models. *Photochem. Photobiol.* 37 : 487-490.

Evensen, J.F., Moan, J., Hindar, A. and Sommer, S. 1984. Tissue distribution of ^3H -Hematoporphyrin Derivatives and its main components, ^{67}Ga and ^{131}I -albumin in mice bearing Lewis Lung carcinoma. In *Porphyrin Localization and Treatment of tumours*. Doiron, D.R. and Gomer, C.J. (eds). 541-562.

Evensen, J.F., Moan, J. and Winkelmann, J.W. 1987. Toxic and phototoxic effects of tetraphenylporphinesulfonate and hematoporphyrin derivatives. *Int. J. Rad. Biol.* 51 : 477-491.

Figge, F.H. Weiland, G.S. and Mangenello, L.O. 1948. Cancer detection and therapy. Affinity of neoplastic embryonic and traumatized regenerating tissues for porphyrins and metalloporphyrins. *Proc. Soc. Exp. Biol. Med.* 68: 640.

Forbes, I.J., Cowled, P.A., Leong, A.S. , Ward, A.D., Black, R.B., Blake, A.J. and Jacka, F.J. 1980. Phototherapy of human tumours using Hematoporphyrin Derivative. *Med. J. Aus.* 2: 489.

Gibson, S.L. and Hilf, R.1985. Interdependence of fluence, drug dose and oxygen on hematoporphyrin derivative induced photosensitization of tumour mitochondria. *Photochem Photobio.* 42 : 367-373.

Gomer, C.J. and Dougherty, T.J. 1979. Determination of $[^3\text{H}]$ and $[^{14}\text{C}]$ Hematoporphyrin derivative distribution in malignant and normal tissue. *Can. Res.* 39 : 146-151.

Gomer, C.J. and Razum, N.J. 1984. Acute skin response in albino mice following porphyrin photosensitization under oxic and anoxic conditions. *Photochem. Photobiol.* 40 : 435-437.

Gomer, C.J., Jester, J.V., Razum, N.J., Szirth, B.C. and Murphree, A.L. 1985. Photodynamic therapy of intraocular tumours. Examination of hematoporphyrin derivatives distribution and long term damage in rabbit ocular tissue. *Can.Res.* 45 : 3718-3725.

Gomer, C.J., Rucker, N., Ferrario, A. and Wong, S. 1989. Properties and Applications of PDT. *Radiation Research.* 120 : 1-18.

- Gregorie, H.B., Horger, E.O., Ward, J.L., Green, J.F., Richards, T., Robertson, H.C. and Stevenson, T.B. 1968. Hematoporphyrin derivatives fluorescence in malignant neoplasms. *Ann. Surg.* 67: 820-828.
- Grossweiner, L.I., Patel, A.S. and Grossweiner, J.B. 1982. Type I and Type II mechanisms in the photosensitized lysis of phosphatidylcholine liposomes by hematoporphyrin. *Photochem. Photobiol.* 36 : 159-167.
- Henderson, B.W., Bellnier, D.A. Ziring, B. and Dougherty, T.J. 1983. Aspect of the cellular uptake and retention of hematoporphyrin derivative and their correlation with the biological response to PRT in vitro .In Porphyrin Photosensitization. Kessel, D. and Dougherty, T.J. (eds). Plenum Press, New York. 129-138.
- Henderson, B.W. and Dougherty, T.J. 1984. Studies on the mechanism of tumour destruction by photoradiation therapy (PRT). In Porphyrin localization and treatment of tumour. Doiron, D.R. and Gomer, C.J. (eds). Alan R. Liss Inc. New York : 601.
- Henderson, B.W., Walson, S.M., Plotter, W.R. and Dougherty, T.J. 1985. Interaction of photodynamic therapy and hyperthermia : Tumour response and cell survival studies after treatment in vivo. *Can. Res.* 45 : 6071.
- Hill, J. 1999. Report from Melbourne, Australia – clinical trials of photodynamic therapy. *The international photodynamic therapy news.* 13 : 3.
- Ho, Y.K., Pandey, R.K. , Missett, J.R., Bellnier, D.A. and Dougherty, T.J. 1988. Carbon¹⁴ labelling and biological activity of the tumour localizing derivative of hematoporphyrin. *Photochem. Photobiol.* 48 : 445-449.
- Holroyd, J.A. 1995. The pharmacokinetics of the photosensitizing drug polyhematoporphyrin. PhD. Thesis. University of Leeds.
- Jori, G., Pizzi, G., Reddi, E., Tomio, L., Salvato, B., Zorat, P. and Calzavara, F. 1979. Time dependence of hematoporphyrin distribution in selected tissues of normal rats and in ascites hepatoma. *Tumori.* 65 :425-434.
- Jori, G. 1987. Photodynamic therapy of solid tumours. *Radiat. Phys. Chem.* 30 : 375-380.
- Jori, G. 1989. *In vivo* transport and pharmacokinetic behaviour of tumour photosensitizers. Ciba Foundation Symp. 146 : 78-94.
- Kelly, J.F. and Snell, M.E. 1976. Hematoporphyrin derivatives : A possible aid in the diagnosis and therapy of carcinoma of the bladder. *J. Urol.* 115: 150-155.

- Kennedy, J.C., Nadeau, P., Petryka, Z.J., Pottier, R.H. and Weagle, G. 1992. Clearance times of porphyrin derivatives from mice as measured by in-vivo fluorescence spectroscopy. *Photochem. Photobiol.* 55(5) : 729-734.
- Kessel, D. and Chou, T.H. 1983a. Porphyrin localizing phenomena. In Porphyrin Photosensitization. Kessel, D. and Dougherty, T.J.(eds). Plenum Press. New York. 213-227.
- Kessel, D. and Chou, T.H. 1983b. Tumour localizing components of the porphyrin preparation Hematoporphyrin derivative. *Can. Res.* 43: 1994-1999.
- Kessel, D and Chang, C.K. and Musselman, B. 1985. Chemical, biologic and biophysical studies on hematoporphyrin derivative. In Methods in Porphyrin Photosensitization. Kessel, D.(eds) Plenum Press. N.Y. 213-227.
- Kessel, D. and Cheng, M.L. 1985a. On the preparation and properties of dihematoporphyrin ether, the tumour localizing component of HpD. *Photochem. Photobiol.* 41 : 277-282.
- Kessel, D. and Cheng, M.L. 1985b. Biological and biophysical properties of the tumour localizing component of hematoporphyrin derivative. *Can. Res.* 45 : 3053-3057.
- Kessel, D. 1986a. Porphyrin-lipoprotein association as a factor in porphyrin localization . *Cancer Lett.* 33 : 183-188.
- Kessel, D. 1986b. Proposed structure of the tumour localizing fraction of HpD. *Photochem. Photobiol.* 44 : 193-196.
- Kessel, D., Thompson, P, Saatio, K. and Nantwi, K.D. 1987a. Tumour localization and photosensitization by sulphonated derivatives of tetraphenylporphine. *Photochem. Photobiol.* 45 : 787-790.
- Kessel, D., Thompson, P, Musselman, B and Chang, C.K. 1987b. Probing the structure and stability of the tumour localizing derivative of hematoporphyrin by reductive cleavage with LiAlH₄. *Can. Res.* 47 : 4642-4645.
- Konaka, C. and Ono, J. 1983. Skin metastases from breast cancer. In Laser and Hematoporphyrin Derivatives. Hayata, Y. and Dougherty, T.J. (eds). Igaku-Shoin Press, Tokyo: 110-114.
- Laws, E.R., Cortese, D.A., Kinsey, J.H., Eagan, R.T. and Anderson, R.E.. 1981. Photoradiation therapy in the treatment of malignant brain tumours : A phase I (feasibility) study. *Neurosurgery* 9: 672.
- Lipson, R.L. 1960. The photodynamic and fluorescent properties of a particular hematoporphyrin derivative and its use in tumour detection. Master's thesis, University of Minnesota, Minneapolis, USA.

- Lipson, R.L. and Baldes, E. 1960. The photodynamic properties of a particular hematoporphyrin derivative. *Arch. Dermatol.* 82 : 508.
- Lipson, R.L., Baldes, E and Olsen A.M. 1961. The use of a derivative hematoporphyrin in tumour detection. *J. Natl. Canc. Inst.* 26 :1.
- Lipson, R.L. and Baldes, E. 1961. Hematoporphyrin derivative : a new aid for endoscopic detection of malignant disease. *J. Thorac. Cardiovasc. Surg.* 42: 623.
- Lipson, R.L., Baldes, E J and Olsen, A.M. 1964. Further evaluation and the use of Hematoporphyrin derivative as a new aid for the endoscopic detection of malignant disease. *Chest.* 46 : 676.
- Lipson, R.L., Baldes, E.J. and Gray, M.J. 1967 Hematoporphyrin derivative for detection and management of cancer. *Cancer.* 26 (12) : 2255-2287.
- Low, K.S., Olivo, M., Baskaran, G., Looi, L.M., Ng, K.H., Jayalakshimi, P., Sam, C.K., Khor, H.T., Oo, K.C. and Tan, B.C. 1986. Photoradiation therapy of carcinogen induced murine tumours using a simple light source. *IRCS Med. Sc.* 14 : 1097-1099.
- Low, K.S., Olivo, M. and Tan, B.C. 1988. Clinical Research Protocol. Submitted for the consideration of the Drug Control Authority, Ministry of Health, Malaysia. Institute of Advanced Studies, University of Malaya.
- Low, K.S., Chan, H.K., Haji Baba, A.S., Yip, C.H., Chang, K.W., Lo, Y.L., Pailoor, J. and Looi, L.M. 1994. Simple red light sources for photodynamic therapy of malignant tumours. *Proc. SPIE* 2371 : 472-476.
- Milanesi, C., Biolo, R., Reddi, E. and Jori, G. 1987. Ultrastructural studies on the mechanism of the photodynamic therapy of tumours. *Photochem. Photobiol.* 46 : 675-681.
- Moan, J. and Peng, Q. 1997. An uptake on the PDT activities in Norway. *The international photodynamic association news.* 12 : 4.
- Moan, J. and Sommer, S. 1981. Fluorescence and absorption properties of the components of hematoporphyrin derivative. *Photochem. Photobiophys.* 3 : 93-103.
- Moan, J., Christensen, T. and Sommer, S. 1982. The main photosensitizing components of Hematoporphyrin Derivative. *Cancer Lett.* 15: 161-166.
- Moan, J. and Sommer, S. 1983. Uptake of the components of hematoporphyrin derivative by cells and tumours. *Cancer Lett.* 21:167
- Moan, J. 1984. The photochemical yield of singlet oxygen from porphyrins in different states of aggregation. *Photochem. Photobiol.* 39 : 445-450.

- Morliere, P., Kohen, P., Reyftman, J.P., Santus, R., Kohen, C., Maziere, J.C., Goldstein, S., Mangel, W.F. and Dubertret, L. 1987. Photosensitization by porphyrins delivered to L cells fibroblasts by human serum low-density lipoproteins. A micro-spectrofluorimetric study. *Photochem. Photobiol.* 46 : 183-191.
- Nelson J.S., Liaw, L.H., Berns, M.W. 1987. Tumour destruction in Photodynamic therapy. *Photochem. Photobiol.* 46 : 829-835.
- Olivo, M., Low, K.S., Looi, L.M. and Tan, B.C. 1989. Investigation of Immediate Photodynamic Therapy for cancer treatment. *IRCS. Med. Sci.* 17 :31-32.
- Olivo, M. 1990. Photodynamic cancer therapy : Development of a simple light source and investigation of an alternative treatment procedure. PhD. Thesis, University of Malaya, Malaysia.
- Pantelides, M.L., Moore, J.V. and Blacklock, N.J. 1989. A comparison of serum kinetics and tissue distribution of Photofrin II following intravenous and intraperitoneal injection in the mouse. *Photochem. Photobiol.* 49 : 67-70.
- Peck, G.C., Mack, H.P. and Holbrook, W.A. 1955. Use of hematoporphyrin fluorescence in biliary and cancer surgery. *Am. Surg.* 21 : 181-188.
- Peng, Q., Maon, J., Kong Shaug, M., Evensen, J.F. and Rimington, C. 1990. Sensitizers for Photodynamic therapy of cancer. A comparison of the tissue distribution of Photofrin II and aluminium phthalocyanine tetrasulfonate in nude mice bearing a human malignant tumour. *Int. J. Cancer.* 45. 972-979.
- Rasmussen-Taxdal, D.S. , Ward, G.E. and Figge, F.H. 1955. Fluorescence of human lymphatic and cancer tissues following high doses of intravenous hematoporphyrin. *Cancer.* 8 : 78.
- Redmond, R.W., Land, E.J. and Truscott, T.G. 1985. Aggregation effects on the photophysical properties of porphyrins in relation to mechanisms involved in PDT. In Methods In Porphyrin Photosensitization. Kessel, D. (ed). Plenum Press, N.Y. 293-302.
- Rockwell, S., Kallman, R.F. and Fajardo, L.F. 1972. Characteristics of a serially transplantable mouse mammary tumour and its tissue cultured-adapted derivative. *J. Natl. Can. Inst.* 49 : 735-749.
- Rockwell, S. 1977. *In vivo-In vitro* tumour systems : New models for studying the response of tumours to therapy. *Laboratory Animal Science.* 27(5) : 831-851.
- Schwartz, S., Absolon, K. and Vermund, H. 1955. Some relationship of porphyrins, x-rays and tumours. *Univ. Minn. Med. Bull.* 27 : 7-8.

- Schwartz, S., Berg, M.H., Bosseinaier, I and Dinsmore, H. 1960. Determination of porphyrin in biological materials. In Methods of Biochemical Analysis, vol : VIII. Glick D. (ed). International Publishers. Inc. New York.
- Smetana, H. 1938. Studies on photodynamic action. II. The fate of Hematoporphyrin after parenteral administration. III. The influence of sensitizer on photooxidation of tissues. *J. Biol. Chem.* 125 : 741.
- Spikes, J.D. 1986. Phthalocyanines as photosensitizers in biological systems and for the photodynamic therapy of tumours. *Photochem. Photobiol.* 43: 691-699.
- Spinelli, P. 1998. Results of an international enquiry on the clinical application of PDT. *Photodynamics News.* 1 (3) : 5.
- Star, W. M. , Marijnissen, J. P. A. , Vander Berg-Block, A. and Reinhold, H.S. 1984. Destruction effect of photoradiation on the microcirculation of a rat mammary tumour growing in "Sandwich" observation chambers. In *Porphyrin Localization and Treatment of Tumours.* Doiron, D.R. and Gomer, C.J. (eds) . Alan Liss, New York. 637.
- Star, W.M., Marijnissen, H.P.A., Van den erg-Blok, S.E., Versteeg, A.C., Franker, K.A.P. and Reinhold, H.S. 1986. Destruction of rat mammary tumours and normal tissue microcirculation by Hematoporphyrin derivative photoradiation observed *in-vivo* in sandwich observation chambers. *Cancer Res.* 46: 2532-2540.
- Stewart, F.C.M. 1994. Meta-tetra (hydroxyphenyl) - chlorin (m-THPC) : a second generation photosensitizer for photodynamic therapy : a review. In *New Approaches to Cancer Treatment Unsaturated Lipids and Photodynamic Therapy.* David, F. H. (ed). Church Hill Livingstone, Edinburgh, London, Madrid, Melbourne, N.Y. and Tokyo.
- Stribbling, S.M. 1991. The pharmacokinetics of the photosensitizing drug polyhematoporphyrin. A study of its biodistribution, metabolism and elimination. PhD thesis, University of Leeds.
- Svaasand, L.O. and Doiron, D.R and Dougherty, T.J. 1983. Temperature rise during photoradiation therapy of malignant tumours. *Med. Phys.* 10:10.
- Tomio, L., Zorat, P.L., Corti, L., Calzavara, F., Reddi, E. and Jori, G. 1983. Effects of Hematoporphyrin and red light on AH-130 solid tumours in rats. *Acta Radiol. Oncology.* 22 : 49-53.
- Tralau, C.J., Young, A.R., Walker, N.P.J., Vernon, D.I., MacRobert, A.J., Brown, S.B. and Bown, S.G. 1989. Mouse skin photosensitivity with dihematoporphyrin ehter (DHE) and aluminium sulphonated phthalocyanine (AISPC) : A comparative study. *Photochem. Photobiol.* 49 (3) : 305-312.

Vernon, D.I., Holroyd, J.A., Stribbling, S.M., Brown, S.B. 1995. The quantitative determination of Photofrin and Polyhematoporphyrin in plasma: pitfalls and inaccuracies. *J.Photochem. Photobiol B : Biol* 27 : 209-217.

West, C.M.L. and Moore, J.V. 1989. The photodynamic effects of Photofrin II, hematoporphyrin derivatives, hematoporphyrin and tetrasodium-meso-tetra (4-sulfonatophenyl)Porphine *in-vitro*: clonogenic cell survival and drug uptake studies. *Photochem Photobiol.* 49(2) : 169-174.

Wilson, B.C., Firnau, G., Jeeves, W.P., Brown, K.C. and Burns McCormick, D.M. 1988. Chromatographic analysis and tissue distribution of radio copper-labelled HpD. *Laser. Med. Sci.* 3 : 71-80.

Zainuddin M.J., Olivo, M., Paramsothy, M., Tan, N.H. and Low, K.S. 1987. Nuclear imaging of ^{99m}Tc-HpD in tumour bearing animals. Proc. Asian Physics Symposium. Kuala Lumpur, Malaysia.

Zainuddin M.J. 1988. Investigation of ^{99m}Technetium-labelled hematoporphyrin derivative for nuclear imaging of malignancies. M. Phil. Thesis, University of Malaya, Malaysia.

Zalar, G.L., Fizpatrick, M.P., Krohn, D.L., Jacobs, R., Harber, L.C. 1977. Induction of drug photosensitization in man after parenteral exposure to Hematoporphyrin. *Arch Dermatol.* 113 : 1392-1397.

Zhou, C., Milanesi, C., Jori, G. 1988. An ultrastructural comparative evaluation of tumours photosensitized by porphyrins administrated in aqueous solution, bound to liposomes or lipoproteins. *Photochem. Photobiol.*, 48(4): 487-492.