

References

- Ahonen, P., Miettinen A., Perheen tupa J. (1987). Adrenal and steroidal cell antibodies in patients with autoimmune polyglandular disease type I and risk of adrenocortical and ovarian failure. *J Clin Endo Metab.* **64**: 494
- Aizawa, Y., Fukatsu R., Takamaru Y., Tsuzuki K., *et al.* (1997). Amino-terminus truncated apolipoprotein E is the major species in amyloid deposits in Alzheimer's disease affected brains: a possible role for apolipoprotein E in Alzheimer's disease. *Brain Res.* **768**: 208
- Aleshkov, S.B., Li X., Laverntiadou S.N., Zannis V.I. (1999). Contribution of cystine 158, the glycosylation site threonine 194, the amino- and carboxyl-terminal domains of apolipoprotein E in the binding to amyloid peptide beta (1-40). *Biochemistry.* **38**: 8918
- Alt, F., Blackwell T., Yancopoulos G. (1987). Development of the primary antibody repertoire. *Science.* **238**: 1079
- Atassi, M.Z. (1984). Antigenic structure of proteins. *Eur J Biochem.* **145**: 1
- Avrameas, S. (1991). Natural autoantibodies: from 'horror autotoxicus' to 'gnothis seauton'. *Immunol Today.* **12**: 154
- Barlow, D.J., Edwards, M.S., Thornton, J.M. (1986). Continuous and discontinuous protein antigenic determinants. *Nature.* **322**:747
- Bendtsen K., Svenson M., Jonsson V., Hippe E. (1990). Autoantibodies to cytokines - friends or foes? *Immunol Today.* **11**: 167
- Benjamin, D.C., Berzofsky J.A., East I.J., Gurd F.R.N., *et al.* (1984). The antigenic structure of proteins: a reappraisal. *Ann Rev Immunol.* **2**: 67
- Bernstein, K.E., Berk B.C. (1993). The biology of angiotensin II receptors. *Amer J Kid Dis.* **22**: 745
- Berzofsky, J.A. (1985). Intrinsic and extrinsic factors in protein antigenic structure. *Science.* **219**: 932
- Berzofsky, J.A., Berkower I.J. (1993). Immunogenicity and antigen structure. In: Paul, W.E., eds. *Fundamental Immunology*, 3rd edition, Raven Press, New York, pp. 235
- Betterle, C., Zanette F., Zanchetta R., Pedini B., *et al.* (1983). Complement fixing adrenal autoantibodies as a marker for predicting onset of idiopathic Addison's disease. *Lancet* **i**: 1238

- Blue, M.L., Williams D.L., Zucker S., Khan S.A., et al.** (1983). Apolipoprotein E synthesis in human kidney, adrenal gland and liver. *Proc Natl Acad Sci USA*. **80**: 283
- Borkowski, A., Gyling M., Muqardt C., Body J.J., et al.** (1991). Estrogen-like activity of a subpopulation of natural antiestrogen receptor autoantibodies in man. *Endocrinology*. **128**: 3283
- Breslow, J.L.** (1988). Apolipoprotein genetic variation and human disease. *Physiol Rev*. **68**: 85
- Boyden, S.** (1965). Natural antibodies and the immune response. *Adv Immunol*. **5**: 1
- Bui, M.N., Sack M.N., Moutsatsos G., Lu D.Y., et al.** (1996). Autoantibody titers to oxidized low-density lipoprotein in patients with coronary atherosclerosis. *Amer Heart J*. **131**: 663
- Cahalon, L., Korem S., Gonen B., Puri J., et al.** (1992). Autoantibody-mediated regulation of tumor growth. *Ann N Y Acad Sci*. **651**: 393
- Cheng, H.M., Sundram K.** (1998). Cholesterol oxides and natural autoantibodies. *Atherosclerosis*. **141**: 347
- Chou, P.Y., Fasman G.D.** (1974). Prediction of protein conformation. *Biochemistry*. **13**: 222
- Clatworthy, A.E., Stockinger W., Christie R.H., Schneider W.J., et al.** (1999). Expression and alternate splicing of apolipoprotein E receptor 2 in brain. *Neuroscience*. **90**: 903
- Cohen, I.R., Cooke A.** (1986). Natural autoantibodies might prevent autoimmune disease. *Immunol Today*. **7**: 363
- Coutinho, A., Kazatchkine M.D., Avrameas S.** (1995). Natural autoantibodies. *Curr Opin Immunol*. **7**: 812
- Crumpton, M.J.** (1974). The Antigens. In: Sela, M., eds. Academic Press, New York, pp 133
- Daar, A.S., Fabre J.W.** (1981). Organ-specific IgM autoantibodies of liver, heart and brain in man: generalized occurrence and possible functional significance in normal individuals, and studies in patients with multiple sclerosis. *Clin Exp Immunol*. **45**: 37
- Dalakas, M.C.** (1997). Intravenous immune globulin therapy for neurologic diseases. *Ann Intern Med*. **126**: 721
- Davies, E., Holloway C.D., Ingram M.C., Inglis G.C., et al.** (1999). Aldosterone excretion rate and blood pressure in essential hypertension are related to polymorphic differences in the aldosterone synthase gene CYP11B2. *Hypertension*. **33**: 703

- Davignon, J., Gregg R.E., Sing C.F.** (1988). Apolipoprotein E polymorphism and atherosclerosis. *Arteriosclerosis*. **8**: 1
- Diaw, L., Magnac C., Pritsch O., Buckle M., et al.** (1997). Structural and affinity studies of IgM polyreactive natural autoantibodies. *J Immunol*. **158**: 968
- Dighiero, G., Lymberi D., Holmberg D., Lundquist I., et al.** (1985). High frequency of natural autoantibodies in normal newborn mice. *J Immunol*. **134**: 765
- Dvorak, R.V., Poehiman E.T.** (1998). Norepinephrine kinetics in older women: relationship to physical activity and blood pressure. *Exp Gerontol*. **33**: 507
- Dyer, C.A., Smith R.S., Curtiss L.K.** (1991). Only multimers of a synthetic peptide of human apolipoprotein E are biologically active. *J Biol Chem*. **266**: 15009
- Dyer, C.A., Curtiss L.K.** (1991). A synthetic peptide mimic of plasma apolipoprotein E that binds the LDL receptor. *J Biol Chem*. **266**: 22803
- Dyer, C.A., Cistola D.P., Parry G.C., Curtiss L.K.** (1995). Structural features of synthetic peptides of apolipoprotein E that bind the LDL receptor. *J Lipid Res*. **36**: 80
- Elisa C., Nakajima K., Tanaka A., Havel R.J.** (1992). Properties of an apolipoprotein E-enriched fraction of triglyceride-rich lipoproteins isolated from human blood plasma with a monoclonal antibody to apolipoprotein B-100. *J lipid Research*. **33**: 369
- Elson, C.J., Naysmith J.D., Taylor R.B.** (1979). B-cell tolerance and autoimmunity. *Int Rev Exp Pathol*. **19**: 137
- Fritzler, M.J.** (1997). Autoantibodies: diagnostic fingerprints and etiologic perplexities. *Clin Invest Med - Med Clin Exp*. **20**: 50
- Ganong, W.F.**, (1979). The Adrenal Medulla & Adrenal Cortex. In: Review of Medical Physiology, 9th ed. LANGE Medical publications, Los Altos, California. pp. 277-299
- Ganong, W.F.** (1995). The Adrenal Medulla & Adrenal Cortex. In Review of Medical Physiology. 17th ed. Prentice Hall International Inc.
- Geysen, H.M.** (1985). Antigen-antibody interactions at the molecular level: adventures in peptide synthesis. *Immunol Today*. **6**: 364
- Geysen, H.M., Tainer J.A., Rodda S.J., Mason T.J., et al.** (1987). Chemistry of antibody binding to a protein. *Science*. **235**: 1184
- Geysen, H.M., Mason T.J., Rodda S.J.** (1982). Cognitive feature of continuous antigenic determinants. *J Mol Recogit*. **1**: 32

- Ginsberg, H.N.** (1998). Lipoprotein physiology. *Endocrinol Meta Clin North Am.* **27**: 503
- Glasgow, B.G., Steinsapir K.D., Adreas K., Layfield L.J.** (1985). Adrenal pathology in the acquired immune deficiency syndrome. *Am J Clin Pathol.* **84**: 594
- Goto, S., Handa S., Takahashi E., Abe S., et al.** (1996). Synergistic effect of epinephrine and shearing on platelet activation. *Thromb Res.* **84**: 351
- Gotto, A.M.** (1990). Interrelationship of triglycerides with lipoproteins and high-density lipoproteins. *Am J Cardiol.* **66**: 20A - 23A
- Green, L.W., Cole, W., Green J.B., Levy B., et al.** (1984). Adrenal insufficiency as a complication of the acquired immunodeficiency syndrome. *Ann Intern Med.* **101**: 497
- Greenberg, A.H., Chow D.A., Wolosin L.B.** (1983). Natural antibodies: origin, genetics, specificity and role in host resistance to tumors. *Clin Immunol Allergy.* **3**: 389
- Guilbert, B., Dighiero G., Avrameas S.** (1982). Naturally occurring antibodies against nine common antigens in normal human sera. I. Detection, isolation, and characterisation. *J Immunol.* **128**: 2779
- Gullick, W.J.** (1994). Production of antisera to synthetic peptides. In: Walker, J.M., eds. *Methods in Molecular Biology.* Vol. 2. Humana Press, Totowa, New Jersey, pp. 389
- Holvoet, P., Collen D.** (1998). Oxidation of low density lipoproteins in the pathogenesis of atherosclerosis. *Atherosclerosis.* **137**: S33
- Hulthe, J., Wikstrand J., Lidell A., Wendelhag I., et al.** (1998). Antibody titers against oxidized LDL are not elevated in patients with familial hypercholesterolemia. *Arterioscler Thromb Vasc Biol.* **18**: 1203
- Hurez, V., Dietrich G., Kaveri S.V., Kazatchkine M.D.** (1993). Polyreactivity is a property of natural and disease-associated human antibodies. *Scand J Immunol.* **38**: 190
- Innerarity, T.L., Pitas R.E., Mahley R.W.** (1979). Normalization of receptor binding of apolipoprotein E2: Evidence for modulation of the binding site conformation. *J Biol Chem.* **254**: 4186
- Innerarity, T.L., Weisgraber K.H., Arnold K.S., Rall S.C et al.** (1984) Normalization of receptor binding of apolipoprotein E2: Evidence for modulation of the binding site conformation. *J Biol Chem.* **259**: 7261

- Jerne, N.K.** (1984). Idiotypic networks and other preconceived ideas. *Immunol Rev.* **79**: 5
- Jungblut, P.W., Jensen E.V.** (1966). Isolation of a possible estrogen receptor from calf uterus. *Endocrinology.* **78**: 30
- Kazatchkine, M.D., Dietrich G., Hurez V., et al.** (1994). V region-mediated selection of autoreactive repertoires by intravenous immunoglobulin (IVIg). Harwood Academic Publishers. Langhorne.
- Ketchum, C.H., Riley W.J., Maclaren N.K.** (1984). Adrenal dysfunction in asymptomatic patients with adrenocortical autoantibodies. *J Clin Endo Metab.* **58**: 1166
- Kivatinitz, S.C., Pelman M.A., Alonoso, A.C., Bagatolli L., et al.** (1997). High-density lipoprotein aggregated by oxidation induces degeneration of neuronal cells. *J Neurochem.* **69**: 2102
- Larbi, K., Tremblay M., Davignon J., Cohn J.S.** (1998). Association of apolipoprotein E with α_2 -macroglobulin in human plasma. *J Lipid Res.* **39**: 2373
- LaDu, M.J., Falduto M.T., Manelli A.M., Reardon C.A., et al.** (1994). Isoform-specific binding of apolipoprotein E to β -amyloid. *J Biol Chem.* **269**: 23403
- Lajemi, M., Gautier S., Benetos A.** (1999). Rigidity of large arteries and cardiovascular risk, epidemiological aspects and genetic determinants. *Pathol Biol (Paris).* **47**: 614
- Leisti, S., Ahonen P., Perheentupa J.** (1983). The diagnosis and staging of hypocortisolism in progressing autoimmune adrenalitis. *Pediatric Res.* **17**: 861
- Lerner, R.A.** (1982). Tapping the immunological repertoire to produce antibodies of predetermined specificity. *Nature.* **299**: 592
- Linton, M., Gish R., Hubl S.T., Butler E., et al.** (1991). Phenotypes of apolipoprotein B and apolipoprotein E after liver transplantation. *J Clin Invest.* **88**: 270
- Lutz, H., Bussolino F., Flepp R., et al.** (1987). Naturally occurring anti-band 3 antibodies and complement together mediate phagocytosis of oxidatively stressed human erythrocytes. *Proc Natl Acad Sci USA.* **84**: 7368
- Maggi, E., Perani G., Falaschi F., Frattoni A., et al.** (1994). Autoantibodies against oxidised low density lipoproteins in patients with coronary disease. *Press Med.* **23**: 1158
- Mahley, R.W.** (1988). Apolipoprotein E: cholesterol transport protein with expanding role in cell biology. *Science.* **240**: 622

Malo, M., Diebler M.F., Meunier F.M., Dunant Y., et al. (1999). Evoked acetylcholine release by immortalized brain endothelial cells genetically modified to express choline acetyltransferase and/or the vesicular acetylcholine transporter. *J Neurochem.* **73**: 1483

Marchalonis, J.J., Schluter S.F., Wilson L., Yocum D.E., et al. (1993). Natural human antibodies to synthetic peptide autoantigens: correlations with age and autoimmune disease. *Gerontology.* **39**: 65

Marcel, Y.L., Provost P.R., Koa H., Raffai E., et al. (1991). The epitopes of apolipoprotein A-I define distinct structural domains including a mobile middle region. *J Biol Chem.* **206**: 3644

Michel, C., Gonzalez R., Bonjour E., Avrameas S. (1990). A concurrent increasing of natural antibodies and enhancement of resistance of furunculosis in rainbow trout. *Ann Rech Vet.* **21**: 211

Merrifield, R.B. (1963). Solid phase peptide synthesis I. The synthesis of a tetrapeptide. *JACS.* **85**: 2149

Metzler, B., Xu Q., Wick G. (1998). The role of (auto-) immunity in atherogenesis. *Wien Klin Wochenschr.* **110**: 350

Montine, T.J., Montine K.S., Swift L.L. (1997). Central nervous system lipoproteins in Alzheimer's disease. *Am J Pathol.* **151**: 1571

Moore, W.W. (1966). The Adrenal Cortex. In: Physiology. Selkurt, E.E., eds. 2nd ed., Little, Brown & Company, Boston, pp. 255.

Mudarris, A., Peck E.J. (1987). Human Anti-estrogen receptor antibodies: Assay, characterization, and age- and sex-related differences. *J Clin Endocrinol Metab.* **64**: 246

Murray, R.K., Granner, D.K., Mayes, P.A., Rodwell, V.W. (1993). Harper's Biochemistry. 23rd ed. Appeton and Lange. Norfolk, Connecticut pp. 235.

Nakamura, M., Burastero S.E., Notkins A.L., Casali P. (1986). Human monoclonal rheumatoid factor-like antibodies from CD5 (Leu-1)⁺ B cells are polyreactive. *J Immunol.* **140**: 4180

Nerup, J. (1974). Addison's disease-serological study. *Acta Endo.* **76**: 142

Nicoletti, A., Kaveri S.V., Caligiuri G., Bariety J., et al. (1998). Immunoglobulin treatment reduces atherosclerosis in apo E knockout mice. *J Clin Invest.* In press

Non-Cleavable Peptides Manual, Copyright 1989-1994 Chiron Mimotopes Pty Ltd.

- O'Brien, K.D., Alpers C.E., Hokanson J.E., Wang S., *et al.* (1996). Oxidation-specific epitopes in human coronary atherosclerosis are not limited to oxidized low-density lipoprotein. *Circulation*. 94 (6): 1216
- Peck, E.J. (1980). Detection of naturally occurring human antibodies against the estrogen receptor. *Fed Proc Fed Am Soc Exp Biol*. 39: 2132
- Pillot, T., Goethals M., Najib J., Labeur C., *et al.* (1999). Beta-amyloid peptide interacts specifically with the carboxyl-terminal domain of human apolipoprotein E: relevance to Alzheimer's disease. *J Neurochem*. 72: 230
- Pogozheva, A.V., Rozanova I.A., Miagkova M.A., Sorokovoi K.V., *et al.* (1998). Comparative study on the effect of antiatherosclerotic diet enriched with polyunsaturated omega-3 fatty acids of plant and animal origin on the level of natural antibodies against catecholamines in patients with cardiovascular diseases. *Vopr Pitan*. 4: 32
- Prabhakar, B.S., Saegusa J., Onodera T., Notkins A.L. (1984). Lymphocytes capable of making monoclonal antibodies that react with multiple organs are a common feature of the normal B cell repertoire. *J Immunol*. 133: 2815
- Quan, C.P., Berneman A., Pires R., Avrameas S., *et al.* (1997). Natural polyreactive secretory immunoglobulin A autoantibodies as a possible barrier to infection in humans. *Infect and Immun*. 65: 3997
- Raffai, r., Maurice R., Weisgarber K., Innerrarity T., *et al.* (1995). Molecular characterization of two monoclonal antibodies specific for the LDL receptor-binding site of human apolipoprotein E. *J Lipid Res*. 36: 1905
- Rall, S.C., Weisgraber K.H., Mahley R.W. (1982). Human Apolipoprotein E: The complete amino acid sequence. *J Biol Chem*. 257: 4171
- Randall, O.S. (1991). Physiology and pathophysiology of hypertension. *J Assoc Acad Minor Phys*. 2: 151
- Rebeck, G.W., Alonzo N.C., Berezovska O., Harr S.D., *et al.* (1998). Structure and function of human lipoproteins from individuals of different Apo E genotypes. *Exp Neurol*. 149: 175
- Roheim, P.S., Carey M., Forte T., Vega G.L. (1979). Apolipoproteins in human cerebrospinal fluid. *Proc Natl Acad Sci USA*. 76: 4646
- Rossi, F., Giulbert B., Tonnelle C., *et al.* (1990). Idiotypic interactions between normal human polyspecific IgG and natural IgM antibodies. *Eur J Immunol*: 20: 2089
- Rozanova, I.A., Pogozheva A.V., Miagkova M.A., Savitskaia lu. A. (1998). Effect of anti-atherosclerotic diet with polyunsaturated fatty acids omega-3 from linseed oil

on dynamic of natural antibodies to bradykinin and angiotensin II in blood serum of patients with cardiovascular diseases. *Vopr Pitani.* **2:** 32

Russo C., Angelini G., Dapino D., Piccini A., et al. (1998). Opposite roles of apolipoprotein E in normal brains and in Alzheimer's disease. *Proc Natl Acad Sci USA.* **95:** 15598

Salim, Y.S., Faber V., Wiik A., Andersen P.L. (1988). Anti-corticosteroid antibodies in AIDS patients. *Acta P Micro Immunol Sci.* **96:** 889

Sanz, I., Dang H., Takei M., Capra J.D. (1989). Vh sequence of a human anti-Sm autoantibody: Evidence that autoantibodies can be unmutated copies of germline genes. *J Immunol.* **142:** 883

Schneider, W.J., Kovanen P.T., Brown M.S., et al. (1981). Familial dysbetalipoproteinemia. Abnormal binding of mutant apolipoprotein E to low density lipoprotein receptors of human fibroblasts and membranes from liver and adrenals of rats, rabbits and cows. *J Clin Invest.* **68:** 1075

Sherbaum, W.A., Berg P.A. (1982). Development of adrenocortical failure in non-Addisonian patients with antibodies to adrenal cortex: a clinical follow-up study. *Clin Endo.* **16:** 345

Shinnick, T.M., Sutcliffe J.G., Green N., Lerner R.A. (1983). Synthetic peptide immunogens as vaccines. *Ann Rev Microbiol.* **37:** 425.

Shore, V.G., Shore B. (1973). Heterogeneity of human plasma very low density lipoproteins. Separation of species differing in protein components. *Biochemistry.* **12:** 502

Smith, G.P., Scott, J.K. (1993). Libraries of peptides and proteins displayed on filamentous phage. *Methods Enzymol.* **217:** 228

Sites, D.P.; Terr A.L. (1991). *Basic & Clin Immunol*, 7th ed. Appleton & Lange, pp. 665.

Smith-Gill, S.J., Wilson A.C., Potter M., Prager E.M et al. (1982). Mapping the antigenic epitope for a monoclonal antibody against lysozyme. *J Immunol.* **128:** 314

Spinner, M.W., Blizzard R.M., Gibbs J., Abbey H. (1969). Familial distribution of organ specific antibodies in blood of patients with Addison's disease and hypoparathyroidism and their relatives. *Clin Exp Immunol.* **5:** 461

Stefansson K., Marton L.S, Dieperink M.E., Molnar G.Khelgason C.M. (1985). Circulation antibodies to the 200,000 dalton protein of neurofilaments in the serum of healthy individuals. *Science.* **228:** 1117

- Strittmatter, W.J., Weisgraber K.H., Huang D.Y., Dong L.M., et al.** (1993). Binding of human apolipoprotein E to synthetic amyloid β peptide: isoform-specific effects and implications for late-onset Alzheimer's disease. *Proc Natl Acad Sci USA*. **90**: 8098
- Stuyt, P.M., Brenninkmeijer B.J., Demacker P.N., Hendricks J.C., et al.** (1991). Apolipoprotein E phenotypes, serum lipoproteins and apolipoprotein in angiographically assessed coronary heart disease. *Scad J Clin Lab Invest*. **51**: 425
- Swahn, B., Bronnestam R., Dencker S.J.** (1961). On the origin of the lipoproteins in the cerebrospinal fluid. *Neurology*. **11**: 437
- Ternynck, T., Avrameas S.** (1986). Murine natural monoclonal autoantibodies: a study of their polyspecificities and their affinities. *Immunol Rev*. **94**: 99
- Thornton, B.P., Vetvicka V., Ross G.D.** (1994). Natural antibody and complement-mediated antigen processing and presentation by B lymphocytes. *J Immunol*. **152**: 1727
- Todd, P.E.E., East I.J., Leach S.J.** (1982). The immunogenicity and antigenicity of proteins. *Trends Biochem Sci*. **7**: 212
- Toshiyuki, Y., Koichi W., Toshio K., Fumitake G., et al.** (1997). Further characterization of a monoclonal antibody recognizing apolipoprotein E peptides in amyloid deposits. *Ann Clin Lab Sci*. **27**: 276
- Tribbick, G., Edmundser A.B., Mason T.J., Geysen H.M.** (1989). Similar binding properties of peptide ligands for a human immunoglobulins and its light chain dimer. *Molec Immunol*. **26**: 625
- Van Regenmortel, M.H.V.** (1984). In *Hybridoma Technology in Agricultural and Veterinary Research* Stein, N., Gamble, H.R. eds. Rowhan and Allenheld, Totawa, New Jersey, pp. 42.
- Van Regenmortel, M.H.V.** (1989). Structural and functional approaches to the study of protein antigenicity. *Immunol Today*. **10**: 266
- Villalba, C., Auger C.J., De Vries G.J.** (1999). Androstenedione effects on the vasopressin innervation of the rat brain. *Endocrinology*. **140**: 3383
- Weigel, N.L., Pousette A., Schrader W.T., O'Malley B.W.** (1981). Analysis of chicken progesterone receptor structure using a spontaneous sheep antibody. *Biochemistry*. **20**: 6798
- Weisgraber, K.H., Rall S.C., Mahley R.W.** (1981). Human apolipoprotein E heterogeneity. Cysteine-arginine interchanges in the amino acid sequence of the apo-E isoforms. *J Biol Chem*. **256**: 9077

- Weisgraber, K.H., Rall S.C., Mahley R.W., Milne R.W., et al.** (1986). Human apolipoprotein E: the heparin binding sites of apolipoprotein E3. *J Biol Chem.* **261**: 2068
- Westhof, E., Altschuh D., Moras D., Bloomer A.C. et al.** (1984). Correlation between segmental mobility and the location of antigenic determinants in proteins. *Nature.* **311**: 123
- Wilson, C., Wardell M.R., Weisgraber K.H., Mahley R.W. et al.** (1991). Three-dimensional structure of the LDL receptor-binding domain of human apolipoprotein E. *Science.* **252**: 1817
- Winkler, K., Scharnagl H., Tisljar U., Hoschotzky H., et al.** (1999). Competition of abeta amyloid peptide and apolipoprotein E for receptor mediated endocytosis. *J Lipid Res.* **40**: 447
- Wisniewski T., Castano E.M., Golabek A., Vogel T., et al.** (1994). Acceleration of Alzheimer's fibril formation by apolipoprotein in vitro. *Am J Pathol.* **145**: 1030
- Zhou, X., Hansson G.K.** (1999). Detection of B cells and proinflammatory cytokines in atherosclerotic plaques of hypercholesterolaemic apolipoprotein E knockout mice. *Scand J Immunol.* **50**: 25