

TABLE OF CONTENTS

	Page Number
LIST OF FIGURES	10
LIST OF TABLES	10
LIST OF ABBREVIATIONS	11
CHAPTER ONE	INTRODUCTION
1.1	Heavy metals and their toxicity 13
1.1.1	Copper and its toxicity 14
1.1.2	Lead and its toxicity 15
1.2	Heavy metal pollution in Malaysia 15
1.3	The metal finishing industry in Malaysia 15
1.4	Waste treatment technologies for heavy metals 18
1.5	Biosorption 21
1.6	Objectives and scope of research 22
CHAPTER TWO	BIOSORPTION OF HEAVY METALS: REVIEW OF LITERATURE
2.1	Introduction 24
2.2	Biosorption by dead biomass 26
2.3	Algae as metal biosorbents 28
2.4	Factors affecting the biosorption process 31
2.4.1	pH of the solution 31
2.4.2	Interference by coincidental ions and chelating agents 32
2.5	Biosorption of copper (II) and lead (II) by algal biomass 33
CHAPTER THREE	BIOSORPTION EQUILIBRIA: SINGLE AND BINARY COMPONENT STUDIES
3.1	Introduction 34
3.2	Adsorption isotherm 37
3.3	Materials and methods 41
3.3.1	Materials 41
3.3.2	Methods 42
3.3.2.1	Preparation of <i>S. bacularia</i> 42

3.3.2.2	Preparation of metal solutions	43
3.3.2.3	Determination of adsorption isotherms	43
3.3.2.4	Binary metal experiments	44
3.3.2.4.1	Copper biosorption in the presence of lead	44
3.3.2.4.2	Lead biosorption in the presence of copper	45
3.4	Results	46
3.4.1	Determination of adsorption isotherms	46
3.4.2	Binary metal experiments	48
3.5	Discussion	58
3.6	Conclusions	70
3.7	Recommendations and scope for further research	71
		73

REFERENCES

Appendix I	Environmental Quality (Sewage and Industrial Effluents) Regulations 1979	79
Appendix II	Proposed Interim Water Quality Standards for Malaysia	80
Appendix III	Seaweed biomass collection sites	83
Appendix IV	Metal classification by Nieboer and Richardson	84
Appendix V	Separation of metal ions and metalloid ions based upon covalent indices	85
Appendix VI	Raw and computed data	86

LIST OF FIGURES

	Page Number
Figure 3.1	Copper adsorption isotherm for <i>Sargassum baccularia</i> at 25 ^o C and pH 5.0. 50
Figure 3.2	pH change during copper biosorption. 51
Figure 3.3	Lead adsorption isotherm for <i>Sargassum baccularia</i> at 25 ^o C and pH 5.0. 52
Figure 3.4	pH change during lead biosorption. 53
Figure 3.5	Copper biosorption as a function of initial molar ratios of copper and lead. 54
Figure 3.6	pH change during copper biosorption as a function of initial molar ratios of copper to lead. 55
Figure 3.7	Lead biosorption as a function of initial molar ratios of lead to copper. 56
Figure 3.8	pH change during lead biosorption as a function of initial molar ratios of lead to copper. 57

LIST OF TABLES

	Page Number
Table 1.1	Classification of elements according to toxicity and availability. 13
Table 1.2	Metal finishing operation and typical waste generated. 16
Table 1.3	Heavy metals commonly found in metal finishing wastes. 17
Table 2.1	Ionisable groups in biological polymers capable of participating in metal binding. 30
Table 3.1	Reduction (%) in Cu uptake with increasing initial molar ratios of Cu:Pb. 48
Table 3.2	Percentage (%) reduction in Pb uptake with increasing initial molar ratios of Pb:Cu. 49
Table 3.3	Copper and lead adsorption constants for <i>S. baccularia</i> in single component systems. 62