

## 7. REFERENCES

- Abd. Jamil, A. 1993. Status of development of the fruit industry. In: Prosiding Simposium Buah-buahan Kebangsaan Ketiga (Proceedings of Third National Fruit Symposium), Genting Highlands, Malaysia, 24-26 September 1991 (ed. Mohd. Khalid, M. Z., Siti, H. A., Zainal, A. M. and Mohd. Shamsudin, O.), pp. 14-30. MARDI, Serdang, Malaysia.
- Agnew, G. W. J. 1968. Growing quality papayas in Queensland. *Queensl. Agric. J.* 94: 24-36.
- Airi, S. K., Gill, S. S. and Singh, S. N. 1986. Clonal propagation of papaya (*Carica papaya* L.). *J. Agric. Res. Punjab* 23(2): 237-239.
- Allan, P. 1963. Pollination of pawpaws. *Farm. S. Africa* 8: 13-15.
- Allan, P. 1964. Papaws grown from cuttings. *Farm. S. Africa* 39:11: 35-40.
- Allan, P. 1993. Propagation of 'Honey Gold' papaya by cuttings. Paper presented at the Intern. Symp. on Tropical Fruits, Vitoria-ES, Brazil, 7-12 November 1993.
- Allan, P., McChlery, J. and Biggs, D. 1987. Environmental effects on clonal female and male *Carica papaya* (L.) plants. *Scientia Horticulturae* 32: 221-232.
- Allard, R. W. and Bradshaw, A. D. 1964. Implications of genotype x environment interactions in applied plant breeding. *Crop Sci.* 4: 503-508.
- Anand, N. and Deshpande, A. A. 1985. Judicious choice of female parents to enhance hybrid seed yields in chilli peppers. *Capsicum News*. 4: 43-44.
- Aquilizan, F. A. 1987. Breeding systems for fixing stable papaya inbred lines with breeding potential for hybrid variety production. In: "The breeding of horticultural crops" proc. of Intern. Symp. held at Taichung, Taiwan, 1-5 December 1986, pp. 101-106. FFTC Book Series No. 35. Taipei, Taiwan.
- Aquilizan, F. A. 1983. Development of papaw hybrid varieties. In: Proc. Australian Plant Breeding Conf., Adelaide, Australia, 14-18 February 1983. (ed. Driscoll, C. J. J.), pp. 267-277.
- Arumugum, S. and Shanmugavelu, K. G. 1975. Studies on the effect of sarcotesta on the seed germination of papaya (*Carica papaya* L.). *Seed Research* 3: 77-80.
- Awada, M. 1958. Relationships of minimum temperature and growth rate with sex expression of papaya plants (*Carica papaya* L.). *Hawaii Agr. Exp. Sta. Tech. Bull.* 38.
- Awada, M. 1961. Soil moisture tension in relation to fruit types of papaya plants. *Hawaii Farm Sci.* 10(2): 7-8.

- Awada, M. and Ikeda, W. S. 1957. Effects of water and nitrogen application on composition, growth, sugars in fruits, yield and sex expression of the papaya plants (*C. papaya* L.). *Hawaii Agr. Exp. Sta. Tech. Bull.* 33.
- Awada, M. and Long, C. 1971. Relation of petiole nitrogen levels to nitrogen fertilization and yield of papaya. *J. Amer. Soc. Hort. Sci.* 96: 745-749.
- Awada, M., Wu, I-pai, Suchisa, R. H. and Padgett, M. M. 1979. Effects of drip irrigation and nitrogen fertilization on vegetative growth, fruit yield, and mineral composition of the petioles and fruits of papaya. *Hawaii Agr. Exp. Sta. Tech. Bull.* 103.
- Baker, R. J. 1988. Tests for crossover genotype-environmental interactions. *Can. J. Plant Sci.* 68: 405-410.
- Basri, W. 1991. Potensi tanaman buah-buahan di tanah asid sulfat (Potential of growing fruits on acid sulphate soils). In: Prosiding Simposium Buah-buahan Kebangsaan Ketiga (Proceedings of Third National Fruit Symposium), Genting Highlands Malaysia, 24-26 September 1991 (ed. Mohd. Khalid, M. Z., Siti, H.A., Zainal, A. M. and Mohd. Shamsudin, O.), pp. 337-340. MARDI, Serdang, Malaysia.
- Becker, H. C. 1981. Correlations among some statistical measures of phenotypic stability. *Euphytica* 30: 835-840.
- Bequette, R. and Fischer, L. 1980. DeKalb hybrid wheat. *Wheat Newsl.* 26: 32-33.
- Berger, E. 1976. Heterosis and the maintenance of enzyme polymorphism. *Am. Nat.* 110: 823-829.
- Bond, D. A. 1989. Prospects for commercialisation of F<sub>1</sub> hybrid field beans *Vicia faba* L.. *Euphytica* 41: 81-86.
- Bradshaw, A. D. 1965. Evolutionary significance of phenotypic plasticity in plants. *Adv. Genet.* 13: 115-155.
- Breese, E. L. 1969. The measurement and significance of genotype-environment interaction in grasses. *Heredity* 24: 27-44.
- Chacko, E. K. and Singh, R. N. 1972. Studies on the longevity of papaya, phalsa, guava and mango seeds. *Pro. Int. Seed Test. Assn.* 36: 147-158.
- Chan, Y. K. 1980. Monograph of Malaysian Fruits: Papaya (*Carica papaya* L.). *Hort. Branch, MARDI (mimeo)*.
- Chan, Y. K. 1984. Studies on carpelody of stamens in papaya (*C. papaya* L.). *MARDI Res. Bull.* 12(2): 157-162.

- Chan, Y. K. 1985. Evaluation of the performance and stability of papaya varieties bred at MARDI. *MARDI Res. Bull.* 13(1): 1-7.
- Chan, Y. K. 1986. Comparative performance of female and hermaphrodite trees in four gynodioecious varieties of papaya. *Teknol. Buah-buahan MARDI* 2: 25-31.
- Chan, Y. K. 1987. Backcross method in improvement of papaya (*Carica papaya L.*). *Malays. Appl. Biol.* 16: 95-100.
- Chan, Y. K. 1991a. Rawatan, penyimpanan dan percambahan biji benih betik. (Treatment, storage and germination of papaya seed). *Teknol. Buah-buahan MARDI* 3: 17-21.
- Chan, Y. K. 1991b. Genotype x environmental studies on papaya and pineapple. Paper presented at Intern. Symp. on GxE studies in perennial tree crops. 12-13 September 1991, Kuala Lumpur, Malaysia. ISOPB.
- Chan, Y. K. 1992. Progress in breeding of F<sub>1</sub> papaya hybrids in Malaysia. *Acta Horticulturae* 292: 41-49.
- Chan, Y. K. 1993a. Memperkenalkan Eksotika II: varieti betik hibrid yang lebih baik. (Introducing the Eksotika II: an improved hybrid papaya). *Teknol. Buah-buahan MARDI* 9: 25-28.
- Chan, Y. K. 1993b. Papaya breeding in the 90's. In: Prosiding Simposium Buah-buahan Kebangsaan Ketiga (Proceedings of Third National Fruit Symposium), Genting Highlands Malaysia, 24-26 September 1991 (ed. Mohd. Khalid, M. Z., Siti, H.A., Zainal, A. M. and Mohd. Shamsudin, O.), pp. 140-143. MARDI, Serdang, Malaysia.
- Chan, Y. K. 1993c. Recent advancements in hybridisation and selection of pineapple in Malaysia. In: "First Intern. Pineapple Symp." (ed. Bartholomew, D. P. and Rohrbach, K. G.), 2-6 November 1992, Honolulu, USA. *Acta Horticulturae* 334: 33-44.
- Chan, Y. K. 1994. Penyediaan biji benih (Preparation of seeds). In: Penanaman betik (Papaya cultivation), (ed. Chan, Y. K., Raveendranathan, P., Raziah, M. L. and Choo, S. T.) pp.12-16. MARDI, Serdang, Malaysia.
- Chan, Y. K. and Ooi, S. C. 1975. Preliminary studies on papaya selection in Malaysia. *Malays. agric. J.* 50: 67-77.
- Chan, Y. K. and Tay, T. H. 1982. Suitability of regions for fruit cultivation in Peninsular Malaysia. A special report submitted to the Technical Sub-Committee on Delineation of fruit regions. MARDI-DOA, Serdang, Selangor.
- Chan, Y. K. and Toh, W. K. 1984. Growth studies on some vegetative characters of papaya (*Carica papaya L.*). *MARDI Res. Bull.* 12(1): 46-54.

- Chan, Y. K. and Toh, W. K. 1988. Resistance and heritability of fruit freckles in papaya (*Carica papaya* L.). *MARDI Res. J.* 16(2): 103-107.
- Chan, Y. K. and Tan, L. K. 1990. Drying treatments in relation to seed germination of four papaya varieties. *MARDI Res. J.* 18(1): 1-7.
- Chan, Y. K., Raveendranathan, P., Zahari, R. and Lam, P. F. 1991. Business proposal for the cultivation of papaya (cv. Eksotika Malaysia). *Business Proposal Series No. 8.* Ministry of Agriculture Malaysia, Kuala Lumpur.
- Chang, C. C. and Wu, C. C. 1974. Trials of Hawaiian papaya varieties in Taiwan and the performance of  $F_1$  hybrids. *J. Taiwan Agric. Res.* 23: 273-83.
- Cheah, L. S., Yau, K. K., Subramaniam, S. and Lai, F. T. 1993. Cleft grafting and quality improvements of papaya cv. Eksotika. Paper presented at Seminar on The Fruit Industry in Malaysia, 7-9 September 1993, Johor Bahru, Malaysia
- Clausen, J. and Hiesey, W. M. 1958. Experimental studies on the nature of species. IV. Genetic structure of ecological races. *Carnegie Inst. Wash. Publ.* 615.
- Cohen, E., Lavi, U. and Speigel-Roy, P. 1989. Papaya pollen viability and storage. *Scientia Horticulturae* 40(4): 317-324.
- Conover, R. A., Litz, R. E. and Malo, S. E. 1986. 'Cariflora' - a papaya ringspot virus-tolerant papaya for south Florida and the Caribbean. *HortScience* 21: 1072.
- Conti, S., Sanguineti, M. C. and Roncarati, R. 1990. Hybrid performance as compared to its parents in processing tomato. *Advances in Hort. Sci.* 4(3): 151-154.
- Daryono, M. and Muhidin, D. 1974. Penentuan aktivitas proteolitik dan produksi papain kasar tiap buah dari beberapa varitas pepaya. (Determination of the proteolytic activity and the production of crude papain per fruit of several papaya varieties). *Bull. Penel. Hort.* 2(1): 3-10.
- Dhindsa, G. S. and Anand, S. C. 1973. Effect of spacing on heterosis on wheat. *Ind. J. agric. Sci.* 43: 177-180.
- Dorsman, C. 1976.  $F_1$  hybrids in some out-pollinating crops. In: Proc. 7th Congress of EUCARPIA, Budapest, Hungary, 24-29 June 1974 (ed. Jánossy, A. and Lupton, F. G. H.), pp.197-208. Elsevier, Amsterdam-Oxford-New York.
- Dowker, B. D. and Gordon, G. H. 1983. Heterosis and hybrid cultivars in onions. In: "Monographs on theoretical and applied genetics, Vol. 6 Heterosis" (ed. Frankel, R.), pp. 220-233. Springer-Verlag, Berlin Heidelberg.
- Drew, R. A. 1988. Rapid clonal propagation of papaya in vitro from mature field-grown trees. *HortScience* 23: 609-611.

- Eberhart, S. A. and Russel, W. A. 1966. Stability parameters for comparing varieties. *Crop Sci.* 6: 36-40.
- Eisemann, R. L., Cooper, M. and Woodruff, D. R. 1990. Beyond the analytical methodology - better interpretation and exploitation of genotype-by-environment interaction in breeding. In: *Genotype-by- Environment Interaction and Plant Breeding* (ed. Kang, M. S.), pp. 108-117. Louisiana State Univ., USA.
- Ells, J. E. and McSay, A. E. 1981. Yield comparison of pickling cucumber cultivar trials for once-over harvesting. *HortScience* 16: 187-189.
- El-Maksoud, M. A., Helal, R. M. and Mohamed, M. H. 1984. Studies on an intervarietal cross and hybrid vigour in okra. *Annals of Agric. Sci.* 29(1): 431-438.
- FAO. 1993. FAO Yearbook 1993, Vol. 47. Food and Agriculture Organisation of U.N. Rome.
- Finlay, K. W. and Wilkinson, G. N. 1963. The analysis of adaptation in a plant-breeding programme. *Aust. J. Agric. Res.* 14: 742-754.
- Francis, T. R. and Kannenberg, L. W. 1978. Yield stability studies in short-season maize. I. A descriptive method for grouping genotypes. *Can. J. Plant Sci.* 58: 1029-1034.
- Fitch, M.M.M., Manshardt, R. M., Gonsalves, D, Slightom, J. L. and Sanford, J. C. 1992. Virus resistant papaya plants derived from tissues bombarded with the coat protein gene of papaya ringspot virus. *Biotechnology* 10: 1466- 1472.
- Free, J. B. 1975. Observations on the pollination of papaya (*Carica papaya* L.) in Jamaica. *Trop. Agric. (Trinidad)* 52(3): 275-279.
- Ganeshan, S. 1986. Cryogenic preservation of papaya pollen. *Scientia Horticulturae* 28(1/2): 65-70.
- Ghosh, S. P. and Sen, S. P. 1975. The modification of sex expression in papaya (*Carica papaya* L.). *J. Hort. Sci.* 50(2): 91-96.
- Giacometti, D. C. 1987. Papaya breeding. *Acta Horticulturae* 196: 53-60.
- Grafius, J. E. (1959). Heterosis in barley. *Agron. J.* 51: 551-554.
- Griffing, B. and Langridge, J. 1963. Phenotypic stability of growth in the self-fertilized species *Arabidopsis thaliana*. In: "Statistical genetics and plant breeding" (ed. Hanson, W. D. and Robinson, H. F.), pp. 368-394. Publ. No. 982. Nat. Acad. Sci. - Nat. Res. Council, Washington, D.C.
- Hamilton, R. A. 1954. A quantitative study of growth and fruiting in inbred and crossbred progenies from two Solo papaya strains. *Hawaii Agr. Exp. Sta. Tech. Bull.* 20.

- Hamilton, R. A. and Izuno, T. 1965. Linc 10 - a new strain of export papaya. *Hawaii Farm Sci.* 14(4): 1-3.
- Hamilton, R. A. and Ito, P. 1968. 'Sunrise Solo' - a different colored Solo papaya. *Hawaii Agr. Exp. Sta. Circ.* 69.
- Hayes, J. D. and Foster, C. A. 1976. Heterosis in self-pollinating crops, with particular reference to barley. In: Proc. 7th Congress of EUCARPIA, Budapest, Hungary, 24-29 June 1974 (ed. Jánossy, A. and Lupton, F. G. H.), pp. 239-256. Elsevier, Amsterdam-Oxford-New York.
- Hesse, P. S., Vest, G. and Honma, S. 1977. The effect of four storage treatments on seed yield and yield components of three onion inbreds. *HortScience* 12: 238.
- Hofmeyr, J. D. J. 1938. Determination of sex in *Carica papaya*. *Farm. S. Africa* 13: 332.
- Hühn, M. 1979. Beiträge zur Erfassung der phänotypischen Stabilität. I. Vorschlag einiger auf Ranginformationen beruhenden Stabilitätsparameter. (Contributions to the understanding of phenotypic stability. I. Some proposals for ranking information related to stability parameters). *EDP in Medicine and Biology* 10: 112-117.
- Jinks, J. L. and Lawrence, M. J. 1983. The genetical basis of inbreeding depression and of heterosis: its implications for plant and animal breeding. Occasional paper no. 11, PORIM, Bangi, Malaysia.
- Jones, D. F. 1918. The effects of inbreeding and crossbreeding upon development. *Conn. Agric. Exp. Sta. Bull.* 207: 100.
- Jones, H. A. and Clarke, A. E. 1943. Inheritance of male sterility in the onion and the production of hybrid seed. *Proc. Amer. Soc. Hort. Sci.* 43: 189-194.
- Jones, H. A. and Davis, G. N. 1944. Inbreeding and heterosis and their relation to the development of new varieties of onions. *USDA Tech. Bull.* 874: 28.
- Jones, W. W. 1939. Papaya sterilization and storage. *Hawaii Agri. Exp. Sta. Ann. Rep.* 1938: 12-15.
- Kang, M. S. 1988. A rank-sum method for selecting high-yielding, stable corn genotypes. *Cereal Res. Com.* 16: 113-115.
- Kang, M. S. 1990. Understanding and utilization of genotype-by-environment interaction in plant breeding. In: Genotype-by- Environment Interaction and Plant Breeding (ed. Kang, M. S.), pp. 52-68. Louisiana State Univ., USA.
- Kang, M. S., Miller, J. D., and Darrah, L. L. 1987. A note on relationship between stability variance and ecovalence. *J. Hered.* 78: 107.

- Kang, M. S. and Pham, H. N. 1991. Simultaneous selection for high yielding and stable crop genotypes. *Agron. J.* 83: 161-165.
- Khalifa, M. A. 1973. A genetic study of yield and its component in spring barley. PhD thesis. Univ. of Wales, U. K.
- Knight, R. 1970. The measurement and interpretation of genotype-environment interactions. *Euphytica* 19: 225-235.
- Kobabe, G. 1983. Heterosis and hybrid seed production in fodder grass. In: "Monographs on theoretical and applied genetics, Vol. 6 Heterosis" (ed. Frankel, R.), pp. 124-137. Springer-Verlag, Berlin Heidelberg.
- Lange, A. H. 1961. Factors affecting sex changes in the flowers of *Carica papaya* (L.). *Proc. Amer. Soc. Hort. Sci.* 77: 252-264.
- Leon, J. 1986. Methods of simultaneous estimation of yield and yield stability. In: Biometrics in Plant Breeding. Proc. 6th Meeting EUCARPIA Section Biometrics in Plant Breeding, pp. 299-308. Birmingham, U.K.
- Lewontin, R. C. 1957. The adaptations of populations to varying environments. *Cold Spring Harbor Sym. Quant. Biol.* 22: 395-408.
- Lim, C. H. 1987. Commercial cultivation of Eksotika papaya: A case study. In: "Eksotika papaya: problems and prospects", proc. seminar held at Johor Bahru, Malaysia, 7-8 March 1989 (ed. Chan, Y. K. and Raveendranathan, P.), pp. 69-88. MARDI, Serdang, Malaysia.
- Lim, W. H. 1989. Bunchy and malformed top of papaya c.v. Eksotika caused by *Thrips parvispinus* and *Cladosporium oxysporum*. *MARDI Res. J.* 17: 200-207.
- Lin, C. S. and Binns, M. R. 1988a. A method of analyzing cultivar x location x year experiments: A new stability parameter. *Theor. Appl. Genet.* 75: 425-430.
- Lin, C. S. and Binns, M. R. 1988b. A superiority measure of cultivar performance for cultivar x location data. *Can. J. Plant Sci.* 68: 193-198.
- Lin, C. S., Binns, M. R. and Lefkovitch, L. P. 1986. Stability analysis: Where do we stand? *Crop Sci.* 26: 894-900.
- Lin, C. C., Su, H. J. and Wang, D. N. 1989. The control of papaya ringspot virus in Taiwan R.O.C. *Tech. Bull. ASPAC* 114: 1-13.
- Little, C. 1982. Babacos - New goldmine or Ecuadorean curiosity? *NS Farmer*, February 11, 1982: 16-17.

- Litz, R. E. and Conover, R. A. 1978. In vitro propagation of papaya. *HortScience* 13: 241-242.
- Mac Key, J. 1976. Genetic and evolutionary principles of heterosis. In: Proc. 7th Congress EUCARPIA, Budapest, Hungary, 24-29 June 1974 (ed. Jánossy, A. and Lupton, F. G. H.), pp. 17-34. Elsevier, Amsterdam-Oxford-New York.
- Manshardt, R. M. and Wenslaff, T. F. 1989a. Zygotic polyembryony in interspecific hybrids of *Carica papaya* and *C. cauliflora*. *J. Amer. Soc. Hort. Sci.*, 114(4): 684-689.
- Manshardt, R. M. and Wenslaff, T. F. 1989b. Interspecific hybridization of papaya with other *Carica* species. *J. Amer. Soc. Hort. Sci.*, 114(4): 689-694.
- Marshall, D. M., and Jain, S. K. 1968. Phenotypic plasticity in *Avena sativa* and *A. barbata*. *Amer. Nat.* 102: 457-467.
- Mayo, O. 1987. *The Theory of Plant Breeding*. Clarendon Press, Oxford.
- McDaniel, R. G. and Sarkissian, I. V. 1966. Heterosis. Complementation by mitochondria. *Science* 152: 1640-1642.
- Mehdi, A. A. and Hogan, L. 1976. Tissue culture of *Carica papaya*. *HortScience* 11: 311.
- Mekako, H. U. and Nakasone, H. Y. 1975. Interspecific hybridization among six *Carica* species. *J. Amer. Soc. Hort. Sci.* 100(2): 145-148.
- Mohamad, O. and Chan, Y. K. 1992. Generating technology for commercial cultivation of fruits. Paper presented at MARDI Open Day Fruit Workshop 1992, 7 pp. MARDI, Serdang, Malaysia.
- Mohamad, O. and Chan, Y. K. 1994. Penyelidikan pengeluaran betik dan ciku dalam RM6 di MARDI. (Research on papaya and ciku production in RM6 at MARDI). In: Prosiding Bengkel Penyelidikan Sistem Pengendalian Lepastuai Betik dan Ciku (Proceedings of Workshop on Research on Postharvest handling systems for Papaya and Ciku), Melaka, Malaysia, 12-17 October 1992 (ed. Mohd. Salleh, P., Abdullah, H., Rohani, M. Y. and Wan Johari, W. D.), pp. 115-132. MARDI, Serdang, Malaysia.
- Mohd. Tamin, Y., Aminuddin, Y. and Tan, S. L. 1982. *Agricultural land use in Peninsular Malaysia*. Special Report. MARDI, Serdang, Malaysia.
- Mukhtiar, S. 1994. Status dan potensi pemasaran betik dan ciku (Status and potential in marketing papaya and ciku). In: Prosiding Bengkel Penyelidikan Sistem Pengendalian Lepastuai Betik dan Ciku (Proceedings of Workshop on Research on Postharvest handling systems for Papaya and Ciku), Melaka, Malaysia, 12-17 October 1992 (ed. Mohd. Salleh, P., Abdullah, H., Rohani, M. Y. and Wan Johari, W. D.), pp. 17-36. MARDI, Serdang, Malaysia.

- Nair, P. M., George, M. K. and Mohanakumaran, N. 1986. Heterosis in chilli (*Capsicum annuum*). *Agric. Res. J. Kerala* 24(2): 93-100.
- Nakasone, H. Y. and Storey, W. B. 1955. Studies on the inheritance of fruiting height of *Carica papaya* L. *Proc. Amer. Soc. Hort. Sci.* 66: 168-182.
- Nakasone, H. Y., Crozier, J. A. Jr. and Ikehara, D. K. 1972. Evaluation of 'Waimanalo', a new papaya strain. *Hawaii Agr. Exp. Sta. Tech. Bull.* 79.
- Nakasone, H. Y., Yee, W., Ikehara, D. K., Doi, M. J. and Ito, P. J. 1974. Evaluation and naming of two new Hawaii papaya lines, 'Higgins' and 'Wilder'. *Hawaii Agr. Exp. Sta. Res. Bull.* 167.
- Nakasone, H. Y. and Lamoureux, C. 1982. Transitional forms of hermaphroditic papaya flowers leading to complete maleness. *J. Amer. Soc. Hort. Sci.* 107(4): 589-592.
- Narula, P. N. 1984. Heterosis and combining ability in wheat under three experimental conditions. *SABRAO J.* 16(1): 9-19.
- Nathan, J. and Tan, E. H. 1989. Micropropagation of papaya and preliminary field performance. In: "Eksotika papaya: problems and prospects", proc. seminar held at Johor Bahru, Malaysia, 7-8 March 1989 (ed. Chan, Y. K. and Raveendranathan, P.), pp. 13-18. MARDI, Serdang, Malaysia.
- Nieuwolt, S., Zaki Ghazalli, M. and Gopinathan, B. 1982. *Agro-ecological regions in Peninsular Malaysia*. MARDI, Serdang, Malaysia.
- Nordin, M. S. and Adinan, H. 1989. Processing of papaya. In: "Eksotika papaya: problems and prospects", proc. seminar held at Johor Bahru, Malaysia, 7-8 March 1989 (ed. Chan, Y. K. and Raveendranathan, P.), pp. 125-134. MARDI, Serdang, Malaysia.
- Noriah, W. 1991. Papaya ringspot virus disease (PRV) is here in Malaysia. *MAPPS Newsletter* 15(3): 36.
- Oosten, H. J. van. 1986. A meadow orchard with *Carica pentagona* (Babaco). *Acta Horticulturae* 160: 341.
- Pandey, R. M. and Singh, S. P. 1988. Field performance of in vitro raised papaya plants. *Ind. J. Hort.* 45: 1-7.
- Pang, S. Z. and Sanford, J. C. 1988. Agrobacterium-mediated gene transfer in papaya. *J. Amer. Soc. Hort. Sci.* 113(2): 287-291.
- Pearson, O. H. 1983. Heterosis in vegetable crops. In: "Monographs on theoretical and applied genetics, Vol. 6 Heterosis" (ed. Frankel, R.), pp. 139-188. Springer-Verlag, Berlin Heidelberg.

- Perkins, N. M. and Jinks, J. L. 1968. Environmental and genotype-environmental components of variability. III. Multiple lines and crosses. *Heredity* 23: 339-356.
- Peto, R. 1982. Statistical aspects of cancer trials. In: Treatment of cancer (ed. Halnan, K. E.), pp. 867-781. Chapman and Hall, London.
- Plaisted, R. L. and Peterson, L. C. 1959. A technique for evaluating the ability of selections to yield consistently in different locations or seasons. *Am. Potato J.* 36: 381-385.
- Plaisted, R. L. 1960. A shorter method for evaluating the ability of selections to yield consistently over locations. *Am. Potato J.* 37: 166-172.
- Poysa, V. W., Garton, R., Courtney, W. H., Metcalf, J. G. and Muchmer, J. 1986. Genotype-environment interactions in processing tomatoes in Ontario. *J. Amer Soc. Hort. Sci.* 111(2): 293-297.
- Prest, R. L. 1955. Unfruitfulness in pawpaws. *Queensl. Agric. J.* 81: 144-148.
- Ram, M. and Majumder, P. K. 1990. Cost of seed production in gynodioecious and dioecious papaya under controlled conditions. *Seed Research* 18(2): 117-120.
- Ranvir, S. and Sharma, M. R. 1976. Sex modification in papaya treated with Ethephon 2-Chloroethylphosphonic acid. *Phil. Agr.* 60: 1-5.
- Raveendranathan, P. and Chan, Y. K. 1994. Technology for cultivation of papaya: status and problems. In: Prosiding Bengkel Penyelidikan Sistem Pengendalian Lepastuai Betik dan Ciku (Proceedings of Workshop on Research on Postharvest handling systems for Papaya and Ciku), Melaka, Malaysia, 12-17 October 1992 (ed. Mohd. Salleh, P., Abdullah, H., Rohani, M. Y. and Wan Johari, W. D.), pp. 37-43. MARDI, Serdang, Malaysia.
- Reimann-Philipp, R. 1983. Heterosis in ornamentals. In: "Monographs on theoretical and applied genetics, Vol. 6 Heterosis" (ed. Frankel, R.), pp. 234-259. Springer-Verlag, Berlin Heidelberg.
- Rodriquez-Pastor, M. C., Galan-Sauco, V. and Herrero-Romero, M. 1990. Evaluation of papaya autogamy. *Fruits-Paris* 45(4): 387-391.
- Rohani, M. Y. and Siti, H. A. 1994. Sistem pengendalian lepastuai betik: masalah pengendalian masa kini (Postharvest handling system for papaya: current problems). In: Prosiding Bengkel Penyelidikan Sistem Pengendalian Lepastuai Betik dan Ciku (Proceedings of Workshop on Research on Postharvest handling systems for Papaya and Ciku), Melaka, Malaysia, 12-17 October 1992 (ed. Mohd. Salleh, P., Abdullah, H., Rohani, M. Y. and Wan Johari, W. D.), pp. 93-97. MARDI, Serdang, Malaysia.
- Sage, G. C. M. 1973. The expression of heterosis for yield in restored F<sub>1</sub> hybrid wheats and its interactions with seed rate and seed size. *J. agric. Sci. Cambs.* 81: 125-129.

- Sarkissian, I. V. and Srivastava, H. K. 1969. High efficiency, heterosis and homeostasis in mitochondria of wheat. *Proc. Nat. Acad. Sci. USA* 63(3): 302-309.
- Schuster, W. and Zschoche, K. H. 1981. Wie ertragsstabil sind unsere Rapssorten? (How stable is the yield of our rape-seed varieties?) *DLG-Mitteilungen* 12/1981: 670-671.
- Sharma, N. K. and Skidmore, D. I. 1988. In vitro expression of partial resistance to *Phytophthora palmivora* by shoot cultures of papaya. *Plant Cell, Tissue and Organ Culture* 14(3): 187-196.
- Shiffris, C. and Guri, A. 1979. Variation in stability of cytoplasmic-genic male sterility in *Capsicum annuum*. *J. Amer. Soc. Hort. Sci.* 104: 94-96.
- Shukla, G. K. 1972. Some statistical aspects of partitioning genotype-environmental components of variability. *Heredity* 29: 237-245.
- Shull, G. H. 1911. The genotypes of maize. *Am. Nat.* 45: 234-252.
- Srivastava, H. K. 1983. Heterosis and intergenomic complementation: mitochondria, chloroplast and nucleus. In: "Monographs on theoretical and applied genetics, Vol. 6 Heterosis" (ed. Frankel, R.), pp. 260-286. Springer-Verlag, Berlin Heidelberg.
- Storey, W. B. 1941. Genetics of sex determination in papaya. *Hawaii Agr. Exp. Sta. Ann Rep.* 1940: 52-53.
- Storey, W. B. 1958. Modification of sex expression in papaya. *Hort. Advance* 2: 49-60.
- Storey, W. B. 1969a. Papaya (*Carica papaya* L.). In: Outline of Perennial Crop Breeding in the Tropics. (ed. Ferwerda, P. and Wit, F.), pp. 389-407. H. Veenman and Zonen, Wageningen.
- Storey, W. B. 1969b. Pistillate papaya flower: a morphological anomaly. *Science* 163: 401-405.
- Subramanyam, M. D. and Iyer, C. P. A. 1984. Exploitation of heterosis in papaya. *Ind. J. Hort.* 41: 40-46.
- Tai, G. C. C. 1971. Genotypic stability analysis and its application to potato regional trials. *Crop Sci.* 11: 184-190.
- Tan, S. L. 1984. G x E interactions, heritability estimates and varietal adaptability in important agronomic characters of cassava. *MARDI Res. Bull.* 12(1): 136-147.
- Teng, Y. T. and Hor, Y. L. 1976. Storage of tropical fruit seeds. In: "Seed technology in the tropics" (ed. Chin, H. F., Enoch, I. C. and Raja Harun, R. M.), pp. 135-146. Universiti Pertanian Malaysia, Serdang, Malaysia.

- Tsay, H. S. and Su, C. Y. 1985. Anther culture of papaya (*Carica papaya* L.). *Plant Cell Reports* 4(1): 28-30.
- Valicek, P. and Obeidat, G. A. 1987. Using the heterosis effect in tomatoes. *Agric. Trop. et Subtrop.* 20: 115-126.
- Visser, T. and DeVries, D. P. 1970. Precocity and productivity of propagated apple and pear seedlings as dependent on the juvenile period. *Euphytica* 19: 141-144.
- Wang, H. L., Yeh, S. D., Chiu, R. J. and Gonsalves, D. 1987. Effectiveness of cross-protection by mild mutants of papaya ringspot virus for control of ringspot disease of papaya in Taiwan. *Plant Disease* 71(6): 491-497.
- Wasee, S., Subhadrabandhu, S. and Silayoi, B. 1980. Studies on certain characteristics of four papaya (*Carica papaya* L.) varieties. *Kasetsart J. Nat. Sci.* 14(1): 19-25.
- Weber, W. E. and Wricke, G. 1990. Genotype x Environment interaction and its implications in plant breeding. In: *Genotype-by- Environment Interaction and Plant Breeding* (ed. Kang, M. S.), pp. 1-19. Louisiana State Univ., USA.
- Williams, I. H. and Free, J. B. 1974. The pollination of onion *Allium cepa* L. to produce hybrid seed. *J. Appl. Ecol.* 11: 409-417.
- Williams, W. 1959. Heterosis and the genetics of complex characters. *Nature* 184: 527-530.
- Wilson, P. and Driscoll, C. J. 1983. Hybrid wheat. In: "Monographs on theoretical and applied genetics, Vol. 6 Heterosis" (ed. Frankel, R.), pp. 94-123. Springer-Verlag, Berlin Heidelberg.
- Wricke, G. 1960. Einige Betrachtungen zur ökologischen Streubreite und der Möglichkeit ihrer exakten Erfassung in Feldversuchen (Some investigations on the ecological distribution and the possibility of their exact understanding in field research). randschreiben 2. Arbeitsgem. *Biometrie in der DLG* 1-5.
- Yahiro, M. 1979. Effect of seed pre-treatments on the promotion of germination in papaya, *Carica papaya* L. *Mem. Fac. Agr. Kagoshima Univ.* 15: 49-54.
- Yahiro, M. and Hayashi, Y. 1982. Growth-inhibitors in papaya (*Carica papaya* L.) seeds - Growth-inhibitors and promoters in papaya seeds pre-treated at 15 °C. *Japan J. Trop. Agr.* 26: 63-67.
- Yap, T. C. and Harvey, B. L. 1971. Heterosis and combining ability of barley hybrids in densely and widely seeded conditions. *Can. J. Plant Sci.* 51: 115-122.
- Yordanov, M. 1983. Heterosis in the Tomato. In: "Monographs on theoretical and applied genetics, Vol. 6 Heterosis" (ed. Frankel, R.), pp. 189-219. Springer-Verlag, Berlin Heidelberg.

- Yee, W., Akamine, E. K., Aoki, G. M., Hamilton, R. A., Haramoto, F. H., Hine, R. B., Holtzmann, O. V., Ishida, J. T., Keeler, J. T. and Nakasone, H. Y. 1974. Papayas in Hawaii. *Coop. Ext. Serv. Circ.* 436, Univ. Hawaii.
- Yee, C. B., Harun, A. A. and Ravindran, V. 1994. Some learning points from a large scale cultivation of papaya. In: Prosiding Bengkel Penyelidikan Sistem Pengendalian Lepastuai Betik dan Ciku (Proceedings of Workshop on Research on Postharvest handling systems for Papaya and Ciku), Melaka, Malaysia, 12-17 October 1992 (ed. Mohd. Salleh, P., Abdullah, H., Rohani, M. Y. and Wan Johari, W. D.), pp. 54-58. MARDI, Serdang, Malaysia.
- Yeh, S. D., Gonsalves, D., Wang, H. L., Namba, R. and Chiu, R. J. 1988. Control of papaya ringspot virus by cross protection. *Plant Disease* 72(5): 375-380.
- Yie, S. T. and Liaw, S. I. 1977. Plant regeneration from shoot tips and callus of papaya. *In Vitro* 13: 564-568.

## BIOGRAPHICAL SKETCH

1947	Born in Kuala Lumpur, Malaysia
1972	B. Agr. Sc. (Honours, 2nd Class Upper) University of Malaya, Kuala Lumpur, Malaysia
1972 - 83	Research Officer Fruit Research Branch, MARDI*, Serdang, Malaysia
1979	M. S. (Horticulture) University of California, Davis, U.S.A.
1983 - 84	Senior Research Officer
1984 - 90	Research Coordinator Breeding Programmes of Fruit Research Division, MARDI, Serdang, Malaysia
1990 - 92	Deputy Director Fruit Research Division, MARDI, Serdang, Malaysia
1993 -	Head of Research Programmes Fruit Research Division, MARDI, Serdang, Malaysia

---

\* Malaysian Agricultural Research and Development Institute