

REFERENCES

REFERENCES

Abbott, D. C., Collins, G. B., Goulding, R., Hoodless, R. A., Organochlorine pesticide residues in human fat in the United Kingdom 1976-7. *British Medical Journal*, 1981; 283: 1425-1428.

Abdullah, A. R., K. Arumugam, Chan, M. P. L., Mohd, A. M., Pendek, R., Husain, R., Hj. Hussain, S., Mohamed, Z. In: Endocrine-Disrupting Chemicals: An Overview. Xenobiotic Analysis Series Vol. 3, Shimadzu-UMMC Centre for Xenobiotic Studies, University of Malaya, Kuala Lumpur, Malaysia, 2000.

Abdullah, A. R., Mustafa, A. M., Zulkifli, S. N., Endocrine-disrupting chemicals in the Malaysian environment. In: Proceedings of the UNU International Symposium on Endocrine-Disrupting Chemicals, University of Malaya, Kuala Lumpur, Malaysia, 17-18 April 2000.

Allosopp, M., Santillo, D., Johnson, P., Poisoning the future: Impacts of endocrine-disrupting chemicals on wildlife and human health. Greenpeace International, October, 1997.

Arthur, R. D., Cain, J. D., Barrentine, B. F., Atmospheric levels of pesticides in the Mississippi Delta. *Bulletin of Environmental and Contamination Toxicology*, 1976; 15: 129-134.

Anderson, H. A., Falk, C., Hanrahan, L., Olson, J., Burse, V. W., Needham, L., Paschal, D., Patterson, D. Jr., Hill, R. H. Jr., Great Lakes Consortium, Profiles of Great Lakes critical pollutants: A sentinel analysis of human blood and urine. *Environmental Health Perspectives*, 1998; 106(5): 279-289.

Asplund, L. and Jensen, S., Polychlorinated biphenyls, 1, 1, 1-trichloro-2, 2-bis(p-chlorophenyl) ethane (p, p'-DDT) and 1, 1-dichloro-2, 2-bis(p-chlorophenyl)-ethane (p, p'-DDE) in human plasma related to fish consumption. *Archives of Environmental Health*, 1994; 49(6): 477-486.

Ayas, Z., Barlas, N. E., Kolankaya, D., Determination of organochlorine pesticide residues in various environments and organisms in Göksu Delta, Turkey. *Aquatic Toxicology*, 1997; 39:171-181.

Beretta, M., Dick, T., Organochlorine compounds in human milk, Porto Alegre, Brazil. *Bulletin of Environmental and Contamination Toxicology*, 1994; 357-360.

Bordet, F., Mallet, J., Borrel, S., Venant, A., Organochlorine pesticide and PCB congener content of French human milk. *Bulletin of Environmental and Contamination Toxicology*, 1993; 425-432.

Briggs, S. A., Basic guide to pesticides: Their characteristics and hazards. Rachel Carson Council; 15.

Brooks, G. T., Chlorinated insecticides, Volume II: Biological and environmental aspects. CRC Press Inc, 1975: 128.

Brotos, J. A., Olea-Serrano, M. F., Villalobos, M., Pedraza V., Olea, N., Xenoestrogens released from laquer coatings in food cans. *Environmental Health Perspectives*, 1996; 103 (6): 608-612.

Bruner, F., Gas chromatographic environmental analysis: Principles, Techniques, Instrumentation. VCH Publishers, Inc., 1993: 90.

Castillo, M., Barceló, D., Analysis of industrial effluents to Risk and Hazard Assessment on Health and Environmental Effects of Endocrine-Disrupting Chemicals determine endocrine-disrupting chemicals. *Trends in Analytical Chemistry*, 1997; 16: 574-583.

Choi, J. W., Matsuda, M., Kawano, M., Wakinoto, T., Iseki, N., Masunaga, S., Hayama, S., Watanuki, Y., Chlorinated persistent organic pollutants in black-tailed gulls (*Larus crassirostris*) from Hokkaido, Japan. *Chemosphere*, 2001; 44: 1375-1382.

Cok, I., Bilgili, A., Ozdemir, M., Ozbek, H., Bilgili, N., Burgaz, S., Organochlorine pesticide residues in human breast milk from agricultural regions of Turkey, 1995-1996. *Bulletin of Environmental and Contamination Toxicology*, 1997; 59: 577-582.

Colborn, T., Dumanoski, D., Myers, J. P., Our Stolen Future. Penguin Books, USA, 1996.

Coupe, R. H., Manning, M. A., Foreman, W. T., Goolsby, D. A. Majewski, M. S., Occurrence of pesticides in rain and air in urban and agricultural areas of Mississippi, April-September 1995. *The Science of the Total Environment*, 2000; 248: 227-240.

Dalsenter, P. R., Faqi, A. S., Chahoud, I., Serum testosterone and sexual behavior in rats after prenatal exposure to lindane. *Bulletin of Environmental and Contamination Toxicology*, 1997; 59: 360-366.

Department of Statistics, Malaysia, 1994.

DeVito, M., Biegel, L., Brouwer, A., Brown, S., Brucker-Davis, F., Cheek, A. O., Christensen, R., Colborn, T., Cooke, P., Crissman, J., Crofton, K., Doerge, D., Gray, E., Hauser, P., Hurley, P., Kohn, M., Lazar, J., McMaster, S., McClain, M., McConnell, E., Meier, C., Miller, R., Tietge, J., Tyl, R., Screening methods for thyroid hormone disruptors. *Environmental Health Perspectives*, 1999; 107: 407-415.

Dommarco, R., DiMuccio, A., Camoni, I., Gigli, B., Organochlorine pesticide and polychlorinated biphenyl residues in human milk from Rome (Italy) and surroundings. *Bulletin of Environmental and Contamination Toxicology*, 1987; 39: 919-925.

Dorough, H. W., Huntanen, K., Marshall, T. C., Bryant, H. E., Fate of endosulfan in rats and toxicological consideration of apolar metabolites. *Pesticide Biochemistry and Physiology*, 1978; 8: 241.

Dua, V. K., Kumari, R., Johri, R. K., Ojha, V. P., Shukla, R. P., Sharma, V. P., Organochlorine insecticide residues in water from five lakes of Nainital (U. P.), India. *Bulletin of Environmental and Contamination Toxicology*, 1998; 60: 209-215.

Dua, V. K., Kumari, R., Sharma, V. P., HCH and DDT contamination of rural ponds of India. *Bulletin of Environmental and Contamination Toxicology*, 1996; 57: 568-574.

Ebert, E., Weigand, W., Testing of the therapeutic effect of diazepam and Phenobarbital in the event of acute poisoning with endosulfan-active ingredient technical (Code: Hoe 002671 OI ZD97 0003) in Wistar rats. Pharma Forshung Toxilogie, report no 84.0062, 2 May 1984. Hoechst document A29211 [SB: KI, A3162/8, B61; AgrEvo 11303], extracted from the NRA review of endosulfan, Volume 2, 1998.

Ecobichon, D. J., Toxic effects of pesticides. In: Amdur, M. O., Doull, J., Klaassen, C. D., editors. *Toxicology: The basic science of poisons*. 4th edition. McGraw-Hill, Inc., 1992.

Ennos, R., *Statistical and data handling skills in biology*. Pearson Education Limited, 2000.

EXTOXNET (Extension Toxicology Network), Oregon State University, 1993.

Farm Chemicals Handbook, Meister Publishing Company, Willoughby, Ohio, 1992.

Fry, D. M., Reproductive effects in birds exposed to pesticides and industrial chemicals. *Environmental Health Perspectives*, 1995; 103 (7): 165-171.

Fürst, P., Fürst, C., Wilmers, K., Human milk as a bio-indicator for body burden of PCDDs, PCDFs, organochlorine pesticides and PCBs. *Environmental Health Perspectives Supplements*, 1994; 102(1): 187-193.

Galgani, F and Bocquene, G., *In vitro* inhibition of acetylcholinesterase from four marine species by organophosphates and carbamates. *Bulletin of Environmental and Contamination Toxicology*, 1990; 45: 243-249.

Gascón, J., Oubiña, A., Barceló, D., Detection of endocrine-disrupting pesticides by enzyme-linked immunosorbent assay (ELISA): application to atrazine. *Trends in Analytical Chemistry*, 1997; 16 (10): 554-561.

Glynn, A. W., Wolk, A., Aune, M., Atuma, S., Zettermark, S., Maehle-Schmid, M., Darnerud, P. O., Becker, W., Vessby, B., Adami, H. O., Serum concentrations of organochlorine in men: a search for markers of exposure. *The Science of the Total Environment*, 2000; 263: 197-208.

Goh, S. H., Lim, R.P., Yap, S. Y., Water quality criteria and standards for Malaysia. Institute of Advanced Studies, University of Malaya, Kuala Lumpur, 1986; 4: 59-148.

Gray, T. C. B., Rowland, I. R., Foster, P. M. D., Gangolli, S. D., Species differences in the testicular toxicity of phthalate esters. *Toxicology Letters*, 1982; 141-147.

Guillette L. J., Gross T. S., Masson G. R., Matter J. M., Percival H. F., Woodward A. R., Developmental abnormalities of the gonad and abnormal sex hormone concentrations in

juvenile alligators from contaminated and control lakes in Florida. *Environmental Health Perspectives*, 1994; 102 (8): 680-688.

Gupta, P. K., Chandra, S. V., Toxicity of endosulfan after repeated oral administration to rats. *Bulletin of Environmental and Contamination Toxicology*, 1977; 18: 378-384.

Gupta, P. K., Distribution of endosulfan in plasma and brain after repeated oral administration to rats. *Toxicology*, 1978; 9: 371-377.

Gupta, P. K., Gupta, R. C., Effect of endosulfan pretreatment on organ weights and on pentobarbital hypnosis in rats. *Toxicology*, 1977; 7: 283-288.

Gupta, P. K., Gupta, R. C., Pharmacology, toxicology and degradation of endosulfan. A review. *Toxicology*, 1979; 13: 115-130.

Harris, C. A., Henttu, P., Parker, M. G., Sumpter, J. P., The estrogenic activity of phthalate esters in vitro. *Environmental Health Perspectives*, 1997; 105 (8): 802-811.

<http://www.atsdr.cdc.gov/toxfaq.html>

IAEA-MEL/MESL: Training course in the measurement of organochlorines and petroleum hydrocarbons in environmental samples. No. 12, IAEA-Coordinated research programme on the distribution, fate and effects of pesticides on biota in the tropical marine environment, 1998.

- Iwata, H., Tanabe, S., Sakai N., Tatsukawa, R., Distribution of persistent organochlorines in the oceanic air and surface seawater and the role of ocean on their global transport and fate. *Environmental Science and Technology*, 1993; 27 (6): 1080-1098.
- Jensen, A. A., Chemical contaminants in human milk. *Residue Reviews*, 1983; 89: 1-128.
- Jiménez, B., Environmental effects of endocrine disruptors and current methodologies for assessing wildlife health effects. *Trends in Analytical Chemistry*, 1997; 16: 596-605.
- Kannan, N., Schulz-Bull, D. E., Petrick, G., Duinker, J. C., Toxic chlorobiphenyls in adipose tissue and whole blood of an occupationally/accidentally exposed man and the general population. *Archives of Environmental Health*, 1994; 49 (5): 375-382.
- Katzenellenbogen J. A., The structural pervasiveness of estrogenic activity. *Environmental Health Perspectives*, 1997; 103 (Suppl 7): 99-101.
- Kavlock, R. J., An overview of EDCs: Scientific basis, policy and regulatory developments. In: Proceedings of the UNU International Symposium on Endocrine-Disrupting Chemicals, University of Malaya, Kuala Lumpur, Malaysia, 17-18 April 2000.
- Kavlock, R.J., Daston, G. P., DeRosa, C., Crisp, P. F., Gray, L. E., Kaattari, S., Lucier, G., Luster, M., Mac, M. J., Maczka, C., Miller, R., Moore, J., Rolland, R., Scott, G., Sheehan, D. M., Sinks, T., Tilson, H. A., Research needs for the risk assessment of health and environmental effects of endocrine disruptors: A report of the US EPA-sponsored workshop. *Environmental Health Perspectives*, 1996; 104: 715-740.

Keller, H. M., Eckert, E., ^{14}C Pharmacokinetics and residue determinations after oral and intravenous administration to rats. Hoe 02671, Hoechst study TEP 74/1; Bereich C/Analytisches Project OE 87/45; Hoechst report 01-L42-0382-83, 15 February 1983; document A49475, translation of document A27971 [AgrEvo 11303], extracted from the NRA review of endosulfan, Volume 2, 1998.

Kumblad, L., Olsson, A., Koutny, V., Berg, H., Distribution of DDT residues in fish from the Songkhla Lake, Thailand. *Environmental Pollution*, 2001; 112: 193-200.

MACA, Annual report 1996/97 and directories. The Malaysian Agricultural Chemicals Association, Petaling Jaya, 1997.

Maroni, M., Colosio, C., Ferioli, A., Fait, A., Chapter 1: Organophosphorus pesticides. *Toxicology*, 2000; 143: 9-37.

Martin, H., Worthing, C. R. editors, Pesticide manual: Basic information on the chemicals used as active compounds of pesticides. 5th edition. British Crop Protection Council, 1977.

McLachlan J. A., Functional toxicology: a new approach to detect biologically active xenobiotics. *Environmental Health Perspectives*, 1993; 101 (5): 386-387.

Mes, J., Davies, D. J., Turton, D., Polychlorinated biphenyl and other chlorinated hydrocarbon residues in adipose tissue of Canadians. *Bulletin of Environmental and Contamination Toxicology*, 1982; 28: 97-104.

- Mustafa, A. M., Chan, M. P. L., Abdullah, A. R., Chen, L. I., Pesticide residues in water from the Selangor river, Malaysia. In: Proceedings of the UNU International Symposium on Endocrine-Disrupting Chemicals, University of Malaya, Kuala Lumpur, Malaysia, 17-18 April 2000.
- Nath, G., Datta, K. K., Dikshith, T. S. S., Tandon, S. K., Pandya, K. P., Interaction of endosulfan and metepa in rats. *Toxicology*, 1978; 11: 385-393.
- Novak, B. and Ahmad, N., Residues in fish exposed to sublethal doses of endosulfan and fish collected from cotton growing area. *Journal of Environmental Science and Health*, 1989; B24(1): 97-109.
- NRA, The National Registration Authority. Review of endosulfan, Volume 2, Australia, 1998.
- Olden, K., Guthrie, J., Air toxics regulatory issues facing urban settings. *Environmental Health Perspectives*, 1996; Oct 104 Supplement 5: 857-860.
- Pandit, G. G., Mohan Rao, A. M., Jha, S. K., Krisnamoorthy, T. M., Kale, S. P., Raghu, K., Murthy, N. B. K., Monitoring of organochlorine pesticide residues in the Indian marine environment. *Chemosphere*, 2001; 44: 301-305.
- Pardio, V. T., Waliszewski, S. M., Aguirre, A. A., Coronel, H., Burelo, G. V., Infanzon, R. M., Rivera, J., DDT and its metabolites in human milk collected in Veracruz City and

- suburban areas (Mexico). *Bulletin of Environmental and Contamination Toxicology*, 1998; 60: 852-857.
- Park, J. D., Habeebu, S. S. M., Klaassen, C. D., Testicular toxicity of di-(2-ethylhexyl)phthalate in young Sprague-Dawley rats. *Toxicology*, 2002; 105-115.
- Paul, V., Balasubramaniam, E., Jayakumar, A. R., Kazi, M., A sex-related difference in the neurobehavioral and hepatic effects following chronic endosulfan treatment in rats. *European Journal of Pharmacology*, 1995; 293: 355-360.
- Pinkston, K., Criswell, J., Cuperus, G., Schnelle, M. A., Information on insecticides for greenhouse growers. OSU Extension Facts F-6712, IPM in the Greenhouse Series, Oklahoma Cooperative Extension Service, Division of Agricultural Sciences and Natural Resources.
- Radomski, J. L., Astolfi, E., Deichmann, W. B., Rey, A. A., Blood levels of organochlorine pesticides in Argentina: Occupationally and Nonoccupationally exposed adults, children and newborn babies. *Toxicology and Applied Pharmacology*, 1971; 20: 186-193.
- Raloff, J., Why are boys' birth rates falling? *Science News Online*, 1998; www.sciencenews.org

- Rhainds, M., Levallois, P., Dewailly, E., Ayotte, P., Lead, mercury and organochlorine compound levels in cord blood in Quebec, Canada. *Archives of Environmental Health*, 1999; 54(1): 40-47.
- Rivas, A., Olea, N., Serrano, F. O., Human exposure to endocrine chemicals: Assessing the total estrogenic xenobiotic burden. *Trends in Analytical Chemistry*, 1997; 16: 613-619.
- Roots, O., Halogenated environmental contaminants in fish from Estonian coastal areas. *Chemosphere*, 2001; 43: 623-632.
- Sahabat Alam Malaysia, Pesticides problem in developing countries - a case study of Malaysia. Penang, Malaysia, 1981.
- Sala, M., Sunyer, J., Kogevinas, M., Anto, J. M., Health effects of chronic high exposure to hexachlorobenzene in a general population sample. *Archives of Environmental Health*, 1999; 54(2): 102-109.
- Schimmel, S. C., Garnas, R. L., Patrick, J. M., Jr., Moore, J. C., Acute toxicity, bioconcentration and persistence of AC222, 705, benthocarb, chlorpyrifos, fenvalerate, methyl-parathion and permethrin in the estuarine environment. *Journal of Agriculture and Food Chemistry*, 1983; 31: 104-113.
- Sinha, N., Narayan, R., Saxena, D. K., Effects of endosulfan on testis of growing rats. *Bulletin of Environmental and Contamination Toxicology*, 1997; 58: 79-86.

- Siyali, D. S., Hexachlorobenzene and other organochloride pesticides in human blood. *Medical Journal of Australia*, 1972; 2: 1063-1066.
- Soliman, A. S. and Ismail, S., Serum organochlorine esticide levels in patients with colorectal cancer in Egypt. *Archives of Environmental Health*, 1997; 52(6): 409-415.
- Sokal, R. R., Rohlf, F. J., Biometry: The principles practice of statistics in biological research. Freeman and Co., 1969.
- Stacey, C. I., Perriman, W. S., Whitney, S., Organochlorine pesticide residue levels in human milk: Western Australia, 1979-1980. *Archives of Environmental Health*, 1985; 40(2): 102-108.
- Stoker, T. E., Parks, L. G., Gray, L. E., Cooper, R. L., Endocrine-disrupting chemicals: Prepubertal exposures and effects on sexual maturation and thyroid function in the male rats. A focus on the EDSTAC recommendations. *Critical Reviews in Toxicology*, 2000; 30(2): 197-252.
- Tan, G. H., Vijayaletchumy, K., Organochlorine pesticide residues levels in Peninsular Malaysian rivers. *Bulletin of Environmental and Contamination Toxicology*, 1994; 53: 351-356.
- The agrochemical handbook, 3rd edition, Cambridge: Royal Society of Chemistry, 1991.

- To-Figueras, J., Sala, M., Otero, R., Barrot, C., Santiago-Silva, M., Rodamilans, M., Herrero, C., Grimalt, J., Sunyer, J., Metabolism of hexachlorobenzene in humans: Association between serum levels and urinary metabolites in a highly exposed population. *Environmental Health Perspectives*, 1997; 105(1): 78-83.
- Toppari, J., Larsen, J. C., Christiansen, P., Giwercman, A., Grandjean, P., Guillette, L. J., Jegou, B., Jensen, T. K., Jouannet, P., Keiding, N., Leffers, H., McLachlan, J. A., Meyer, O., Muller, J., De Meyts, E. R., Scheike, T., Sharpe, R., Sumpter, J., Skakkebaek, N. E., Male reproductive health and environmental xenoestrogens. *Environmental Health Perspectives*, 1996; 104: 741-803.
- Tsagi, S. R., Singh, Y., Srivastava, P. K., Misra, U. K., Induction of hepatic mixed function oxidase system by endosulfan in rats. *Bulletin of Environmental and Contamination Toxicology*, 1984; 32: 550.
- U. S. EPA, Washington D. C., Special report on environmental endocrine disruption: An effects assessment and analysis. In: Risk Assessment Forum, February 1997.
- Uemitsu, N., Nishimura, C., Nakayoshi, H., Evaluation of liver weight changes following repeated administration of carbon tetrachloride in rats and body-liver weight relationship. *Toxicology*, 1986; 40: 181-190.
- Van Wyk, E., Bouwman, H., Van der Bank, H., Verdoorn, G. H., Hofmann, D., Persistent organochlorine pesticides detected in blood and tissue samples of vultures from different

localities in South Africa in South Africa. *Comparative Biochemistry and Physiology Part C*, 2001; 129: 243-264.

Vittozzi, L., Fabrizi, L., Di Consiglio, E., Testai, E., Mechanistic aspects of organophosphorothionate toxicity in fish and humans. *Environmental International*, 2001; 26: 125-129.

Wania, F., Mackay, D., Tracking the distribution of persistent organic pollutants. *Environmental Science and Technology*, 1996; 30 (9): 390-396.

Willett, J., Gas chromatography. John Wiley & Sons, 1991: 46.

Zar, J. H., Biostatistical analysis. Prentice Hall, Inc., 1974.