

## **REFERENCES**

Abdul Manan, I. M. Anaerobic digestion of cellulose from palm oil wastes by rumen microbial population. M.Sc thesis, Department of Genetic, University of Malaya, Kuala Lumpur, Malaysia. 1987.

Abou Akkada, A.R. and B. H. Horward. 1962. The biochemistry of rumen protozoa. 5. The nitrogen metabolism of *Entodinium*. *Biochemical Journal*. 82: 313-320

Allison, M. J. and M. P. Bryant. 1963. Biosynthesis of branched-chain fatty acids by rumen bacteria. *Arch. Biochemistry and Biophysics*. 101: 269-277

Akin, D. E. 1966. Interaction of ruminal bacteria and fungi with southern forages. *Journal of animal Science*. 63: 962-977

Akin, D. E. and L. L. Riggsby. 1965. Influence of phenolic acids on rumen fungi. *Agronomy Journal*. 77: 180-182

Akin, D. E. 1960. Evaluation of electron microscopy and anaerobic culture of types of rumen bacteria associated with digestion of forages cell walls. *Applied and Environmental Microbiology*. 39: 242-252

Akin, D. E. 1979. Microscopic evaluation of forage digestion by rumen microorganisms-a review. *Journal of Animal Science*. 48: 701-710

Akin, D. E. and H. E. Amos. 1975. Rumen bacterial degradation of forage cell walls investigated by electron microscopy. *Applied Microbiology*. 29: 692-701

Akin, D. E. and R. Benner. 1988. Degradation of polysaccharides and lignin by ruminal bacteria and fungi. *Applied and Environmental Microbiology*. 54: 1117-1125

Annison, E. F. and D. Lewis. 1966. Metabolism in the rumen. Methuen and Company Ltd. London

Arrias, C., W. Burrough, P. Geriaugh, and R. M. Bethke. 1951. The influence of different amount and source of energy upon *in vitro* urea utilization by rumen microorganisms. *Journal of Animal Science*. 10: 683-692

Baldwin, R. L. and M. J. Allison. 1983. Rumen metabolism. *Journal of Animal Science*. 57(suppl.2): 461-477

Balch, C. C. and V. W. Johnson. 1950. Factors affecting the utilization of food by dairy cows. 2. Factors influencing the rate of breakdown of cellulose in the rumen of the cow. *British Journal of Nutrition*. 4: 389.

Bauchop, T. 1983. The gut anaerobic fungi colonizers of dietary fibre. In *Fibre in animal nutrition* (ed. Wallace, G. and L. Bell), pp. 143-148. Royal Society of New Zealand, Wellington.

- Bauchop, T. 1979. Rumen anaerobic fungi of cattle and sheep. *Applied and Environmental Microbiology*. 38: 148-158.
- Bauchop, T. and D. C. Mountfort. 1981. Cellulose fermentation by rumen anaerobic fungus in both the absence and presence of rumen methanogens. *Applied and Environmental Microbiology*. 42: 1103-1110.
- Belasco, I. J. 1956. The role of carbohydrates in urea utilization, cellulose digestion and fatty acids formation. *Journal of Animal Science*. 15: 496.
- Bertran, M. S. and B. E. Dale. 1985. Enzymatic hydrolysis and recrystallization behavior of initially amorphous cellulose. *Biotechnology Bioengineering*. 27: 177-181.
- Bird, S. H., J. V. Nolan, and R. A. Leng. 1989. The nutritional significance of rumen protozoa. In The rumen ecosystem. ed. Hoshino, S. et al). Proceeding of a satellite symposium of the 7th. International symposium on ruminant physiology, Hakone, Japan. Japan Scientific Society Press.
- Blackburn, T. H. and P. N. Hobson. 1962. Further studies on the isolation of proteolytic bacteria from the sheep rumen. *Journal of General Microbiology*. 29: 69-81.

- Bornemann, W. S., D. E. Akin, and L. G. Ljungdahl. 1989. Fermentation products and plant cell wall degrading enzymes produced by monocentric and polycentric anaerobic ruminal fungi. *Applied and Environmental Microbiology*. 55: 1066-1073.
- Briggs, P. K., J. P. Hogan, and R. L. Reid. 1957. The effect of volatile fatty acids, lactic acid, and ammonia on rumen pH in sheep. *Australia Journal Agricultural Resource*. 8: 674-680.
- Brock, F. M., C. W. Forsberg, and J. G. Buchanan-Smith. 1982. Proteolytic activity of rumen microorganisms and effect of proteinase inhibitors. *Applied and Environmental Microbiology*. 44: 561-569.
- Brulla, W. J. and M. P. Bryant. 1980. Monensin induced changes in the major species of the rumen bacterial population. Annual meeting of American Society for Microbiology (Abstract) p. 104.
- Bryant, M. P. 1973. Nutritional requirement of predominant rumen cellulolytic bacteria. *Federal Proceeding*. 32: 1809-1813.
- Bryant, M. P. 1959. Bacterial species of the rumen. *Bacteriology Review*. 23: 125-153.

Bryant, M. P. and E. M. Robinson. 1968. Effect of diet, time after feeding, and positioned sampled on numbers of viable bacteria in the bovine rumen. *Journal of Dairy Science*. 51: 1950-1955.

Bryant, M. P. and E. M. Robinson. 1962. Some nutritional characteristics of predominant culturable rumen bacteria. *Journal of Bacteriology*. 84: 605-614.

Bryant, M. P., E. M. Robinson, and H. Chu. 1959. Observation on the nutrition of *Bacteroides succinogenes*, a ruminal cellulolytic bacteria. *Journal of Dairy Science*. 42: 1831-1847.

Bryant, M. P. and L. A. Burkey. 1953. Numbers and some predominating groups of bacteria in the rumen of cows fed different rations. *Journal of Dairy Science*. 36: 218-224.

Bryant, M. P. and N. Small. 1956. The anaerobic monotrichous butyric acid producing curved rod-shaped bacteria of the rumen. *Journal of Bacteriology*. 72: 22-26.

Bryant, M. P., N. Small, C. Bouma, and H. Chu. 1958. *Bacteroides ruminicola* n. sp. and *Succinomonas amyloptica* : the new genus and species of succinic acid producing anaerobic bacteria of the bovine rumen. *Journal of Bacteriology*. 76: 15-23.

Bryant, M. P. and R. N. Doetsch. 1954. A study of actively cellulolytic rod-shaped bacteria of the bovine rumen. *Journal of Dairy Science*. 37: 1176-1183.

Buchanan, R. E. and N. E. Gibbon (ed.), 1974. Bergey's Manual of Determinative Bacteriology. 8th. edition. The Williams and Wilkins Co. Baltimore.

Burrough, W. W. P. Gerlaugh, B. H. Edington, and R. M. Bethke 1949. The influence of corn starch upon roughage digestion in cattle. *Journal of Animal Science*. 8: 271-278.

Caldwell, D. R. and M. P. Bryant. 1966. Medium without rumen fluid for non selective enumeration and isolation of rumen bacteria. *Applied Microbiology*. 14: 794-801.

Carpenter, D. L. 1977. *Microbiology*. N. B. Sounders Company, Toronto

Chalupa, W. 1977. Manipulating rumen fermentation. *J. Animal Sciences*. 46: 585-599.

Chamberlain, D. G., P. C. Thomas, and F. J. Anderson. 1983. Volatile fatty acid proportion and lactic acid metabolism in the rumen of sheep and cattle receiving silage diets. *Journal of Agricultural Science*. 101:47-58.

- Cheng, K. J., C. W. Forsberg, H. Minato, and J. W. Costerton. 1990. Physiological aspect of digestion and metabolism in ruminants (ed. Tsuda, T. et al). Academic Press, Orlando.
- Cheng, K. J., J. P. Fay, R. E. Howarth, and J. W. Costerton. 1980. Sequence of events in the digestion of fresh legume leaves by rumen bacteria. *Applied and Environmental Microbiology*. 40: 613-625.
- Cheng, K. J., T. A. McAllister, H. Kudo, and J. W. Costerton. 1989. The importance of adhesion in the microbial digestion of plant materials. In *The rumen ecosystem*. 7th. International symposium on ruminant physiology, Hakone, Japan (ed. Hoshino, S. et al). Japan Scientific Society Press, Tokyo. pp. 129-138.
- Chesson, A. and C. W. Forsberg. 1988. Polysaccharide degradation by rumen microorganisms. In *The rumen microbial ecosystem* (ed. Hobson, P. N.) pp. 251-283. Elsevier Applied Science Publishers, England.
- Chesson, A., C. S. Stewart, and R. J. Wallace. 1982. Influence of plant phenolic acids on growth and cellulolytic activity of rumen bacteria. *Applied and Environmental Microbiology*. 44: 597-603.
- Chin, A. H. G. 1981. Palm oil standard relation to marketing and refining behavior. *Planter (Kuala Lumpur)* 55:421.

Christiensen, W. C., W. Woods, and W. Burrough. 1964. Ration characteristics influencing rumen protozoal population. *Journal of Animal Science*. 23: 984-988.

Church, D. C. 1972. Digestive physiology and nutrition of ruminant. Vol. 1. Digestive physiology. O and B Books Corp. Corvalis.

Clarke, R. T. J. 1977. Methods for studying gut microbes. In Microbiology of the gut (ed. Clarke, R. T. J. and T. Bouchop). Academic Press, New York. pp. 1-33.

Cline, T. R., U. S. Garrigus, and E. E. Hartfield. 1966. Addition of branched and straight-chain volatile fatty acids to purified lamb diet and effect on utilization of certain dietary components. *Journal of Animal Science*. 25:734-739.

Coen, J. A. and B. A. Dehority. 1970. Degradation and utilization of hemicellulose from intact forages by pure cultures of rumen bacteria. *Applied Microbiology*. 20: 362-368.

Coughlan, M.P. and F. Mayer. 1991. The cellulose decomposing bacteria and their enzyme systems. In The Prokaryotes, 2nd. Edition, A handbook on the biology of bacteria: Ecophysiology, isolation, Identification, application. Edited by A. Balow, H.G. Troper, M. Dworkin, W. Harder and K.H. Schleifer. Springer-Verlag, 1991. pp. 460-516.

Christiensen, W. C., W. Woods, and W. Burrough. 1964. Ration characteristics influencing rumen protozoal population. *Journal of Animal Science*. 23: 984-988.

Church, D. C. 1972. Digestive physiology and nutrition of ruminant. Vol. 1. Digestive physiology. O and B Books Corp. Corvalis.

Clarke, R. T. J. 1977. Methods for studying gut microbes. In Microbiology of the gut (ed. Clarke, R. T. J. and T. Bouchop). Academic Press, New York. pp. 1-33.

Cline, T. R., U. S. Garrigus, and E. E. Hartfield. 1966. Addition of branched and straight-chain volatile fatty acids to purified lamb diet and effect on utilization of certain dietary components. *Journal of Animal Science*. 25:734-739.

Coen, J. A. and B. A. Dehority. 1970. Degradation and utilization of hemicellulose from intact forages by pure cultures of rumen bacteria. *Applied Microbiology*. 20: 362-368.

Coughlan, M.P. and F. Mayer. 1991. The cellulose decomposing bacteria and their enzyme systems. In The Prokaryotes, 2nd. Edition, A handbook on the biology of bacteria: Ecophysiology, isolation, Identification, application. Edited by A. Balow, H.G. Troper, M. Dworkin, W. Harder and K.H. Schleifer. Springer-Verlag, 1991. pp. 460-516.

- Coleman, G. S. 1985a. Possible causes of the high death rate of ciliate protozoa in the rumen. *Journal of Agricultural Science*. 105: 39-43.
- Coleman, G. S. 1985b. The Cellulase content of 15 species entodiniomorphid protozoa, mixed bacteria and plant debris isolated from the ovine rumen. *Journal of Agricultural Science*. 104: 349-360.
- Cotta, M. A. and R. B. Hespell. 1986. Proteolytic activity of the ruminal bacterium *Butyrivibrio fibrisolvens*. *Applied and Environmental Microbiology*. 52: 51-58.
- Cowan, S. T. and J. Liston. 1974. The mechanism of identification. In Bergey's Manual of Determinative Bacteriology (ed. Buchanan, R. E. and N. E. Gibbons). Williams and Wilkins Co. Baltimore. pp. 10-13.
- Czerkawski, J. W. 1973. Effect of linseed oil fatty acids and linseed oil on rumen fermentation in sheep. *Journal of Agricultural Science*. 81: 517-531.
- Czerkawski, J. W. and G. Breckenridge, 1979. Experiment with the long term rumen simulation technique. Use of soluble food and inert solid matrix. *British Journal of Nutrition*. 42: 229-245.

Dawson, R. M. C., N. Hemington, and G. P. Hazlewood. 1977. The role of higher plant and microbial lipase in the ruminant hydrolysis of grass lipids. *British Journal of Nutrition*. 38: 225-232.

Dehority, B. A. 1969. Pectin fermenting bacteria isolated from the bovine rumen. *Journal of Bacteriology*. 99: 189-196.

Dehority, B. A. and H. W. Scott. 1967. Extent of cellulose and hemicellulose digestion in various forages by pure cultures of rumen bacteria. *Journal of Dairy Science*. 50: 1136-1141.

Dehority, B. A. and J. A. Grubb. 1977. Characterization of the predominant bacteria occurring in the rumen of goats (*Capra hircus*). *Applied and Environmental Microbiology*. 33: 1030-1036.

Dehority, B. A., P. A. Tirabaso, and A. P. Grifo Jr. 1989. Most-probable-numbers procedures for enumerating ruminal bacteria including the simultaneous estimation of total and cellulolytic numbers in one medium. *Applied and Environmental Microbiology*. 55: 2789-2792.

Delzell, R. 1977. A case study on utilization of effluent and by-products of palm oil mill production by cattle and buffaloes on an oil palm estate. Preprint No. 12, 19pp.

Demeyer, D. I. 1981. Rumen microbes and digestion of plant cell walls. *Agriculture and Environment*. 6: 295-337.

Devendra, C. 1975. Agricultural by-products for animal feeding in Malaysia. *MARDI Report No. 3*.

Devendra, C. and R.N. Muthurajah. 1977. The utilization of oil palm by-products by sheep. In: *International developments in palm oil mill* (eds. Earp, D.A and Newall) pp 103. Incorporate Society of Planters.

Devendra, C. and R. N. Muthurajah. 1976. The utilization of oil palm products by sheep. *International symposium on palm oil processing and marketing*. Preprint No. 8.

Dinsdale, D, E. J. Morris, and J. S. D. Bacon. 1978. Electron microscopy of the microbial population present and their mode of attack on various cellulosic substrates undergoing digestion in the sheep rumen. *Applied and Environmental Microbiology*. 36: 160-168.

Eadie, J. M. and P. N. Hobson. 1962. Effect of the presence and absence of rumen ciliate protozoa on the total rumen bacterial count in lambs. *Nature*. 193: 503-505.

El-shazly, K., B. A. Dehority, and R. R. Johnson. 1961. Effect of starch on the digestion of cellulose *in vitro* and *in vivo* by rumen microorganisms. *Journal of Animal Science*. 20: 268-273.

Demeyer, D. I. 1981. Rumen microbes and digestion of plant cell walls. *Agriculture and Environment*. 6: 295-337.

Devendra, C. 1975. Agricultural by-products for animal feeding in Malaysia. *MARDI Report No. 3*.

Devendra, C. and R.N. Muthurajah. 1977. The utilization of oil palm by-products by sheep. In: *International developments in palm oil mill* (eds. Earp, D.A and Newall) pp 103. Incorporate Society of Planters.

Devendra, C. and R. N. Muthurajah. 1976. The utilization of oil palm products by sheep. *International symposium on palm oil processing and marketing*. Preprint No. 8.

Dinsdale, D, E. J. Morris, and J. S. D. Bacon. 1978. Electron microscopy of the microbial population present and their mode of attack on various cellulosic substrates undergoing digestion in the sheep rumen. *Applied and Environmental Microbiology*. 36: 160-168.

Eadie, J. M. and P. N. Hobson. 1962. Effect of the presence and absence of rumen ciliate protozoa on the total rumen bacterial count in lambs. *Nature*. 193: 503-505.

El-shazly, K., B. A. Dehority, and R. R. Johnson. 1961. Effect of starch on the digestion of cellulose *in vitro* and *in vivo* by rumen microorganisms. *Journal of Animal Science*. 20: 268-273.

Engels, F. M. and R. E. Brice. 1985. A barrier covering lignified cell walls of barley straw that resist access by rumen microorganisms. *Current Microbiology*. 12: 217-224.

Erfle, J. D., R. J. Boila, R. M. Teather, S. Mahadevan, and D. Sauer. 1982. Effect of pH on fermentation characteristics and protein degradation by rumen microorganisms *in vitro*. *Journal of Dairy Science*. 65: 1457-1464.

Fan, L. T. and Y. H. Lee. 1983. Kinetics studies of enzymatic hydrolysis of insoluble cellulose : derivation of a mechanistic kinetic model. *Biotechnology Bioengineering*. 25: 2707-2733.

Fay, J. P. and F. M. A. Ovejero. 1986. Effect of lactate on the *in vitro* digestion of *Agropyron elongatum* by rumen microorganisms. *Animal Feed Science and Technology* (abstract). 16: 161-167.

Fonty, G., K. N. Joblin, and A. Brownlee. 1989. Contribution of anaerobic fungi to rumen function. In The rumen ecosystem. Proceeding of the 7th. International Symposium on ruminant physiology, Hakone, Japan (ed. Hoshino, S et al). Japan Scientific Society Press, Tokyo. pp. 93-98.

- Forsberg, C. W., L. K. A. Lovelock, L. Krumholz, and G. Buchanan-smith. 1984. Protease activity of rumen protozoa. *Applied and Environmental Microbiology*. 47: 101-110.
- Forsberg, C. W., T. J. Beveridge, and A. Hellstrom. 1981. Cellulase and xylanase released from *Bacteroides succinogenes* and its importance in the rumen environment. *Applied and Environmental Microbiology*. 42: 886-896.
- Fulghum, R. S. and W. E. C. Moore. 1963. Isolation, enumeration, and characteristics of proteolytic ruminal bacteria. *Journal of Bacteriology*. 85: 808-815.
- Fusee, M. C. and J. M. Leatherwood. 1972. Regulation of cellulase from *Ruminococcus*. *Canadian Journal of Microbiology*. 18: 347-353.
- Gardner, R. M., K. C. Doerner, and B. A White. 1987. Purification and characterization of an exo-B-1,4-glucanase from *Ruminococcus flavefaciens*. *Journal of Bacteriology*. 169: 4581-4588.
- Gerhardt, P. 1981. Manual of Methods for General Bacteriology. American Society for Microbiology, Washington D. C.

Gesson, T., A. John, and A. S. D. King. 1985. The effect of dietary starch and fibre on the *in vitro* rates of lipolysis and hydrogenation by sheep rumen digesta. *Journal Agricultural Science.* 105: 27-30.

Giesecke, D. 1970. Comparative microbiology of the alimentary tract. In *Physiology of digestion and metabolism in the ruminant* (ed. Philipson, A. T. et al). Oriel Press. 1970. pp. 306-317.

Gilkes, N. R., D. G. Kilburn, R. C. Miller, and R. A. J. Warren. 1991. Bacterial cellulases. *Bioresource Technology.* 36: 21-35.

Gorosito, A. R., J. B. Russell, and P. J. Van Soest. 1985. Effect of carbon-4 and carbon-5 volatile fatty acids on digestion of plant cell walls *in vitro*. *Journal of Dairy Science.* 68 : 840-847.

Gouws, L. and A. Kistner. 1965. Bacteria of the bovine rumen. IV. Effect of change of diet on the predominant type of cellulose digesting bacteria. *Journal of Agricultural Science.* 64: 51-57.

Gradel, C. M. and B. A. Dehority. 1972. Fermentation of isolated pectin and pectin from intact forages by pure cultures of rumen bacteria. *Applied Microbiology.* 23: 332-340.

Grant, R. J. and S. J. Weidner. 1991. Digestion kinetics of fibre: Influence of *in vitro* buffer pH varied within observed physiological range. *Journal of Dairy Science*. 75: 1060-1068.

Greeve, L. C., J. M. Labavitch, R. J. Stack, and R. E. Hungate. 1984. Muralytic activities of *Ruminococcus albus* 8. *Applied and Environmental Microbiology*. 47: 1141-1145.

Groleau, D. and C. W. Forsberg. 1982. Partial characterization of the extra-cellular endoglucanase produced by *Bacteroides succinogenes*. *Canadian Journal of Microbiology*. 28 : 504-517.

Groleau, D. and C. W. Forsberg. 1981. Cellulolytic activity of the rumen bacterium *Bacteroides succinogenes*. *Canadian Journal of Microbiology*. 27: 517-530.

Groom, C. A., A. J. Daugulis, and B. N. White. 1988. Continuous  $\alpha$ -amylase production using *Bacillus amyloliquefaciens* adsorbed on an ion exchange resin. *Applied Microbiology Biotechnology*. 28: 8-13.

Grubb, J. A. and B. A. Dehority. 1975. Effect of an abrupt change in ration from all roughage to high concentrate upon rumen microbial numbers in sheep. *Applied Microbiology*. 30: 404-412.

Halliwell, G. and M. Griffin. 1973. The nature and mode of action of the cellulolytic component C<sub>1</sub> of *Trichoderma koningii* on native cellulose. *Biochemical Journal*. 135: 587-594.

Halliwell, G. and M. P. Bryant. 1963. The cellulolytic activity of pure strains of bacteria from the rumen of cattle. *Journal of General Microbiology*. 36: 606-612.

Hanna, W. W. , W. G. Monson, and G. W. Burton. 1973. Histological examination of fresh forage leaves after in vitro digestion. *Crop Science*. 13: 98-102.

Harfoot, C. G. and G. P. Hazlewood. 1988. Lipid metabolism in the rumen. In *The rumen microbial ecosystem* (ed. Hobson, P. N.). Elsevier Scientific Publication Ltd., England. pp. 285-321.

Harfoot, C. G., M. L. Crouchman, R. C. Noble, and J. H. Moore. 1974. Competition between food particles and rumen bacteria in the uptake of long chain fatty acids and triglycerides. *Journal of Applied Bacteriology*. 37: 241-245.

Hartley, R. D. 1981. Chemical constitution, properties and processing of lignocellulose wastes in relation to the nutritional quality for animals. *Agriculture and Environment*. 6: 91-113.

Hartley, R. D. and E. C. Jones. 1977. Phenolic components and degradability of cell walls of grass and legume species. *Phytochemistry*. 16: 1531-1539.

Hazlewood, G. P., C. G. Orpin, Y. Greenwood, and M. E. Black. 1983. Isolation of proteolytic rumen bacteria by use of selective medium containing leaf fraction 1 protein (ribulosebiphosphate carboxylase). *Applied and Environmental Microbiology*. 45: 1780-1784.

Hazlewood, G. P. and J. H. A. Nugent. 1978. Leaf fraction 1 protein as a nitrogen source for the growth of a proteolytic rumen bacterium. *Journal of General Microbiology*. 106: 369-371.

Hazlewood, G. P. and R. M. C. Dawson. 1975. Isolation and properties of a phospholipid hydrolyzing bacterium from ovine rumen fluid. *Journal of General Microbiology*. 89: 163-174.

Hazlewood, G. P. and R. M. C. Dawson. 1979. Characteristics of a lipolytic and fatty acid requiring *Butyrivibrio* sp. isolated from the ovine rumen. *Journal of General Microbiology*. 112: 15-27.

Head, M. J. 1983. The effect of quality and quantity of carbohydrate and protein in the ration of the sheep on the digestibility of cellulose and other constituents of ration, with a note on the effect of adding vitamins

of the B-complex on the digestibility and retention of the nutrients of a hay ration. *Journal of Agricultural Science.* 43: 281-293.

Henderson, C. 1973. The effect of fatty acids on pure cultures of rumen bacteria. *Journal of Agricultural Science.* 81: 107-112.

Henderson, C. 1971. A study of the lipase produced by *Anaerovibrio lipolytica*, a rumen bacterium. *Journal of General Microbiology.* 65: 81-89.

Henning, P. A., Y. V. D. Linden, M. E. Mattheyse, W. K. Nuahaus, and H. M. Schwartz. 1980. Factors affecting the intake and digestion of roughage by sheep fed maize straw supplemented with maize grain. *Journal of Agricultural Science.* 94: 565-573.

Hershberger, T. V., O. G. Bently, J. A. Cline, and W. T. Tyznik. 1956. Formation of a short chain fatty acids from cellulose, starch, and metabolic intermediates by ovine and bovine rumen microorganisms. *Journal of Agriculture Food and Chemistry.* 4: 962.

Hesspell, R. B., R. Wolf, and R. J. Bothast. 1987. Fermentation of xylans by *Butyrivibrio fibrisolvens* and other ruminal bacteria. *Applied and Environmental Microbiology.* 53: 2849-2853.

Hiltner, P. and B. A. Dehority. 1983. Effect of soluble carbohydrates on digestion of cellulose by pure cultures of rumen bacteria. *Applied and Environmental Microbiology*. 46: 642-648

Ho, C. C., Y. K. Tan, and C.-W. Wang. 1984. The distribution of chemical constituents between the soluble and the particulate fraction of palm oil mill effluent and its significance on its utilization/treatments. *Agricultural wastes*. 11: 61-71.

Hobson, P. N. 1965. Continuous culture of some anaerobic and facultatively anaerobic rumen bacteria. *Journal of General Microbiology*. 38: 167-180.

Holdeman, L. V., R. W. Kelly, and W. E Moore. 1984. *Bacteroides*. In Bergey's Manual of Systematic Bacteriology. Vol. 1. Williams and Wilkins, Baltimore. pp. 604-631.

Hua, H. T., H. C. Kean., K. K Ming, and T. P. Ying. 1975. Further studies on the effect of delapon-sodium on oil palm. *Planter* (K. Lumpur). 51: 133-148.

Huang, L. and C.W. Forsberg. 1990. Cellulose digestion and cellulase regulation and distribution in *Fibrobacter succinogenes* subsp. *succinogenes* S85. *Applied and Environmental Microbiology*. 56:1221-1227.

Huang, L. and C. W. Forsberg. 1988. Purification and comparison of the periplasmic and extracellular forms of the cellobextrinase from *Bacteroides succinogenes*. *Applied and Environmental Microbiology*. 54: 1488-1493.

Huang, T. K., S. M. Ong, C. C. Seow, and H. K. Tan. 1978. Chemical composition of palm oil mill effluents. *Planter* (K. Lumpur). 54: 749-756.

Hume, I. D. 1970. Synthesis of microbial protein in the rumen. II. A response to the higher volatile fatty acids. *Australian Journal of Agricultural Research* (Abstract). 21: 297-304.

Hungate, R. E. 1988. The ruminant and the rumen. In *The rumen microbial ecosystem* (ed. Hobson, P. N.). Elsevier Scientific Publisher Ltd., England. pp. 1-19.

Hungate, R. E. 1969. A roll tube method for cultivation of strict anaerobes. In *Methods in Microbiology*. Vol. 3B (ed. Norris, J. R. et al). Academic press, London. pp. 117.

Hungate, R. E. 1966. *The rumen and its microbes*. Academic Press, New York.

Hungate, R. E. 1950. The anaerobic mesophilic cellulolytic bacteria. *Bacteriological Review*. 14: 1-49.

- Hungate, R. E. and R. J Stack. 1982. Phenylpropanoic acid growth factor for *Ruminococcus albus*. *Applied and Environmental Microbiology*. 44: 79-83.
- Hunt, W. G. and R. O. Moore. 1958. The proteolytic system of a gram negative rod isolated from the bovine rumen. *Applied Microbiology*. 6: 36-39.
- Joanning, S. W., D. E. Johnson, and B. P. Barry. 1981. Nutrient digestibility depressions in corn-silage-corn grain mixtures fed to steers. *Journal of Animal Science*. 53: 1095-1103.
- Joblin, K. N. 1981. Isolation, enumeration, and maintenance of rumen anaerobic fungi in roll tube. *Applied and Environmental Microbiology*. 42: 1119-1122.
- Johnson, R. F. 1976. Influence of carbohydrate solubility on non-protein nitrogen utilization in the ruminant. *Journal of Animal Science*. 43: 184-191.
- Jorgensen, H.K and G. Singh. 1981. An introduction of the clarification station for crude oil and sludge treatment. International Conference : The oil palm in agriculture in the eighties", Kuala Lumpur.

Jouanny, J. P. and K. Ushida. 1989. Protozoa and fibre digestion in the rumen. In *The rumen Ecosystem* (ed. Hoshino. S. et al). Japan Scientific Society Press, Tokyo. pp. 139-150.

Jung, H. G. and V. H. Varel. 1988. Influence of forage type on ruminal bacterial population and subsequent in vitro fibre digestion. *Journal of Dairy Science*. 71: 1526-1535.

King, K. W. 1961. Microbial degradation of cellulose. Virginia polytechnic Institute Technical Bulletin no. 154, Blackburn, Virginia.

Kistner, A. 1965. Possible factors influencing the balance of different species of cellulolytic bacteria in the rumen. In *Physiology of digestion in the ruminant* (ed. Daugherty, R. W. et al). Butterworth Inc. pp. 419-432.

Kistner, A. and L. Gouws. 1964. Cellulolytic cocci occurring in the rumen of sheep conditioned to lucerne hay. *Journal of General Microbiology*. 34: 447-458.

Kock, S. G. and A. Kistner. 1969. Extent of solubilization of  $\alpha$ -cellulose and hemicellulose of low protein teff hay by pure cultures of cellulolytic rumen bacteria. *Journal of General Microbiology*. 55: 459-462.

Kudo, H., K. D. Jacober, R. C. Philippe, K. J. Cheng, D. J. S. Barr, and J. W. Costerton. 1990. Isolation and characterization of cellulolytic anaerobic fungi and associated mycoplasmas from the rumen of steer fed a roughage diet. *Canadian Journal of Microbiology*. 36: 513-517.

Kudo, H., K. J. Cheng, and J. W. Costerton. 1987. Electron microscopy study of the methylcellulose-mediated detachment of cellulolytic rumen bacteria from cellulose fibres. *Canadian Journal of Microbiology*. 33: 244-248.

Kudo, H., K. J. Cheng, and J. W. Costerton. 1987. Interaction between *Treponema bryantii* and cellulolytic bacteria in the *in vitro* degradation of straw cellulose. *Canadian Journal of Microbiology*. 33: 244-248.

Murinara, Y., J. M. Eadie, P. N. Hobson, and S. O. Mann. 1968. Relationship between bacteria and ciliate protozoa in the sheep rumen. *Journal of General Microbiology*. 51: 267-288.

Lamed, R., J. Naimark, E. Morgenstern, and E. A. Bayer. 1987. Specialized cell surface cellulolytic bacteria. *Journal of Bacteriology*. 169 : 3792-3800.

Langsford, M. C., N. R. Gilkes, W. W. Wakarchuk, D. G. Kilburn, R. C. Miller, and R. A. J. Warren. 1984. The cellulase

system of *Cellulomonas firmi*. *Journal of General Microbiology*. 130: 1367-1376.

Latham, M. J. 1978. The animal as an environment. In *Microbial Ecology: a conceptual approach* (ed. Lynch, J. M. et al). Blackwell Scientific Pub., Oxford. pp. 116-117.

Latham, M. J., J. D. Sutton, and M. E. Sharpe. 1973. Fermentation and microorganisms in the rumen and the content of fat in the milk of cows given low roughage rations. *Journal of Dairy Science*. 57: 803-810.

Latham, M. J., J. E. Storry, and M. E. Sharpe. 1972. Effect of low roughage diets on the microflora and lipid metabolism in the rumen. *Applied Microbiology*. 24: 871-877.

Latham, M. J., M. E. Sharpe, and J. D. Sutton. 1971. The microbial flora of the rumen of cows fed hay and high cereal rations and its relationship to the rumen fermentation. *Journal of Applied Bacteriology*. 34: 425-434.

Latham, M. J. and M. J. Wolin. 1978. Use of a serum bottle technique to study interaction between strict anaerobes in mixed culture. In *Technique for the study of mixed populations* (ed. Lovelock, D. W. et al). Academic Press, New York. pp. 113-124.

Latham, M. J. and M. J. Wolin. 1977. Fermentation of cellulose by *Ruminococcus flavefaciens* in the presence and absence of *Methanobacterium ruminantium*. *Applied Microbiology*. 34: 297-301.

Leatherwood, J. M. 1965. Cellulase from *Ruminococcus albus* and mixed rumen microorganisms. *Applied Microbiology*. 13: 771-775.

Lee, S. B., I. H. Kim, D. D. Y. Ryu, and H. Taguchi. 1983. Structural properties of cellulose and cellulase mechanism. *Biotechnology Bioengineering*. 25: 33-51.

Lee, Y. H. and L. T. Fan. 1982. Kinetics studies on enzymatic hydrolysis of insoluble cellulose: analysis of the initial rates. *Biotechnology Bioengineering*. 24: 2383-2406.

Leedle, J. A. Z., M. P. Bryant, and R. B. Hespell. 1982. Diurnal variation in bacterial numbers and fluid parameters in ruminal content of animal fed low- or high-forage diets. *Applied and Environmental Microbiology*. 44: 402-412.

Leng, R. A. and J. V. Nolan. 1984. Nitrogen metabolism in the rumen. *Journal of Dairy Science*. 67: 1072-1089.

Lowe, J. E., M. K. Theodorou, and A. P. J. Trinci. 1987. Cellulase and xylanase of an anaerobic rumen fungi

grown on wheat straw, wheat straw holocellulose, cellulose, and xylan. *Applied and Environmental Microbiology*. 53: 1218-1223.

Mackie, R. I. and F. M. C. Gilchrist. 1979. Changes in lactate producing and lactate utilizing bacteria in relation to pH in the rumen of sheep during stepwise adaptation to a high concentrate diet. *Applied and Environmental Microbiology*. 38: 422-430.

Mackie, R. I., F. M. C. Gilchrist, A. M. Roberts, P. E. Hannah, and H. M. Schwartz. 1978. Microbiological and chemical changes in the rumen during the stepwise adaptation of sheep to high concentrate diet. *Journal of Agricultural Science*. 90: 241-250.

Maczulak, A. E, B. A. Dehority, and D. L. Palmquist. 1981. Effect of long chain fatty acids on growth of rumen bacteria. *Applied and Environmental Microbiology*. 42: 856-862.

Maeng, W. J. and R. L. Baldwin. 1976. Factors influencing rumen microbial growth rates and yields. Effect of urea and amino acids over time. *Journal of Dairy Science*. 59: 643-647.

Maglione, G., J.B. Russell, and D.B. Wilson. 1997. Kinetics of cellulose digestion by *Fibrobacter succinogenes* S85. *Applied and Environmental Microbiology*. 63:665-669.

McAllan, A. B. and R. H Smith. 1983. Effect of dietary nitrogen supplementation on fibre digestion in the rumen.  
*Proceeding of the Nutritional Society*. 42 : 504.

McGavin, M., J. Lam, and C. W. Forsberg. 1990. Regulation and distribution of *Fibrobacter succinogenes* subsp. *succinogenes* S85 endoglucanases. *Applied and Environmental Microbiology*. 56: 1235-1244.

McInerney, M. J., M. P. Bryant, and N. Pfennig. 1979. Anaerobic bacterium that degrades fatty acids in syntrophic association with methanogens. *Arch. Microbiology*. 122: 129-135.

Mertens, D. R. and J. R. Lofton. 1980. The effect of starch on forage fibre digestion kinetics in vitro. *Journal of Dairy Science*. 63: 1437-1446.

Miller, G. L., R. Blum, and W. G. Clammon, and A. L Burton. Measurement of carboxymethylcellulase activity. *Analytical Biochemistry*. 1: 127-132.

Minato, H. and T. Suto. 1978. Technique for fractionation of bacteria in the rumen microbial ecosystem. II Attachment of bacteria isolated from bovine rumen to cellulose powder in vitro and elution of bacteria attached therefrom. *Journal of General and Applied Microbiology*. 24: 1-16.

Miron, J. 1991. The hydrolysis of lucern cell-wall monosaccharide components by monocultures or pair combination of defined ruminal bacteria. *Journal of Applied Bacteriology*. 70: 245-252.

Miura, H., M. Horiguchi, K. Ogimoto, and T. Matsumoto. 1983. Nutritional interdependence amongst rumen bacteria during cellulose digestion *in vitro*. *Applied and Environmental Microbiology*. 45: 726-729.

Morris, E. J. 1988. Characteristics of the adhesion of *Ruminococcus albus* to cellulose. *FEMS Microbiology Letters*. 51: 113-118.

Morris, E. J. and N. P. Van Gylswyck. 1980. Comparison of the action of rumen bacteria on cell walls of *Eragrostis tef*. *Journal of Agricultural Science*. 95: 313-323.

Morris, E. J. and O. J. Cole. 1987. Relationship between cellulolytic activity and adhesion to cellulose in *Ruminococcus albus*. *Journal of General Microbiology*. 133: 1023-1032.

Morrison, M., R. I. Mackie, and A. Kistner. 1990. 3-Phenylpropionic acid improves the affinity of *Ruminococcus albus* for cellulose in continuous culture. *Applied and Environmental Microbiology*. 56: 3220-3222.

Mould, F. L. and E. R. Orskov. 1984. Manipulation of rumen fluid pH and its influence on cellulolysis in saccus, dry matter degradation, and the rumen microflora of sheep offered either hay or concentrate. *Animal Feed Science and Technology* (abstract) 10: 1-14.

Mould, F. L., E. R. Orskov, and S. O. Mann. 1984. Associative effect of mixed feed I. Effect of type and level of supplementation and the influence of the rumen fluid pH on cellulolysis in vivo and dry matter digestion of various roughage. *Animal Feed Science and Technology* (abstract). 10: 19-30.

Mould, F. L., E. R. Orskov, and S. A. Gauld. 1983. Associative effect of mixed feed II. The effect of dietary addition of bicarbonate salts on the voluntary intake and digestibility of diets containing various proportions of hay and barley. *Animal Feed Science and Technology* (abstract). 10: 31-48.

Mountfort, O. D. and R. A. Asher. 1983. Role of catabolite regulatory mechanisms in control of carbohydrate utilization by the rumen anaerobic fungus *Neocallimastix frontalis*. *Applied and Environmental Microbiology*. 46; 1331-1338.

Murphy, M. R., R. L. Baldwin, and L. J. Koong. 1982. Estimation of stoichiometric parameters for rumen fermentation of roughage and concentrate diets. *Journal of Animal Science*. 55: 411-421.

Muthurajah, R. N and C. Devendra. 1976. Direct utilization of palm oil mill waste by direct application to land. Proceeding of agro-industrial waste symposium. Kuala Lumpur, 1975 (ed. Chin, P. S.) pp 123.

Newbold, C. J., A. G. Williams, and D. G. Chamberlain. 1987. The in vitro metabolism of DL-lactic acid by rumen microorganisms. *Journal of Science of Food and Agriculture*. 38: 9-16.

Nieman, C. 1954. Influence of trace amount of fatty acids on the growth of microorganisms. *Bacteriology Review*. 18: 147-163.

Nisizawa, K. 1973. Mode of action of cellulases. *Journal of Fermentation Technology*. 51: 267-304.

Ogimoto, K. and Imai. 1981. *Atlas of rumen Microbiology*. Japan Scientific Society Press, Tokyo.

Ohmiya, K., K.Nokumara, and S. Shimizu. 1983. Enhancement of cellulose degradation by *Ruminococcus albus* at high cellulose concentration. *J. Fermentation Technology*. 61:25-30.

- Orpin, C. G. 1984. The role of ciliate protozoa and fungi in the rumen digestion of plant cell walls. *Animal Feed Science and Technology* (abstract). 10: 121-143.
- Orpin, C. G. 1981. Isolation of cellulolytic phycomycetes fungi from the caecum of the horse. *Journal of General Microbiology*. 123: 187-196.
- Orpin, C. G. 1977. The rumen flagellate *Piromonas communis*; its life history and invasion of plant material in the rumen. *Journal of General Microbiology*. 99: 107-117.
- Orpin, C. G. 1976. Studies on the rumen flagellate *Sphaeromonas communis*. *Journal of General Microbiology*. 94: 270-280.
- Orpin, C. G. 1975. Studies on the rumen flagellate *Neocallimastix frontalis*. *Journal of General Microbiology*. 91: 249-262.
- Orpin, C. G. 1974. The rumen flagellate *Callimastix frontalis*: does sequestration occur. *Journal of General Microbiology*. 84: 395-398.
- Orpin, C. G. and A. J. Letcher. 1979. Utilization of cellulose, starch, xylan, and other hemicellulose for growth by rumen phycomycetes *Neocallimastix frontalis*. *Current Microbiology*. 3: 121-124.

Orpin, C. G. and E. A. Munn. 1986. *Neocallimastix patriciarum*. New member of the Neocallimasticaceae inhabiting the sheep rumen. *Transaction British Mycological Society*. 86: 178-181.

Orskov, E. R., R. S. Hine, and D. A. Grubb. 1978. The effect of urea on digestion and voluntary intake by sheep of diets supplemented with fat. *Animal Production*. 27: 241-245.

Orskov, E. R., W. P. Flatt, and P. W. Moe. 1968. Fermentation balance approach to estimate extent of fermentation and efficiency of volatile fatty acids formation in ruminants. *Journal of Dairy Science*. 51: 1429-1435.

Pavlostathis, S. G., T. L. Miller, and M. J. Wolin. 1988. Fermentation of insoluble cellulose by continuous cultures of *Ruminococcus albus*. *Applied and Environmental Microbiology*. 54: 2655-2659.

Petersen, N. J. Meideros, and M. Mendels. 1977. Adsorption of *Trichoderma* cellulase on cellulose. *Biotechnology Bioengineering*. 19: 1091-1094.

Pettersson, H. R., J. W. Irvin, and K. J. Cheng. 1975. Ultra structure and adhesion properties of *Ruminococcus albus*. *Journal of Bacteriology*. 122: 278-287.

Pettipher, G. L. and M. H. Latham. 1979. Production of enzyme degrading plant cell walls and fermentation of cellobiose by *Ruminococcus flavifaciens* in batch and continuous culture. *Journal of General Microbiology.* 110: 29-38.

Prins, R. A., F. Van Vugt, R. E. Hungate, and C. J. A. H. O. Van Vorstenbosch. 1972. A comparison of strains of *Eubacterium cellulosolvens* from the rumen. *Antonie Van Leeuwenhoek.* 38:153-161.

Rajagopalan, K. and B. H. Webb. 1975. Palm oil mill waste recovery as a by-product industry. Part II- Biological utilization. *Planter (K. Lumpur).* 51 : 126-132.

Fautella, G. S. and K. W. King. 1968. Significance of the crystal structure of cellulose on the production and action of cellulase. *Arch Biochemistry Biophysics (abstract).* 123: 589-601.

Rogers, J. A., B. C. Marks, C. L. Davis, and J. H. Clark. 1979. Alteration of rumen fermentation in steers by increasing rumen fluid dilution rate with mineral salts. *Journal of Dairy Science.* 62: 1599-1605.

Roger, V., G. Fonty, S. Komisarczuk-bony, and P. Ganet. 1990. Effect of physicochemical factors on the adhesion to cellulose avicel of the ruminal bacteria *Ruminococcus flavefaciens* and *Fibrobacter succinogenes* subsp

succinogenes. *Applied and Environmental Microbiology*. 56: 3061-3067.

Russell, J.B. and D.B. Wilson. 1996. Why are ruminal cellulolytic bacteria unable to digest cellulose at low pH?. *J. Dairy Science*. 79:1503-1509.

Russell, J. B. and C. J. Sniffen. 1984. Effect of carbon-4 and carbon-5 volatile fatty acids on growth of mixed rumen bacteria in vitro. *Journal of Dairy Science*. 67: 987-994.

Russell, J. B. and D. B. Dombrowski. 1980. Effect of pH on the efficiency of growth of pure cultures of rumen bacteria in continuous culture. *Applied and Environmental Microbiology*. 39: 604-610.

Russell, J. B. and R. L. Baldwin. 1979b. Comparison of maintenance energy expenditures and growth yields amongst several rumen bacteria grown in continuous culture. *Applied and Environmental Microbiology*. 37: 537.

Russell, J. B. and R. L. Baldwin. 1979a. Comparison of substrate affinities amongst several rumen bacteria: a possible determinant of rumen bacterial competition. *Applied and Environmental Microbiology*. 37: 531-536.

Russell, J. B. and R. L. Baldwin. 1978. Substrate preference in rumen bacteria: Evidence of catabolite regulatory mechanisms. *Applied and Environmental Microbiology*. 36: 319-329.

Russell, J. B. and T. Hino. 1985. Regulation of lactate production in *Streptococcus bovis*: a spirally effect that contributes to rumen acidosis. *Journal of Dairy Science*. 68: 1712-1721.

Russell, J. B., W. M. Sharp, and R. L. Baldwin. 1979. The effect of pH on maximal bacterial growth rate and its possible role as determinant of bacterial competition in the rumen. *Journal of Animal Science*. 48: 251-255.

Ryu, D. D. Y., S. B. Lee, T. Tassinari, and C. Macy. 1982. Effect of compressing milling on cellulose structure and hydrolysis kinetics. *Biotechnology Bioengineering*. 24: 1047-1067.

Shaiful A. A. A., A. M. Abdul Manan, and A. R. Mohd. Fuat. 1991. Cellulolytic rumen bacteria from goats. National Seminar, IRPA 5th. Malaysia Plan, Strategic Sector, Universiti Sains Malaysia, Penang.

Shaw, J. C. and W. L. Ensor. 1959. Effect of feeding cod liver oil and unsaturated fatty acids on rumen VFA and milk fat content. *Journal of Dairy Science*. 42: 1238-1240.

Shi, Y. and P. J. Weimer. 1992. Response surface analysis of the effect of pH and dilution rate on *Ruminococcus flavefaciens* FD-1 in cellulose-fed continuous culture. *Applied and Environmental Microbiology*. 58: 2583-2591.

Shriver, B. J., W. H. Hoover, J. P. Sargent, R. J. Crawford Jr., and W. V. Thayne. 1986. Fermentation of a high concentrate diet as affected by ruminal pH and digesta flow. *Journal of Dairy Science*. 69:413-419.

Simpson, M. E. 1984. Protective effect of alternative carbon source towards cellulose during its digestion in bovine ruminal fluid. *Dev. Ind. Microbiology* (abstract).25: 641.

Simpson, M. E., P. B. Marsh, and G. V. Merola. 1977. Weight increase of cotton fibres during swelling in alkali as a sensitive measure of prior cellulose degradation in ruminal fluid. *Applied and Environmental Microbiology*. 34: 302-307.

Slater, J. H. 1979. Microbial population and community dynamics. In *Microbial Ecology: a conceptual approach* (ed. Lynch, J. M. et al). Blackwell Scientific Publisher, Oxford.

Smith, P. H., H. C. Sweeny, J. R. Rooney, K. W. King, and W. E. C. Moore. 1956. Stratification and kinetic changes in the ingesta of the bovine rumen. *Journal of Dairy Science*. 39: 598-609.

Smith, W. R., I. Yu, and R. E. Hungate. 1973. Factors affecting cellulolysis by *Ruminococcus albus*. *Journal of Bacteriology*. 114: 729-737.

Stack, R. J. and M. A. Cotta. 1986. Effect of 3-phenylpropanoic acid on growth and cellulose utilization by cellulolytic ruminal bacteria. *Applied and Environmental Microbiology*. 52: 209-210.

Stack, R. J. and R. E. Hungate. 1984. Effect of 3-phenylpropanoic acid on capsule and cellulase of *Ruminococcus albus* 8. *Applied and Environmental Microbiology*. 48: 218-223.

Stack, R. J., R. E. Hungate, and W. P. Opsahl. 1983. Phenylacetic acid stimulation of cellulose digestion by *Ruminococcus albus* 8. *Applied and Environmental Microbiology*. 46: 539-554.

Stanley, R. W. and E. M. Kesler. 1959. Preparation and some basic properties of cell-free cellulolytic extracts of rumen fluid. *Journal of Dairy Science*. 42: 127-136.

Stanton, W. R. 1974. Treatment of effluent from palm oil factories. *Planter (K. Lumpur)* 50: 382-387.

Steele, W. and J. H Moore. 1968. The digestibility coefficient of myristic, palmitic, and stearic acids in the diet of sheep. *Journal of Dairy Research*. 35: 371-376.

Stewart, C. S. 1977. Factors affecting the cellulolytic activity of rumen contents. *Applied and Environmental Microbiology*. 33: 497-502.

Stewart, C. S., S. H. Duncan, and K. N. Joblin. 1985. The use of tritiated cellulose for the rapid enumeration of cellulolytic anaerobes. Letter in *Applied Microbiology*. 1: 45-99.

Stewart, C. S. and M. P Bryant. 1988. The rumen bacteria. In Rumen Microbial Ecosystem (ed. Hobson, P. N.). Elsevier Scientific Publisher, England. pp. 21-75.

Stewart, J. C., C. S. Stewart, and J. Heptinstall. 1982. The use of tritiated cellulose in screening for cellulolytic microorganisms. *Biotechnology Letters*. 4: 459-464.

Sutton, J. D., A. D. McGilliard, and N. L. Jacobson. 1963. Functional development of rumen mucosa. 1. Adsorptive activity. *Journal of Dairy Science*. 46 : 426-436.

Taya, M., K. Honma, K. Ohmiya, T. Kobayashi, and S. Shimizu. 1981. Pretreatment of cellulosic materials for digestion by *Ruminococcus albus*. *Journal of Chemical Engineering of Japan*. 14: 330-335.

Taylor, K. A., B. Crosby, M. McGacin, C. W. Forsberg, and D. Y. Thomas. 1987. Characteristic of endoglucanase encoded by a cell gene from *Bacteroides succinogenes* expressed

in *Escherichia coli*. Applied and Environmental Microbiology. 53: 41-46.

Terry, J. M., A. Tilley, and G. E Outen. 1969. Effect of pH on cellulose digestion under *in vitro* conditions. Journal of Science of food and agriculture. 20: 317-320.

Thorley, C. M., M. E. Sharpe, and M. P Bryant. 1968. Modification of the rumen bacterial flora by feeding cattle ground and pelleted roughage as determined with culture media with and without rumen fluid. Journal of Dairy Science. 51: 1811-1816.

Trevelyan, W. E. and J. S Harrison. 1952. Studies on yeast metabolism. I Fractionation and microestimation of cell carbohydrates. Biochemical Journal. 50: 298-303.

Vance, R. L., R. L. Preston, E. W Klosterman, and V. R. Cahill. 1972. Utilization of whole shelled and crimped corn grain with varying proportion of corn silage by growing finishing steers. Journal of Animal Science. 35: 598-605.

Van der Linden, Y. N. O Van Gylswyck, and H. M. Schwartz. 1984. Influence of supplementation of corn stover with corn grain on the fibrolytic bacteria in the rumen of sheep and their relation to the intake and digestion of fibre. Journal of Animal Science. 59: 772-783.

Van Gylswyck, N. O. 1970. A comparison of two technique for counting cellulolytic rumen bacteria. *Journal of General Microbiology*. 60: 191-197.

Van Gylswyck, N. O., E. J. Morris, and H. J. Els. 1980. Sporulation and cell wall structure of *Clostridium polysaccharolyticum* comb. nov. *Journal of General Microbiology*. 121: 491-493.

Van Gylswyck, N. O. and J. P. L. Labuschagne. 1971. Relative efficiency of pure cultures of different species of cellulolytic rumen bacteria in solubilizing cellulose in vitro. *Journal of General Microbiology*. 66: 109-113.

Van Navel, C. J. and D. I. Demeyer. 1977. Effect of monensin on rumen metabolism in vitro. *Applied and Environmental Microbiology*. 34: 251-257.

Van Soest, P. J. 1973. The uniformity and availability of cellulose. *Federal Proceeding*. 32: 1804-1808.

Varel, V. H. and H. J. G. Jung. 1986. Influence of forage phenolic on ruminal fibrolytic bacteria and in vitro degradation. *Applied and Environmental Microbiology*. 52: 215-280.

Varga, G. A., W. H Hoover, L. L. Junkins, and B. Shriver. 1982. Effects of urea and iso-acids on in vitro fermentation

of diets containing formaldehyde treated soybean meal.  
*Journal of Dairy Science*. 65 (Suppl. 1): 125-126.

Veira, D. M. 1986. The role of ciliate protozoa in nutrition of the ruminant. *Journal of Animal Science*. 63: 1547-1560.

Wallace, R. J. and M. A. Cotta. 1988. Metabolism of nitrogen containing compound. In *The Rumen Microbial Ecosystem* (ed. Hobson, P. N.) Elsevier Applied Science Publisher, England. pp. 217-249.

Wallace, R. J., Newbold, and N. McKain. 1989. Pattern of peptide metabolism by rumen microorganisms. In *The Rumen Ecosystem*. 7th. International symposium on ruminant physiology, Hakone, Japan (ed. Hoshino, S et al). Japan Scientific Society Press, Tokyo. pp. 43-49.

Walker, W. P. and D. B. Wilson. 1991. Enzymatic hydrolysis of cellulose: An overview. *Bioresource Technology*. 36: 3-14.

Walker, G. J. 1965. The cell-bound  $\alpha$ -amylase of *Streptococcus bovis*. *Biochemistry Journal*. 94: 289-298.

Walker, G. J. and P. M. Hope. 1964. Degradation of starch granule by some amylolytic bacteria from the rumen of sheep. *Biochemistry Journal*. 90: 398-408.

Warner, A. C. I. 1956. Proteolysis by rumen microorganisms.  
*Journal of General Microbiology*. 14: 749-765.

Webb, B. H., R. I. Hutagalung, and S. T. Cheam. 1976. Palm oil mill waste as animal feed- processing and utilization.  
*Malaysia Int. Symp. on palm oil processing and marketing*. Preprint no. 7.

Wedekind, K. J., R. B. Muntefering, and K. B. Barker. 1986.  
Effect of diet concentrate level and sodium bicarbonate on site and extent of forage fibre digestion in the gastrointestinal tract of wethers. *Journal of Animal Science*. 62: 1386-1395.

Weimer, P. J., A. D. French, and T. A. Calamari Jr. 1991.  
Differential fermentation of cellulose allomorph by ruminal cellulolytic bacteria. *Applied and Environmental Microbiology*. 57: 3101-3106.

Weimer, P. J. and W. M. Weston. 1985. Relationship between the fine structure of native cellulose degradability by the cellulase complexes of *Trichoderma reesei* and *Clostridium thermocellum*. *Biotechnology Bioengineering*. 27: 1540-1547.

Weimer, P. J., J. M. Lopez-giusa, and A. D French. 1990. Effect of cellulose fine structure on kinetics of its digestion by mixed ruminal microorganisms in vitro. *Applied and Environmental Microbiology*. 56: 2421-2429.

- White, T. W., R. B Grainger, T. H. Baker, and J. W. Stroud. 1958. Effect of supplemented fat on digestion and the ruminal calcium requirement of sheep. *Journal of Animal Science*. 17: 797-803.
- Williams, A. G. and G. S. Coleman. 1989. The rumen protozoa. In *The Rumen Microbial Ecosystem* (ed. Hobson, P. N.) Elsevier Applied Science Publisher, England. pp. 77-124.
- Williams, A. G. and S. E. Withers. 1985. Formation of polysaccharide depolymerase and glycoside hydrolase enzymes by *Bacteroides ruminicola* subsp. *ruminicola* grown in batch and continuous culture. *Current Microbiology*. 12: 79-84.
- Williams, A. G., S. E Withers, and G. S. Coleman. 1984. Glycoside hydrolases of rumen bacteria and protozoa. *Current Microbiology*. 10: 287-293.
- Windham, W. R. and D. E Akin. 1984. Rumen fungi and forage fibre degradation. *Applied and Environmental Microbiology*. 48: 473-476.
- Wood, B. J. 1977. A review of current methods for dealing with POME. *Planter (K. Lumpur)*. 53: 477-495.

Wood, T. M. and C. A. Wilson. 1984. Some properties of the endo-  
1,4- $\beta$ -D-glucanase synthesized by the anaerobic  
cellulolytic rumen bacterium *Ruminococcus albus*.  
*Canadian Journal of Microbiology*. 30: 316-321.

Wood, T. M., C. A. Wilson, and C. S. Stewart. 1982. Preparation  
of cellulase from the cellulolytic anaerobic rumen  
bacterium *Ruminococcus albus* and its release from the  
bacterial cell wall. *Biochemical Journal*. 25: 129-137.

Wood, T. M., C. A. Wilson, S. I. McCrea, and K. N. Joblin. 1986.  
A highly active extracellular cellulase from the  
anaerobic rumen fungus *Neocallimastix frontalis*. *FEMS  
Microbiology Letters*. 34: 37-40.

Some of the data presented in Chapter 2 and Chapter 3 have been reported in the following communications:

1. Shaiful Azni AA, DM Abdul Manan, AR Mohd Fuat. Cellulolytic rumen bacteria from goats. *Proceeding of National Seminar of Intensification of Research in Priority Areas (Strategic Sector), Ministry of Science, Technology and Environment Malaysia*. P. Pinang, 1992.
2. Abd Aziz SAB, MFB Abd Razak. 1994. Cellulolytic activities of the rumen ingesta of goats. *Malaysian Journal of Science (series A)*; 15:67-72.

# COMMUNICATIONS