

CONTENTS

	Page
Acknowledgement	i
Abstract	ii
Abstrak	v
List of tables	xi
List of figures	xiii
List of abbreviations	xiv
Chapter 1 Introduction	
1.1 Pesticides	2
1.2 Pesticides in Malaysia	
1.2.1 Pesticide usage	8
1.2.2 Pesticides residues in the environment	12
1.2.3 Pesticide residues in the freshwater environment.	13
1.2.4 Pesticide residues in the marine environment	14
1.3 Toxicity of pesticides	20
1.4 Model ecosystem	25
1.5 Mudflat ecosystem	35
1.6 Objectives of the project	36
References	38

Chapter 2 Experimental

2.1	Principles	45
2.2	Reagents	46
2.3	Glassware	47
2.4	Apparatus	47
2.5	Sample extraction	
2.5.1	Water samples	48
2.5.2	Sediment samples	48
2.5.3	Tissue samples	49
2.6	Column chromatography clean-up	49
2.7	Analytical Procedures	
2.7.1	GCMS programming	51
2.7.2	Quantification	51
2.8	Precision and Accuracy	
2.8.1	Efficiency of the extraction methods	53
2.8.1.1	Water samples	54
2.8.1.2	Sediment samples	54
2.8.1.3	Tissue samples	55
2.8.2	Precision of repeated GC-injections	56
References		58

Chapter 3 Distribution of ¹⁴C-DDT and its metabolites in a Model Mudflat Ecosystem.

3.1	General	60
3.2	Reagents and apparatus	61
3.3	Preparation of a model mudflat ecosystem	61
3.4	Preparation of thin layer chromatography	63
3.5	Sampling and sample analysis	
3.5.1	Estuarine water	64
3.5.2	Sediment	65
3.5.3	Tissue	66
3.6	Results and Discussion	67
	References	78

Chapter 4 Distribution of Lindane in a Model Mudflat Ecosystem

4.1	General	83
4.1.1	Preparation of a model mudflat ecosystem	84
4.1.2	Sampling and sample analysis	
4.1.2.1	Estuarine water	85
4.1.2.2	Sediment	86
4.1.2.3	Tissue	86
4.1.3	Results and Discussion	87
4.2	The persistence of lindane in estuarine water	
4.2.1	General	92
4.2.2	Sampling and sample analysis	93

4.2.3	Results and Discussion	93
4.3	Volatilization of [¹⁴ C]-lindane from the model mudflat ecosystem.	
4.3.1	General	95
4.3.2	Measurement of volatilization	96
4.3.3	Results and Discussion	99
4.4	Adsorption of Lindane in Several Malaysian Soils	
4.4.1	General	103
4.4.2	Determination of adsorption isotherms	104
4.4.3	Results and Discussion	106
4.5	Biodegradation of Lindane in a Model Mudflat Ecosystem	
4.5.1	General	108
4.5.2	Soil treatment	109
4.5.3	Sampling and sample analysis	110
4.5.4	Determination of microbial biomass	110
4.5.5	Results and Discussion	112
	References	117
 Chapter 5 Conclusion		
5.0	Conclusion	121
 Appendix		
	Publication and presentation	126

List of tables

	Page
Table 1.1 Pesticides market in Malaysia	10
Table 1.2 Value of the pesticides use per hectare of crop	10
Table 1.3 Import of pesticides in Malaysia, 1992-1993	11
Table 1.4 Local production of pesticides in Malaysia, 1992-1993	12
Table 1.5 Organochlorine pesticides in biotic and abiotic components of the Malaysian aquatic environment	18
Table 1.6 Organochlorine pesticide residues in marine biota from Malaysian waters	19
Table 1.7 Common pesticides and acute toxicity levels to aquatic organisms	23
Table 1.8 Areas used and value for aquaculture in Malaysia, 1994	36
Table 1.9 Projection of aquaculture production, 1990-2010	37
Table 2.1 Summary of the gas chromatographic operating conditions	52
Table 2.2 Efficiency of pesticide extraction from water samples	54
Table 2.3 Efficiency of pesticide extraction from sediment samples	55
Table 2.4 Efficiency of pesticide extraction from tissue samples	56
Table 2.5 Precision of the GC analysis	57

Table 3.1	[¹⁴ C]DDT in water	67
Table 3.2	Screening of [¹⁴ C]DDT and its metabolites in water, sediment and cockles	68
Table 4.1.1	Concentration of lindane in water, sediment and cockles exposed to 5µg/L of insecticide under semistatic condition	87
Table 4.1.2	Concentration of lindane in water, sediment and cockles exposed to 15µg/L of insecticide under semistatic condition	88
Table 4.1.3	Distribution of ¹⁴ C recovered from [¹⁴ C]-γ-HCH treated model ecosystem	99
Table 4.1.4	Organic matter content and pH of the soils studied	104
Table 4.1.5	Constants and Correlation Coefficients of the Freundlich Adsorption equation (K, n and r), Distribution Coefficient (K _d) and logK _{OM} .	108
Table 4.1.6	Biomass content of mudflat soil	115

List of figures

	Page	
Figure 1.1	Structure of DDT	24
Figure 1.2	Structure HCH	24
Figure 2.1	Gas chromatogram of a standard solution of lindane	57
Figure 3.1	Distribution of [¹⁴ C]activity residues in the model mudflat ecosystem	75
Figure 3.2	[¹⁴ C]activity residues in sediment	76
Figure 3.3	[¹⁴ C]activity residues in cockles	77
Figure 4.1.2	Persistence of lindane in estuarine and distilled water under aerated and non-aerated conditions. Each point represents a mean of triplicate determinations. The percent recovery was calculated relative to the initial amount measured and corrected to 100%.	94
Figure 4.1.3	Diagram of the manifold system used to measure volatilization of lindane in the mudflat ecosystem	97
Figure 4.1.4	Adsorption isotherms of lindane on soils	106
Figure 4.1.5	Persistence of lindane in sterilized and non-sterilized mudflat soil from Kuala Selangor	113

List of abbreviations

<	less than
>	greater than
C	degree Centigrade
eV	electron volt
g	gram
GC/MS	gas chromatograph-mass spectrometer
i.d.	internal diameter
kg	kilogram
L	liter
m-	meta
mg	milligram
mL	milliliter
mm	millimeter
MS	mass spectrometer
m/z	mass to charge ratio
ng	nanogram
nm	nanometer
o-	ortho
p-	para
ppb	parts per billion
ppm	parts per million
ppt	parts per trillion
SD	standard deviation
µg	microgram
µCi	microcurie
v/v	volume per volume