

## References

- Alcock, J. (1979). *Animal behaviour: an evolutionary approach*. 2nd ed. Sunderland. Massachusetts, Sinauer.
- Arakaki, N., H. Kubs, and H. Soemori, (1984). Mating behaviour of the oriental fruit fly, *Dacus dorsalis* Hendel (Dipper: Tephritidae). *Appl. entomol. Zool.* **19** (1): 42 - 51.
- Armstrong, J.W., Vriesenga, J.D. and C.Y.L. Lee (1979). Resistance of pineapple varieties D-10 and D-20 to field populations of oriental fruit flies and Melon flies. *J. Econ. Entomol.*, **72** : 6-7.
- Ahmad, M., Sakai, R.K., Baker, R.H., and Ainsely, R.W. (1978). Genetic analysis of two Enzyme polymorphisms in a malaria vector mosquito. *J. Heredity* **69**: 155- 158.
- Arita, L.H., and K.Y. Kaneshiro. (1988). Pseudomale courtship behaviour of the female Mediterranean fruit fly *Ceratitis capitata* (Wiedemann). *Proc. Hawaii Ent. Soc* **24** (283): 205 - 210.
- Aspey, W. P. (1977). Wolf spider socio-biology: I. Agonistic display and dominance subordinate relations in adult male *Schizocosa crassipes*. *Behaviour* **62**: 103 - 141.
- Aspey, W. P. (1977). Wolf spider sociobiology : I. Agonistic display and dominance Subordinate relations in adult male *Schizocosa crassipes*. *Behaviour* **62**: 103 - 141.
- Augustinsson, K.B. (1961). Multiple forms of esterase in vertebrates bloodplasma *Ann. Sci.*, **94** : 844 - 860.
- Back, E.A. and C.E. Pemberton (1917). The melon fly in Hawaii. U.S. Dept. *Agric. Bull.* **491**. 64pp.

- Baker,A.C., Stone,W.E., Plummer,C.C. and McPhail, M. (1944). A review studies on the Mexican fruit fly related Mexican species , U.S. Department of Agriculture Misc. Publication. No. 531, 155 pp.
- Baker,E.A., Herbert,P.E., Howse, and O.T. Jones (1980). Identification and synthesis of major sex pheromone of the olive fly (*Bactrocera oleae*). *J. Chem. Soc.Chem . Commun.* 1: 52 - 53.
- Baker, R., R.H. Herbert, and R.A.Lomer (1982). Chemical components of the rectal gland secretions of male *Bactrocera cucurbitae* the melon flies. *Experients.* 18 : 232 – 233
- Bagle,B.G. and V.G.Prasad (1983). Effect of weather parameters on population dynamics of oriental fruit fly, *Dacus dorsalis* Hendel. *J. Entomol.Research*, 7(2): 95-98.
- Bateman, A.J. ( 1948 ). Intra- sexual selection in *Drosophila* *Heredity* . 2 : 349 - 368 .
- Bateman, M. A., E. F.Boller, G.L.Bush , D.L.Chambers , A.P. Economopulos , B .S. Fletcher, M.D.Heuttel, V. Moericke, and R. J. Prokopy (1976) . Fruit flies , pp. 11- 49. *In studies in biological control*. V.L. Delucchi (ed.), Cambridge Univ., N.Y.
- Bateman, M . A . (1972). The ecology of fruit flies. *Ann. rev. Entomol.*, 17: 493 - 518
- Bateman, M.A., and T. C. Morton (1981). The importance of ammonia in proteinaceous attractants of fruit flies ( family : Tephritidae ) . *Aust. J. Agric . Res.* 32 : 883 - 903.
- Bateman,M.A., Boller,E.F., Buch,G.L., Chambers,D.L., Economopoulos,A.P., Fletcher, M.D., Heuttel,V.M., and Prokopy,R.J. (1976). *Fruit flies, studies in biological control* pp. 11- 49. Cambridge Univ.

- Bateman, M. A. and F. J. Sonleitner (1967). The ecology of a natural population of the Queensland fruit fly *Dacus tyroni*. The parameters of the pupal and adult populations during a single season. *Austr. J. zool.*, **15** : 303 - 335
- Bellas, T.E., and B. S. Fletcher (1979). Identification of the major components in the secretion from the rectal pheromone glands the Queensland fruit flies, *Bactrocera tryoni* and *Bactrocera neohumilis* (Diptera : tephritidae). *J. Chem. Ecol.* **5** : 795 - 803.
- Bennet - Clark, H.C. (1971). Acoustic of insect song. *Nature* **234** : 255 - 259.
- Berube, D. E. (1978). Larval descriptions and biology of *Tephritis dilacerata* (Dipt. : Tephritidae), a candidate for biocontrol of *Sonchus oleraceus* in Canada. *Entomophaga*. **22** : 69 - 82.
- Bess, H.A. (1950). Notes on parasites of tephritid flies. *Proc. Hawai. Entomol. Soc.* **14**: 26.
- Bess H. A. and F. H. Haramoto (1958). Biological control of pamakani *Eupatorium adenophorum*, in Hawaii by a tephritids gall fly, *Proceudochoares utilis*. The life of the fly its effectiveness in the control of weed. *Proceeding of the Tenth international. Congress of Entomology*, **4** : 543 - 548.
- Bess, H.A., and Haramoto, F.H. (1959). Biological control of pamakani, *Eupatorium adenophorum*, in Hawaii by a tephritid gall fly, *Proceeding utili*. 2. Population studies of the weed fly and the parasites of the fly. *Ecology* **40** : 244 - 249.
- Bess H. A. and Haramoto (1961). Contributions to the biology and ecology of the oriental fruit fly, *Dacus dorsalis* Hendel (Diptera : Tephritidae), in Hawaii agricultural Experimental Station, *Technical Bulletin no.* **44** : 30 pp.
- Bess, H.A., and Haramoto, F.H. (1972). Biological control of pamakani, *Eupatorium adenophorum*, in Hawaii by a tephritid gall fly, *Proceeding utili*. 3. Status of

the weed fly and the parasites of the fly in 1966 - 1971 versus 1950 - 1957

*Proc. Haw. Entomol. Soc.* **21**: 165 - 178.

Boggs, C. L. (1981). Nutritional and life history determinants of resources in holometabolous insect, *Am. Nat.*, **117** : 692 - 709 .

Boller, E. ( 1972 ). Behavioral aspects of mass rearing of insect. *Entomophaga* .  
**7** : 9 - 25 .

Borgia, G. (1981). Mate selection in the fly *Scatophaga stercoraria* : female choice in male - controlled system . *Anim. Behav.* **29** : 71- 80.

Borror, D. J., D. M. De Long, and C. A. Triplehorn . (1981). *An introduction to the study of insects* . Saunders, New York.

Breed, M. D., S. K. Smith, and B. G. Gall (1980). Systems of mate selection in a cockroach species with male dominance . *Anim. Behav.* **28** : 130 - 134.

Briceno, R. D., Ramos, D. and Eberhard, W. G. (1996). Courtship behaviour of male *Ceratitis capitata* (Diptera: Tephritidae) in captivity *Flo. Entomol.* **79** : (2) 130 - 143.

Burk, T. (1979). An analysis of social behaviour in crickets Ph. D. Thesis, Oxford Univ. Oxford, England. **335 pp.**

Burk, T. (1981). Signaling and sex in a calyptate flies. *Florida Ent.* **64** (1): 30-45.

Burk, T. ( 1983 ). Behavioral ecology of mating in the Caribbean fruit fly, *Anastrepha suspensa* ( Loew ). (Diptera: Tephritidae). *Fla. Entomol.* **66** : 330 - 334.

Burk, T. and J. C. Weeb (1983). Effect of size on calling propensity, song parameters, and mating success in Caribbean fruit flies *Anastrepha suspensa* (Loew) (Diptera : Tephritidae). *Ann. Entomol. Soc. Am.* **76** : 678 - 682.

Burns, R. E., Diaz, J. D., and Holler, T. C. (1996). Inundative release of the parasitoid



*Diachasmimorpha longicaudata* for the control of the Caribbean fruit fly, *Anastrepha suspensa*. In *fruit fly pest : A world Assessment of their Biology and Mangement* ( B.A. McPhreron and G.J. Steck, Eds), pp 377-381. St lucie press. Florida.

Calow, P. (1973). The relationship between fecundity, phenology, and longevity : a systems approach, *Am. Nat.* **107** : 559 - 574.

Carey, J. R., (1982). Demography and population dynamic of the Mediterranean fruit fly. *Ecological Modelling*, **16**: 125 - 150.

Carey, J.R., (1983). A life table examination of growth rate and age structure tradeoffs in Mediterranean fruit fly populations. In : *Fruit flies of economic Importance* R. Cavalloro (Ed) Balkema, Rotterdam, pp. 315 - 320 .

Carey, J.R., (1984). Host specific demographic studies of the Mediterranean fruit fly *Ceratitis capitata*. *Ecol. Entomol.* **9** : 261 - 271.

Carey, J.R., Harris,E. J and Mcinnnc,D.O. (1985). Demography of native strain of the melon fly, *Dacus cucurbitae*, from Hawaii, *Entomol. Exp. Appl.* **38** : 195 - 199 .

Carey, J.R., Yang,P.J. and Foote,D. (1988). Demographic analysis of insect reproductive levels, patterns and heterogeneity : case of laboratory strains of three Hawaii tephritids. *Entomol. Exp. Appl.* **46** : 85 - 91.

Casida, J. (1964). The biology and ecology of cherry fruit fly *Ragoletis cerasi* Bull. Soc *Entomol.* **31** : 194 - 249.

Causses,R., and Feron,M. (1966). Influence du rythme photoperiodique sur l'activite sexuelle de la moche mediterraneenne des fruit : *Ceratitis capitata*. *Ann. Epiphyl.* **18** : 175 -179.

Cavolloro, R. (1981). Establishment of continously *in vitro* growing cell line med fly

(*Ceratitis capitata* Wied). *Res. Can. Biol.* **40**: 181-186.

Cavalloro, R. (1983). Fruit flies of Economic importance, proceeding of the CEC/IOBC International symposium. Athens, Greece. Balkema / Rotterdam Press, pp. 642 .

Clanced, D.W. (1950). Note on parasites of tephritid flies. *Proc. Hawai. Entomol. Soc.* **14** : 25 - 26.

Chambers, D. L. (1977). *Attractants for fruit fly survey and control*, pp. 327 - 344.

Chamber, D.I. (1978). Quality control in mass rearing . *Annu. Rev. Entomol.* **22**: 289-308.

Chelliah, S. (1970). Host influence on the development of melon fly, *D.cucurbitae* Coq. *Indian J. Entomol.* **32** (2): 381-383.

Christenson, L.D. and Foote, R.H. (1960). Biology of fruit flies *Annu. Rev. Entomol.* **5** : 171 - 192 .

Chua, T.H. (1991a ). Comparison of demographic parameters in wild *Bactrocera* sp. (Malaysian A) from different hosts (Diptera : Tephritidae). *J. Plt. Prot. in the Tropics* . **8** ( 3 ) : 161 - 166

Chua, T.H. (1991b). Demographic parameters *Bactrocera* sp. ( Malasian B) ( Diptera :Tephritidae ) in the laboratory . *J. Plt. Prot. in Tropics* . **8** ( 3 ) : 139 - 144 .

Chua, T.H. (1992). Relationship between female size and demographic parameters in *Bactrocera Malaysian A* (Dipter : tephritidae). *Res. Pop. Ecol.*( Kyoto ) **34** : 285 - 292.

Churchill - Stanland, C ., R. Stanland , T. T.Y. Wong, N. Tanaka, D. O. McInnis, and R. Dowell. (1986). Size as factor in the mating propensity of Mediterranean fruit flies, *Ceratitis capitata* ( Diptera : Tephritidae ) in the laboratory. *J. Econ. Entomol.* **79** : 614 - 619.

- Clark, L.R., P.W.Geiger, R D.Hughes and R .F.Morris (1967). *The ecology of insect population in Theory and practice* . London : Methuen . 232 pp.
- Clark, J. T. (1964). *Ann. Sci.* **121** : 428 - 436.
- Clancy, D.W., P.E. Marucci & Dresener (1952). Importation of natural enemies to Control the oriental fruit fly in Hawaii, *J. Econ. Entomol.* **45** (1): 85-90.
- Corbett, G. H. (1928). Division of entomology annual report. *J. Malay. Agric.* **17** : 261 - 276.
- Cox, C .R., and B. J.LeBoeuf (1977). Female incitation of male competition : a mechanism in sexual selection. *Am. Nat.* **111**: 317 - 335.
- Crankshaw, O. S. (1979). Female choice in relation to calling and courtship song in *Acheta domesticus* . *Anim. Behav.* **27**: 1274 -1275.
- Crnjas, H.M., Pavan,H.D., and Silva,I.D. (1988a). Oviposition and alightment behaviour of *Ceratitis capitata* (Diptera : Tephritidae ) on colored spheres. *Rev. Entomol.* **28** ( 1 ) : 11-14.
- Crnjas, H.M., Diehi,S.R., and Prokopy, R.J. (1989b). Host selection beviour differences between the fruit fly sibling species *Rhagoletis pomonella* and *R.mendas* (Diptera : Tephritidae). *Ann. Entomol. Soc. Am.* **79** ( 1 ) : 206 - 271.
- Cytrnowicz, M., Morgante, J.S. and De Souz, H.M.L. (1982). Visual responses of South American fruit flies, *Anastrepha fraterculus*, and Mediterranean fruit flies, *Ceratitis capitata*, to colored rectangles and spheres. *Environ. Entomol.* **11**: 1202-1210.
- Darby,H.H. and Kapp, E.M. (1937). Studies on the Mexican fruit fly, *Anastrepha ludens* (Loew). U.S. Department of Agriculture *Technical Bulletin* No. **444**, 20 pp.
- Darwin, C. (1859). *On the origin of species by means of natural selection . Or the*

*presevation of favoured races in struggle for life.* John Murray London.

Darwin, C. (1871). The descent of man and selection in relation to sex . Vols . I , II.  
Appleton, New York .

David, R. and James, V.D. (1979). The influence of host nutritive value on performance  
and food selection in *Ceratitis capitata* ( Diptera:Tephritidae). *J.Insect Physiol.*  
**39 : 883 - 887.**

Dawkins, R., and J.R. Krebs (1978). Animal signals : information or manipulation  
pp. 282 - 309. In : *Behavioral ecology : an evolutionary approach.* J.R. Krebs &  
N.B. Davies (eds.), Blackwell, Oxford, England.

Dethier, V.G. (1954). Evolution of feeding preferences in *phytophagous insects* *Evolut-*  
*ion*, **8, 33-54.**

Dickens, J.C., W.G. Hart, D.M. Light, and E.B. Jang (1988). Tephritid olfaction  
: Morphology of the antennae of four tropical species of economic importance  
( Dipter : Tephritidae ) . *Ann. Entomol. Soc. Am.* **81: 325 - 331.**

Dodson, G. N. ( 1978 ) .Behavioral , anatomical and physiological aspects of reprod  
-uction in the Cribbean fruit fly *Anastrepha suspensa* ( Loew ) . M. S. Thesis  
, Univ. of Florida , Gainesville . **68 pp.**

Dout, R. L. (1964). Biological characteristics of entomophagous adults, In *Biolo-*  
*gical control of Insect Pests and Weeds*, Reinhold Pub, Co., New York, **pp.**  
**145 - 280.**

Dow, M.A., and Von Schilcher (1975). Aggression and mating success in *Drosoph-*  
*ila melanogaster*. *Nature Lond Lon.* **254 - 512.**

Drew, R.A., A.C.Courtice, and D.S.Teakle (1983). Bacteria as a natural source of  
food for adults fruit flies ( Diptera : Tephritidae ). *Oceologia* (Berlin) **60 : 279 -**  
**284 .**

- Drew, R .A. (1987). Behavioural strategies of fruit flies the genus *Dacus* (Diptera: Tephritidae) significant in mating and host plant relationships. *Bull. Ent. Res* 77: 73 – 81.
- Drew, R .A. (1989). The tropical fruit flies ( Diptera : Tephritidae ) of the Australian and Oceanian regions . *Memoris of Queensland Museum* 26: 1 - 521.
- Drew, R .A .I. ( 1991 ) .Taxonomic studies on Oriental fruit fly of 1st . *International Symposium on fruit flies in the Tropics march 1988* (S .Vijayasegaran and A . G. Ibrahim ed .) . pp. 63 - 66 .
- Economopoulos A. P. (1989). Fruit flies, *Proceedings of the Second International symposium* 590 pp. Elsevier, Amsterdam.
- Fay, H.A.C. and Meats, A. (1983). The influence of age, ambient temperature, thermal History and mating history on mating frequence in male of Queensland fruit fly , *Dacus tryoni*. M.S.
- Feron, M. (1959). Attraction chimique du male de *Ceratitis capitata* Wied. (Diptera : Tryptidae) pour la femelle. C.R. *Acad. Sci. ser. D.* 248 : 2403 - 2424.
- Feron, M. (1962). L'instinct de reproduction chez la mouche Meditteraneene des Fruits *Ceratitis capipata* Wied. (Dipt. Tryptidae). Comportement sexuel. comportement de ponte. *Rev. Pathol. Veg. Entomol. Agr. Fr.* 41: 1 - 129.
- Fitt, G. P. (1986). The roles of adults and larva specialisation in limiting the occurrence Of five species of *Dacus* (Diptera : Tephritidae) in cultivated fruits. *Oecologia* : 69 : 101 - 109.
- Fitt, G. P. (1981). Responses by female Dacinae to "male" lures and their relationship to patterns of mating behavior and pheromone response. *Ent. Exp. Appl.* 29 : 87 - 97.
- Fitt, G. P. (1983). Factors limiting the host rang of tephritid fruit flies with particular

reference to the effect of *Dacus tryoni* on the distribution and abundance of *Dacus jarvisi*. Ph.D. Thesis, University of Sydney.

Fletcher, B. S. (1977). Behavior response of Diptera to pheromones, allomones, and In : Kairomones. Pp. 129 - 148. In *chemical control of insect behavior : theory and application* H.H. shrey & J. J. Mckelvey, Jr. ( eds. ), John Wiley and Son, N. Y.

Fletcher, L.W., H.V. Claborne, J.P. Turne and E. Lopez (1968). Difference in response of two strains of screw worm flies to male pheromone. *J. Econ. Entomol.* 61 : 1386 - 1388.

Fletcher, B.S. and A.M. Giannakakis (1973). Factors limiting the response of females of the Queensland fruit fl, *Bactrocera tryoni*, to the sex pheromones of the male. *J. Ins. Physiol.* 19: 1147 - 1155.

Flitter, N.E. (1964). The effect of photoperiod, light intensity, and temperature on Copulation, oviposition, and fertility of the Mexican fruit fly. *J. Econom. Entomol.*, 57 : 811-813.

Freeman, R. and Carey, J.R. (1990). Interaction of host stimuli in the ovipositional response of the mediterranean fruit fly (Diptera: Tephritidae). *Eniron. Entomol.* 19 : 1075 - 1080.

Forrest, T. G. (1980). Phonotaxis in male crickets : its reproductive significance . *Fla . Entomol.* 63 : 45-53.

Foot R.H., F.L. Blance and Norrbom (1993). *Hand book of fruit flies (Diptera : Tephritidae) of America north of Mexico*. Publishing Ithaca . 571 pp.

Foot, D. and Carey, I.R. (1987). Comparative demography of laboratory and a wild strain of the orien fruit fly, *Dacus dorsalis*. *Ento. exper. appl.* , 44 : 263 - 268 .

Fullaway, D.T. (1951). Review of the Indo-Australian Parasites of fruit flies (Diptera

- : Tephritidae). Proceedings of the Hawaiian *Entomol. Soci.*, **14** (2) : 243- 251.
- Gmelin, F.M., Prokopy, R.J and Haniotakis, R.T. (1975). Host plants of fruit flies (Diptera : Tephritidae) of economic importance. *Flo. Entomol.* **70** : 116 - 123.
- Giannakais, A., and B. S. Fletcher. (1985). Morphology and distribution of antennal sensilla of *Bactrocera tryoni* ( Froggatt ) ( Diptera : Tephritidae ). *J. Aust. Ent. Soc.* **24** : 31 - 35 .
- Goodnight, K.F., Strassmann, J.E., Klinger, C.J. and Quelier, D.C. (1996). Single mating and its implications for kiship structure in a multiple queen wasp *Paracharterquus colobopterus*. *Ethol. Ecol. Evol.* **8** (2): 191-198.
- Greany, P.D., and Szentsi, A. (1979). Oviposition behaviour of laboratory reared and wild caribbean fruit flies *A.suspensa* ( Dipt : Tephritidae ) 11. Selected physical influences. *Word crop pest : Fruit flies*, **Vol.3A** : 353-362.
- Greany, P.D., R.E. McDonald, P.E. Shaw, W.J. Schroeder, D.E. Howard, T.T. Hatton, P.L. Davis and G.K. Rasmussen (1987). Use of gibberellic acid to reduce grapefruit susceptibility to attack by the Carubbean fruit fly *Anastrepha suspensa* (Diptera : Tephritidae). *Trop. Sci.* **27**: 261 – 170.
- Guess, G. M., and Krysan, R. J. (1972). Development of a chemically defined diet for adults of the apple moggot based on amino acid analysis of honeydew. *Ann. Entomol. Soc. Am.* **62** : 19 - 21.
- Guthrie, F.E., and T.J. Sheets (1970). Pesticide residues on tobacco : a continuing Problem. *Tob. Sci.* **14** : 44-48.
- Hallberg, E., J. N. Van der perrs, and G. E. Haniotakis (1984). Funicular sensills of *Bactrocera oleae* : Fine structural characteristics . *Entomol. Hell.* **2** : 41 - 46 .
- Halliday, T. R. (1983). The study of mate choice, pp. 3 - 32 . Mate choice. In P. Bateson ( ed ), Cambridge Univ. Press. Cambridge.

- Hardy, D. E. (1955). A reclassification of the Dacini (Tephritidae : Diptera ). *Ann . Entomol. Soc. Am.* **48** : 425 - 437.
- Hardy, D.E. and M.S. (1954). Studies in the fruit flies of Philippine, Indonesia and Malaysia, part I. Dacini (Tephritidae Diptera). *Pacif. Sci.* **8** : 147 - 204.
- Hardy, D.E. (1973). The fruit flies (Tephritidae : Diptera) of Thailand and bordering Countries. *Pacif. Insects Monogr.* **31**: 1-53.
- Haramoto, F.H. and H.A. Bess (1970). Recent studies on the abundance of the oriental and Mediterranean fruit flies and the status of their parasites. Proceeding of the Hawaii *Entomol. Soci.*, **20**: 551-565.
- Hager,D.A., and Burgess,R.R. (1980). *Ann. Sci.* **121** : 428 - 436.
- Heather,N.W. and Cororan, R.J. (1985 ). *Dacus tryoni* in Hand book of *insect rearing* vol. II (Ed. by singh, P.and Moore, R. F.) pp. 41 - 48. Elsevier Amsterdam
- Hedrick, A.V. ( 1986 ). Female preferences for male calling bout duration in afield cricket. *Behv. Ecol. Sociobiol.* **19**: 73 - 77.
- Hee, A.K.W., and Tan, K. H. (1998 ). Attraction of female and male *Bactrocera dorsalis* to conspecific male fed with methyl eugenol and attraction of female to male sex pheromone compnents. *J. Chem . Ecol .* Vol . **24** ( 4 ) : 753 - 764 .
- Hegde, S. N., and Krishna, M. S. (1997 ). Size assortative in *Drosophila malerkotllana* *Ainmal Behaviour*, Vol. **45** (2): 419 - 426.
- Hemingway, V.A. & Georghiou, J. (1984 ). *J. Bio. Chem.* **16** : 905 - 911.
- Herdrihs, J., Lauzon, C.R., S.S. cooley and R.J. Prokopy (1993). Contribution of natural food sources to adult longevity and fecundity of *Rhagoleties Pomonell* ( Diptera : Tephritidae ). *Ann.Entomol .Soc . America* **84** : 250 - 264.
- Hilrio Celedonio Hurtado, Martin Aluja, and Pablo Liedo (1995). Adult population



- fluations of *Anastrepha* species (Diptera : Tephritidae) in tropical orchard habitats of Chiapas , Mexico . *Environ . Entomol .* **24** : ( 4 ) **861 - 869** .
- Hirsh, I. S., and Barberck, M.E. (1996). Effects of host plant and cucurbitacin on growth of larval *Diabrotica undecimpunctata howardi*. *Entomol. Exp. Appl* : **81 (1)**: **47 - 51**.
- Hiroiyuki Kuba, Juro Koyama and R. J. Prokopy (1982). Mating behavior of wild melo flies, *Bactrocera cucurbitae* coquillett Diptera : Tephritidae in a filed cage : Distribution and behavior of flies . *Appl. Ent . Zool.* **19 (3)**: **367 - 373**
- Holbrook, F. R., and M. S. Fujimoto ( 1970 ). Mating competitiveness of unirradiated unirradiated and irradiated Mediterranean fruit flies. *J.Econ. Entomol.* **63** : **1175 - 1176**.
- House, H.L. (1962). Insect nutrition. *A. Rev. Biochem.* **31**: **653 - 672**.
- Hughes,R.D., Greenham, P.M., Tynadale Biscos and Walker, J .M. (1972). A synopsis of observations on the biology of the Australian bush fly (*Musca vetustissima* Walker ). *J. Aust. Entomol. Soc.* **11**: **311 - 331**.
- I.A.E.A. (1975). Sterile insect techique and radiation in unsect control. *Proceedings of a symposium*, Wenherberg, **29 June – 3 July 1981**. IAEA/FAO, Venna, Austrial **495 p**.
- Ibrahim, A.G. and Hashim, A.G. (1980). Efficacy of methyl eugenol for trapping of *B.dorsalis*. Hendel .*Pertanika* **3 ( 2 )** : **108 - 112** .
- I. Hedstrom (1993). Population dynamics host relationships of neotropical fruit flies (Dipter : Tephritidae) in seasonal and non seasonal environments. *Intern.J.pest management.* **39 (4)**: **400 - 410**.
- Ichinose,F. and Nakasone,S. (1979). Intrinsic rates of increase of laboratory of *Dacus - cucurbitae* Coquillett and *B.dorsalis* Hendel ( Diptera: Tephritidae ) *Jap. J.*

*appl. Entomol.*, **23**: 42 - 43.

- Ito, Y., and H. Kawamoto (1979). Number of generations necessary to attain eradication of an insect pest with sterile insect release method : a model study. *Res. Popul. Ecol.* **20**: 216 - 226.
- Iwahashi, T. and Hama, H. (1972). Insensitivity of cholinesterase in *Nephotettix cinctipes* resistance to carbamate and organophosphate insecticides. *J. Econ. Entomol.* **60**: 643 - 644.
- Ito, Y. and H. Kawamoto (1979). Number of generation necessary to attain eradication an insect pest sterile release method: a model study. *Res. Popul. Ecol.* **20**: 216-226.
- Iwahashi, O., Y. Ito and T. Majima (1986). *Ppl. Entomol. Zool.* **21**: 70 - 75
- Jacobs, M. E. (1960). Influences of light on mating of *Drosophila melanogaster*. *Ecology.* **41**: 182 - 188.
- Jaana Liimatainen, Anneli Hoikkala, and Todd Shelly (1997). Courtship behaviour in *Ceratitis capitata* (Diptera: Tephritidae): comparison on wild and mass reared Males. *Ann. Entomol. Soc. Am.* **90** (6): 836-843.
- J.P. McCaffrey, Elizabeth, A. and James, B.J. (1994). Effect adult on longevity *Urophora affinis* and *U. quadrifasciata* (Diptera : Tephritidae). *Environ. Entomol.* **23** : ( 3 ) 623 - 628.
- Kamal, A. D. (1954). Ecological and nutritional studies on the cherry fruit fly. *J. Econ. Entomol.* **47**: 959 - 965.
- Kapatos, E., McFadden, M.W. and Pappas, S. (1977 ). Sampling techniques and preparation of partial life tables for the olive fly, *Dacus oleae* ( Diptera : Trypetidea ) in Corfu. *Ecol. Entomol.* **2**: 193 - 196.
- Kapoor, V.C. and M.L. Agarwal (1982). Fruit flies and their increasing host plants in

India. Proceed of the CEC/IOBC International Symposium, Athens, Greece  
November 1982 (ED. Cavalloro, R.).

Katsoyannous, B.I. (1987). Effect of colour properties of spheres on their attractiveness  
For *ceratitis capitata* (Wedemann) flies in the field. *Environ. Entomol.* **11** : 1202  
-1210.

Kellogg, F.E., D.E. Frizel, and R.H. Wright (1962). The olfactory guidance of flying  
insects. Iv. *Drosophila can.* *Entomol.* **94**: 884 - 888.

Keiser, I. (1968). Residual effectiveness of foliar sprays against the oriental fruit fly,  
Melon fly and Mediterranean fruit fly. *J. Econ. Entomol.* **63**(2) : 438-443.

Keiser, I., R. M. Kobayashi, E.L. Schneider and I. Tomikawa (1973). Laboratory  
assessment of 73 insecticides against the oriental fruit fly, Melon fruit fly,  
and Mediterranean fruit fly . *J. Econ. Entomol.*, **66** ( 4 ) : 837 - 839 .

Keiser, I., R. Kobayashi, D.L. Chambers and E.L. Scheider (1973). Relation of  
sexual dimorphism in the potential stridulation and illumination of mating of  
oriental fruit flies of Mediterranean fruit flies in Hawaii *Ann. Entomol. Soc.*  
*Am.* **66** : 937 - 941.

Khoo, K.C. (1995). Residual effect of sheltered and unsheltered toxic bait of  
Methyl eugenol and Malathion to *Bactrocera* spp. (Diptera: Tephritidae).  
*Proceedings of second symposium on Tropical fruit flies 8-9 May 1995 Kuala*  
*Lumpur, Malaysia.*

Knipling, P.F. (1992). Principles of insect parasitism analyzed from new perspectives.  
U.S. Dept. Agric., Handbook. No. 693.

Kobayashi, R.M., D.L. Chamber and E.L. Schneider (1973). A yellow eyed mutant of  
the Melon fly. *J. Econ. Entomol.* **66** : 792 - 793.

Kobayshi, R. M., K. Ohinata, D. L. Chambers and M. S. Fujimoto (1978). Sex

- pheromones of the oriental fruit fly and the melon fly : mating behaviour bioassay method and attraction of fe male by live males and by suspected pheromones glands of males . *Environ. Entomol.* **7** : 107 - 112 .
- Kring, J. B. (1970). Red spheres and yellow panels combined to attract apple maggot flies. *J.Econ. Entomol.* **63**: 466 - 469.
- Kuba,H., J. Koyama , and R. J. Prokopy (1984). Mating behaviour of wild melon flies, *Bactrocea cucurbitae* coquillett (Tephritidae : Diptera) in a filed cage : Distribution and behaviour of flies . *App. Entomol.* **19** : 367 – 373 .
- Lall, A.B., H.H. Seliger, W.H. Biggley and J.E. Lloyd (1980 ). Ecology of colors of firefly luminescence. *Science.* **210**: 560 - 562.
- Lathrop,G.H. and Newton, K.L. (1933). The biology of *Opius melleus* Gahan, a parasite site of the blueberry maggot, *J. Agri. Res.* **46** : 143 - 160 .
- Lawrence,P.O. (1979 ). Immature stages of the Caribbean fruit fly,*Anastrepha suspensa* the *Florida Entomol.*, **62** : 214 - 219.
- Lew,S. (1992). Host influence on the development of *B.carambolae* Indian, *J. Entomol.* **32 (2)** : 381- 383.
- Liedo, P. and J.R.Carey (1994). Mass rearing of *Anastrepha* ( Dipter : tephritidae) fruit flies : a demographic analysis. *J. Econ. Entomal.* **87**: 176 - 180.
- Liedo, P., CareyH. and Gullen J. (1992). Size specific demography of three species of *Anastrepha* fruit flies . *Entomol. Exp. Appl.* **63**: 135 - 142.
- Light, D.M.and Jang,E.B. (1987). Host influence on the development of the melon fly *B.cucurbitae* Coq. *Indian. J. Entomol.* **32(2)** : 381 -383.
- Little,H.F., and R.T. Cunnigham (1987). Sexual dimorphism and presumed pheromone Gland in the rectum of *Bactrocera latiphrones* ( Dipter : Tephritidae ). *Ann. Entomol . Soc. Am.* **80**: 765 - 767.

- Liu, Y.C. (1982). *Population studies on the oriental fruit fly, Dacus dorsalis* Hendel, in Central Taiwan. Proceedings of the CEC/IOBC International Symposium, Athenes Greece, November 1982 (Ed. Cavalloro. R.) **62-67**.
- Lord, C., and Potter, F.H. (1950). *Ann. Entomol. Soc. Am.* **35** : 397 - 410 .
- Lorenz, K. A. (1958). The evolution of behaviour. *Sci. American*. **199** (6) : 67 - 78.
- Luck, R.F. (1990). Evaluation of natural enemies for biological control : A behavioural approach. *Trend in ecology and Evolution*. **5** : 196 - 102.
- Macion, E.A., W.C. Mitchell and J.B. Smith (1968). Biophysical and biochemical studies on the natural resistance of pineapple to the oriental fruit fly. *J. Econ. Entomol.*, **61**(4) : 910-916.
- Malvasi, A., and Morgante, J.S. (1981). Adult and larval population fluctuations of *Anastrepha fraterculus* and its relationship to host availability. *Environ. Entomol.* **10**: 275 - 278.
- Manikas, G. (1974). Contribution to the study of Biology and Ecology of *Dacus oleae* (Gmelin) (Diptera : Tephritidae). Ph.D. Dissertation, Faculty of Agriculture University of Athens, Greece (in Greek), **106 pp**.
- Manning, A. (1967). Antennae and sexual receptivity in *Drosophila melanogaster* females. *Science*. **158**: 136 - 137.
- May, R.M. (1953). *J. Theory Biol.*, **51**: 511 - 524.
- Mazomenos, B.E., and G.E. Hanriotakis (1985). Male olive fruit fly attraction to synthetic sex pheromone components in laboratory and field tests. *J. Chem. Ecol.* **11** : 397 - 405 .
- Mcphail, and C.I. Bliss (1933). Observations on the Mexican fruit fly and some related species in Guernavaca, Mexico, in 1928 and 1929. US Dept. Agric. Cir. No. **225 - 24pp**.

- Mengel, E.A., and Casida, J. (1960). *Bull. Entomol. Res.* **41** : 321 - 341.
- Monro, J. (1953). Stridulation in the Queensland fruit fly *Bactrocera (strumeta) troni* (Frogg). *Australian J. Sci.* **16**: 50 - 62.
- Moreno, D.S., M. Sanchez, D.C. Robacker, and J. Worley (1991). Mating Competitiveness of irradiated Mexican Fruit fly (Diptera : Tephritidae). *J. Econ. Entomol.* **84** (4) 1227 - 1223.
- Myburgh, A. C. (1962). Mating habits of the fruit flies *Ceratitis capitata* and *Pterodrus rosa*. *S. Afr. J. Agr. Sci.* **5**: 457 - 463.
- Myburgh, A.C. and W.E.K. Stubbing (1950). Fruit fly in the Western Cape Province. Stellenbosch Univ., Cape Province *Fruit Research Station, Ent. Cir.* **29** June.
- Myers, K. (1952). Oviposition and mating behaviour of the queensland fruit fly *Bactrocera (Strumeta) cacuminatus* (Hering). *Aust. Jour. Sci. Res.* **85** : 264-281.
- Nakagawa, S., G. J. Farias, D. Suda, R.T. Cunningham and D.L. Chambers (1971). Reproduction of mating in the Mediterranean fruit fly: frequency of mating in laboratory. *Ann. Entomol. Soc. Am.* **64**: 949 - 950.
- Nakagawa, S., G. J. Farias, D. Suda, and D.L. Chambers (1973). Mating behaviour of The mediterranean fruit fly following excision of the antennae. *J. Entomol.* **66**: 583 - 584.
- Nakagawa, S., R.J. Prokopy, T.T. Wong, J.R. Zeigler, S.M. Mitchell, T. Urago and E.J. Harris (1978). Visual orientation of *C.capitata* flies to fruit models. *Ent. Exp. Appl.* **24**: 193-198.
- Nation, J. L. (1972). Courtship behaviour and evidence for a sex attractant in the male Caribbean fruit fly, *Anastrepha suspensa*. *Ann. Ent. Soc. Am.* **65**: 1363-1367.
- Newell, I. M and F.H. Haramoto (1968). Biotic factors influencing populations of

*Dacus dorsalis* in Hawaii. *Entomol. Soci.*, **20** : 81 - 139.

Nishida, T. and Bess (1957). Studies on the ecology and control of the melon fly

*Dacus (strumeta) cucurbitae* coquillett (Diptera : Tephritidae). Hawaii  
agricultural Experimental station, *Technical Bulletin No. 34*: 44 pp .

Nishida, T. (1958). Extrafloral glandular secretions, a food source for certain insects.

Proceedings of the Hawaiian *Entomol. Soci.*, **16(3)** : 379 - 386.

Nishida, T. (1980). Food system of tephritid fruit flies in Hawaii . Proceedings of

Hawaiian *Entomol. Soci.*, **23**: 245 - 254.

Nishida, T. (1985). Extrafloral glandular secretions, a food source for certain insects .

Proceedings of the Hawaiian *Entomol. Soci.*, **16(3)** : 379 - 386.

Ohinata, k., M. Jacobson, R M. Kobayashi, D.L.Chambers, M.S. Fujimoto and H. H.

Higa (1982). Oriental fruit fly and melon fly : biological and chemical studies  
of smoke produced by males. *J. Environ. Sci. Health (A)* **17**: 197 - 208.

Pablo Liedo and James, R.C (1996). Demography of fruit flies *Implications to*

*action programs. Control de Investigaciones Ecologicas del sureste*, Tapachla,  
Chiapas Department of Entomology, University of California, Davis.

Parker, K. A. (1970). Sperm competition and its evolutionary consequences in the

*insects. Biol. Rev.* **45**: 525 - 567.

Paker, K. A. (1974a). Courtship persistence and female Guarding as male time investm-

ent strategies. *Behaviour.* **48**: 157 - 184.

Partridge, L. A. and Halliday (1984). mating patterns and mate choice , pp. 222 - 250

.In J.R. Krebs & N. B. Davies (eds), *Behavioural ecology, an evolutionary  
approach*. Blackwell, Oxford.

Partridge, L.A. Ewing, and A.Chandler (1987). Male size and mating success in

*Drosophila melanogaster* : the role of male and female behaviour. *Anim. Behav.* **35**: 55 - 562.

Paul, R.C. and T.T. Walker (1979). Arboreal singing in a burrowing cricket, *Anurogryll* - *u sarboreus*. *J. Comp. Physiol.* **132**: 217 - 223.

Pemberton, C., and H. Willard (1918). A contribution to the biology of fruit fly parasites in Hawaii. *J. of Agri. Res.* **15**: 419 - 465.

Perdomo, A.J. (1974). Sex and aggregation pheromone bioassays and mating observation of the Caribbean fruit fly, *Anastrepha suspensa* (Loew) under field conditions Ph.D. dissertation, University of Florida, Gainesville. **127 pp.**

Pielou, E.C. (1975). Ecological models on an environmental gradient. Proc. Symp. Applic. of Atatistics (R.P. Gupta, Ed.). North - Holland American Elsevier.

Pingjun Yang., James, R. Carey & Robetry, V. (1994). Comparative demography of two cucurbit attacking fruit flies, *B. tu* and *B. cucurbitae* (Diptera : Tephritidae ). *Ann. Entomol. Soc. Am.* **87 (5)**: 538 - 545.

Pritchard, G. ( 1967 ) .Laboratory observations on the mating behavior of the island fruit fly *Rioxa pornia* ( Dipter : Tephritidae ) . *J. Aust. Ent. Soc.* **6** : 127- 132.

Pritchard, D. (1970). The ecology of natural population of Queensland fruit fly *Dacus trynoi*. III. The maturation of female flies in relation to temperature. *Australian J. Zool.* **18** : 17 - 19

Prokopy, R. J. (1975). Mating behaviour in *Rhagoletis pomonella* (Diptera: Tephritida -e). Virgin female attraction to male odour. *Can. Entomol. Soc.* **107**: 905-908.

Prokopy, R. J., and B.D. Roitberg (1984). Foraging behavior of true fruit flies *Am. Sci.* **72**: 41 - 49.

Prokopy, R. J., Papaj, D.R., Opp, S. B. and Wong, T. T. Y. (1987). I ntra- tree foraging



behaviour of *Ceratitis capitata* flies in relation to host fruit density and quality. *Entomol. Exp. and Appl.* **45 (3)** : 251 - 258 .

Ratana Poramrcom (1998). Mating signals utilized by new and old laboratory strain of *Bactrocera dorsalis* . Fifth International Symposium on fruit flies of economic Importance . **1-5 June**. Penang Malaysia.

Riedal, H and Hislop, R.(1985). Visual attraction of the walnut husk fly (Dipter : Tephritidae) to color rectangles and spheres. *Environ. Entomol.* **14** : 810 – 814.

Roan, C.C., N. E. Flitters and C.J.Davis (1954). Light intensity and temperature as factors limiting the mating of the oriental fruit fly. *Ann. Entomol. Soc. Am.* **47** : 593 - 594.

Robacker,D.C., and W.G.Hart (1987). Electroantennograms of male and female Caribbean fruit flies ( Diptera : Tephritidae ) elicited chemicals produced by male. *Ann. Entomol. Soc. Am.* **80** : 508 - 512.

Robacker,D.C., B.E.Chapa, and W.G.Hart (1986). Electroantennograms of Mexican fruit flies to chemicals produced by males. *Entomol. Exp. Appl.* **40** : 123 - 127.

Robacker, D.C., Moren, D.S.and Wolenbarger, D.A.(1990). Effects of trap color, height and placement around trees on capture of Mexican fruit flies(Diptera : Tephritidae). *J. Econ. Entomol.* **83** : 412-419.

Robacker,D.C. (1992). Effects of the shape and size of colored traps attractiveness to irradiated, laboratory strain Mexican fruit flies ( Dipter : Tephritidae ). *Flo. Entomol.* **75** : 230-241.

Robert, L.M., Daniet,S.M.and Manuel, S. (1992). Interaction of wild male and laboratory adapted females of Maxicoa fruit fly (Diptera : Tephritidae) in natural habitats. *Environ. Entomol.* **21 (2)**: 294 - 300.

Rolli, K. (1976). Die akustischen sexualsignale von *Ceratitis capitata* wied . Und

*Bactrocera oleae* Gmel . *Z. ang. Ent.* **81**: 219 - 223.

- Rossler, Y. (1975). The ability to inseminate : a comparison between laboratory reared and field population of the Mediterranean fruit fly *Ceratitis capitata*. *Entomol. Exp. Appl.* **18** : 255 - 260.
- Salt, G. (1934). Experimental studies in insect parasitism, II. Superparasitism. Proceeding of the Royal Society, London, B, **114** : 455 -476.
- San, Jose., Briceno, R. D., Ramose, D. and Eberhard, W. G. (1996). Courtship behaviour of male *Ceratitis capitata* (Diptera : Tephritidae) in Captivity presented insect behavioural ecology . *Fla. Entomol.* **19** (2): 130 - 143.
- Schnlz, G. A. and G. M. Boush (1971). Suspected sex pheromone glands in three economically important species of *Bactrocera*. *J. Entomol.* **64**: 347 - 349.
- Schaner, A. M., A.M.Benner, R.D. Leu, and L.L. Jackson (1989). Aggregation pheromone of *Drosophila mauritiana*, *Drosophila yakuba*, and *Drosophila rujsekar* . *J.chem. Ecol.* **15** : 1249 - 1289.
- Schoon, L.H. (1968). Chemistry sensory bases of host plant selection. *Ann. Rev. Entomol.* **13** : 115 - 136.
- Searcy, W. A. (1982). The evolutionary effects of mate selection. *Ann. Rev. Ecol. Syst.* **13**: 57 - 85.
- Seo, S.T., D.L.Chambers, R.M. Kobayshi, C.Y.L.Lee and Komura (1970). Infestation of oreintal fruit flies in 53-116 and smooth cayeane pineapple varieties grown near supporting guava or other host fruits. *J. Econ. Entomol.*, **63** (6) : 1830-1831.
- Seo, S.T., E.K.Akamine, T.T.S. Seo, E.J.Harris, and C.Y.L. Lee (1979). Oriental and Mediterranean fruit flies : Fumigation papaya, avocado, tomato, bell pepper, egg plant, and bannana with phosphine. *J. Econ. Entomol.*, **72**(3) : 354 - 359.

- Serit, M. and K.H. Tan. (1986). Population dynamics of *Bactrocera dorsalis* in relation to its host fruit phenology and meteorological factors. *Second International Conference on Plant Protection in the Tropics, 17 – 20 March, 1986*, Genting Highlands, Malaysia.
- Sharp, J.L. and J.C. Webb (1977). Flight performance and signaling sound of irradiated or unirradiated *Anastrepha suspensa*. *Proc. Hawaiian Ent. Soc.* **22**: 525 - 532.
- Shelly, T., Resilva, S., Reyes, M., and Bignayay, H. (1996). Methyl eugenol and mating competitiveness of irradiated male *Bactrocera philippinensis* (Diptera : Tephritidae) *Fla. Entomol.*, **79**: 481 - 488.
- Shoukry, A. and Hafez, M. (1979). Studies on the Mediterranean fruit fly, *Ceratitis capitata*. *Entomol. Exp. et Appl.* **26**: 33 -39.
- Silinski, J.M. (1996). The pest and potential of biological control of fruit flies. In fruit fly pests - A world Assessment of their Biology and Management ( B.A. McPherson and G.J. Steck, Eds), pp 369-375. St lucie press. Florida.
- Sivinski, J., and J. C. Weeb (1985a). Sound production and reception in the caribfly, *Anastrepha suspensa* ( Diptea : Tephritidae ). *Fla . Entomol .* **68** : 273 - 278.
- Sivinski, J., T. Burk and J.C. Weeb. ( 1984 ). Acoustical courtship signals in the Caribbean fruit fly *Anastrepha suspensa* (Loew). *Ann. Behav.* **32** : 1011-1016.
- Smith, W.J. (1977). The behaviour of communicating : an ethological approach . Cambridge Massachusetts: Harvard Univ. Press.
- Steiner, L.F. (1952a). Methyl eugenol as an attractant of oriental fruit fly *J. Econ . Entomol.* **45** : 241 – 248.
- Steiner, L.F. (1952b). Fruit fly control in Hawaii with poison bait sprays containing protein hydrolysates. *J. Econ. Entomol.* **45**(5) : 838 – 848.

- Steiner, L.F., W.C.Mitchell, E.J.Harris, T.T. Kozuma, and M.S. Fujimoto (1965).  
Oriental fruit fly eradication by male annihilation. *J. Econ. Entomol.* **58**:  
**961 – 964.**
- Steiner, L.F., and S. Mitchell (1966). Tephritidae fruit flies, pp. **555 – 583** . In C.N.  
Smith, insect colonization and mass production. Academic Press, New York.
- Stern, W.M., R. F. Smith, R. Van den and K. S. Hagen (1959). The integrated  
control . *Hilgardia*. **29 (2): 81.**
- Susan, B.O. and Ronald, J. P. (1986). Variation in laboratory oviposition by  
*Rhagolets pomonella* (Diptera : Tephritidae) in relation to mating status *Ann.*  
*Entomol. Soc. Am.* **79: 705 - 710.**
- Suzuki,Y., and J.Koyama (1980). Temporal of mating behaviour of the melon fly,  
*Bactrocer cucurbitae* coquillett (Diptera : Tephritidae ):a comparison between  
laboratory and wild strains. *Appl. Zool.* **15 (3): 2145 -2148.**
- Szentesi, A., Greany, P.D. and Chamber, D.L. (1979). Oviposition behaviour of laborat-  
ory reared and wild caribbean fruit flies, *Anastrepha suspensa* (Diptera : Tephrit-  
idae) selected chemical influences. *Entomol. Exp. Appl.* **26(3): 227-238.**
- Tan, K.H. and S.L.Lee (1982). Species diversity and abundance of *Bactrocera*  
(Diptera : Tephritidae) in five ecosystems of Penang, West Malaysia. *Bull. Ent.*  
*Res.* **72: 709 – 716.**
- Tauber,M.J., and C.A. Tochi (1965b). Life history and mating of *Tephritis stigmatica*  
(coquillett ) (Diptera : Tephritidae ). *Pan Pacif. Ent.* **41: 73 - 79.**
- Thorpe's,W.H. (1939). Further experiments on olfactory conditioning in a parasitic  
insect.The nature of the conditioning process. *Proceedings of the Royal Society,*  
*London, B,* **126 : 370 - 397.**
- Thornhill,R., and R. Alcock (1983). The evolution of insect mating systems. Harvard

University Press Cambridge.

- Thorsteinson, A.J. (1960). Host selection in phytophagous insects, *Ann. Rev. Entomol.* **5: 193- 218.**
- Tinbergen's,N. (1932). Ueber die orientierung des Bienenwolfes (*Philanthus triangulum* Fabr. ). *Zeitschrift fur Vergleichende Physiologie*, **16 : 305 - 334.**
- Tinbergen, N. (1951). The study of instinct. Oxford Univ., Oxford , England .
- Trivers, R. L. (1972). Parental investment and sexual selection, **pp. 136 - 179.** In B.Campbell ( ed. ), Sexual selection and the descent of man , 1871 - 1971. Aldine, Chicago .
- Tsiropoulos, G.J. (1985). Effect of parental age and diet of *Dacus Oleae* (Gmelin). (Diptera: Tephritidae) on the biological performance of filial generation. *Zeit. Ang. Entomol.* **100 : 339 – 343.**
- Tsitsipis, J.A. (1989). Nutrition; Requirements. In A. S. Robinson & G. Hopper (eds.) fruit flies; their biology, natural enemies and control Word crop Pests 3(A). Elsevier, Amsterdam **pp.103-119**
- Tychsen, P.H. (1975). Circadian control of sexual drive level in *Bactrocera Tryoni* (Diptera : Tephritidae ). *Behaviour.* **54 : 111 - 141.**
- Tzanakakis, M.E., J.A.Tsitsipis, and M.E.Economopulos (1968). Frequency of mating in females of the olive fruit fly under laboratory conditions. *J. Econ. Entomol.* **61: 1309 - 1312.**
- Ulliyett's ,G.C. (1936). Host selection by *Microplectron fuscipennis* Zett. (Chalcididae : Hymenoptera). *Proceedings of the Ryol Society of London, B,* **120 : 253 - 291.**
- Van Zwaluwenburg, R.H. (1947). Notes and exhibitions. Proceeding of the Hawaniian *J. Entomol. Soci.* **13(1): 8.**
- Van den Bouch, R. & F.H. Haramoto (1951). Status of oriental fruit fly parasites in

Hawaii *J. Econ. Entomol.* **44**(5) : 753-759.

Van der, J.N.C., Haniotakis, G.E. and King, B.E. (1984). Electroantennogram responses from olfactory receptors in *Dacus oleae* .*Entomol. Hell.* **2**: 47 - 53.

Vargas, R. I., Miyashita, D. and Nishida, T. (1984). Life history and demographic parameters of three laboratory reared tephritids. *Ann. Entomol. Soc.* **77**: 651 - 656.

Vargas, R.I. and Nishid, T. ( 1985 ). Life history and demographic parameters of *Dacus latifrons* ( Hendel ) ( Diptera : Tephritidae ). *J. Econ Entomol.* **78** : 1242 - 1244.

Vargas, R. I. and Carey, I.R. (1987). Comparative demography of Laboratory and a wild strain of the fruit fly *Dacus dorsalis* .*Entomol. Experim. et applicata* **44** : 263 - 268 .

Vargas, R.I., D.stork and T. Nishida (1990) . Population dynamics of oriental fruit fly and melon fly ( Dipter : Tephrtidae ) in an agricultural. *Environ. Entomol.* **19** (6): 1820 - 1828.

Vargas, R.I., Walsh, W.A., Kanehisa, D., Jang, E.B. and Armstrong, J.W. (1997). Demography of four Hawaiian fruit flies (Dipter : Tephritidae) reared at five constant temperature. *Ann. Entomol. Soc. Am.* **90** ( 2 ) : 162 - 168 .

Walsh, G.L., and Prokopy, R.J., (1968). Visual responses of apple maggot flies, *Rhagoletis pomnella* (Diptera : Tephritidae) orchard studies. *Entomol. Exp. Appl.* **11** : 403 - 422.

Wang, J.K. ( 1978 ). Biology of gall formers of the genus *Valentibulla* ( Diptera : Tephritidae) on rabbitbrush in Idaho, *J. Kansas Ent. Soc.* **51**: 472 - 483.

Webb, J.C. (1973). Analysis and identification of specialized sounds possibly used by caribbean fruit fly, *Anastrepha suspensa* for communicative purposes. Ph.

- D. dissertation, Univ. of Tennessee, Knoxville. 169 pp.
- Webb, J.C., J.L. Sharp, D.L. Chambers, J.J. McDow and J.C. Brenner (1976). The analysis and identification of sounds produced by male caribbean fruit fly, *Anastrepha suspensa* (Loew). *Ann. Entomol. Soc. Am.* **69**: 415 - 420.
- Webb, J.C., T. Burk, and J. Sivinski (1983a). Attraction of female caribbean fruit flies, *Anastrepha suspensa* (Loe ). (Diptera : Tephritidae), to the presence of of males and produced stimuli in field cages. *Ann. Entomol. Soc. Am.* **76**: 996 - 998.
- Webb, J.C., C.O. Calkins, D.L. Chamber, W. Schwienbacher and K. Russ (1983b ). Acoustical aspects of behaviour of Mediterranean fruit flies, *Ceratitis capitata* : Analysis and identification of courtship sounds .*Ent. Exp. Appl.* **33**: 1-8.
- Webb, J.C., J. Sivinski, and C. Litzkow (1984). Acoustical behaviour and sexual success in the caribbean fruit fly, *Anastrepha suspensa* ( Loew ) ( Diptera: Tephritidae). *Environ. Entomol.* **13**: 650 - 656.
- Wong, T.T.Y., and L. Nakahara (1978). Sexual development and mating response of laboratory reared and native medittanean fruit fly. *Ann. Entomol. Soc. Am.* **71**: 592 -596.
- Wong, T.T., Ramadan, M.M., McInnis, D.O., Mochizuki, N., Nishimoto, J.A., and Herr, J.C. (1991). Augmentatative releases of *Diachasmimorpha tryoni* (Hymenoptera : Braconidae) to suppress a Mediterranean fruit fly population in Kula, Maui, Hawaii. *Biol. Control.* **1**: 2 - 7.
- Wong, T.T.Y. (1994 ). The *Bactrocera dorsalis* complex of fruit flies (Diptera : Tephritidae : Dacinae) in Asia. *Bull. Entomol. Res.* : Supplement series number, CAB international.
- Wong ,T.T.Y., and Ramadan, M.M. (1992). Mass rearing biology of larval parasitoids

(Hymenoptera : Braconidae : Opiinae) of tephritid flies ( Diptera: Tephritidae) in Hawaii, In Advances in Insect Rearing for Research and Pest Mangement ( T.E. Anderson and N.C.Leppla, Eds), **pp 405 - 426**. Westview, Bouders, CO.

Zucoloto, F.S. (1991). Effects of flavour and nutritional value on diet selection by *Ceratitis capitata* larvae. *J. insect physiol.* **37** : 21- 25.

Yunus, A. and Ho, T.H. (1970). List of food plants of insect and other animal in West Malaysia. Min. of Agric. and Co-operative. Malaysia. **237 pp**.

Zwölfer, H. (1974). Innerartliche Kommunikations systeme bei Bohrfliegen. *Biol. unser. Zeit.* **4 (5): 147 - 153**.