

CONTENTS

	<u>Page</u>
ACKNOWLEDGEMENT	i
ABSTRACT	ii
ABBREVIATION	iii
LIST OF CONTENTS	
LIST OF TABLES	
LIST OF FIGURES	
LIST OF PLATES	

CHAPTER ONE

1.0. INTRODUCTION	1
-------------------	---

CHAPTER TWO

2.0 LITERATURE REVIEW	3
2.1 <i>Bacillus thuringiensis</i> - the bacterium	3
2.2 <i>Bacillus thuringiensis</i> - A brief history of its development	3
2.3 Biosynthesis of the spore and crystal	5
2.4 The crystal protein of <i>Bacillus thuringiensis</i>	7
2.5 Biochemistry of the crystal	8
2.6 Mode of action	11
2.7 Metabolism of <i>Bacillus thuringiensis</i>	13
2.8 Enzymes of <i>Bacillus thuringiensis</i> in relation to spore and crystal formation	20

2.9	Production of <i>Bacillus thuringiensis</i> delta-endotoxin	22
2.10	Formulation and field trial	25
2.11	Safety	27
2.12	Insect resistance to insecticides	30
2.13	Application of <i>Bacillus thuringiensis</i>	31
2.14	Recent developments in the application of <i>Bacillus thuringiensis</i>	32

CHAPTER THREE

3.0	MATERIALS AND METHODS	34
3.1	Microorganisms	34
3.2	Growth studies	34
3.3	Analysis	35
3.4	Enzyme Assay	35
	3.4.1 Protease	35
	3.4.2 Alkaline phosphatase	36
3.5	Endoenzymes	36
	3.5.1 Isocitrate dehydrogenase	37
	3.5.2 Citrate synthase	37
	3.5.3 Pyruvate carboxylase	38
3.6	Production of the spore-crystal complex for purification	38
	3.6.1 Inoculum	40
	3.6.2 Growth in a 1.5 litre fermenter	40
	3.6.3 Preparation of the spore-crystal complex	40
3.7	Purification of crystals from the spore-crystal complex	41
	3.7.1 First method	41
	3.7.2 Second method	42
	3.7.2.1 Dorner method for staining endospores	42

3.8	Molecular weight determination by Dodecyl Sulfate - Polyacrylamide gel electrophoresis (SDS - PAGE)	43
3.8.1	Preparation of stock solutions	43
3.8.2	Preparation of gel	44
3.8.3	Solubilization of the crystal protein	44
3.8.4	Staining and destaining	45
3.9	Production of spore-crystal complex for bioassay	46
3.10	Preliminary evaluation of IPT Bt 6, Florbac and Avermectin against <i>Plutella xylostella</i>	46
3.10.1	Target organisms	49
3.10.2	Preparation of test solution for the bioassay	49
3.10.3	Leaf-dip method for the bioassay of larvae of <i>P. xylostella</i>	53
3.11	Leaf-dip method for the bioassay of larvae of <i>P. xylostella</i>	52

CHAPTER FOUR

4.0	RESULTS AND DISCUSSION	54
4.1	Growth studies	54
4.2	Enzymes synthesized during the various growth phases	58
4.2.1	Exoenzymes	58
4.2.2	Endoenzymes	61
4.3	Purification of crystals from spore-crystal complex	66
4.3.1	First method	66
4.3.2	Second method	68
4.4	Molecular weight of crystal subunits	76
4.5	Scale-up of laboratory fermentation studies	79
4.6	Bioassay	79

CHAPTER FIVE

5.0	GENERAL DISCUSSION	83
5.1	Growth studies	83
5.2	Enzymes synthesized during the various growth phases	86
5.2.2	Endoenzymes	89
5.3	Purification of crystals from spore-crystal complex	93
5.3.1	First method	95
5.3.2	Second method	95
5.4	Molecular weight of crystal subunits	96
5.5	Bioassay	101
	REFERENCES	105
	APPENDIX	131

LIST OF TABLES

	<u>Page</u>
Table 1: Amino acid analyses of <i>B. thuringiensis</i> crystals: grams of amino acid residues/100g	9
Table 2 : Enzymes which are involved during growth and sporulation of <i>B. thuringiensis</i>	15
Table 3 : Enzymes of citric acid cycle	18
Table 4: Compability between chemical pesticides and <i>Bacillus thuringiensis</i>	28
Table 5 : Treatment regime for the bioassay of <i>P. xylostella</i> strains from Kampung Raja	52
Table 6: Treatment regime for the bioassay of <i>P. xylostella</i> strains from Melson Valley	52
Table 7: Molecular weight of the polypeptides of crystal subunits of <i>B. thuringiensis</i> run on SDS-PAGE	80

LIST OF FIGURES

	<u>Page</u>
Fig. 1: <i>Bacillus thuringiensis</i>	4
Fig. 2: Diagram of sporulation in <i>B. thuringiensis</i>	6
Fig. 3: Summary of some metabolic pathways utilized by <i>B. thuringiensis</i> during sporulation	16
Fig. 4: Mechanisms regulating the synthesis of citric acid cycle enzyme and some metabolically related enzymes in <i>B. subtilis</i>	19
Fig. 5: Growth of <i>B. thuringiensis</i> subspecies in G-medium in shake flasks at 35°C, pH, 7.0 and 250 rpm	55
Fig. 6: pH of culture broth of subspecies of <i>B. thuringiensis</i> in G-medium in shake flasks at 35°C, pH, 7.0 and 250 rpm	56
Fig. 7: Reducing sugar in culture broth of <i>B. thuringiensis</i> in G-medium in shake flasks at 35°C, pH, 7.0 and 250 rpm	57
Fig. 8: Specific activity of protease in culture broth of <i>B. thuringiensis</i> in G-medium in shake flasks at 35°C, pH, 7.0 and 250 rpm	59
Fig. 9: Specific activity of alkaline phosphatase in culture broth of <i>B. thuringiensis</i> subspecies in G-medium in shake flasks at 35°C, pH, 7.0 and 250 rpm	60
Fig. 10: Specific activity of pyruvate carboxylase in culture broth of <i>B. thuringiensis</i> subspecies grown in G-medium in shake flasks at 35°C, pH, 7.0 and 250 rpm	62
Fig. 11(a): Specific activity of isocitrate dehydrogenase in culture broth of <i>B. thuringiensis</i> subspecies grown in shake flasks at 35°C, pH, 7.0 and 250 rpm	63
Fig. 11(b): Specific activity of isocitrate dehydrogenase in culture broth of florbac and IPT Bt6 grown in shake flasks at 35°C, pH, 7.0 and 250 rpm	64
Fig. 12: Specific activity of citrate synthase in culture broth of <i>B. thuringiensis</i> subspecies grown in G-medium in shake flasks at 35°C, pH, 7.0 and 250 rpm	65
Fig. 13: Mortality rate of larvae of <i>P. xylostella</i> obtained from Kg. Raja with various combinations of Florbac, IPT Bt6 and Agrimec	80

Fig. 14:	Mortality rate of larvae of <i>P. xylostella</i> obtained from Melson Valley with various treatment and in combinations of Florbac, IPT Bt 6 and Agrimec	81
Fig 15:	Major routes of glucose breakdown	91

LIST OF PLATES

	<u>Page</u>
Plate 1: B. Braun Biolab Fermenter	39
Plate 2: Biostate E (10L)	47
Plate 3: Biostate E	48
Plate 4: Collecting larvae of <i>P. xylostella</i> from a vegetable farm in Kampung Raja	50
Plate 5: Isolated glass house	51
Plate 6: Photomicrograph of the bottom phase of the aqueous system observed under phase contrast microscope indicating spores (S) and crystal (C) of <i>B. thuringiensis</i>	67
Plate 7: Photomicrograph of the top phase of the aqueous system observed under phase contrast microscope indicating spores (S) and crystal (C) of <i>B. thuringiensis</i>	67
Plate 8: Appearance of froth on the surface of spore-crystal suspension during separation of spores by the flotation method using distilled water	69
Plate 9: Photomicrograph of IPT Bt 15 in the froth obtained by the flotation method observed under phase contrast microscope indicating spores (S) and vegetative cells (VC)	70
Plate 10: Photomicrograph of IPT Bt 15 after the froth had been removed and observed under phase contrast microscope indicating 80% crystal (C)	70
Plate 11: The aqueous phase (AP) and the organic phase (OP) which appeared after extraction with carbon tetrachloride	71
Plate 12: Photomicrograph of IPT Bt 15 in the aqueous phase obtained from organic extraction observed under phase contrast microscope indicating 98-99% of crystals (C) using the flotation process	72
Plate 13: Photomicrograph of Florbac in the aqueous phase obtained from organic extraction observed under phase contrast microscope indicating 98-99% of crystals (C) using the flotation process	72

Plate 14:	Photomicrograph of Florbac in the organic phase obtained from organic extraction observed under phase contrast microscope indicating spores (S) using the flotation process	73
Plate 15:	Photomicrograph of IPT Bt 6 in the organic phase obtained from organic extraction observed under phase contrast microscope indicating spores (S) using the flotation process	73
Plate 16:	Photomicrograph of IPT Bt 6 after the froth had been removed by the flotation method prior to organic extraction observed under phase contrast microscope indicating spores (S) and crystals (C)	74
Plate 17:	Photomicrograph of pure crystals (C) of IPT Bt 6 obtained after extraction with carbon tetrachloride observed under phase contrast microscope	74
Plate 18:	Photomicrograph of crystals (C), spores (S) and vegetative (VC) of Florbac after extraction with carbon tetrachloride and Dorner staining observed under phase contrast microscope	75
Plate 19:	Photomicrograph of crystals (C), spores (S) and vegetative (VC) of Florbac after extraction with carbon tetrachloride and Dorner staining observed under phase contrast microscope	75
Plate 20:	SDS-PAGE of solubilized crystals from <i>Bacillus thuringiensis</i>	77