

## REFERENCES

- Abdel-Hameed, A. and Landen, R. (1994). Studies on *Bacillus thuringiensis* Strains from Swedish Soils: Insect Toxicity and Production of *B. cereus*-Diarrhoeal-type Enterotoxin. *World J. Microbiol. Biotechnol.*, **10**: 406-409.
- Anderson, N.G. (1962). The Zonal Ultracentrifuge. A New Instrument for Fractionating Mixtures of Particles. *J. Phys. Chem.*, **66**: 1984-1989.
- Andrews Jr. R.E.; Bibilos, M.M. and Bulla Jr. L.A. (1985). Protease Activation of the Entomocidal Protoxin of *Bacillus thuringiensis* subsp. *kurstaki*. *Appl. Environ. Microbiol.*, **50(4)**: 737-742.
- Ang, J.B. and Nickerson, K.W. (1978). Purification of the Protein Crystal from *Bacillus thuringiensis* by Zonal Gradient Centrifugation. *Appl. Environ. Microbiol.*, **36(4)**: 625-626.
- Angelo, N. and Aronson, A.I. (1967). Physiology of Sporulation of Mutants of *Bacillus cereus* Producing Low Amounts of Extracellular Protease. *Bacteriol. Proc.*, p. 29.
- Angus, T.A. (1956). Association of toxicity with protein-crystalline inclusions of *Bacillus satto ishiwata*, *Can. J. Microbiol.*, **2**: 122.
- Angus, T.A. (1959). Separation of Bacterial Spores and Parasporal Bodies with a Fluorocarbon. *J. Insect Pathol.*, **1**: 97-98.
- Angus, T.A. and Luthy, P. (1971). Formulation of Microbial Insecticides. In: Microbial Control of Insects and Mites. (Burges, H.D. and Hussey, N.W. ed.). Academia Press, New York. pp 623-638.

- Angus, T.A. (1971). *Bacillus thuringiensis* as a Microbial Insecticide. In: Naturally Occurring Insecticides. (Jacobson, M. and Crosby, D.G. ed.). Marcel Dekker, Inc., New York. pp. 463-497.
- Aronson, A. I. (1993). The 2 faces of Bt - insecticidal proteins and postexponential survival. *Molecular Microbiology* 7(4): 489-496.
- Aronson, J.N.; Borris, D.P.; Doerner, J.F. and Akers. E. (1975). Gamma-Aminobutyric Acid Pathway and Modified Tricarboxylic Acid Cycle Activity During Growth and Sporulation of *Bacillus thuringiensis*. *Appl. Microbiol.*, 30(3): 489-492.
- Avignone-Rossa, C.; Arcas, J. and Mignone, C. (1992). *Bacillus thuringiensis* growth, sporulation and Delta-Endotoxin Production in Oxygen Limited and Non-Limited Cultures. *World J. Microbiol. Biotechnol.*, 8: 301-304.
- Baillie, A. and Norris, J.R. (1963). Studies of Enzyme Changes During Sporulation in *Bacillus cereus*, Using Starch Gel Electrophoresis. *J. Appl. Bacteriol.*, 26(1): 102-106.
- Balaraman, K.; Balasubramanian, M. and Jambulingam, P. (1983). Field Trial of *Bacillus thuringiensis* H-14 (VCRC B-17) Against Culex and Anopheles Larvae. *Indian J. Med. Res.*, 77: 38-43.
- Balaraman, K.; Bhatia, M.C.; Hoti, S.L. and Tripathi, S.C. (1986). Pilot Scale Production & Evaluation of *Bacillus thuringiensis* H-14. *Indian J. Med. Res.*, 83: 462-465.

- Bateson, J.B. (1965). Isolation of the Crystalline Parasporal Bodies of *Bacillus thuringiensis*. *Nature.*, 205: 622.
- Bechtel, D.B. and Bulla Jr. L.A. (1976). Electron Microscope Study of Sporulation and Parasporal Crystal Formation in *Bacillus thuringiensis*. *J. Bacteriol.*, 127(3): 1472-1481.
- Benoit, T.G.; Wilson. G.R. and Baugh. C.L. (1990). Fermentation During Growth and Sporulation of *Bacillus thuringiensis* HD-1. *Lett. Appl. Microbiol.*, 10: 15-18.
- Benz, G. (1971). Synergism of Microorganisms and Chemical Insecticides. In: Microbial Control of Insects and Mites. (Burges, H.D. and Hussey, N.W. ed.). Academia Press, New York. pp. 327-355.
- Berliner, E. (1915). Über die Schlafsucht der Mehlmottenraupe (*Ephestia Kuhniella Zell*) und ihren Erreger *Bacillus thuringiensis*, n. sp., Z. Angew. Entomol., 2: 29. (Cited in Deacon, 1983)
- Bernhard, K. (1992). Quantitative Determination of  $\alpha$ -Endotoxin Contents in Spray-Dried Preparations of *Bacillus thuringiensis* Strain GC-91. *World J. Microbiol. Biotechnol.*, 8: 24-29.
- Bernlohr, R.W. (1964). Postlogarithmic Phase Metabolism of Sporulating Microorganisms. I. Protease of *Bacillus licheniformis*. *J. Biol. Chem.*, 239(2): 538-543.

- Brandt, C.R.; Adang, M.J. and Spence, K.D. (1978). The Peritrophic Membrane : Ultrastructure Analysis and Function as a Mechanical Barrier to Microbial Infection in *Orgyia pseudotsugata*. *J. Inverteb. Pathol.*, 32: 12-20.
- Bulla, L.A.; St. Julian, G.; Rhodes, R.A. and Hesseltine, C.W. (1970a). Physiology of Sporeforming Bacteria Associated with Insects. I. Glucose Catabolism in Vegetative Cells. *Can. J. Microbiol.*, 16: 243-248.
- Bulla Jr. L.A.; Bennett, G.A. and Shotwell, O.L. (1970b). Physiology of Sporeforming Bacteria Associated with Insects. II. Lipids of Vegetative Cells. *J. Bacteriol.*, 104(3): 1246-1253.
- Bulla Jr. L.A.; St. Julian, G. and Rhodes, R.A. (1971). Physiology of Sporeforming Bacteria Associated with Insects. III. Radiorespiratory of Pyruvate, Acetate, Succinate, and Glutamate Oxidation. *Can. J. Microbiol.*, 17: 1073-1079.
- Bulla Jr. L.A. (1975). Bacteria as Insect Pathogens. *Ann. Rev. Microbiol.*, 29: 163-190.
- Bulla Jr. L.A.; Kramer, K.J. and Davidson, L.I. (1977). Characterization of the Entomocidal Parasporal Crystal of *Bacillus thuringiensis*. *J. Bacteriol.*, 130(1): 375-383.
- Bulla Jr. L.A.; Davidson, L.I.; Kramer, K.J. and Jones, B.L. (1979). Purification of the Insecticidal Toxin from the Parasporal Crystal of *Bacillus thuringiensis* subsp. *kurstaki*. *Biochem. Biophys. Res. Comm.*, 91(3): 1123-1130.

- Bulla Jr. L.A. and Yousten, A.A. (1979). Bacterial Insecticides. In: Economic Microbiology. Vol.4: Microbial Biomass. (Rose, A.H. ed.). Academia Press, New York. pp. 91-114.
- Bulla Jr. L.A.; Bechtel, D.B.; Kramer, K.J. and Shethna, Y.I. (1980). Ultrastructure, Physiology, and Biochemistry of *Bacillus thuringiensis*. *CRC Critical Reviews of Microbiol.*, 8: 147-203.
- Bulla Jr. L.A. and Hoch, J.A. (1985). Biology of the Bacilli. In: Biology of Industrial Microorganisms (Demain, A.L. and Solomon, N.A. ed.) pp. 57-78.
- Burges, H.D. (1981). Safety, Safety Testing and Quality Control of Microbial Pesticides. In: Microbial Control of Pests and Plant Diseases 1970-1980. (Burges, H.D. ed.). Academia Press, New York. pp 737-767.
- Burges, H.D. (1976). Techniques for the Bioassay of *Bacillus thuringiensis* with *Galleria mellonella*. *Ent. exp. Appl.*, 19: 243-254.
- Burges, H.D. (1971). Possibilities of Pest Resistance to Microbial Control Agents. In: Microbial Control of Insects and Mites. (Burges, H.D. and Hussey, N.W. ed.). Academia Press, New York. pp. 445-457.
- Caulder, J. (1994). Role of Biocontrols, From Chemical International. 8(3): C31.
- Carls, R.A. and Hanson, R.S. (1971). Isolation and characterization of tricarboxylic acid cycle mutants of *Bacillus subtilis*. *J. Bacteriol.* 106: 848-855.

- Carlton, B.C. (1993). Development of improved bioinsecticides based on *Bacillus thuringiensis*. *ACS Symposium Series*, 524: 258-266.
- Chestukhina, G.G.; Kostina, L.I.; Zalunin, I.A.; Kotova, T.S.; Katrukha, S.P.; Kuznetsov, Y.S. and Stepanov, V.M. (1977). Proteins of *Bacillus thuringiensis* S-Delta-Endotoxin crystals. *Biokhimiya.*, 42: 1660.
- Chestukhina, G.G.; Zalunin, I.A.; kostina, L.I.; Kotova, T.S.; Katrukha, S.P.; Lyublinskaya, L.A. and Stepanov, V.M. (1978). Proteinases Bound to Crystals of *Bacillus thuringiensis*. *Biokhimiya.*, 43: 857.
- Chestukhina, G.G.; Zalunin, I.A.; Kostina, L.I.; Kotova, T.S.; Katrukha, S.P. and Stepanov, V.M. (1980). Crystal-Forming Proteins of *Bacillus thuringiensis*. The Limited Hydrolysis by Endogeneous Proteinases as a Cause of Their Apparent Multiplicity. *Biochem. J.*, 187: 457-465.
- Chestukhina, G.G.; Kostina, L.I.; Mikhailova, A.L.; Tyurin, S.A.; Klepikova, F.S. and Stepanov, V.M. (1982). The Main Features of *Bacillus thuringiensis* Delta-Endotoxin Molecular Structure. *Arch. Microbiol.*, 132: 159-162.
- Cheung, P.Y.K. and Hammock, B.D. Micro-Lipid-Droplet Encapsulation of *Bacillus thuringiensis* subsp. *israelensis* - Endotoxin for Control of Mosquito Larvae. *Appl. Environ. Microbiol.*, 3: 984-988.
- Chilcott, C.N.; Kalmahoff, J. and Pillai, J.S. (1983). Characterization of Proteolytic Activity Associated with *Bacillus thuringiensis* var. *israelensis* Crystals. *FEMS Microbiol. Lett.*, 18: 37-41.

- Chilcott, C.N. and Wigley, P.J. (1994). Opportunities for finding new *Bacillus thuringiensis* strains. *Agriculture Ecosystems and Environment.* **49(1)**: 51-57.
- Chungjatupornchai, W.; Hofte, H.; Seurinck, J.; Angsuthanasombat, C. and Vaeck, M. (1988). Common Features of *Bacillus thuringiensis* Toxins for Diptera and Lepidoptera. *Eur. J. Biochem.*, **173**: 9-16.
- Cidaria, D.; Cappai, A.; Vallesi, A.; Caprioli, V. and Pirali, G. (1991). A novel strain of *Bacillus thuringiensis* (Ncimb 40152) active against Coleopteran insects. *FEMS Microbiol. Letters.* **81(2)**: 129-134.
- Cleland, W.W.; Thompson, V.W. and Barden, R.E. (1969). Isocitrate Dehydrogenase (TPN-Specific) from Pig Heart. In: Methods in Enzymology. Vol. 13: Citric Acid Cycle. (Lowenstein, J.M. ed.). Academia Press, New York. pp. 31-33.
- Coleman, G. (1967). Studies on the Regulation of Extracellular Enzyme Formation by *Bacillus subtilis*. *J. Gen. Microbiol.*, **49**: 421-431.
- Commandeur, P. and Komen, J. (1992). Biopesticides: Options for Biological Pest Control Increase. *Biotechnol. Develop. Monitor.*, **13**: 6-8.
- Cooksey, K.E. (1971). The Protein Crystal Toxin of *Bacillus thuringiensis*: Biochemistry and Mode of Action. In: Microbial Control of Insects and Mites. (Burges, H.D. and Hussey, N.W. ed.). Academia Press, New York. pp. 247-274.
- Cooksey, K.E. (1968). Purification of a Protein from *Bacillus thuringiensis* Toxic to Larvae of Lepidoptera. *Biochem. J.*, **106**: 445-454.

- Couch, T.L. and Ignoffo, C.M. (1981). Formulation of Insect Pathogens. In: Microbial Control of Pests and Plant Diseases 1970-1980. (Burges, H.D. ed.). Academia Press, New York. pp. 621-634.
- Couch, T.L. and Ross, D.A. (1980). Production and Utilization of *Bacillus thuringiensis*. *Biotechnol. Bioeng.*, 22: 1297-1304.
- Dalhammer, G. and Steiner, H. (1984). Characterization of Inhibitor A, a Protease from *Bacillus thuringiensis* which Degrades Attacins and Cecropins, Two Classes of Antibacterial Proteins in Insects. *Eur. J. Biochemical.*, 139: 247-253.
- Dastidar, P.G. and Nickerson, K.W. (1979). Interchain Crosslinks in the Entomocidal *Bacillus thuringiensis* Protein Crystal. *FEBS Lett.*, 108(2): 411-414.
- Deacon, J.W. (1983). Microbial Control of Pests: Use of Bacteria. In: Aspects of Microbiology. Vol 7. Microbial Control of Plant Pests and Diseases. (Cole, J.A.; Knowles, C.J. and Schlessinger, D. ed.) Van Nostrand Reinhold (UK) Co. Ltd. pp. 8-18.
- Delafield, F.P.; Somerville, H.J. and Rittenberg, S.C. (1968). Immunological Homology Between Crystal and Spore Protein of *Bacillus thuringiensis*. *J. Bacteriol.*, 96(3): 713-720.
- Desai, S.Y. and Shethna, Y.I. (1991). Production & Formulation of *Bacillus thuringiensis* var. *israelensis* & *B. sphaericus* 1593. *Indian J. Med. Res.*, 93: 318-323.

- Diesterhaft, M.D. and Freese, E. (1973). Role of Pyruvate Carboxylase, Phosphoenolpyruvate Carboxykinase, and Malic Enzyme During Growth and Sporulation of *Bacillus subtilis*. *J. Biol. Chem.*, 248(17): 6062-6070.
- Doi, R.H. (1972). Role of Proteases in Sporulation. *Curr. Top. Cell. Regul.*, 6: 1-20.
- Doetsch, R.N. (1981). Determinative methods of light microscopy. In: Manual of methods for general bacteriology. (Gerhardt, P. ed.) American Society for Microbiology. pp. 21.
- Drobniewski, F.A. (1994). The Safety of *Bacillus* species as Insect Vector Control Agents. *J. Appl. Bacteriol.*, 76(2): 101-109.
- Drummond, J. and Pinnock, D.E. (1994). Host spectrum of *Bacillus thuringiensis* agriculture ecosystems and environment. 49(1): 15-19.
- Dulmage, H.T. and Rhodes, R.A. (1971). Production of Pathogens in Artificial Media. In: Microbial Control of Insects and Mites. (Burges, H.D. and Hussey, N.W. ed.). Academia Press, New York. pp 507-540.
- Dulmage, H.T. (1971). Production of Bacteria for Biological Control of Insects. In: Biological Control in Crop Production: Beltsville Symposia in Agricultural Research. Vol. 5. (Papavizas, G.C. ed.). Allanheld, Osmun & Co. Publishers, Inc., USA. pp. 129-141.
- Dulmage, H.T. (1981). Insecticidal Activity of Isolates of *Bacillus thuringiensis* and Their Potential for Pest Control. In: Microbial Control of Pests and Plant Diseases 1970-1980. (Burges, H.D. ed.). Academia Press, New York. pp. 193-222.

- Egorov, N.S. and Loriya, Zh. K. (1983). Effect of Proteins on Exoprotease Synthesis in *Bacillus thuringiensis*. *Mikrobiologiya.*, 52(4): 569-572.
- English, L. and Slatin, S.L. (1992). Mode of Action of Delta-Endotoxin from *Bacillus thuringiensis*: a Comparison with Other Bacterial Toxins. *Insect Biochem. Mol. Biol.*, 22(1): 1-7.
- Epremyan, A.S.; Chestukhina, G.G.; Azizbekyan, R.R.; Netyksa, E.M.; Rudenskaya, G.N. and Stepanov, V.M. (1981). Extracellular Serine Proteinase of *Bacillus thuringiensis*. *Biokhimiya.*, 46(5): 920-929.
- Falcon, L.A. (1971). Use of Bacteria for Control of Insects. In: Microbial Control of Insects and Mites. (Burges, H.D. and Hussey, N.W. ed.). Academia Press, New York. pp. 67-95.
- Fast, P.G. (1972). The Delta-Endotoxin of *Bacillus thuringiensis* III. A Rapid Method for Separating Parasporal Bodies from Spores. *J. Invertebr. Pathol.*, 20: 139-140.
- Fast, P.G. (1981). The Crystal Toxin of *Bacillus thuringiensis*. In: Microbial Control of Pests and Plant Diseases 1970-1980. (Burges, H.D. ed.). Academia Press, New York. pp. 248.
- Feder, J. (1967). Studies on the Specificity of *Bacillus subtilis* Neutral Protease With Synthetic Substrates. *Biochem.*, 6: 2088.
- Flechtner, V.R. and Hanson, R.S. (1970). Regulation of the Tricarboxylic acid Cycle in Bacteria a Comparison of Citrate Synthases from Different Bacteria. *Biochim. Biophys. Acta.*, 222: 253-264.

- Fortnagel, P. and Freese, E. (1968). Analysis of Sporulation Mutants. II. Mutants Blocked in the Citric Acid Cycle. *J. Bacteriol.*, **95**(4): 1431-1438.
- Fortnagel, P. (1970). The Regulation of Aconitase and Isocitrate Dehydrogenase in Sporulation Mutants of *Bacillus subtilis*. *Biochim. Biophys. Acta.*, **222**: 290-298.
- Freese, E.B. and Marks, C.L. (1973). Developmental block in citric acid cycle mutants of *Bacillus substilis*. *J. Bacteriol.* **116**: 1466-1468.
- Furlong, M.J. and Wright, D.J. (1994). Examination of Stability of Resistance and Cross-Resistance Patterns to Acylurea Insect Growth Regulators in Field Populations of the Diamondback Moth, *Plutella xylostella*, from Malaysia. *Pestic. Sci.*, **42**: 315-326.
- Garcia-Patrone, M. (1985). Bacitracin Increases Size of Parasporal Crystals and Spores in *Bacillus thuringiensis*. *Mol. Cell. Biochem.*, **68**: 131-137.
- Gelernter, W.D. (1992). Application of biotechnology for improvement for *Bacillus thuringiensis* based products and their use for control of Lepidopteran pests in Caribbean. *Florida Entomologist*. **75**(4): 484-493.
- Giordana, B.; Tasca, M.; Villa, M.; Chiantore, C.; Hanozet, G.M. and Parenti, P. (1993). *Bacillus thuringiensis* subsp. *aizawai* Delta-Endotoxin Inhibits the K<sup>+</sup>/Amino Acid Cotransporters of Lepidopteran Larval Midgut. *Comparative Biochem. Physiol.*, **106**(2): 403-407.
- Goldman, M. and Blumenthal, H.J. (1963). Pathways of Glucose Catabolism in *Bacillus subtilis*. *J. Bacteriol.*, **86**: 303-311.

- Goldman, M. and Blumenthal, H.J. (1964). Pathways of Glucose Catabolism in *Bacillus cereus*. *J. Bacteriol.*, 87: 377-386.
- Gollakota, K. G. and Halvorson, H.O. (1960). Biochemical Changes Occurring During Sporulation of *Bacillus cereus*. Inhibition of Sporulation by - Picolinic Acid. *J. Bacteriol.*, 79: 1-8.
- Goodman, N.S.; Gottfried, R.J. and Rogoff, M.H. (1967). Biphasic System of Spores and Crystal of *Bacillus thuringiensis*. *J. Bacteriol.*, 94(2): 485.
- Haider, M.Z.; Knowles, B.H. and Ellar, D.J. (1986). Specificity of *Bacillus thuringiensis* var. *colmeli* Insecticidal Delta - Endotoxin by Differential Proteolytic Processing of the Protoxin by Larval Gut Proteases. *Eur. J. Biochem.*, 156: 531-540.
- Hall, I.M. (1964). Use of Microorganisms in Biological Control. In: Biological Control of Insect Pests and Weeds. (DeBach, P. ed.). Chapman and Hall Ltd., London. pp. 610-628.
- Hanson, R.S.; Srinivasan, V.R. and Halvorson, H.O. (1963). Biochemistry of Sporulation. I. Metabolism of Acetate by Vegetative and Sporulating Cells. *J. Bacteriol.*, 85: 451-460.
- Hanson, R.S.; Srinivasan, V.R. and Halvorson, H.O. (1963). Biochemistry of Sporulation. II. Enzymatic Changes During Sporulation of *Bacillus cereus*. *J. Bacteriol.*, 86: 45-50.

- Hanson, R.S. and Cox, D.P. (1967). Effect of Different Nutritional Conditions on the Synthesis of Tricarboxylic Acid Cycle Enzymes. *J. Bacteriol.*, 93(6): 1777-1787.
- Hanson, R.S.; Peterson, J.A. and Yousten, A.A. (1970). Unique Biochemical Events in Bacterial Sporulation. *Ann. Rev. Microbiol.*, 24: 53-90.
- Hannay, C.L. (1953). Crystalline inclusion in aerobic sporeforming bacteria. *Nature*. 192: 1004.
- Hannay, C.L. and Fitz-James (1955). The protein crystals of *Bacillus thuringiensis* Berliner. *Can. J. Microbiol.*, 1: 694-710.
- Heimpel, A.M. and Angus, T.A. (1960). Bacterial Insecticides. *Bacteriol. Rev.*, 24: 266-288.
- Heimpel, A.M. (1967). A critical review of *Bacillus thuringiensis* var. *turingiensis berliner* and other crystalliferous bacteria. *Annu. Rev. Entomol.*, 12: 287.
- Heimpel, A.M. (1971) Safety of Insect Pathogens for Man and Vertebrates. In: Microbial Control of Insects and Mites. (Burges, H.D. and Hussey, N.W. ed.). Academia Press, New York. pp. 469-489.
- Herbert, B.N.; Gould, H.I. and Chain, E.B. (1971). Crystal Protein of *Bacillus thuringiensis* var. *tolworthy*. *Eur. J. Biochem.*, 24: 366-375.
- Herbert, B.N. and Gould, H.J. (1973). Biosynthesis of the Crystal Protein of *Bacillus thuringiensis* var. *tolworth*. I. Kinetics of Formation of the Polypeptide Components of the Crystal Protein in vivo. *Eur. J. Biochem.*, 37: 441-448.

- Hofte, H. and Whiteley, H.R. (1989). Insecticidal Crystal Proteins of *Bacillus thuringiensis*. *Microbiol. Rev.*, 53(2): 242-255.
- Holmes, K.C. and Monno, R.E. (1965). Studies on the structure of perasporal inclusions from *Bacillus thuringiensis*. *J. Bacteriol.*, 122: 1322.
- Holmberg, A.; Sievanen, R. and Carlberg, G. (1980). Fermentation of *Bacillus thuringiensis* for Exotoxin Production: Process Analysis Study. *Biotechnol. Bioeng.*, 22: 1707-1724.
- Huber, H.E.; Luthy, P.; Ebersold, H. and Cordier, J. (1981). The Subunits of the Parasporal Crystal of *Bacillus thuringiensis*: Size, Linkage and Toxicity. *Arch. Microbiol.*, 129: 14-18.
- Hurley, M.J.; Lee, S.G.; Andrews Jr. R.E.; Klowden, M.J. and Bulla Jr. L.A. (1985). Separation of the Cytolytic and Mosquitocidal Proteins of *Bacillus thuringiensis* subsp. *israelensis*. *Biochem. Biophys. Res. Comm.*, 126(2): 961-965.
- Insell, J.P. and Fitz-James, P.C. (1985). Composition and Toxicity of the Inclusion of *Bacillus thuringiensis* subsp. *israelensis*. *Appl. Environ. Microbiol.*, 50(1): 56-62.
- Ismail, F. and Wright, D.J. (1992). Synergism of Teflubenzuron and Chlorfluazuron in an Acylurea-Resistance Field Strain of *Plutella xylostella* L. (Lepidoptera: Yponomeutidae). *Pestic. Sci.*, 34: 221-226.
- Jaquet, F.; Hutter, R. and Luthy, P. (1987). Specificity of *Bacillus thuringiensis* Delta-Endotoxin. *Appl. Environ. Microbiol.*, 53: 500-504.

- Jarrett, P. (1983). Comparison of Plasmids from Twelve Isolates of *Bacillus thuringiensis* H-serotype 7. *FEMS Microbiol. Lett.*, **16**: 55-60.
- Jarrett, P. (1985). Potency Factors in the Delta-Endotoxin of *Bacillus thuringiensis* var. *aizawai* and the Significance of Plasmids in Their control. *J. Appl. Bacteriol.*, **58**: 437-448.
- Julian St. G. and Bulla Jr. L.A. (1971). Physiology of Sporeforming Bacteria Associated with Insects. IV. Glucose Catabolism in *Bacillus* larvae. *J. Bacteriol.*, **108**(2): 828-834.
- Kingan, S.L. and Ensign, J.C. (1968). Isolation and Characterization of Three Autolytic Enzymes Associated with Sporulation of *Bacillus thuringiensis* var. *thuringiensis*. *J. Bacteriol.*, **96**(3): 629-638.
- Klassen, W. (1971). The Role of Biological Control in Integrated Pest Management Systems. In: Biological Control in Crop Production: Beltsville Symposia in Agricultural Research. Vol. 5. Allanheld, Osmun & Co. Publishers, Inc., USA. pp. 433-445.
- Knowles, B.H.; Thomas, W.E. and Ellar, D.J. (1984). Lectin-like Binding of *Bacillus thuringiensis* var. *kurstaki* Lepidopteran-Specific Toxin is an Initial Step in Insecticidal Action. *FEBS. Lett.*, **168**(2): 197-202.
- Lacey, L.A. and Goettel, M.S. (1995). Current developments in microbial control of insect pests and prospects for the early 21st century. *Entomophaga*. **40**(1): 3-27.
- Laemmli, U.K. (1970). Cleavage of Structural Proteins During the Assembly of the Head of Bacteriophage T4. *Nature.*, **227**: 680-685.

- Landen, R.; Bryne, M. and Abdel-Hameed, A. (1994). Distribution of *Bacillus thuringiensis* strains in Southern Sweden. *World. J. Microbiol. Biotechnol.*, 10: 45-50.
- Lecadet, M.M. (1970). *Bacillus thuringiensis* toxins - The Proteinaceous Crystal. In: Microbial Toxins. Vol. III. (Montie, T.C.; Kadis, S. and Ajl, S.S. ed.). pp. 437-471. Academic Press Inc., New York.
- Lecadet, M. M.; Lescourret, M. and Klier, A. (1977). Characterization of an Intracellular Protease Isolated from *Bacillus thuringiensis* Sporulating Cells and Able to Modify Homologous RNA Polymerase. *Eur. J. Biochem.*, 79: 329-338.
- Lee, H.L. and Seleena, P. (1990). Preliminary Field Evaluation of a Malaysian Isolate of *Bacillus thuringiensis* Serotype H-14 Against *Culex pseudovishnui*. *Southeast Asian J. Trop. Med. Public Health.*, 21(1): 143-144.
- Lee, H.L. and Seleena, P. (1991). Fermentation of a Malaysian *Bacillus thuringiensis* Serotype H-14 Isolate, a Mosquito Microbial Control Agent Utilizing Local Wastes. *Southeast J. Trop. Med. Public Health.*, 22(1): 108-112.
- Levisohn, S. and Aronson, A. I. (1967). Regulation of Extracellular Protease in *Bacillus cereus*. *J. Bacteriol.*, 93: 1023.
- Lopexmiza, J.E. and Ibarra, J.E. (1996). Characterization of of novel strain of *Bacillus thurunginesis*. *Appl. and Environ. Microbiol.*, 62(4): 1306-1310.

- Li, E. and Yousten, A.A. (1975). Metalloproteases from *Bacillus thuringiensis*. *Appl. Microbiol.*, 30(3): 354-361.
- Malamy, M. and Horecker, B.L. (1966). Alkaline Phosphatase (Crystalline). In: Methods in Enzymology Vol. 9: Carbohydrate Metabolism. (Wood, W.A. ed.). Academia Press, New York. pp. 639-642.
- Mandelstam, J. (1961). Induction and Repression of Beta-Galactosidase in Non-Growing *Escherichia coli*. *Biochem. J.* 79: 489.
- Mandelstam, J. (1962). The Repression of Constitutive Beta-Galactosidase in *Escherichia coli* by Glucose and Other Carbon Sources. *Biochem. J.* 82: 489.
- Mandelstam, J. and Waites, W.M. (1968). Sporulation in *Bacillus subtilis*. The Role of Exoprotease. *Biochem. J.*, 109: 793-801.
- Martignoni, M.E. (1964). Mass Production of Insect Pathogens. In: Biological Control of Insect Pests and Weeds. (DeBach, P. ed.). Chapman and Hall Ltd., London. pp. 579-609.
- Menn, J.J. (1996). Biopesticides - has their time come. *J. Environ. Health Pert B.* 31(3): 383-389.
- Matthes, O. (1927). Parasitare krankheiten der Mehlmothen larven und Versuche über ihre Verwendbarkeit als biologisches Bekämpfungsmittel, Gesell. *J. Beford. Ges. Naturw. Sitzber. Marburg.* 62: 381. (Cited in Deacon, 1983)

- McGaughey, W.H. (1978). Response of *Plodia interpunctella* and *Ephestia cautella* Larvae to Spores and Parasporal Crystals of *Bacillus thuringiensis*. *J. Econ. Entomol.*, 71: 687-688.
- McGaughey, W.H. (1978). Moth Control in Stored Grain: Efficacy of *Bacillus thuringiensis* on Corn and Method of Evaluation using Small Bins. *J. Econ. Entomol.*, 71: 835-839.
- McGaughey, W.H. (1985). Insect Resistance to the Biological Insecticide *Bacillus thuringiensis*. *Science.*, 229(4709): 193-195.
- Meenakshi, K. and Jayaraman, K. (1979). On the Formation of Crystal Proteins During Sporulation in *Bacillus thuringiensis* var. *thuringiensis*. *Arch. Microbiol.*, 120: 9-14.
- Menn, J.J. (1996). Biopesticides - Has Their Time Come. *J. Environ. Science and Health Part B.*, 31(3): 383-389.
- Miller, G.L. (1959). Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Anal. Chem.*, 31(3): 426-428.
- Millet, J. (1970). Characterization of Proteinases Excreted by *Bacillus subtilis* Marburg Strain During Sporulation. *J. Appl. Bacteriol.*, 33: 207-219.
- Murao, S.; Shimizu, Y.; Kameda, M. and Nishino, T. (1982). Inhibition of Sporulation of Genus *Bacillus* by Various Microbial Protease Inhibitors. *Agri. Biol. Chem.*, 46(12): 3075-3077.

- Murray, E.D. and Spencer, E.Y. (1966). A Simplified Purification Technique for Parasporal Inclusions from Certain Varieties of *Bacillus thuringiensis*. *J. Invertebr. Pathol.*, 8: 418-420.
- Murty, M.G., Srinivas, G., Bora, R.S. and Sekar, V. (1994). A simple method for separation of protein crystals from *Bacillus thuringiensis* using carboxymethyl cellulose column chromatography. *J. Microbiol. Methods.* 19(2): 102-110.
- Nagamatsu, Y.; Tsutsui, R.; Ichimaru, T.; Nagamatsu, M.; Koga, K. and Hayashi, K. (1978). Subunit Structure and Toxic Component of Delta-Endotoxin from *Bacillus thuringiensis*. *J. Invertebr. Pathol.*, 32: 103-109.
- Nakata, H.M. and Halvorson, H.O. (1960). Biochemical Changes Occurring During Growth and Sporulation of *Bacillus cereus*. *J. Bacteriol.*, 80: 801-810.
- Neidhardt, F.C., Ingraham, J.L. and Schaechter, M. (1990). Physiology of the bacterial cell: A Molecular Approach, Sunderland, M.A., Sinauer Associates Inc.
- Nickerson, K.W.; Julian St, G. and Bulla Jr. L.A. (1974). Physiology of Sporeforming Bacteria Associated with Insects: Radiorespiratory Survey of Carbohydrate Metabolism in the 12 Serotypes of *Bacillus thuringiensis*. *Appl. Microbiol.*, 28(1): 129-132.
- Nickerson, K.W.; De Pinto, J. and Bulla Jr. L.A. (1974). Sporulation of *Bacillus thuringiensis* without Concurrent Derepression of the Tricarboxylic Acid Cycle. *J. Bacteriol.*, 117(1): 321-323.

- Nickerson, K.W. and Bulla Jr. L.A. (1974). Physiology of Sporeforming Bacteria Associated with Insects: Minimal Nutritional Requirements for Growth, Sporulation, and Parasporal Crystal Formation of *Bacillus thuringiensis*. *Appl. Microbiol.*, 28(1): 124-128.
- Nickerson, K.W. and Bulla Jr. L.A. (1975). Lipid Metabolism During Bacterial Growth, Sporulation, and Germination: an Obligate Nutritional Requirement in *Bacillus thuringiensis* for Compounds that Stimulate Fatty Acid Synthesis. *J. Bacteriol.*, 123: 598-603.
- Nickerson, K.W. (1980). Structure and Function of the *Bacillus thuringiensis* Protein Crystal. *Biotechnol. Bioeng.*, 20: 1305-1333.
- Nicolas, L., Nielsenleroux, C.; Charles, J.C. and Delecluse, A. (1993). Respective role of 42 kDa and 51 kDa components of the *Bacillus spaericus* toxin overexpressed in *Bacillus thuringiensis*. *FEMS Microbiology Letters*, 106(2): 275-280.
- Norris, J.R. (1964). The Classification of *Bacillus thuringiensis*. *J. Appl. Bacteriol.*, 27(3): 439-447.
- Norris, J.R. (1971). The Protein Crystal Toxin of *Bacillus thuringiensis*: Biosynthesis and Physical Structure. In: *Microbial Control of Insects and Mites*. (Burges, H.D. and Hussey, N.W. ed.). Academia Press, New York. pp. 229-246.
- Oeda, K.; Inouye, K.; Ibuchi, Y.; Oshie, K.; Shimizu, M.; Nakamura, K.; Nishioka, R.; Takada, Y. and Ohkawa, H. (1989). Formation of Crystal of

- the Insecticidal Proteins of *Bacillus thuringiensis* subsp. *aizawai* IPL7 in *Escherichia coli*. *J. Bacteriol.*, **171(6)**: 3568-3571.
- Ohne, M. (1975). Regulation of the Dicarboxylic Acid Part of the Citric Acid Cycle in *Bacillus subtilis*. *J. Bacteriol.*, **122(1)**: 224-234.
- Orduz, S.; Diaz, T.; Thiery, I.; Charles, J.F. and Rajas, W. (1994). Crystl protein from *Bacillus thuringiensis* serovar medellin. *Appl. Microbiol. and Biotechnol.*, **40(6)**: 794-799.
- Parvin, R. (1969). Citrate Synthase from Yeast. In: Methods in Enzymology. Vol. 13: Citric Acid Cycle. (Lowenstein, J.M. ed.). Academia Press, New York. pp. 16- 19.
- Pendleton, I.R. and Morrison, R.B. (1966). Separation of the Spores and Crystals of *Bacillus thuringiensis*. *Nature.*, **212**: 728-729.
- Pendleton, I.R. (1968). Toxic Subunits of the Crystal of *Bacillus thuringiensis*. *J. Appl. Bacteriol.*, **31**: 208-214.

- Peterson, G.L. (1977). A Simplification of the Protein Assay Method of Lowry *et al.* Which is More Generally Applicable. *Anal. Biochem.*, 83: 346-356.
- Petas, S.F. and Casida Jr. L.E. (1985). Survival of *Bacillus thuringiensis* Spores in Soil. *Appl. Environ. Microbiol.*, 50: 1496-1501.
- Prasad, S.S.S.V. and Shethna, Y.I. (1974). Purification, Crystallization and Partial Characterization of the Antitumour and Insecticidal Protein Subunit from the Delta-Endotoxin of *Bacillus thuringiensis* var. *thuringiensis*. *Biochim. Biophys. Acta.*, 363: 558-566.
- Prestidge, L.; Gage, V. and Spizizen, J. (1971). Protease Activities During the Course of Sporulation in *Bacillus subtilis*. *J. Bacteriol.*, 107(3): 815-823.
- Ragoff, M.H. and Yousten, A.A. (1969). *Bacillus thuringiensis*: Microbiological Considerations. *Ann. Rev. Microbiol.*, 23: 357-386.
- Roitsch, C.A. and Hageman, J.H. (1983). Bacillopeptidase in Two Forms of a Glycoprotein Serine Protease From *Bacillus subtilis* 168. *J. Bacteriol.*, 155: 145-152.
- Rodgers, P.B. (1993). Potential of biopesticides in agriculture. *Pesticide Science*. 39(2): 117-129.
- Sandler, N.; Zomper, R.; Keynan, A. and Margalit, J. (1985). *Bacillus thuringiensis* var. *israelensis* Crystal Hemolysis as a Possible Basis for an Assay of Larval Toxicity. *Appl. Microbiol. Biotechnol.*, 23: 47-53.

- Sayles, V.B.; Aronson, J.N. and Rosenthal, A. (1970). Small Peptide Components of the *Bacillus thuringiensis* Parasporal Crystalline Inclusion. *Biochem. Biophys. Res. Commun.*, **41**: 1126-1133.
- Schaeffer, P. (1969). Sporulation and the Production of Antibiotics, Exoenzymes and Exotoxins. *Bacteriol. Rev.*, **33**: 48.
- Scherzer, P.; Luthy, P. and Trumppi, B. (1973). Production of Delta-Endotoxin by *Bacillus thuringiensis* as a Function of Glucose Concentrations. *Appl. Microbiol.*, **25(4)**: 644-646.
- Seubert, W. and Weicker, H. (1969). Pyruvate Carboxylase from *Pseudomonas*. In: *Methods in Enzymology*. Vol. 13; Citric Acid Cycle. (Lowenstein, J.M., ed.). Academic Press, New York, pp. 258-262.
- Sharp, E. S.; Nickerson, K.W.; Bulla Jr., L.A. and Aronson, J.N. (1975). Separation of Spores and Parasporal Crystals of *Bacillus thuringiensis* in Gradient of Certain X-Ray Contrasting Agents. *Appl. Microbiol.*, **30(6)**: 1052-1053.
- Shaw, C.R. and Prasad, R. (1970). Starch Gel Electrophoresis of Enzymes-A Compilation of Recipes. *Biochem. Genetic.*, **4**: 297-320.
- Singher, S. (1980). *Bacillus sphaericus* for the Control of Mosquitoes. *Biocontrol Bioengg.*, **22**: 1335-1355.
- Singh, R. (1994). Master of Biotechnology Thesis.
- Strauss, S.H.; Howe, G.T. and Goldfarb, B. (1991). Prospects for genetic engineering of insect resistance in forest trees. *Forest Ecology and Management*, **42**: 1-12.

- Management.* 43(3-4); 181-209.
- Somerville, H.J.; Delafield, F.P. and Rittenberg, S.C. (1968). Biochemical Homology Between Crystal and Spore Protein of *Bacillus thuringiensis*. *J. Bacteriol.*, 96(3): 721-726.
- Somerville, H.J. (1971). Formation of the Parasporal Inclusion of *Bacillus thuringiensis*. *Eur. J. Biochem.*, 18: 226-237.
- Somerville, H.L. and Jones (1972). DNA competition studies within the *Bacillus cereus* group of bacilli. *J. Gen. Microbiol.* 73: 257-265.
- Somerville, H.J. and Pickett, H.V. (1975). An Insect toxin from Spores of *Bacillus thuringiensis* and *Bacillus cereus*. *J. Gen. Microbiol.*, 87: 359-369.
- Song, S.S. (1991). Resistance of Diamondback Moth (*Plutella xylostella* L.: Yponomeutidae: Lepidoptera) Against *Bacillus thuringiensis* Berliner. *Korean J. Appl. Entomol.*, 30(4): 291-293.
- Spizizen, J. (1965). Analysis of Asporogenic Mutants in *Bacillus subtilis* by Genetic Transformation. In: Spores III. (Campbell, L.L. and Halvorson, H.O. ed.). *Amer. Soc. Microbiol., Bethesda. Md.* pp. 125-137.
- Stahly, D.P.; Dingman, D.W.; Bulla Jr. L.A. and Aronson, A.I. (1978). Possible Origin and Function of the Parasporal Crystals in *Bacillus thuringiensis*. *Biochem. Biophys. Res. Comm.*, 84(3): 581-588.
- Steinhaus, E.A. (1964). Microbial Diseases of Insects. In: Biological Control of Insect Pests and Weeds. (Debach, P. ed.). Chapman and Hall Ltd., London. pp. 515-547.

- Stockdale, H. (1985). Microbial Insecticides. In: Comprehensive Biotechnology Vol. 3. The Principles, Application and Regulation of Biotechnology in Industry, Agriculture and Medicine. (Blanch, H.W.; Drew, S. and Wang, D.I.C. ed.). Pergamon Press. pp. 949-964.
- Tabashnik, B.E. and Cushing, N.L. (1987). Leaf residue vs. tropical bioassay for assessing insecticide resistance in diamondback moth, *Plutella xylostella* L. *FAO Plant. Prot. Bull.*, 35: 11-14.
- Thomas, S. and Russell, A.D. (1974). Temperature-Induced Changes in the Sporicidal Activity and Chemical Properties of Glutaraldehyde. *Appl. Microbiol.*, 28(3): 331-335.
- Thomas, W.E. and Ellar, D.J. (1983). Mechanism of Action of *Bacillus thuringiensis* var. *israelensis* Insecticidal Delta-Endotoxin. *FEBS Lett.*, 154(2): 362-368.
- Thomas, W.E. and Ellar, D.J. (1981). *Bacillus thuringiensis* var. *israelensis* crystal Delta-Endotoxin: Effects on Insect and Mammalian Cells *In Vitro* and *In Vivo*. *J. Cell. Sci.*, 60: 181-197.
- Tochikubo, K. (1971). Changes in Terminal Respiratory Pathways of *Bacillus subtilis* During Germination, Outgrowth, and Vegetative Growth. *J. Bacteriol.*, 108(2): 652-661.
- Tyrell, D.J.; Bulla Jr. L.A.; Andrews Jr. R.E.; Kramer, K.J.; Davidson, L.I. and Nordin, P. (1981). Comparative Biochemistry of Entomocidal Parasporal Crystals of Selected *Bacillus thuringiensis* Strains. *J. Bacteriol.*, 145: 1052-1062.

- Wang, C.H. and Krackov, J.K. (1962). The Catabolic Fate of Glucose in *Bacillus subtilis*. *J. Biol. Chem.*, 237(12): 3614-3622.
- Warren, S.C. (1968). Sporulation in *Bacillus subtilis*. Biochemical Changes. *Biochem. J.*, 109: 811-818.
- Weber, K. and Osborn, M. (1969). The Reliability of Molecular Weight Determination by Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis. *J. Biol. Chem.*, 244(16): 4406-4412.
- Widner, W.R. and Whiteley, H.R. (1989). Two Highly Related Insecticidal Crystal Proteins of *Bacillus thuringiensis* subsp. *kurstaki* Possess Different Host Range Specificities. *J. Bacteriol.*, 171(2): 965-974.
- Yamamoto, T. ; Izuka, T. and Aronson, J.N. (1983). Mosquitocidal Protein of *Bacillus thuringiensis* subsp. *israelensis*: Identification and Partial Isolation of the Protein. *Curr. Microbiol.*, 9: 279-284.
- Yousten, A.A. and Rogoff, M.H. (1969). Metabolism of *Bacillus thuringiensis* in Relation to Spore and Crystal Formation. *J. Bacteriol.*, 100(3): 1229-1236.
- Yousten, A.A. and Hanson, R.R. (1972). Sporulation of tricerboxylic acid cycle mutants of *Bacillus subtilis*. *J. Bacteriol.* 109: 886-894.
- Zahner, V.; Momen, H.; Salles, C.A. and Rabinovitch, L. (1989). A Comparative Study of Enzyme Variation in *Bacillus cereus* and *Bacillus thuringiensis*. *J. Appl. Bacteriol.*, 67: 275-282.