

APPENDIX I

**SAMPLING ERRORS AND DESIGN EFFECTS
OF VARIABLES UNDER STUDY FOR TOTAL SAMPLE,
GEOGRAPHICAL DOMAINS AND SUBCLASSES**

Sampling errors - Entire Sample, MIS

Variable	Value	Std. error	Number of cases	Std. Error assuming SRS	Std. deviation	Design effect	Relative error
	r	se	n	se _{SRS}	sd	deft	se/r
CAR	0.6261	0.0148	8738	0.0077	0.7234	1.9149	0.0237
DURA1	0.8909	0.0061	8738	0.0033	0.3117	1.8197	0.0068
DURA11	0.3535	0.0083	8738	0.0051	0.4781	1.6283	0.0236
DURA12	0.7249	0.0083	8738	0.0048	0.4466	1.7328	0.0114
DURA13	0.1921	0.0071	8738	0.0042	0.3940	1.6917	0.0371
DURA23	0.2882	0.0084	8738	0.0048	0.4529	1.7379	0.0292
DURA24	0.1182	0.0056	8738	0.0035	0.3229	1.6129	0.0471
DURA25	0.6958	0.0092	8738	0.0049	0.4601	1.8731	0.0132
DURA26	0.2810	0.0084	8738	0.0048	0.4495	1.7548	0.0300
DURA27	0.8168	0.0068	8738	0.0041	0.3869	1.6343	0.0083
DURA28	0.3036	0.0091	8738	0.0049	0.4598	1.8457	0.0299
DURA29	0.8816	0.0055	8738	0.0035	0.3232	1.6049	0.0063
DURA3	0.2196	0.0070	8738	0.0044	0.4140	1.5883	0.0320
DURA30	0.7216	0.0084	8738	0.0048	0.4483	1.7587	0.0117
DURA31	0.2962	0.0089	8738	0.0049	0.4566	1.8245	0.0301
DURA32	0.1801	0.0083	8738	0.0041	0.3843	2.0233	0.0462
DURA33	0.8306	0.0078	8738	0.0040	0.3751	1.9401	0.0094
DURA34	0.6750	0.0110	8738	0.0050	0.4684	2.1939	0.0163
DURA35	0.1441	0.0078	8738	0.0038	0.3512	2.0780	0.0542
DURA36	0.4482	0.0088	8738	0.0053	0.4973	1.6454	0.0195
DURA37	0.1186	0.0057	8738	0.0035	0.3233	1.6533	0.0482
DURA4	0.2551	0.0068	8738	0.0047	0.4359	1.4635	0.0268
DURA5	0.1144	0.0047	8738	0.0034	0.3184	1.3663	0.0407
MAABV15	3.0409	0.0236	8738	0.0158	1.4735	1.4968	0.0078
MABLW15	1.5745	0.0238	8738	0.0170	1.5900	1.3972	0.0151
P1MBUY1	0.5160	0.0088	8738	0.0053	0.4998	1.6446	0.0170
P1MBUY13	0.1693	0.0077	8738	0.0040	0.3750	1.9095	0.0453
P1MBUY14	0.1836	0.0082	8738	0.0041	0.3872	1.9915	0.0449
P1MBUY15	0.4034	0.0104	8738	0.0052	0.4906	1.9811	0.0258
P1MBUY17	0.2673	0.0089	8738	0.0047	0.4426	1.8799	0.0333
P1MBUY18	0.1192	0.0049	8738	0.0035	0.3241	1.4134	0.0411
P1MBUY19	0.1012	0.0050	8738	0.0032	0.3016	1.5347	0.0489
P1MBUY20	0.1721	0.0088	8738	0.0040	0.3775	2.1771	0.0511
P1MBUY22	0.1276	0.0068	8738	0.0036	0.3337	1.9152	0.0536
P1MBUY3	0.1052	0.0054	8738	0.0033	0.3068	1.6392	0.0512
P1MBUY4	0.1733	0.0066	8738	0.0040	0.3785	1.6301	0.0381
P1MBUY5	0.3994	0.0090	8738	0.0052	0.4898	1.7163	0.0225
P1MBUY6	0.3416	0.0105	8738	0.0051	0.4743	2.0752	0.0308
P1MBUY9	0.1094	0.0051	8738	0.0033	0.3122	1.5160	0.0463
TVSET	1.1214	0.0081	8738	0.0051	0.4768	1.5941	0.0073
ACTVT1	0.2470	0.0072	8738	0.0046	0.4313	1.5633	0.0292
ACTVT2	0.8352	0.0062	8738	0.0040	0.3710	1.5508	0.0074
ACTVT4	0.4496	0.0118	8738	0.0053	0.4975	2.2081	0.0261
ACTVT5	0.9025	0.0055	8738	0.0032	0.2967	1.7226	0.0061
ACTVT6	0.9028	0.0047	8738	0.0032	0.2962	1.4737	0.0052
BANK1	0.2861	0.0079	8738	0.0048	0.4520	1.6385	0.0277
BANK13	0.4261	0.0089	8738	0.0053	0.4945	1.6909	0.0210
BANK15	0.1147	0.0055	8738	0.0034	0.3186	1.6104	0.0479
BANK6	0.7230	0.0076	8738	0.0048	0.4475	1.5789	0.0105
FREQ1	4.3748	0.0779	8738	0.0330	3.0828	2.3625	0.0178
FREQ2	5.2573	0.0569	8738	0.0281	2.6233	2.0291	0.0108
FREQ3	5.7004	0.0543	8738	0.0259	2.4255	2.0933	0.0095
LITER1	0.4812	0.0092	8738	0.0053	0.4997	1.7216	0.0191
LITER3	0.7941	0.0076	8738	0.0043	0.4044	1.7671	0.0096
NPP7DA	0.7225	0.0082	8738	0.0048	0.4478	1.7091	0.0113
NPP7DB	0.4314	0.0118	8738	0.0053	0.4953	2.2180	0.0272
NPP7DE	0.1710	0.0073	8738	0.0040	0.3765	1.8239	0.0430
NPYTDA	0.5699	0.0096	8738	0.0053	0.4951	1.8033	0.0168
NPYTDB	0.2998	0.0098	8738	0.0049	0.4582	1.9935	0.0326
NPYTDE	0.1321	0.0066	8738	0.0036	0.3386	1.8086	0.0496

Sampling errors - Metropolitan Towns, MIS

Variable	Value	Std. error	Number of cases	Std. Error assuming SRS	Std. deviation	Design effect	Relative error
	r	se	n	se _{SRS}	sd	deft	se/r
CAR	0.8670	0.0332	2985	0.0148	0.8076	2.2437	0.0383
DURA1	0.8807	0.0123	2985	0.0059	0.3242	2.0696	0.0139
DURA11	0.5551	0.0168	2985	0.0091	0.4970	1.8494	0.0303
DURA12	0.8412	0.0121	2985	0.0067	0.3655	1.8145	0.0144
DURA13	0.3367	0.0156	2985	0.0087	0.4727	1.8056	0.0464
DURA23	0.3819	0.0154	2985	0.0089	0.4859	1.7267	0.0402
DURA24	0.2171	0.0137	2985	0.0075	0.4123	1.8095	0.0629
DURA25	0.7045	0.0165	2985	0.0084	0.4563	1.9725	0.0234
DURA26	0.3802	0.0158	2985	0.0089	0.4855	1.7748	0.0415
DURA27	0.8921	0.0087	2985	0.0057	0.3103	1.5315	0.0097
DURA28	0.4583	0.0182	2985	0.0091	0.4983	1.9941	0.0397
DURA29	0.9209	0.0080	2985	0.0049	0.2699	1.6166	0.0087
DURA3	0.3494	0.0144	2985	0.0087	0.4769	1.6458	0.0411
DURA30	0.7849	0.0121	2985	0.0075	0.4109	1.6089	0.0154
DURA31	0.4184	0.0173	2985	0.0090	0.4934	1.9180	0.0414
DURA32	0.3340	0.0196	2985	0.0086	0.4717	2.2672	0.0586
DURA33	0.8295	0.0168	2985	0.0069	0.3762	2.4414	0.0203
DURA34	0.7926	0.0193	2985	0.0074	0.4055	2.6028	0.0244
DURA35	0.2590	0.0188	2985	0.0080	0.4381	2.3435	0.0726
DURA36	0.4117	0.0153	2985	0.0090	0.4922	1.7026	0.0373
DURA37	0.2057	0.0129	2985	0.0074	0.4043	1.7372	0.0625
DURA4	0.3859	0.0126	2985	0.0089	0.4869	1.4086	0.0325
DURA5	0.1816	0.0092	2985	0.0071	0.3856	1.3104	0.0509
MAABV15	3.2114	0.0453	2985	0.0282	1.5418	1.6063	0.0141
MABLW15	1.2858	0.0398	2985	0.0253	1.3820	1.5748	0.0310
P1MBUY1	0.5260	0.0148	2985	0.0091	0.4994	1.6166	0.0281
P1MBUY13	0.2549	0.0143	2985	0.0080	0.4359	1.7862	0.0559
P1MBUY14	0.2620	0.0147	2985	0.0080	0.4398	1.8307	0.0563
P1MBUY15	0.4023	0.0166	2985	0.0090	0.4905	1.8546	0.0414
P1MBUY17	0.3461	0.0150	2985	0.0087	0.4758	1.7179	0.0432
P1MBUY18	0.1414	0.0087	2985	0.0064	0.3485	1.3658	0.0616
P1MBUY19	0.1578	0.0099	2985	0.0067	0.3646	1.4777	0.0625
P1MBUY20	0.2365	0.0158	2985	0.0078	0.4250	2.0327	0.0669
P1MBUY22	0.1575	0.0127	2985	0.0067	0.3643	1.9072	0.0808
P1MBUY3	0.1487	0.0106	2985	0.0065	0.3559	1.6299	0.0714
P1MBUY4	0.2198	0.0115	2985	0.0076	0.4142	1.5146	0.0522
P1MBUY5	0.4285	0.0148	2985	0.0091	0.4949	1.6366	0.0346
P1MBUY6	0.3065	0.0167	2985	0.0084	0.4611	1.9803	0.0545
P1MBUY9	0.1471	0.0093	2985	0.0065	0.3542	1.4269	0.0629
TVSET	1.2291	0.0179	2985	0.0102	0.5568	1.7539	0.0145
ACTVT1	0.3035	0.0140	2985	0.0084	0.4599	1.6627	0.0461
ACTVT2	0.9179	0.0063	2985	0.0050	0.2745	1.2610	0.0069
ACTVT4	0.5350	0.0183	2985	0.0091	0.4989	2.0067	0.0342
ACTVT5	0.8670	0.0104	2985	0.0062	0.3396	1.6753	0.0120
ACTVT6	0.8965	0.0082	2985	0.0056	0.3047	1.4663	0.0091
BANK1	0.4251	0.0156	2985	0.0090	0.4944	1.7186	0.0366
BANK13	0.5638	0.0145	2985	0.0091	0.4960	1.5990	0.0257
BANK15	0.1869	0.0111	2985	0.0071	0.3899	1.5586	0.0595
BANK6	0.8097	0.0094	2985	0.0072	0.3926	1.3061	0.0116
FREQ1	3.3430	0.1472	2985	0.0580	3.1686	2.5387	0.0440
FREQ2	4.9052	0.1014	2985	0.0506	2.7627	2.0045	0.0207
FREQ3	5.4834	0.1033	2985	0.0459	2.5055	2.2519	0.0188
LITER1	0.6536	0.0142	2985	0.0087	0.4759	1.6254	0.0217
LITER3	0.8214	0.0116	2985	0.0070	0.3830	1.6535	0.0141
NPP7DA	0.8469	0.0105	2985	0.0066	0.3601	1.5979	0.0124
NPP7DB	0.3742	0.0212	2985	0.0089	0.4840	2.3941	0.0567
NPP7DE	0.3216	0.0172	2985	0.0086	0.4672	2.0058	0.0533
NPYTDA	0.7357	0.0153	2985	0.0081	0.4410	1.8931	0.0208
NPYTDB	0.2861	0.0173	2985	0.0083	0.4520	2.0851	0.0603
NPYTDE	0.2626	0.0163	2985	0.0081	0.4401	2.0195	0.0619

Sampling errors - Urban Towns, MIS

Variable	Value	Std. error	Number of	Std. Error	Std.	Design	Relative
			cases	assuming	deviation	effect	error
	r	se	n	se _{SRS}	sd	deft	se/r
CAR	0.6519	0.0248	2798	0.0128	0.6773	1.9398	0.0381
DURA1	0.9035	0.0093	2798	0.0056	0.2953	1.6733	0.0103
DURA11	0.3256	0.0152	2798	0.0089	0.4687	1.7165	0.0467
DURA12	0.7673	0.0133	2798	0.0080	0.4226	1.6652	0.0173
DURA13	0.1716	0.0129	2798	0.0071	0.3771	1.8052	0.0750
DURA23	0.2741	0.0159	2798	0.0084	0.4462	1.8880	0.0581
DURA24	0.0983	0.0082	2798	0.0056	0.2978	1.4480	0.0829
DURA25	0.6919	0.0171	2798	0.0087	0.4618	1.9576	0.0247
DURA26	0.2706	0.0153	2798	0.0084	0.4443	1.8164	0.0564
DURA27	0.8413	0.0107	2798	0.0069	0.3654	1.5417	0.0127
DURA28	0.3013	0.0173	2798	0.0087	0.4589	1.9892	0.0573
DURA29	0.8956	0.0085	2798	0.0058	0.3058	1.4757	0.0095
DURA3	0.2080	0.0125	2798	0.0077	0.4060	1.6266	0.0600
DURA30	0.7441	0.0136	2798	0.0083	0.4364	1.6480	0.0183
DURA31	0.3156	0.0171	2798	0.0088	0.4648	1.9515	0.0543
DURA32	0.1476	0.0129	2798	0.0067	0.3548	1.9211	0.0873
DURA33	0.8495	0.0119	2798	0.0068	0.3576	1.7577	0.0140
DURA34	0.7502	0.0188	2798	0.0082	0.4330	2.3000	0.0251
DURA35	0.1308	0.0123	2798	0.0064	0.3373	1.9366	0.0944
DURA36	0.4732	0.0159	2798	0.0094	0.4994	1.6873	0.0337
DURA37	0.1097	0.0104	2798	0.0059	0.3126	1.7551	0.0945
DURA4	0.2498	0.0128	2798	0.0082	0.4330	1.5662	0.0513
DURA5	0.1112	0.0084	2798	0.0059	0.3144	1.4058	0.0752
MAABV15	2.9339	0.0398	2798	0.0268	1.4151	1.4887	0.0136
MABLW15	1.6587	0.0440	2798	0.0308	1.6289	1.4284	0.0265
P1MBUY1	0.5411	0.0157	2798	0.0094	0.4984	1.6671	0.0290
P1MBUY13	0.1601	0.0149	2798	0.0069	0.3668	2.1547	0.0933
P1MBUY14	0.1773	0.0163	2798	0.0072	0.3820	2.2545	0.0918
P1MBUY15	0.4271	0.0185	2798	0.0094	0.4947	1.9750	0.0433
P1MBUY17	0.2734	0.0182	2798	0.0084	0.4458	2.1623	0.0667
P1MBUY18	0.1108	0.0085	2798	0.0059	0.3139	1.4260	0.0764
P1MBUY19	0.0886	0.0093	2798	0.0054	0.2843	1.7346	0.1052
P1MBUY20	0.1673	0.0167	2798	0.0071	0.3733	2.3715	0.1001
P1MBUY22	0.1269	0.0133	2798	0.0063	0.3329	2.1099	0.1047
P1MBUY3	0.1129	0.0109	2798	0.0060	0.3166	1.8242	0.0967
P1MBUY4	0.1798	0.0129	2798	0.0073	0.3841	1.7825	0.0720
P1MBUY5	0.4217	0.0170	2798	0.0093	0.4939	1.8153	0.0402
P1MBUY6	0.3642	0.0179	2798	0.0091	0.4813	1.9688	0.0492
P1MBUY9	0.1162	0.0097	2798	0.0061	0.3205	1.6038	0.0837
TVSET	1.1122	0.0129	2798	0.0081	0.4298	1.5929	0.0116
ACTVT1	0.2430	0.0129	2798	0.0081	0.4290	1.5858	0.0529
ACTVT2	0.8528	0.0104	2798	0.0067	0.3544	1.5567	0.0122
ACTVT4	0.4421	0.0212	2798	0.0094	0.4967	2.2551	0.0479
ACTVT5	0.9178	0.0090	2798	0.0052	0.2747	1.7388	0.0098
ACTVT6	0.9064	0.0083	2798	0.0055	0.2914	1.5154	0.0092
BANK1	0.2795	0.0148	2798	0.0085	0.4488	1.7405	0.0528
BANK13	0.4199	0.0179	2798	0.0093	0.4936	1.9218	0.0427
BANK15	0.1115	0.0104	2798	0.0060	0.3148	1.7463	0.0932
BANK6	0.7312	0.0145	2798	0.0084	0.4434	1.7330	0.0199
FREQ1	4.6719	0.1512	2798	0.0568	3.0037	2.6627	0.0324
FREQ2	5.6762	0.0996	2798	0.0446	2.3603	2.2329	0.0176
FREQ3	5.9264	0.0998	2798	0.0430	2.2744	2.3211	0.0168
LITER1	0.4921	0.0186	2798	0.0095	0.5000	1.9712	0.0379
LITER3	0.7888	0.0147	2798	0.0077	0.4082	1.9051	0.0186
NPP7DA	0.7412	0.0146	2798	0.0083	0.4380	1.7686	0.0198
NPP7DB	0.4467	0.0216	2798	0.0094	0.4972	2.2942	0.0483
NPP7DE	0.1419	0.0125	2798	0.0066	0.3490	1.8991	0.0883
NPYTDA	0.5976	0.0194	2798	0.0093	0.4905	2.0964	0.0325
NPYTDB	0.3274	0.0187	2798	0.0089	0.4693	2.1067	0.0571
NPYTDE	0.1040	0.0100	2798	0.0058	0.3053	1.7360	0.0963

Sampling errors - Rural Towns, MIS

Variable	Value	Std. error	Number of	Std. Error	Std.	Design	Relative
			cases	assuming			
	r	se	n	SRS se _{SRS}	deviation sd	effect deft	error se/r
CAR	0.3584	0.0156	2955	0.0105	0.5687	1.4945	0.0436
DURA1	0.8893	0.0095	2955	0.0058	0.3138	1.6428	0.0107
DURA11	0.1763	0.0105	2955	0.0070	0.3811	1.4970	0.0595
DURA12	0.5672	0.0170	2955	0.0091	0.4956	1.8686	0.0300
DURA13	0.0657	0.0069	2955	0.0046	0.2477	1.5068	0.1046
DURA23	0.2068	0.0123	2955	0.0075	0.4051	1.6549	0.0596
DURA24	0.0372	0.0046	2955	0.0035	0.1893	1.3326	0.1247
DURA25	0.6907	0.0143	2955	0.0085	0.4623	1.6809	0.0207
DURA26	0.1905	0.0126	2955	0.0072	0.3928	1.7506	0.0664
DURA27	0.7174	0.0149	2955	0.0083	0.4503	1.7950	0.0207
DURA28	0.1496	0.0108	2955	0.0066	0.3567	1.6430	0.0721
DURA29	0.8284	0.0118	2955	0.0069	0.3771	1.6988	0.0142
DURA3	0.0995	0.0091	2955	0.0055	0.2994	1.6486	0.0913
DURA30	0.6362	0.0175	2955	0.0089	0.4812	1.9786	0.0275
DURA31	0.1543	0.0112	2955	0.0066	0.3613	1.6802	0.0724
DURA32	0.0555	0.0081	2955	0.0042	0.2290	1.9173	0.1455
DURA33	0.8139	0.0107	2955	0.0072	0.3893	1.4980	0.0132
DURA34	0.4849	0.0189	2955	0.0092	0.4999	2.0583	0.0390
DURA35	0.0406	0.0060	2955	0.0036	0.1974	1.6488	0.1474
DURA36	0.4613	0.0142	2955	0.0092	0.4986	1.5515	0.0309
DURA37	0.0389	0.0046	2955	0.0036	0.1934	1.2832	0.1173
DURA4	0.1279	0.0100	2955	0.0061	0.3341	1.6206	0.0779
DURA5	0.0497	0.0063	2955	0.0040	0.2175	1.5709	0.1263
MAABV15	2.9699	0.0367	2955	0.0265	1.4420	1.3846	0.0124
MABLW15	1.7865	0.0398	2955	0.0313	1.7029	1.2707	0.0223
P1MBUY1	0.4822	0.0152	2955	0.0092	0.4998	1.6566	0.0316
P1MBUY13	0.0914	0.0103	2955	0.0053	0.2882	1.9394	0.1125
P1MBUY14	0.1103	0.0116	2955	0.0058	0.3133	2.0204	0.1056
P1MBUY15	0.3821	0.0189	2955	0.0089	0.4860	2.1122	0.0494
P1MBUY17	0.1821	0.0129	2955	0.0071	0.3860	1.8182	0.0709
P1MBUY18	0.1049	0.0083	2955	0.0056	0.3065	1.4663	0.0788
P1MBUY19	0.0558	0.0061	2955	0.0042	0.2296	1.4436	0.1092
P1MBUY20	0.1117	0.0130	2955	0.0058	0.3150	2.2477	0.1166
P1MBUY22	0.0981	0.0093	2955	0.0055	0.2976	1.6900	0.0943
P1MBUY3	0.0538	0.0056	2955	0.0042	0.2257	1.3453	0.1038
P1MBUY4	0.1201	0.0098	2955	0.0060	0.3252	1.6401	0.0817
P1MBUY5	0.3489	0.0150	2955	0.0088	0.4767	1.7115	0.0430
P1MBUY6	0.3557	0.0199	2955	0.0088	0.4788	2.2610	0.0560
P1MBUY9	0.0650	0.0072	2955	0.0045	0.2465	1.5923	0.1111
TVSET	1.0213	0.0101	2955	0.0074	0.4030	1.3612	0.0099
ACTVT1	0.1936	0.0103	2955	0.0073	0.3952	1.4212	0.0534
ACTVT2	0.7350	0.0139	2955	0.0081	0.4414	1.7099	0.0189
ACTVT4	0.3706	0.0215	2955	0.0089	0.4830	2.4212	0.0581
ACTVT5	0.9239	0.0088	2955	0.0049	0.2653	1.8046	0.0095
ACTVT6	0.9059	0.0077	2955	0.0054	0.2920	1.4415	0.0085
BANK1	0.1519	0.0103	2955	0.0066	0.3590	1.5619	0.0679
BANK13	0.2927	0.0140	2955	0.0084	0.4551	1.6736	0.0479
BANK15	0.0447	0.0064	2955	0.0038	0.2066	1.6722	0.1423
BANK6	0.6277	0.0149	2955	0.0089	0.4835	1.6697	0.0237
FREQ1	5.1357	0.1023	2955	0.0510	2.7725	2.0058	0.0199
FREQ2	5.2162	0.0947	2955	0.0489	2.6600	1.9354	0.0182
FREQ3	5.7056	0.0774	2955	0.0453	2.4627	1.7076	0.0136
LITER1	0.2968	0.0150	2955	0.0084	0.4569	1.7833	0.0505
LITER3	0.7716	0.0134	2955	0.0077	0.4199	1.7367	0.0174
NPP7DA	0.5790	0.0168	2955	0.0091	0.4938	1.8441	0.0289
NPP7DB	0.4748	0.0182	2955	0.0092	0.4994	1.9822	0.0384
NPP7DE	0.0464	0.0056	2955	0.0039	0.2103	1.4391	0.1201
NPYTD	0.3763	0.0149	2955	0.0089	0.4845	1.6664	0.0395
NPYTD	0.2876	0.0148	2955	0.0083	0.4527	1.7728	0.0513
NPYTD	0.0267	0.0039	2955	0.0030	0.1613	1.3097	0.1454

Sampling errors - Entire Sample (Malay), MIS

Variable	Value	Std. error	Number of	Std. Error	Std.	Design	Relative
			cases	assuming	deviation	effect	error
	r	se	n	se _{SRS}	sd	deft	se/r
CAR	0.4981	0.0144	5196	0.0089	0.6441	1.6094	0.0289
DURA1	0.8903	0.0070	5196	0.0043	0.3125	1.6205	0.0079
DURA11	0.2900	0.0096	5196	0.0063	0.4538	1.5230	0.0331
DURA12	0.6507	0.0111	5196	0.0066	0.4768	1.6852	0.0171
DURA13	0.1216	0.0070	5196	0.0045	0.3269	1.5374	0.0573
DURA23	0.2615	0.0096	5196	0.0061	0.4395	1.5819	0.0369
DURA24	0.0739	0.0048	5196	0.0036	0.2616	1.3152	0.0646
DURA25	0.7619	0.0094	5196	0.0059	0.4259	1.5917	0.0123
DURA26	0.2846	0.0101	5196	0.0063	0.4513	1.6164	0.0356
DURA27	0.7687	0.0095	5196	0.0059	0.4217	1.6166	0.0123
DURA28	0.2664	0.0101	5196	0.0061	0.4421	1.6459	0.0379
DURA29	0.8591	0.0075	5196	0.0048	0.3479	1.5485	0.0087
DURA3	0.1522	0.0066	5196	0.0050	0.3593	1.3145	0.0430
DURA30	0.7250	0.0110	5196	0.0062	0.4466	1.7708	0.0151
DURA31	0.2596	0.0099	5196	0.0061	0.4385	1.6332	0.0383
DURA32	0.0729	0.0055	5196	0.0036	0.2601	1.5319	0.0758
DURA33	0.8289	0.0092	5196	0.0052	0.3766	1.7540	0.0111
DURA34	0.5591	0.0134	5196	0.0069	0.4965	1.9419	0.0239
DURA35	0.0439	0.0044	5196	0.0028	0.2048	1.5650	0.1014
DURA36	0.4652	0.0106	5196	0.0069	0.4988	1.5272	0.0227
DURA37	0.0893	0.0064	5196	0.0040	0.2852	1.6074	0.0712
DURA4	0.1975	0.0078	5196	0.0055	0.3981	1.4207	0.0397
DURA5	0.0822	0.0046	5196	0.0038	0.2747	1.2095	0.0561
MAABV15	2.9149	0.0265	5196	0.0193	1.3948	1.3694	0.0091
MABLW15	1.8108	0.0307	5196	0.0234	1.6846	1.3118	0.0169
P1MBUY1	0.5216	0.0110	5196	0.0069	0.4996	1.5847	0.0211
P1MBUY13	0.1328	0.0081	5196	0.0047	0.3394	1.7260	0.0612
P1MBUY14	0.1799	0.0099	5196	0.0053	0.3842	1.8484	0.0547
P1MBUY15	0.4167	0.0135	5196	0.0068	0.4931	1.9674	0.0323
P1MBUY17	0.2696	0.0114	5196	0.0062	0.4438	1.8503	0.0423
P1MBUY18	0.1386	0.0065	5196	0.0048	0.3455	1.3653	0.0472
P1MBUY19	0.1026	0.0060	5196	0.0042	0.3034	1.4313	0.0587
P1MBUY20	0.1524	0.0110	5196	0.0050	0.3595	2.2097	0.0723
P1MBUY22	0.1220	0.0081	5196	0.0045	0.3273	1.7942	0.0668
P1MBUY3	0.1035	0.0067	5196	0.0042	0.3047	1.5969	0.0652
P1MBUY4	0.1734	0.0080	5196	0.0053	0.3786	1.5275	0.0483
P1MBUY5	0.4249	0.0113	5196	0.0069	0.4944	1.6501	0.0286
P1MBUY6	0.4169	0.0144	5196	0.0068	0.4931	2.1044	0.0345
P1MBUY9	0.0906	0.0060	5196	0.0040	0.2871	1.4940	0.0657
TVSET	1.0916	0.0089	5196	0.0063	0.4522	1.4210	0.0082
ACTVT1	0.2325	0.0084	5196	0.0059	0.4225	1.4414	0.0363
ACTVT2	0.8147	0.0089	5196	0.0054	0.3886	1.6423	0.0109
ACTVT4	0.4034	0.0143	5196	0.0068	0.4906	2.0943	0.0353
ACTVT5	0.9324	0.0059	5196	0.0035	0.2510	1.6897	0.0063
ACTVT6	0.9263	0.0046	5196	0.0036	0.2613	1.2640	0.0049
BANK1	0.1771	0.0075	5196	0.0053	0.3818	1.4252	0.0426
BANK13	0.4365	0.0115	5196	0.0069	0.4960	1.6758	0.0264
BANK15	0.0903	0.0062	5196	0.0040	0.2866	1.5594	0.0687
BANK6	0.6978	0.0105	5196	0.0064	0.4592	1.6542	0.0151
FREQ1	5.6166	0.0556	5196	0.0336	2.4200	1.6553	0.0099
FREQ2	5.3010	0.0649	5196	0.0358	2.5780	1.8158	0.0123
FREQ3	5.9538	0.0578	5196	0.0311	2.2452	1.8564	0.0097
LITER1	0.4500	0.0125	5196	0.0069	0.4975	1.8078	0.0277
LITER3	0.8878	0.0065	5196	0.0044	0.3156	1.4782	0.0073
NPP7DA	0.6790	0.0112	5196	0.0065	0.4669	1.7314	0.0165
NPP7DB	0.6640	0.0111	5196	0.0066	0.4724	1.6956	0.0167
NPP7DE	0.1043	0.0068	5196	0.0042	0.3057	1.5956	0.0649
NPYTDA	0.4873	0.0119	5196	0.0069	0.4999	1.7166	0.0244
NPYTDB	0.4677	0.0116	5196	0.0069	0.4990	1.6775	0.0248
NPYTDE	0.0710	0.0054	5196	0.0036	0.2569	1.5033	0.0754

Sampling errors - Entire Sample (Chinese), MIS

Variable	Value	Std. error	Number of	Std. Error	Std.	Design	Relative
			cases	assuming			
	r	se	n	se _{SRS}	sd	deft	se/r
CAR	0.9400	0.0238	2535	0.0159	0.8013	1.4932	0.0253
DURA1	0.8832	0.0114	2535	0.0064	0.3212	1.7948	0.0130
DURA11	0.4817	0.0143	2535	0.0099	0.4998	1.4452	0.0298
DURA12	0.8750	0.0071	2535	0.0066	0.3308	1.0862	0.0082
DURA13	0.3408	0.0128	2535	0.0094	0.4741	1.3587	0.0375
DURA23	0.3061	0.0151	2535	0.0092	0.4610	1.6505	0.0494
DURA24	0.2067	0.0115	2535	0.0080	0.4050	1.4258	0.0555
DURA25	0.5393	0.0163	2535	0.0099	0.4986	1.6430	0.0302
DURA26	0.2619	0.0138	2535	0.0087	0.4398	1.5751	0.0525
DURA27	0.9097	0.0069	2535	0.0057	0.2867	1.2109	0.0076
DURA28	0.3602	0.0158	2535	0.0095	0.4801	1.6533	0.0438
DURA29	0.9290	0.0070	2535	0.0051	0.2569	1.3766	0.0076
DURA3	0.3479	0.0142	2535	0.0095	0.4764	1.5042	0.0409
DURA30	0.7641	0.0119	2535	0.0084	0.4246	1.4051	0.0155
DURA31	0.4071	0.0157	2535	0.0098	0.4914	1.6074	0.0385
DURA32	0.3878	0.0153	2535	0.0097	0.4873	1.5821	0.0395
DURA33	0.8469	0.0126	2535	0.0072	0.3601	1.7635	0.0149
DURA34	0.8915	0.0092	2535	0.0062	0.3110	1.4833	0.0103
DURA35	0.3657	0.0149	2535	0.0096	0.4817	1.5609	0.0408
DURA36	0.4450	0.0156	2535	0.0099	0.4971	1.5752	0.0349
DURA37	0.1850	0.0109	2535	0.0077	0.3884	1.4114	0.0588
DURA4	0.3759	0.0119	2535	0.0096	0.4845	1.2384	0.0317
DURA5	0.1905	0.0104	2535	0.0078	0.3928	1.3338	0.0546
MAABV15	3.1795	0.0452	2535	0.0304	1.5284	1.4883	0.0142
MABLV15	1.1250	0.0298	2535	0.0255	1.2821	1.1710	0.0285
P1MBUY1	0.4907	0.0148	2535	0.0099	0.5000	1.4947	0.0302
P1MBUY13	0.2355	0.0131	2535	0.0084	0.4244	1.5539	0.0558
P1MBUY14	0.1945	0.0124	2535	0.0079	0.3959	1.5828	0.0640
P1MBUY15	0.3815	0.0147	2535	0.0096	0.4858	1.5226	0.0385
P1MBUY17	0.2679	0.0134	2535	0.0088	0.4429	1.5285	0.0501
P1MBUY18	0.0832	0.0060	2535	0.0055	0.2763	1.0880	0.0717
P1MBUY19	0.0765	0.0075	2535	0.0053	0.2659	1.4237	0.0982
P1MBUY20	0.1846	0.0132	2535	0.0077	0.3881	1.7089	0.0714
P1MBUY22	0.1128	0.0087	2535	0.0063	0.3164	1.3826	0.0770
P1MBUY3	0.0974	0.0074	2535	0.0059	0.2966	1.2589	0.0761
P1MBUY4	0.1602	0.0102	2535	0.0073	0.3668	1.4022	0.0638
P1MBUY5	0.3140	0.0136	2535	0.0082	0.4642	1.4726	0.0432
P1MBUY6	0.1890	0.0119	2535	0.0078	0.3915	1.5303	0.0630
P1MBUY9	0.1329	0.0085	2535	0.0067	0.3396	1.2809	0.0640
TVSET	1.2071	0.0153	2535	0.0108	0.5434	1.4207	0.0127
ACTVT1	0.2809	0.0131	2535	0.0089	0.4495	1.4649	0.0468
ACTVT2	0.8781	0.0079	2535	0.0065	0.3272	1.2130	0.0090
ACTVT4	0.5353	0.0178	2535	0.0099	0.4989	1.7939	0.0332
ACTVT5	0.8607	0.0103	2535	0.0069	0.3463	1.5041	0.0120
ACTVT6	0.8391	0.0100	2535	0.0073	0.3676	1.3750	0.0120
BANK1	0.4529	0.0135	2535	0.0099	0.4979	1.3618	0.0297
BANK13	0.4118	0.0137	2535	0.0098	0.4923	1.4034	0.0333
BANK15	0.1523	0.0100	2535	0.0071	0.3594	1.4030	0.0658
BANK6	0.7744	0.0099	2535	0.0083	0.4181	1.1864	0.0127
BM_READ	0.7361	0.0154	2535	0.0088	0.4408	1.7635	0.0210
BM_TALK	0.8832	0.0099	2535	0.0084	0.3212	1.5577	0.0113
FREQ1	2.1365	0.1183	2535	0.0578	2.9081	2.0473	0.0553
FREQ2	5.2233	0.1019	2535	0.0536	2.6990	1.9012	0.0195
FREQ3	5.3002	0.1001	2535	0.0526	2.6467	1.9052	0.0189
LITER1	0.4963	0.0149	2535	0.0099	0.5001	1.5049	0.0301
LITER3	0.6237	0.0139	2535	0.0096	0.4846	1.4431	0.0223
NPP7DA	0.8351	0.0091	2535	0.0074	0.3712	1.2388	0.0109
NPP7DB	0.0434	0.0049	2535	0.0040	0.2038	1.2132	0.1132
NPP7DE	0.2316	0.0133	2535	0.0084	0.4219	1.5863	0.0574
NPYTDA	0.7515	0.0109	2535	0.0086	0.4322	1.2657	0.0145
NPYTDB	0.0205	0.0030	2535	0.0028	0.1418	1.0757	0.1477
NPYTDE	0.1893	0.0124	2535	0.0078	0.3919	1.5944	0.0655

Sampling errors - Entire Sample (Indian/Others), MIS

Variable	Value	Std. error	Number of cases	Std. Error assuming SRS	Std. deviation	Design effect	Relative error
	r	se	n	se _{SRS}	sd	deft	se/r
CAR	0.4965	0.0288	1007	0.0208	0.6596	1.3854	0.0580
DURA1	0.9136	0.0100	1007	0.0089	0.2811	1.1272	0.0109
DURA11	0.3585	0.0174	1007	0.0151	0.4798	1.1499	0.0485
DURA12	0.7299	0.0177	1007	0.0140	0.4442	1.2658	0.0243
DURA13	0.1817	0.0132	1007	0.0122	0.3858	1.0820	0.0724
DURA23	0.3803	0.0159	1007	0.0153	0.4857	1.0420	0.0419
DURA24	0.1241	0.0125	1007	0.0104	0.3299	1.2059	0.1010
DURA25	0.7488	0.0151	1007	0.0137	0.4339	1.1036	0.0202
DURA26	0.3098	0.0185	1007	0.0146	0.4627	1.2708	0.0598
DURA27	0.8312	0.0139	1007	0.0118	0.3748	1.1755	0.0167
DURA28	0.3535	0.0195	1007	0.0151	0.4783	1.2953	0.0552
DURA29	0.8779	0.0124	1007	0.0103	0.3276	1.1992	0.0141
DURA3	0.2443	0.0170	1007	0.0135	0.4299	1.2576	0.0697
DURA30	0.5968	0.0188	1007	0.0155	0.4908	1.2139	0.0315
DURA31	0.2056	0.0166	1007	0.0127	0.4043	1.3035	0.0808
DURA32	0.2105	0.0174	1007	0.0129	0.4079	1.3532	0.0826
DURA33	0.7984	0.0179	1007	0.0126	0.4014	1.4123	0.0224
DURA34	0.7279	0.0219	1007	0.0140	0.4453	1.5583	0.0300
DURA35	0.1033	0.0126	1007	0.0096	0.3045	1.3109	0.1218
DURA36	0.3684	0.0174	1007	0.0152	0.4826	1.1441	0.0472
DURA37	0.1023	0.0112	1007	0.0096	0.3032	1.1769	0.1099
DURA4	0.2483	0.0148	1007	0.0136	0.4322	1.0870	0.0596
DURA5	0.0894	0.0094	1007	0.0090	0.2854	1.0473	0.1054
MAABV15	3.3416	0.0598	1007	0.0518	1.6451	1.1529	0.0179
MABLW15	1.4866	0.0557	1007	0.0484	1.5347	1.1519	0.0375
P1MBUY1	0.5511	0.0168	1007	0.0157	0.4976	1.0702	0.0304
P1MBUY13	0.1907	0.0163	1007	0.0124	0.3930	1.3147	0.0854
P1MBUY14	0.1748	0.0170	1007	0.0120	0.3800	1.4215	0.0974
P1MBUY15	0.3903	0.0210	1007	0.0154	0.4881	1.3626	0.0537
P1MBUY17	0.2542	0.0165	1007	0.0137	0.4356	1.1990	0.0647
P1MBUY18	0.1102	0.0102	1007	0.0099	0.3133	1.0288	0.0922
P1MBUY19	0.1559	0.0138	1007	0.0114	0.3629	1.2040	0.0883
P1MBUY20	0.2423	0.0171	1007	0.0135	0.4287	1.2629	0.0704
P1MBUY22	0.1936	0.0164	1007	0.0125	0.3953	1.3179	0.0848
P1MBUY3	0.1331	0.0126	1007	0.0107	0.3398	1.1724	0.0943
P1MBUY4	0.2056	0.0160	1007	0.0107	0.3398	1.1724	0.0943
P1MBUY5	0.4826	0.0175	1007	0.0127	0.4043	1.2578	0.0780
P1MBUY6	0.3376	0.0200	1007	0.0158	0.4999	1.1104	0.0362
P1MBUY9	0.1470	0.0122	1007	0.0149	0.4731	1.3442	0.0594
TVSET	1.0596	0.0146	1007	0.0112	0.3543	1.0936	0.0831
ACTVT1	0.2363	0.0144	1007	0.0121	0.3841	1.2047	0.0138
ACTVT2	0.8332	0.0121	1007	0.0134	0.4250	1.0765	0.0610
ACTVT4	0.4727	0.0211	1007	0.0118	0.3730	1.0258	0.0145
ACTVT5	0.8530	0.0135	1007	0.0157	0.4995	1.3436	0.0447
ACTVT6	0.9424	0.0078	1007	0.0112	0.3543	1.2085	0.0158
BANK1	0.4290	0.0178	1007	0.0073	0.2331	1.0586	0.0083
BANK13	0.4081	0.0168	1007	0.0156	0.4952	1.1435	0.0416
BANK15	0.1460	0.0144	1007	0.0155	0.4917	1.0830	0.0411
BANK6	0.7239	0.0151	1007	0.0111	0.3533	1.2939	0.0987
BM_READ	0.8709	0.0131	1007	0.0141	0.4473	1.0736	0.0209
BM_TALK	0.9811	0.0045	1007	0.0106	0.3355	1.2373	0.0150
FREQ1	3.6018	0.1335	1007	0.0043	0.1361	1.0555	0.0046
FREQ2	5.1172	0.1038	1007	0.0987	3.1315	1.3526	0.0371
FREQ3	5.4002	0.1029	1007	0.0838	2.6578	1.2395	0.0203
LITER1	0.6048	0.0173	1007	0.0809	2.5675	1.2718	0.0191
LITER3	0.7398	0.0146	1007	0.0154	0.4891	1.1208	0.0286
NPP7DA	0.6634	0.0183	1007	0.0138	0.4390	1.0526	0.0197
NPP7DB	0.2085	0.0138	1007	0.0149	0.4728	1.2262	0.0275
NPP7DE	0.3625	0.0194	1007	0.0128	0.4065	1.0802	0.0663
NPYTDA	0.5392	0.0203	1007	0.0152	0.4810	1.2770	0.0534
NPYTDB	0.1370	0.0117	1007	0.0157	0.4987	1.2920	0.0377
NPYTDE	0.3029	0.0187	1007	0.0108	0.3441	1.0773	0.0852
				0.0145	0.4597	1.2898	0.0617

Sampling errors - Entire Sample (Male), MIS

Variable	Value	Std. error	Number of	Std. Error	Std.	Design	Relative
			cases	assuming	deviation	effect	error
	r	se	n	se _{SRS}	sd	deft	se/r
CAR	0.6544	0.0181	3912	0.0120	0.7501	1.5077	0.0276
DURA1	0.8916	0.0075	3912	0.0050	0.3109	1.5111	0.0084
DURA11	0.3773	0.0102	3912	0.0078	0.4848	1.3195	0.0271
DURA12	0.7242	0.0095	3912	0.0071	0.4470	1.3262	0.0131
DURA13	0.2275	0.0094	3912	0.0067	0.4193	1.4026	0.0413
DURA23	0.2968	0.0101	3912	0.0073	0.4569	1.3836	0.0341
DURA24	0.1322	0.0070	3912	0.0054	0.3387	1.2906	0.0529
DURA25	0.6771	0.0115	3912	0.0075	0.4676	1.5329	0.0169
DURA26	0.2758	0.0098	3912	0.0071	0.4470	1.3702	0.0355
DURA27	0.8093	0.0084	3912	0.0063	0.3929	1.3330	0.0103
DURA28	0.3047	0.0102	3912	0.0074	0.4603	1.3915	0.0336
DURA29	0.8750	0.0070	3912	0.0053	0.3308	1.3292	0.0080
DURA3	0.2403	0.0087	3912	0.0068	0.4273	1.2703	0.0361
DURA30	0.7262	0.0098	3912	0.0071	0.4460	1.3676	0.0134
DURA31	0.3034	0.0105	3912	0.0074	0.4598	1.4232	0.0345
DURA32	0.1907	0.0102	3912	0.0063	0.3929	1.6290	0.0537
DURA33	0.8264	0.0093	3912	0.0061	0.3788	1.5327	0.0112
DURA34	0.6861	0.0121	3912	0.0074	0.4641	1.6240	0.0176
DURA35	0.1521	0.0097	3912	0.0057	0.3592	1.6817	0.0635
DURA36	0.4287	0.0108	3912	0.0079	0.4950	1.3656	0.0252
DURA37	0.1334	0.0074	3912	0.0054	0.3401	1.3576	0.0553
DURA4	0.2889	0.0090	3912	0.0072	0.4533	1.2453	0.0312
DURA5	0.1314	0.0066	3912	0.0054	0.3379	1.2250	0.0504
MAABV15	3.0844	0.0316	3912	0.0234	1.4624	1.3514	0.0102
MABLW15	1.4737	0.0320	3912	0.0252	1.5761	1.2706	0.0217
P1MBUY1	0.4790	0.0114	3912	0.0080	0.4996	1.4254	0.0238
P1MBUY13	0.1396	0.0084	3912	0.0055	0.3466	1.5196	0.0603
P1MBUY14	0.1511	0.0085	3912	0.0057	0.3582	1.4787	0.0561
P1MBUY15	0.3318	0.0121	3912	0.0075	0.4709	1.6107	0.0365
P1MBUY17	0.3206	0.0115	3912	0.0075	0.4667	1.5375	0.0358
P1MBUY18	0.0946	0.0061	3912	0.0047	0.2927	1.3019	0.0644
P1MBUY19	0.1521	0.0074	3912	0.0057	0.3592	1.2955	0.0489
P1MBUY20	0.1360	0.0093	3912	0.0055	0.3428	1.6960	0.0684
P1MBUY22	0.1028	0.0076	3912	0.0049	0.3037	1.5711	0.0742
P1MBUY3	0.0818	0.0058	3912	0.0044	0.2741	1.3125	0.0703
P1MBUY4	0.1628	0.0077	3912	0.0059	0.3693	1.2986	0.0471
P1MBUY5	0.3737	0.0115	3912	0.0077	0.4839	1.4808	0.0307
P1MBUY6	0.3198	0.0123	3912	0.0075	0.4665	1.6469	0.0384
P1MBUY9	0.0897	0.0056	3912	0.0046	0.2858	1.2363	0.0630
TVSET	1.1378	0.0107	3912	0.0081	0.5048	1.3270	0.0094
ACTVT1	0.3604	0.0103	3912	0.0077	0.4802	1.3362	0.0285
ACTVT2	0.8993	0.0058	3912	0.0048	0.3010	1.2023	0.0064
ACTVT4	0.4788	0.0128	3912	0.0080	0.4996	1.5997	0.0267
ACTVT5	0.9236	0.0068	3912	0.0042	0.2657	1.5950	0.0073
ACTVT6	0.9156	0.0056	3912	0.0044	0.2780	1.2683	0.0062
BANK1	0.3620	0.0104	3912	0.0077	0.4806	1.3548	0.0288
BANK13	0.5153	0.0118	3912	0.0080	0.4998	1.4750	0.0229
BANK15	0.1736	0.0090	3912	0.0061	0.3788	1.4929	0.0521
BANK6	0.7940	0.0085	3912	0.0065	0.4045	1.3177	0.0107
FREQ1	4.3078	0.0911	3912	0.0493	3.0859	1.8458	0.0211
FREQ2	5.1761	0.0688	3912	0.0424	2.6493	1.6249	0.0133
FREQ3	5.7042	0.0678	3912	0.0387	2.4190	1.7531	0.0119
LITER1	0.5343	0.0113	3912	0.0080	0.4989	1.4206	0.0212
LITER3	0.8482	0.0081	3912	0.0057	0.3589	1.4099	0.0095
NPP7DA	0.8160	0.0079	3912	0.0062	0.3876	1.2734	0.0097
NPP7DB	0.4898	0.0146	3912	0.0080	0.5000	1.8267	0.0298
NPP7DE	0.2180	0.0103	3912	0.0066	0.4130	1.5584	0.0472
NPYTD	0.6687	0.0100	3912	0.0075	0.4707	1.3294	0.0150
NPYTD	0.3581	0.0125	3912	0.0077	0.4795	1.6277	0.0348
NPYTD	0.1697	0.0091	3912	0.0060	0.3754	1.5164	0.0536

Sampling errors - Entire Sample (Female), MIS

Variable	Value	Std. error	Number of	Std. Error	Std.	Design	Relative
			cases	assuming			
	r	se	n	SRS	deviation	effect	error
				se _{SRS}	sd	deft	se/r
CAR	0.6032	0.0161	4826	0.0101	0.7001	1.5979	0.0267
DURA1	0.8904	0.0071	4826	0.0045	0.3124	1.5790	0.0080
DURA11	0.3342	0.0095	4826	0.0068	0.4718	1.4036	0.0285
DURA12	0.7254	0.0096	4826	0.0064	0.4463	1.4988	0.0133
DURA13	0.1635	0.0074	4826	0.0053	0.3698	1.3966	0.0455
DURA23	0.2812	0.0098	4826	0.0065	0.4496	1.5152	0.0349
DURA24	0.1069	0.0065	4826	0.0044	0.3090	1.4540	0.0605
DURA25	0.7109	0.0103	4826	0.0065	0.4534	1.5726	0.0144
DURA26	0.2851	0.0101	4826	0.0065	0.4515	1.5517	0.0354
DURA27	0.8228	0.0078	4826	0.0055	0.3818	1.4105	0.0094
DURA28	0.3027	0.0107	4826	0.0066	0.4595	1.6209	0.0354
DURA29	0.8869	0.0066	4826	0.0046	0.3168	1.4424	0.0074
DURA3	0.2029	0.0081	4826	0.0058	0.4022	1.3911	0.0397
DURA30	0.7178	0.0099	4826	0.0065	0.4501	1.5241	0.0138
DURA31	0.2903	0.0102	4826	0.0065	0.4539	1.5611	0.0351
DURA32	0.1716	0.0090	4826	0.0054	0.3770	1.6595	0.0525
DURA33	0.8340	0.0089	4826	0.0054	0.3721	1.6542	0.0106
DURA34	0.6660	0.0125	4826	0.0068	0.4717	1.8369	0.0187
DURA35	0.1376	0.0082	4826	0.0050	0.3445	1.6625	0.0599
DURA36	0.4639	0.0101	4826	0.0072	0.4988	1.4052	0.0217
DURA37	0.1065	0.0062	4826	0.0044	0.3085	1.3934	0.0581
DURA4	0.2277	0.0078	4826	0.0060	0.4194	1.2852	0.0341
DURA5	0.1007	0.0053	4826	0.0043	0.3010	1.2208	0.0525
MAABV15	3.0056	0.0290	4826	0.0213	1.4817	1.3578	0.0096
MABLW15	1.6562	0.0301	4826	0.0230	1.5967	1.3109	0.0182
P1MBUY1	0.5460	0.0099	4826	0.0072	0.4979	1.3828	0.0182
P1MBUY13	0.1933	0.0095	4826	0.0057	0.3949	1.6626	0.0489
P1MBUY14	0.2099	0.0103	4826	0.0059	0.4073	1.7606	0.0492
P1MBUY15	0.4615	0.0122	4826	0.0072	0.4986	1.6962	0.0264
P1MBUY17	0.2242	0.0095	4826	0.0060	0.4171	1.5871	0.0425
P1MBUY18	0.1392	0.0067	4826	0.0050	0.3462	1.3443	0.0481
P1MBUY19	0.0599	0.0047	4826	0.0034	0.2373	1.3687	0.0781
P1MBUY20	0.0599	0.0047	4826	0.0034	0.2373	1.3687	0.0781
P1MBUY22	0.1477	0.0082	4826	0.0058	0.4011	1.8933	0.0543
P1MBUY3	0.1241	0.0073	4826	0.0051	0.3549	1.6047	0.0555
P1MBUY4	0.1817	0.0079	4826	0.0047	0.3298	1.5322	0.0586
P1MBUY5	0.4202	0.0100	4826	0.0047	0.3857	1.4289	0.0437
P1MBUY6	0.3593	0.0115	4826	0.0056	0.3857	1.4289	0.0437
P1MBUY9	0.1254	0.0064	4826	0.0071	0.4936	1.4142	0.0239
TVSET	1.1082	0.0089	4826	0.0069	0.4798	1.6620	0.0319
ACTVT1	0.1550	0.0069	4826	0.0048	0.3312	1.3381	0.0509
ACTVT2	0.7833	0.0082	4826	0.0048	0.3312	1.3381	0.0509
ACTVT4	0.4260	0.0135	4826	0.0065	0.4524	1.3711	0.0081
ACTVT5	0.8854	0.0064	4826	0.0065	0.4524	1.3711	0.0081
ACTVT6	0.8925	0.0057	4826	0.0052	0.3619	1.3273	0.0446
BANK1	0.2246	0.0082	4826	0.0059	0.4121	1.3805	0.0105
BANK13	0.3537	0.0096	4826	0.0071	0.4945	1.9012	0.0318
BANK15	0.0669	0.0047	4826	0.0071	0.4945	1.9012	0.0318
BANK6	0.6656	0.0095	4826	0.0046	0.3186	1.4018	0.0073
FREQ1	4.4291	0.0839	4826	0.0045	0.3098	1.2890	0.0064
FREQ2	5.3230	0.0616	4826	0.0045	0.3098	1.2890	0.0064
FREQ3	5.6973	0.0581	4826	0.0060	0.4174	1.3637	0.0365
LITER1	0.4383	0.0104	4826	0.0069	0.4782	1.3999	0.0272
LITER3	0.7503	0.0098	4826	0.0069	0.4782	1.3999	0.0272
NPP7DA	0.6467	0.0104	4826	0.0036	0.2499	1.3058	0.0702
NPP7DB	0.3842	0.0126	4826	0.0036	0.2499	1.3058	0.0702
NPP7DE	0.1328	0.0072	4826	0.0068	0.4718	1.3997	0.0143
NPYTDA	0.4898	0.0114	4826	0.0068	0.4718	1.3997	0.0143
NPYTDB	0.2526	0.0107	4826	0.0095	3.0796	1.8919	0.0189
NPYTDE	0.1015	0.0064	4826	0.0443	2.6005	1.6444	0.0116
				0.0374	2.4310	1.6589	0.0102
				0.0350	2.4310	1.6589	0.0102
				0.0071	0.4962	1.4579	0.0238
				0.0062	0.4329	1.5772	0.0131
				0.0069	0.4780	1.5087	0.0161
				0.0070	0.4864	1.7926	0.0327
				0.0049	0.3394	1.4669	0.0540
				0.0072	0.4999	1.5879	0.0233
				0.0063	0.4345	1.7100	0.0423
				0.0043	0.3021	1.4749	0.0632

Sampling errors - Entire Sample (Age Group 15 - 29), MIS

Variable	Value	Std. error	Number of	Std. Error	Std.	Design	Relative
			cases	assuming	deviation	effect	error
	r	se	n	se _{SRS}	sd	deft	se/r
CAR	0.6339	0.0200	2696	0.0149	0.7733	1.3421	0.0315
DURA1	0.9117	0.0079	2696	0.0055	0.2838	1.4493	0.0087
DURA11	0.4332	0.0119	2696	0.0095	0.4956	1.2427	0.0274
DURA12	0.7114	0.0115	2696	0.0087	0.4532	1.3171	0.0162
DURA13	0.2244	0.0102	2696	0.0080	0.4173	1.2649	0.0453
DURA23	0.2993	0.0117	2696	0.0088	0.4581	1.3229	0.0390
DURA24	0.1202	0.0076	2696	0.0063	0.3252	1.2106	0.0631
DURA25	0.6855	0.0113	2696	0.0089	0.4644	1.2585	0.0164
DURA26	0.2993	0.0113	2696	0.0088	0.4581	1.2850	0.0379
DURA27	0.8008	0.0100	2696	0.0077	0.3995	1.2966	0.0125
DURA28	0.2986	0.0118	2696	0.0088	0.4577	1.3391	0.0395
DURA29	0.8657	0.0085	2696	0.0066	0.3410	1.2871	0.0098
DURA3	0.2830	0.0108	2696	0.0087	0.4505	1.2432	0.0381
DURA30	0.7044	0.0115	2696	0.0088	0.4564	1.3089	0.0163
DURA31	0.2767	0.0109	2696	0.0086	0.4475	1.2625	0.0393
DURA32	0.1669	0.0107	2696	0.0072	0.3730	1.4856	0.0639
DURA33	0.8260	0.0104	2696	0.0073	0.3791	1.4233	0.0126
DURA34	0.6606	0.0145	2696	0.0091	0.4736	1.5894	0.0219
DURA35	0.1291	0.0089	2696	0.0065	0.3354	1.3850	0.0693
DURA36	0.4277	0.0119	2696	0.0095	0.4948	1.2503	0.0279
DURA37	0.1346	0.0089	2696	0.0066	0.3414	1.3478	0.0658
DURA4	0.3257	0.0111	2696	0.0090	0.4687	1.2324	0.0342
DURA5	0.1547	0.0081	2696	0.0070	0.3617	1.1577	0.0521
MAABV15	3.6480	0.0385	2696	0.0314	1.6296	1.2269	0.0106
MABLW15	1.3791	0.0312	2696	0.0283	1.4701	1.1008	0.0226
P1MBUY1	0.5645	0.0125	2696	0.0096	0.4959	1.3083	0.0221
P1MBUY13	0.1903	0.0107	2696	0.0076	0.3926	1.4215	0.0565
P1MBUY14	0.1502	0.0099	2696	0.0069	0.3574	1.4452	0.0662
P1MBUY15	0.3190	0.0125	2696	0.0090	0.4662	1.3961	0.0393
P1MBUY17	0.3438	0.0128	2696	0.0091	0.4751	1.3961	0.0371
P1MBUY18	0.1269	0.0077	2696	0.0064	0.3329	1.2035	0.0608
P1MBUY19	0.1476	0.0085	2696	0.0068	0.3548	1.2468	0.0577
P1MBUY20	0.1402	0.0101	2696	0.0067	0.3473	1.5100	0.0720
P1MBUY22	0.1068	0.0080	2696	0.0060	0.3089	1.3491	0.0751
P1MBUY3	0.0968	0.0070	2696	0.0057	0.2958	1.2239	0.0720
P1MBUY4	0.1966	0.0099	2696	0.0077	0.3975	1.2935	0.0504
P1MBUY5	0.3535	0.0124	2696	0.0092	0.4781	1.3435	0.0350
P1MBUY6	0.2823	0.0123	2696	0.0087	0.4502	1.4143	0.0434
P1MBUY9	0.0816	0.0063	2696	0.0053	0.2738	1.1880	0.0768
TVSET	1.1469	0.0122	2696	0.0099	0.5139	1.2313	0.0106
ACTVT1	0.4458	0.0117	2696	0.0096	0.4972	1.2249	0.0263
ACTVT2	0.9588	0.0043	2696	0.0038	0.1987	1.1247	0.0045
ACTVT4	0.4792	0.0153	2696	0.0096	0.4997	1.5905	0.0319
ACTVT5	0.9314	0.0065	2696	0.0049	0.2529	1.3420	0.0070
ACTVT6	0.9636	0.0038	2696	0.0036	0.1872	1.0504	0.0039
BANK1	0.3079	0.0112	2696	0.0089	0.4617	1.2582	0.0363
BANK13	0.4837	0.0123	2696	0.0096	0.4998	1.2729	0.0253
BANK15	0.0349	0.0037	2696	0.0035	0.1835	1.0469	0.1061
BANK6	0.7823	0.0096	2696	0.0079	0.4128	1.2128	0.0123
FREQ1	4.4091	0.0952	2696	0.0590	3.0632	1.6136	0.0216
FREQ2	5.3568	0.0726	2696	0.0486	2.5252	1.4936	0.0136
FREQ3	5.7786	0.0718	2696	0.0450	2.3387	1.5945	0.0124
LITER1	0.6673	0.0121	2696	0.0091	0.4713	1.3386	0.0182
LITER3	0.9592	0.0043	2696	0.0038	0.1979	1.1376	0.0045
NPP7DA	0.8405	0.0092	2696	0.0071	0.3662	1.3021	0.0109
NPP7DB	0.5671	0.0150	2696	0.0095	0.4956	1.5733	0.0265
NPP7DE	0.1925	0.0097	2696	0.0076	0.3943	1.2757	0.0503
NPYTDA	0.6306	0.0124	2696	0.0093	0.4827	1.3304	0.0196
NPYTDB	0.3787	0.0127	2696	0.0093	0.4852	1.3568	0.0335
NPYTDE	0.1350	0.0083	2696	0.0066	0.3418	1.2574	0.0613

Sampling errors - Entire Sample (Age Group 30 - 49), MIS

Variable	Value	Std. error	Number of	Std. Error	Std.	Design	Relative
			cases	assuming	deviation	effect	error
	r	se	n	SRS se _{SRS}	sd	deft	se/r
CAR	0.6902	0.0174	3861	0.0111	0.6892	1.5678	0.0252
DURA1	0.9052	0.0071	3861	0.0047	0.2930	1.5086	0.0079
DURA11	0.3691	0.0102	3861	0.0078	0.4826	1.3132	0.0276
DURA12	0.7413	0.0104	3861	0.0070	0.4380	1.4812	0.0141
DURA13	0.2126	0.0095	3861	0.0066	0.4092	1.4427	0.0447
DURA23	0.3116	0.0109	3861	0.0075	0.4632	1.4685	0.0351
DURA24	0.1235	0.0071	3861	0.0053	0.3291	1.3390	0.0574
DURA25	0.7392	0.0111	3861	0.0071	0.4391	1.5654	0.0150
DURA26	0.3059	0.0112	3861	0.0074	0.4608	1.5039	0.0365
DURA27	0.8482	0.0074	3861	0.0058	0.3588	1.2732	0.0087
DURA28	0.3395	0.0115	3861	0.0076	0.4736	1.5080	0.0339
DURA29	0.9096	0.0057	3861	0.0046	0.2868	1.2408	0.0063
DURA3	0.2207	0.0088	3861	0.0067	0.4148	1.3243	0.0401
DURA30	0.7705	0.0097	3861	0.0068	0.4205	1.4353	0.0126
DURA31	0.3432	0.0117	3861	0.0076	0.4748	1.5368	0.0342
DURA32	0.1898	0.0094	3861	0.0063	0.3922	1.4928	0.0496
DURA33	0.8519	0.0084	3861	0.0057	0.3553	1.4762	0.0099
DURA34	0.6915	0.0127	3861	0.0074	0.4619	1.7091	0.0184
DURA35	0.1585	0.0098	3861	0.0059	0.3653	1.6738	0.0621
DURA36	0.4494	0.0106	3861	0.0080	0.4975	1.3212	0.0235
DURA37	0.1386	0.0080	3861	0.0056	0.3455	1.4407	0.0578
DURA4	0.2569	0.0089	3861	0.0070	0.4370	1.2693	0.0347
DURA5	0.1132	0.0061	3861	0.0051	0.3169	1.1891	0.0536
MAABV15	2.6768	0.0247	3861	0.0197	1.2221	1.2544	0.0092
MABLW15	2.1627	0.0310	3861	0.0260	1.6144	1.1918	0.0143
P1MBUY1	0.5985	0.0108	3861	0.0079	0.4903	1.3655	0.0180
P1MBUY13	0.2010	0.0102	3861	0.0065	0.4008	1.5756	0.0506
P1MBUY14	0.2424	0.0109	3861	0.0069	0.4286	1.5799	0.0450
P1MBUY15	0.5009	0.0128	3861	0.0080	0.5001	1.5878	0.0255
P1MBUY17	0.2966	0.0111	3861	0.0074	0.4568	1.5098	0.0374
P1MBUY18	0.1676	0.0075	3861	0.0060	0.3735	1.2554	0.0450
P1MBUY19	0.1103	0.0068	3861	0.0050	0.3133	1.3471	0.0616
P1MBUY20	0.2152	0.0115	3861	0.0066	0.4110	1.7437	0.0536
P1MBUY22	0.1694	0.0100	3861	0.0060	0.3751	1.6587	0.0591
P1MBUY3	0.1484	0.0085	3861	0.0057	0.3555	1.4912	0.0575
P1MBUY4	0.2163	0.0094	3861	0.0066	0.4118	1.4235	0.0436
P1MBUY5	0.4859	0.0109	3861	0.0080	0.4999	1.3544	0.0224
P1MBUY6	0.4103	0.0131	3861	0.0079	0.4919	1.6581	0.0320
P1MBUY9	0.1386	0.0075	3861	0.0056	0.3455	1.3486	0.0541
TVSET	1.1365	0.0098	3861	0.0073	0.4527	1.3493	0.0086
ACTVT1	0.1974	0.0091	3861	0.0064	0.3981	1.4241	0.0462
ACTVT2	0.8938	0.0067	3861	0.0050	0.3081	1.3504	0.0075
ACTVT4	0.4636	0.0141	3861	0.0080	0.4987	1.7548	0.0304
ACTVT5	0.9205	0.0066	3861	0.0044	0.2706	1.5155	0.0072
ACTVT6	0.9264	0.0051	3861	0.0042	0.2611	1.2142	0.0055
BANK1	0.3673	0.0112	3861	0.0078	0.4821	1.4430	0.0305
BANK13	0.5131	0.0121	3861	0.0080	0.4999	1.4982	0.0235
BANK15	0.1987	0.0093	3861	0.0064	0.3990	1.4533	0.0470
BANK6	0.7757	0.0093	3861	0.0067	0.4172	1.3864	0.0120
FREQ1	4.5405	0.0874	3861	0.0491	3.0514	1.7802	0.0193
FREQ2	5.4473	0.0650	3861	0.0403	2.5067	1.6118	0.0119
FREQ3	5.8972	0.0584	3861	0.0365	2.2657	1.6014	0.0099
LITER1	0.5172	0.0125	3861	0.0080	0.4998	1.5503	0.0241
LITER3	0.8467	0.0089	3861	0.0058	0.3604	1.5327	0.0105
NPP7DA	0.7767	0.0097	3861	0.0067	0.4165	1.4414	0.0124
NPP7DB	0.4636	0.0142	3861	0.0080	0.4987	1.7750	0.0307
NPP7DE	0.1999	0.0098	3861	0.0064	0.4000	1.5184	0.0489
NPY7DA	0.6281	0.0114	3861	0.0078	0.4834	1.4669	0.0182
NPY7DB	0.3341	0.0127	3861	0.0076	0.4717	1.6757	0.0381
NPY7DE	0.1614	0.0089	3861	0.0059	0.3679	1.5110	0.0554

Sampling errors - Entire Sample (Age Group 50+), MIS

Variable	Value	Std. error	Number of	Std. Error assuming	Std.	Design	Relative
			cases	SRS	deviation	effect	error
	r	se	n	se _{SRS}	sd	deft	se/r
CAR	0.5030	0.0177	2181	0.0151	0.7030	1.1742	0.0351
DURA1	0.8400	0.0100	2181	0.0079	0.3667	1.2783	0.0119
DURA11	0.2274	0.0108	2181	0.0090	0.4193	1.1983	0.0473
DURA12	0.7125	0.0122	2181	0.0097	0.4527	1.2576	0.0171
DURA13	0.1160	0.0077	2181	0.0069	0.3203	1.1185	0.0661
DURA23	0.2329	0.0110	2181	0.0091	0.4228	1.2169	0.0473
DURA24	0.1064	0.0080	2181	0.0066	0.3084	1.2123	0.0753
DURA25	0.6318	0.0138	2181	0.0103	0.4824	1.3318	0.0218
DURA26	0.2141	0.0108	2181	0.0088	0.4103	1.2328	0.0506
DURA27	0.7808	0.0111	2181	0.0089	0.4138	1.2557	0.0142
DURA28	0.2462	0.0115	2181	0.0092	0.4309	1.2458	0.0467
DURA29	0.8514	0.0099	2181	0.0076	0.3557	1.2987	0.0116
DURA3	0.1394	0.0085	2181	0.0074	0.3464	1.1430	0.0608
DURA30	0.6561	0.0135	2181	0.0102	0.4751	1.3228	0.0205
DURA31	0.2370	0.0113	2181	0.0091	0.4254	1.2450	0.0478
DURA32	0.1793	0.0113	2181	0.0082	0.3837	1.3814	0.0633
DURA33	0.7987	0.0116	2181	0.0086	0.4011	1.3514	0.0145
DURA34	0.6635	0.0137	2181	0.0101	0.4726	1.3584	0.0207
DURA35	0.1371	0.0099	2181	0.0074	0.3440	1.3445	0.0722
DURA36	0.4713	0.0139	2181	0.0107	0.4993	1.2978	0.0294
DURA37	0.0633	0.0055	2181	0.0052	0.2435	1.0537	0.0868
DURA4	0.1646	0.0091	2181	0.0079	0.3709	1.1493	0.0555
DURA5	0.0669	0.0061	2181	0.0054	0.2500	1.1408	0.0912
MAABV15	2.9349	0.0340	2181	0.0308	1.4397	1.1031	0.0116
MABLW15	0.7749	0.0285	2181	0.0266	1.2434	1.0714	0.0368
P1MBUY1	0.3099	0.0121	2181	0.0099	0.4626	1.2239	0.0391
P1MBUY13	0.0871	0.0076	2181	0.0060	0.2821	1.2643	0.0877
P1MBUY14	0.1206	0.0094	2181	0.0070	0.3257	1.3425	0.0776
P1MBUY15	0.3352	0.0142	2181	0.0101	0.4722	1.4031	0.0423
P1MBUY17	0.1210	0.0088	2181	0.0070	0.3263	1.2620	0.0728
P1MBUY18	0.0243	0.0035	2181	0.0033	0.1540	1.0514	0.1427
P1MBUY19	0.0275	0.0034	2181	0.0035	0.1636	0.9774	0.1245
P1MBUY20	0.1353	0.0104	2181	0.0073	0.3421	1.4257	0.0772
P1MBUY22	0.0793	0.0074	2181	0.0058	0.2703	1.2798	0.0934
P1MBUY3	0.0390	0.0049	2181	0.0041	0.1936	1.1740	0.1249
P1MBUY4	0.0683	0.0062	2181	0.0054	0.2523	1.1468	0.0907
P1MBUY5	0.3031	0.0127	2181	0.0098	0.4597	1.2917	0.0420
P1MBUY6	0.2934	0.0145	2181	0.0098	0.4554	1.4851	0.0494
P1MBUY9	0.0922	0.0071	2181	0.0062	0.2893	1.1423	0.0768
TVSET	1.0633	0.0121	2181	0.0100	0.4659	1.2086	0.0113
ACTVT1	0.0890	0.0078	2181	0.0061	0.2847	1.2851	0.0881
ACTVT2	0.5786	0.0138	2181	0.0106	0.4939	1.3026	0.0238
ACTVT4	0.3884	0.0138	2181	0.0104	0.4875	1.3184	0.0354
ACTVT5	0.8349	0.0098	2181	0.0080	0.3713	1.2324	0.0117
ACTVT6	0.7859	0.0119	2181	0.0088	0.4103	1.3513	0.0151
BANK1	0.1155	0.0083	2181	0.0068	0.3197	1.2138	0.0719
BANK13	0.2008	0.0101	2181	0.0086	0.4007	1.1756	0.0502
BANK15	0.0646	0.0062	2181	0.0053	0.2460	1.1768	0.0959
BANK6	0.5566	0.0135	2181	0.0106	0.4969	1.2690	0.0243
FREQ1	4.0390	0.1052	2181	0.0672	3.1369	1.5669	0.0261
FREQ2	4.7978	0.0847	2181	0.0616	2.8783	1.3736	0.0176
FREQ3	5.2554	0.0764	2181	0.0585	2.7300	1.3067	0.0145
LITER1	0.1875	0.0103	2181	0.0084	0.3904	1.2356	0.0551
LITER3	0.4970	0.0160	2181	0.0107	0.5001	1.4915	0.0321
NPP7DA	0.4805	0.0135	2181	0.0107	0.4997	1.2623	0.0281
NPP7DB	0.2068	0.0121	2181	0.0087	0.4051	1.3995	0.0587
NPP7DE	0.0931	0.0082	2181	0.0062	0.2906	1.3115	0.0877
NPY7DA	0.3920	0.0133	2181	0.0105	0.4883	1.2763	0.0340
NPY7DB	0.1417	0.0100	2181	0.0075	0.3488	1.3333	0.0703
NPY7DE	0.0766	0.0071	2181	0.0057	0.2660	1.2471	0.0928

APPENDIX II

EXAMPLE OF THE SAMPLING ERROR CALCULATION WORKSHEET

A	B	C	D	E	F	G	H	I	J
		xi	ah	ah /	yi	zhi and	zhi^2 and	sum(zhi^2)	E*I
			(ah-1)		zh	sum(zhi^2)	- zh^2/ah		
LOC	REFNO	Count	DURA12						
1.00	20001	8			8	1.27035	1.61379		
	20018	14			14	2.22312	4.94224		
	20049	18			17	1.85829	3.45325		
	20086	16			11	-2.45930	6.04814		
	20120	16			13	-0.45930	0.21095		
	20132	19			19	3.01709	9.10280		
	20137	25			22	0.96985	0.94061		
	20221	19			19	3.01709	9.10280		
	20232	23			17	-2.34774	5.51188		
	20258	15			13	0.36191	0.14585		
	20275	23			20	0.65226	0.42544		
	20326	26			25	3.12864	9.78841		
	20367	21			19	1.33467	1.78135		
	20377	21			18	0.33467	0.11201		
	20385	22			18	-0.50653	0.25658		
	20394	20			17	0.17588	0.03093		
	20411	24			22	1.81106	3.27992		
	20447	18			18	2.85829	8.16983		
	22027	21			15	-2.66533	7.10397		
	22044	21			14	-3.66533	13.43462		
	22096	29			21	-3.39497	11.52585		
	22111	23			21	1.65226	2.72997		
	22112	15			11	-1.61809	2.61822		
	22128	23			19	-0.34774	0.12092		
	22146	25			21	-0.03015	0.00091		
	22186	25			22	0.96985	0.94061		
	22205	23			19	-0.34774	0.12092		
	22224	18			15	-0.14171	0.02008		
	22236	28			21	-2.55377	6.52174		
1.00 Total		599	29	1.035714	509	5.11759	110.05460	109.15151	113.04977
2.00	25011	24			22	1.81106	3.27992		
	25044	37			34	2.87538	8.26779		
	25094	24			22	1.81106	3.27992		
	25116	18			17	1.85829	3.45325		
	25130	17			15	0.69950	0.48930		
	25145	19			18	2.01709	4.06863		
	25180	24			21	0.81106	0.65781		
	25230	18			17	1.85829	3.45325		
	25247	20			18	1.17588	1.36269		
	25264	8			6	-0.72965	0.53239		
	25289	5			5	0.79397	0.63039		
	25332	24			22	1.81106	3.27992		
	25385	27			21	-1.71256	2.93287		
	25402	15			15	2.38191	5.67349		
	25417	22			14	-4.50653	20.30884		
	25436	18			18	2.85829	8.16983		
	25479	25			21	-0.03015	0.00091		
2.00 Total		345	17	1.0625	306	15.78392	69.86120	55.20637	58.65677
3.00	12	23			17	-2.34774	5.51188		
	28	18			14	-1.14171	1.30350		
	63	5			5	0.79397	0.63039		
	106	19			18	2.01709	4.06863		
	123	25			22	0.96985	0.94061		
	157	23			16	-3.34774	11.20735		
	189	27			22	-0.71256	0.50775		

206	21
222	2
237	18
255	28
257	15
260	15
269	16
292	12
326	21
356	23
358	21
378	9
395	11
536	6
570	16
604	21
621	9
641	9
655	17
688	20
723	21
731	19
743	26
750	28
773	6
818	14
820	8
844	21
884	4
887	10
958	17
1024	10
1026	17
1046	16
1082	4
1098	23
1224	14
1343	11
10024	22
10048	18
10063	15
10082	22
10099	21
10116	18
10117	26
10149	21
10195	20
10215	22
10229	23
10270	13
10297	2
10317	26
10334	17
10335	29
10351	7
10368	5
10392	18
10394	24
10438	23
10444	15

20	2.33467	5.45070
2	0.31759	0.10086
18	2.85829	8.16983
26	2.44623	5.98405
12	-0.61809	0.38204
15	2.38191	5.67349
14	0.54070	0.29236
10	-0.09447	0.00893
14	-3.66533	13.43462
19	-0.34774	0.12092
14	-3.66533	13.43462
9	1.42915	2.04246
11	1.74673	3.05108
6	0.95276	0.90776
16	2.54070	6.45517
14	-3.66533	13.43462
6	-1.57085	2.46758
9	1.42915	2.04246
17	2.69950	7.28729
4	-12.82412	164.45807
18	0.33467	0.11201
18	2.01709	4.06863
23	1.12864	1.27384
26	2.44623	5.98405
6	0.95276	0.90776
13	1.22312	1.49601
7	0.27035	0.07309
18	0.33467	0.11201
4	0.63518	0.40345
10	1.58794	2.52155
17	2.69950	7.28729
10	1.58794	2.52155
14	-0.30050	0.09030
11	-2.45930	6.04814
4	0.63518	0.40345
18	-1.34774	1.81640
13	1.22312	1.49601
11	1.74673	3.05108
22	3.49347	12.20431
17	1.85829	3.45325
10	-2.61809	6.85440
14	-4.50653	20.30884
16	-1.66533	2.77331
18	2.85829	8.16983
23	1.12864	1.27384
20	2.33467	5.45070
15	-1.82412	3.32742
19	0.49347	0.24351
21	1.65226	2.72997
12	1.06432	1.13278
1	-0.68241	0.46569
23	1.12864	1.27384
16	1.69950	2.88829
22	-2.39497	5.73590
7	1.11156	1.23556
5	0.79397	0.63039
18	2.85829	8.16983
21	0.81106	0.65781
17	-2.34774	5.51188
12	-0.61809	0.38204

	10467	18		14	-1.14171	1.30350		
	10485	13		11	0.08432	0.00414		
	10498	23		16	-3.34774	11.20735		
	10552	13		13	2.06432	4.26142		
	10638	7		7	1.11156	1.23556		
	10641	5		5	0.79397	0.63039		
	10671	15		10	-2.61809	6.85440		
	10721	19		18	2.01709	4.06863		
	10753	30		27	1.76382	3.11106		
	10765	23		21	1.65226	2.72997		
	10767	25		15	-6.03015	36.36272		
	10787	27		1	-21.71256	471.43538		
	10804	15		13	0.38191	0.14585		
	10811	26		26	4.12864	17.04569		
	10829	20		19	2.17588	4.73445		
	10840	12		11	0.90553	0.81998		
	10874	15		14	1.38191	1.90967		
	10908	11		11	1.74673	3.05108		
	10929	11		11	1.74673	3.05108		
	10969	7		7	1.11156	1.23556		
	10979	17		15	0.69950	0.48930		
	10997	19		16	0.01709	0.00029		
	11092	20		15	-1.82412	3.32742		
	11105	26		20	-1.87136	3.50198		
	11119	18		14	-1.14171	1.30350		
	11131	22		17	-1.50653	2.26964		
	11194	10		10	1.58794	2.52155		
	11200	13		11	0.06432	0.00414		
	11201	19		16	0.01709	0.00029		
	11217	23		20	0.65226	0.42544		
	11251	20		16	-0.82412	0.67917		
	11268	13		9	-1.93568	3.74685		
	11281	19		18	2.01709	4.06863		
	11292	19		14	-1.98291	3.93195		
3.00 Total		1719	101	1.01	1441	-5.03317	1015.37703	1015.12621 1025.27747
4.00	30043	26		19	-2.87136	8.24469		
	30059	18		15	-0.14171	0.02008		
	30084	18		15	-0.14171	0.02008		
	30127	19		16	0.01709	0.00029		
	30169	12		11	0.90553	0.81998		
	30252	23		10	-9.34774	87.38022		
	30269	23		21	1.65226	2.72997		
	30289	17		12	-2.30050	5.29231		
	30312	28		23	-0.55377	0.30866		
	30346	20		14	-2.82412	7.97566		
	30441	15		13	0.38191	0.14585		
	30487	20		18	1.17588	1.38269		
	30547	23		20	0.65226	0.42544		
	30562	20		18	1.17588	1.38269		
	30578	20		14	-2.82412	7.97566		
	30596	20		16	-0.82412	0.67917		
4.00 Total		322	16	1.066667	255	-15.86834	124.78146	109.04369 116.31327
TOTAL MT		2985	163		2511		1320.07428	1313.29728
r=y/x 0.84120603						var(r) = 0.00015		
						se(r) = 0.01214		
5.00	40514	17		11	-2.04467	4.18069		
	40560	22		13	-3.88134	15.06483		
	40573	21		15	-1.11401	1.24102		

40605	23	18	0.35132	0.12343				
40636	16	12	-0.27734	0.07692				
40655	21	14	-2.11401	4.46904				
40668	22	22	5.11866	26.20064				
40709	27	23	2.28199	5.20747				
40737	20	16	0.65332	0.42683				
40750	21	14	-2.11401	4.46904				
40800	28	18	-3.48535	12.14764				
40839	10	6	-1.67334	2.80006				
40898	26	22	2.04932	4.19972				
44020	22	19	2.11866	4.48870				
44039	21	19	2.88599	8.32894				
44053	23	18	0.35132	0.12343				
44083	21	18	1.88599	3.55696				
44153	23	20	2.35132	5.52872				
44173	23	21	3.35132	11.23136				
44226	20	18	2.65332	7.04013				
44270	29	21	-1.25268	1.56921				
60010	17	14	0.95533	0.91265				
60036	23	2	-15.64868	244.88111				
60513	17	14	0.95533	0.91265				
60526	23	14	-3.64868	13.31285				
60571	20	13	-2.34668	5.50689				
61512	22	19	2.11866	4.48870				
61561	22	17	0.11866	0.01408				
61598	22	18	1.11866	1.25139				
61599	20	19	3.65332	13.34677				
61604	23	16	-1.64868	2.71814				
61621	16	13	0.72266	0.52224				
61644	18	14	0.18799	0.03534				
61651	22	17	0.11866	0.01408				
61676	21	16	-0.11401	0.01300				
61683	20	19	3.65332	13.34677				
61718	18	5	-8.81201	77.65150				
61737	20	16	0.65332	0.42683				
61762	18	16	2.18799	4.78731				
5.00 Total	818	39	1.026316	620	-7.67906	506.61706	505.10506	518.39730
6.00	49019	16	10	-2.27734	5.18628			
	49038	29	27	4.74732	22.53704			
	49087	22	18	1.11866	1.25139			
	49115	20	14	-1.34668	1.81354			
	49128	14	14	3.25733	10.61018			
	49157	13	9	-0.97534	0.95129			
	49232	12	10	0.79199	0.62725			
	49280	23	21	3.35132	11.23136			
	49300	21	16	-0.11401	0.01300			
	49336	23	18	0.35132	0.12343			
	49383	21	11	-5.11401	26.15310			
	49461	11	11	2.55933	6.55016			
	53008	21	12	-4.11401	16.92508			
	53026	20	13	-2.34668	5.50689			
	53044	34	28	1.91085	3.65059			
	53077	27	19	-1.71801	2.95157			
	53079	26	21	1.04932	1.10107			
	53095	14	7	-3.74267	14.00760			
	53118	22	18	1.11866	1.25139			
	53153	24	22	3.58399	12.84497			
	53204	26	23	3.04932	9.29836			
	65550	22	18	1.11866	1.25139			
	65560	20	15	-0.34668	0.12018			