


### Appendix: 1

#### The Suicide Hierarchy



Extracted from John Eldrid, "Caring for the Suicidal" , 1988

## Appendix: 2

### Preliminary Form

Name/ Nama	:	_____
Age/ Umur	:	_____
Gender/ Jantina	:	_____
Race (Religion)/ Bangsa (Agama)	:	_____
Marital Status/ Taraf perkahwinan	:	_____
Level of Education/ Tamat Pengajian	:	_____
Occupation / Pekerjaan	:	_____
Salary (Own/guardian)/ Gaji (sendiri/penjaga)	:	_____
Place of stay / Tempat tinggal	:	_____
Date & time of self injury/Tanggal dan masa mencederakan diri		_____
Date & time of admission/ Tanggal dan masa dihospitalkan		_____
Person living with / Tinggal dengan siapa	:	_____
Nature of injury/ Cara mencederakan diri	:	_____
Previous attempts/ Percubaan terdahulu (date)	:	_____
Family history of suicide/ Ahli keluarga yang pernah membuat percubaan	:	_____
Reasons for the attempt / Sebab mencederakan diri	:	_____

### Appendix: 3

#### Intent Scale Score (Pierce 1981)

(Tick where appropriate)

#### Circumstances related to suicide attempt

1. Isolation - When you made the attempt, were you alone or were there others present?  
*Keterasingan - Semasa anda cuba membunuh diri, adakah anda berseorangan atau ada orang lain yang berada di situ?*
  - 0 Someone present / *Ada orang*
  - 1 Someone nearby or in contact (as by phone)  
*Ada orang berhampiran atau boleh di hubungi (melalui telefon)*
  - 2 No one nearby or in contact/ *Tiada sesiapa berhampiran atau yang boleh di hubungi*
2. Timing - Why did you choose the particular time to do it ?  
*Pengaturan masa - Kenapakah anda memilih masa itu untuk melakukannya*
  - 0 Timed so that intervention is possible / *Mengatur masa untuk memungkinan campur tangan*
  - 1 Timed so that intervention is not likely/ *Mengatur masa supaya campur tangan tidak mungkin*
  - 2 Timed so that intervention is highly unlikely/ *Mengatur masa supaya campur tangan tidak mungkin samasekali*
3. ( Precautions against discovery and/or intervention) - Did you make any precautions to avoid discovery and/or intervention?  
*Langkah beringat supaya perbuatan tidak diketahui dan/atau tidak ada campur tangan – Adakah anda mengambil langkah untuk mengelak perbuatan anda daripada diketahui dan/atau adanya kemungkinan campur tangan.*
  - 0 No precautions/ *Tidak ada persiapan*
  - 1 Passive precaution e.g. avoiding others but doing nothing  
To prevent their intervention (alone in room, door unlocked)  
*Persediaan pasif. E.g. menghindarkan diri dari orang lain, tetapi tidak menghalang kemungkinan campur tangan (bertsendirian di bilik, tanpa mengunci pintu)*
  - 2 Active precaution, such as locking doors/ *Langkah yang aktif, misalnya mengunci pintu*

4. Acting to gain help during or after the attempt - Did you try to get help during or after the attempt?

Bertindak untuk mendapatkan pertolongan semasa atau selepas percubaan membunuh diri - Adakah anda cuba mendapatkan pertolongan semasa atau selepas percubaan membunuh diri?

- 0 Notify potential helper regarding attempt/ *Ada menghubungi dan memberitahu mengenai percubaan yang di buat kepada seseorang yang mungkin dapat menolong*
- 1 Contacted but didn't specifically notify potential helper regarding the attempt/ *Berhubung, tetapi tidak memberitahu tentang percubaan yang di buat*
- 2 Did not contact or notify potential helper/ *Tidak cuba berhubung dengan sesiapa pun mengenai percubaan yang di buat*

5. Final acts in anticipation of death - Did you make any plans or preparations before deciding that you want to take your life?

Tindakan/persiapan terakhir sebelum menghadapi kematian – Adakah anda membuat apa-apa rancangan atau persiapan sebelum membuat keputusan untuk membunuh diri?

- 0 None/ *Tidak ada*
- 1 Partial preparation or ideation/ *Persediaan samar-samar, yang tidak konkrit*
- 2 Definite plans made ( e.g. changes in a will, taking out insurance)/ *Persiapan /rancangan yang teliti ( misalnya, menyiapkan /memukar surat wasiat, atau perseidan/ mengeluarkan insuran)*

6. Suicide note - Did you write a suicide note?

Nota membunuh diri

- 0 Absence of note/ *Tidak ada nota*
- 1 Note written but torn up/ *Tulis tetapi dikoyakan*
- 2 Presence of note/ *Ada nota tentang keinginan membunuh diri*

### Self-report / *Laporan Diri*

7. Patient's statement of lethality - In your thoughts did you think what you did was fatal and could have resulted in death?

Kenyataan pesakit mengenai taraf kemungkinan tindakannya itu boleh membawa maut. – Pada tafsiran anda, adakah tindakan yang di ambil akan membawa maut ?

- 0 Thought that what he/she had done would not kill him/her/  
*Memikirkan bahawa tindakannya tidak akan membawa maut*
- 1 Unsure whether what he/she had done would kill him/her/ *Tidak pasti sama ada tindakannya itu akan membawa maut*
- 2 Believed that what he/she had done would kill him/her/ *Percaya bahawa tindakannya yang di ambil akan membawa maut*

8. Stated Intent - Did you want to die by your act?

Kenyataan tujuan tindakan yang di ambil – Adakah anda mahu mati dari tindakan yang di ambil?

- 0 Did not want to die/ *Tidak mahu mati*
- 1 Uncertain or did not care if lived or died/ *Tidak pasti dan tidak perduli sama ada mati atau hidup*
- 2 Did want to die/ *Sememangnya mahu mati*

9. Premeditation - Did you considered for a long time before deciding to take your life?

Perancangan terlebih dahulu – Adakah anda mengambil masa lama memikir dan mempertimbangkannya sebelum membuat keputusan untuk membunuh diri?

- 0 Impulsive, no premeditation/ *Impulsif, mengikut hati tanpa merancang terlebih dahulu*
- 1 Considered act for less than an hour/ *mempertimbangkan tindakan dalam tempoh masa kurang dari sejam*
- 2 Considered act for less than one day/ *mempertimbangkan tindakan dalam tempoh masa kurang dari satu hari*
- 3 Considered act for more than one day *mempertimbangkan tindakan dalam tempoh masa lebih dari satu hari*

10. Reaction to the act - How did you feel after the attempt?

Reaksi selepas kejadian – Apakah perasaan anda selepas membuat percubaan membunuh diri?

- 0 Glad he/she has recovered *Gembira kerana sudah pulih semula*
- 1 Uncertain whether he/she is glad or sorry / *tidak pasti sama ada gembira atau sedih*
- 2 Sorry he/she has recovered/ *Merasa kesal kerana sudah pulih*

**Risk/ Risiko**

11. Predictable outcome in terms of lethality of patients act and circumstances known to him/ her - Based on the lethality of the suicide attempt, was death likely?.

Berasakan seriusnya percubaan untuk membunuh diri itu, adakah kemungkinan tindakan itu akan membawa maut ?

- 0 Survival certain/ *Peluang untuk hidup adalah cerah*
- 1 Death unlikely/ *Tindakannya tidak mungkin membawa maut*
- 2 Death likely or certain/ *Tindakannya sudah pasti akan membawa maut*

12. Would death have occurred without medical treatment - Would the attempter have died, if there were no medical help?

Adakah ia akan mati sekiranya tidak mendapat bantuan perubatan ?

- 0 No/ *Ya*
- 1 Uncertain/ *Kurang pasti*
- 2 Yes/ *Sudah pasti*

## Appendix: 4

### Feelings and Reasons for Attempt

1. Have you ever felt that life is not worth living?

Yes..... No.....

2. Have you ever wish that you were dead?

Yes ..... No .....

3. Feelings

How do you feel at the time of taking the pills. Can you tell me if you felt any of this:

- \_\_\_\_\_ Worried about your future
- \_\_\_\_\_ Angry with someone
- \_\_\_\_\_ Feeling lonely and unwanted
- \_\_\_\_\_ Sorry or ashamed of something
- \_\_\_\_\_ Feeling like you have failed in life

4. Reasons

What are the reasons you took the overdose. Is it because you wanted:

- \_\_\_\_\_ Seek help from someone
- \_\_\_\_\_ Escape for a while from an impossible situation
- \_\_\_\_\_ Get relief from a terrible state of mind
- \_\_\_\_\_ Try to influence some particular person or get them to change their mind

5. Expected effect

At the time what did you think would be the effect of your action on other people:

- \_\_\_\_\_ Show how much you love someone
- \_\_\_\_\_ Make things easier for others
- \_\_\_\_\_ Make people sorry for the way they have treated you
- \_\_\_\_\_ To frighten or get your own back at someone

6. Have you heard of any social organization that you can go to for emotional help?

Yes..... No.....

## Appendix: 5

### Interview guideline

1. Childhood and family background
  - Childhood
  - Relationship with parents
  - Relationship with siblings
  - Relationship with relatives
2. School and Peer group
  - Relationship with school mates
  - Relationship with other outside friends other than school mates
  - Relationship with teachers
  - School environment
3. Knowledge and information available about the possible sources of help.
  - In times of need whom can respondent turn to
  - Awareness of social services
4. Causes or motivating factor for the Suicide attempt
  - Sources of stress in life
  - Precipitating factors(s) of suicidal attempt
  - History of previous attempt
5. Any plans made before the attempt. (Pre- meditation)
  - Intention
  - Social constellation at time of attempt
  - Nature of rescue
6. State of mind before suicide attempt
  - What were the thoughts running in the mind
  - What were the feelings and emotions that was present
7. Effects of suicide attempt
  - Thoughts and feelings after attempt
  - Attitude and behavior of significant others after the attempt
  - Respondents attitude towards the future

**Appendix: 6****Suicide Intent Scale Score For The Eight Subjects**

Suicide Intent Scale Score – Anise

Item	Score	Description
<b>Circumstances related to suicide Attempt</b>		
• Isolation	1	Somebody nearby or in contact (as by phone)
• Timing	1	Timed so that intervention is not likely
• Precautions against discovery and/or intervention	2	Active precaution, such as locking doors
• Action to gain help during or after the attempt	1	Contacted but didn't specifically notify potential helper regarding the attempt
• Final acts in anticipation of death	0	None
• Suicide note	0	Absence of note
<b>Self Report</b>		
• Patient's statement of lethality	2	Believed that what she had done would kill her
• Stated intent	2	Did want to die
• Premeditation	3	Considered act for more than one day
• Reaction to the act	1	Uncertain whether to feel glad or sorry
<b>Risk</b>		
• Predictable outcome in terms of lethality of patient's act and circumstances known to her	2	Death likely or certain
• Would death have occurred without medical treatment	2	Yes
<b>Total score</b>	<b>17</b>	

### Suicide Intent Scale Score - Mala

Item	Score	Description
<b>Circumstances related to suicide Attempt</b>		
• Isolation	0	Somebody present
• Timing	0	Timed so that intervention is possible
• Precautions against discovery and/or intervention	1	Passive precautions e.g. avoiding others but doing nothing to prevent their intervention ( alone in room, door unlocked)
• Action to gain help during or after the attempt	2	Did not contact or notify potential helper regarding the attempt
• Final acts in anticipation of death	2	Definite plans made
• Suicide note	2	Presence of note
<b>Self Report</b>		
• Patient's statement of lethality	2	Believed that what she had done would kill her
• Stated intent	2	Did want to die
• Premeditation	0	Impulsive, no meditation
• Reaction to the act	1	Uncertain whether to feel glad or sorry
<b>Risk</b>		
• Predictable outcome in terms of lethality of patient's act and circumstances known to her	1	Death unlikely
• Would death have occurred without medical treatment	1	Uncertain
<b>Total score</b>	<b>14</b>	

## Suicide Intent Scale Score - Yuma

Item	Score	Description
<b>Circumstances related to suicide attempt</b>		
• Isolation	1	Somebody nearby or in contact (as by phone)
• Timing	1	Timed so that intervention is not likely
• Precautions against discovery and/or intervention	0	No precautions
• Action to gain help during or after the attempt	1	Contacted but didn't specifically notify potential helper regarding the attempt
• Final acts in anticipation of death	0	None
• Suicide note	2	Presence of note
<b>Self Report</b>		
• Patient's statement of lethality	2	Believed that what she had done would kill her
• Stated intent	2	Did want to die
• Premeditation	2	Considered act for less than one day
• Reaction to the act	0	Glad to have recovered
<b>Risk</b>		
• Predictable outcome in terms of lethality of patient's act and circumstances known to her	1	Death unlikely
• Would death have occurred without medical treatment	1	Uncertain
<b>Total score</b>	<b>13</b>	

## Suicide Intent Scale Score – Anita

Item	Score	Description
<b>Circumstances related to suicide Attempt</b>		
• Isolation	0	Somebody present
• Timing	0	Timed so that intervention is possible
• Precautions against discovery and/or intervention	2	Active precaution, such as locking door
• Action to gain help during or after the attempt	2	Did not contact or notify potential helper
• Final acts in anticipation of death	1	Partial preparation or ideation
• Suicide note	0	Absence of note
<b>Self Report</b>		
• Patient's statement of lethality	1	Unsure whether what she had done would kill her
• Stated intent	2	Did want to die
• Premeditation	0	Impulsive, no meditation
• Reaction to the act	1	Uncertain whether to feel glad or sorry
<b>Risk</b>		
• Predictable outcome in terms of lethality of patient's act and circumstances known to her	0	Survival certain
• Would death have occurred without medical treatment	0	No
<b>Total score</b>	<b>9</b>	

## Suicide Intent Scale Score – Lammy

Item	Score	Description
<b>Circumstances related to suicide attempt</b>		
• Isolation	1	Somebody nearby or in contact (as by phone)
• Timing	2	Timed so that intervention is highly unlikely
• Precautions against discovery and/or intervention	0	No precautions
• Action to gain help during or after the attempt	0	Notify potential helper regarding attempt
• Final acts in anticipation of death	0	None
• Suicide note	0	Absence of note
<b>Self Report</b>		
• Patient's statement of lethality	1	Unsure whether what she had done would kill her
• Stated intent	1	Uncertain or did not care if she lived or died
• Premeditation	2	Considered act for less than one day
• Reaction to the act	0	Glad to have recovered
<b>Risk</b>		
• Predictable outcome in terms of lethality of patient's act and circumstances known to her	0	Survival certain
• Would death have occurred without medical treatment	0	No
<b>Total score</b>	<b>7</b>	

## Suicide Intent Scale Score – Nonie

Item	Score	Description
<b>Circumstances related to suicide attempt</b>		
• Isolation	0	Somebody present
• Timing	1	Timed so that intervention is not likely
• Precautions against discovery and/or intervention	1	Passive precautions e.g. avoiding others but doing nothing to prevent their intervention (alone in room, door unlocked)
• Action to gain help during or after the attempt	2	Did not contact or notify potential helper
• Final acts in anticipation of death	1	Partial preparation or ideation
• Suicide note	0	Absence of note
<b>Self Report</b>		
• Patient's statement of lethality	0	Thought that what she had done would not kill her
• Stated intent	0	Did not want to die
• Premeditation	0	Impulsive, no meditation
• Reaction to the act	0	Glad to have recovered
<b>Risk</b>		
• Predictable outcome in terms of lethality of patient's act and circumstances known to her	1	Death unlikely
• Would death have occurred without medical treatment	0	No
<b>Total score</b>	<b>6</b>	

## Suicide Intent Scale Score – Marina

Item	Score	Description
<b>Circumstances related to suicide attempt</b>		
• Isolation	2	No one nearby or in contact
• Timing	0	Timed so that intervention is possible
• Precautions against discovery and/or intervention	0	No precautions
• Action to gain help during or after the attempt	0	Notify potential helper regarding attempt
• Final acts in anticipation of death	0	None
• Suicide note	0	Absence of note
<b>Self Report</b>		
• Patient's statement of lethality	1	Unsure whether what she had done would kill her
• Stated intent	1	Uncertain or did not care if she lived or died
• Premeditation	0	Impulsive, no meditation
• Reaction to the act	1	Uncertain whether to feel glad or sorry
<b>Risk</b>		
• Predictable outcome in terms of lethality of patient's act and circumstances known to her	0	Survival certain
• Would death have occurred without medical treatment	0	No
<b>Total score</b>	<b>5</b>	

## Suicide Intent Scale Score – Sima

Item	Score	Description
<b>Circumstances related to suicide attempt</b>		
• Isolation	0	Somebody present
• Timing	1	Timed so that intervention is not likely
• Precautions against discovery and/or intervention	1	Passive precautions e.g. avoiding others but doing nothing to prevent intervention ( alone in room, door unlocked)
• Action to gain help during or after the attempt	0	Notify potential helper regarding attempt
• Final acts in anticipation of death	0	None
• Suicide note	0	Absence of note
<b>Self Report</b>		
• Patient's statement of lethality	0	Thought that what she had done would not kill her
• Stated intent	0	Did not want to die
• Premeditation	1	Considered act for less than one hour
• Reaction to the act	0	Glad to have recovered
<b>Risk</b>		
• Predictable outcome in terms of lethality of patient's act and circumstances known to her	0	Survival certain
• Would death have occurred without medical treatment	1	Uncertain
<b>Total score</b>	<b>4</b>	

Appendix: 7 Summary of the Eight Young Women Attempters										
	Anise	Mala	Yuma	Anita	Lammy	Nonie	Marina	Sima		
Age	18	23	22	19	24	18	24	16		
Sibling ranking	2 <sup>nd</sup>	Eldest	2 <sup>nd</sup>	Youngest	Eldest	2 <sup>nd</sup>	Eldest	4 <sup>th</sup>		
Race	Indian	Indian	Malay	Malay	Chinese	Malay	Malay	Malay		
Religion	Hindu	Hindu	Muslim	Muslim	Christian	Muslim	Muslim	Muslim		
Marital Status	Single	Single	Single	Single	Single	Single	Married	Single		
Education	Form:5	Failed SPM	Form:5	Failed SPM	Univer-sity	Diploma	Diploma	Form:5		
Employment	Not working	Waitress	GRO	Factory operator	Student	Student	Student	Student		
Person living	Family	Welfare	Own	Family	Own	Friends	Own	Family		
Nature of injury	Panadol and antibiotic	Rat poison	Panadol	Panadol	Panadol and ponstan	Multiple drugs	Pain killers	Panadol		
1 <sup>st</sup> attempt	Nov.'99	17 yrs.old	April '00	Nov. '99	Oct.'99	Feb'00	May'00	April'00		
2 <sup>nd</sup> attempt	April'00	May'00	Nil	May'00	May'00	May'00	Nil	Nil		
Suicide Intent	17	14	13	9	7	6	5	4		
Score										
Attachment to family	No	No	Yes	No	No	Yes	Yes	No		
Lost of family members	No	Yes	No	Yes	Yes	No	No	Yes		
Isolation	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		
Availability of Support	No	Yes	No	No	Yes	Yes	No	No		
Awareness of counseling	Yes	No	No	Yes	Yes	No	Yes	Yes		
Religious	Yes	Yes	No	No	Yes	Yes	Yes	No		

Appendix: 8 Summary of the Feelings and Thoughts of the Eight Female Youth Before The Attempt

Feelings and thoughts	Anise	Mala	Yuma	Anita	Lammy	Nonie	Marina	Sima
Before the attempt								
Afraid/Fearful/Scared	X	X	X	X	X	X	X	X
Isolated/Ostracized	X	X	X	X	X	X	X	X
Ashamed/Embarrassed	X	X	X	X	X	X	X	
Restless	X	X		X	X	X	X	X
Angry	X			X	X	X	X	X
Disappointed	X	X	X		X	X	X	
Helpless/Hopeless	X	X	X	X	X	X		
Hurt	X		X	X	X		X	X
Pressured/Stressed/ Tension		X	X	X	X	X		X
Torn		X	X	X	X		X	X
Unloved	X	X	X	X			X	X
Confused	X	X			X		X	X
Guilty		X	X	X	X			X

continue

Appendix: 8 Summary of the Feelings and Thoughts of the Eight Female Youth Before The Attempt

Feelings and thoughts	Anise	Mala	Yuma	Anita	Lammy	Nonie	Marina	Sima
Before the attempt								
Puzzled	X	X	X				X	X
Depressed	X	X				X	X	
Anxious	X			X	X	X		
Betrayed	X		X				X	X
Lost	X	X	X	X				
Unwanted	X	X	X				X	
Ambivalence				X	X		X	
Desperate		X	X		X			
Demeaned	X						X	X
Miserable/ Unhappy	X		X	X				
Lonely		X	X	X		X		
Frustrated				X	X			
Pride			X	X				
Regret/ Remorseful		X					X	X
Responsible		X		X	X			
Sad	X	X	X					
Stifled /suffocated	X		X	X				
Stuck			X		X		X	

continue

**Appendix: 8 Summary of the Feelings and Thoughts of the Eight Female Youth Before The Attempt**

<b>Feelings and thoughts</b>	<b>Anise</b>	<b>Mala</b>	<b>Yuma</b>	<b>Anita</b>	<b>Lammy</b>	<b>Nonie</b>	<b>Marina</b>	<b>Sima</b>
<b>Before the Attempt</b>								
<b>Unsafe /insecure</b>	X				X		X	
<b>Used</b>			X				X	
<b>Trapped</b>			X		X		X	X
<b>Unfair</b>				X				
<b>Failure</b>	X				X	X		
<b>Abandoned</b>								
<b>Cheated/ Deceived</b>		X					X	X
<b>Humiliated</b>	X					X		
<b>Indecisive</b>		X			X		X	
<b>Numbed /Paralyzed</b>		X		X				
<b>Neglected</b>	X							X
<b>Powerless</b>			X	X				
<b>Rejected</b>	X							X
<b>Shocked</b>		X					X	
<b>Suspicious</b>			X				X	
<b>Useless</b>	X			X				
<b>Void</b>		X	X					

continue

Appendix: 8 Summary of the Feelings and Thoughts of the Eight Female Youth Before The Attempt

Feelings and thoughts	Anise	Mala	Yuma	Anita	Lammy	Nonie	Marina	Sima
Before the attempt								
Worthless	X		X					
Assured								X
Annoyed						X		
Loss confidence					X			
Loss of trust								X
Loved		X						
Blamed					X			
Bored				X				
Burn out						X		
Denial							X	
Despair			X					
Disbelieve		X						
Dishonored							X	
Grief				X				
Hate					X			
Jealous								X
Resentful		X						
Mistrustful							X	
Panicked		X						
Overwhelmed							X	

continue

Appendix: 8 Summary of the Feelings and Thoughts of the Eight Female Youth Before The Attempt

Feelings and thoughts	Anise	Mala	Yuma	Anita	Lammy	Nonie	Marina	Sima
Before the attempt								
Sinful		X						
Sorry				X				
Stupid							X	
Tired				X				
Victimized	X							
Wronged						X		
Life not worth living	X							
Wish being dead	X			X	X			
<b>Total</b>	<b>28</b>	<b>28</b>	<b>28</b>	<b>28</b>	<b>26</b>	<b>15</b>	<b>24</b>	<b>21</b>
Positive								
Cared		X						X
Loved		X						
<b>Total</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>

**Appendix: 9 Summary of the most common Feelings Expressed by the Female Youth Before the Attempt**

Feelings and thoughts	Anise	Mala	Yuma	Anita	Lammy	Nonie	Marina	Sima
Before the attempt								
Afraid/Fearful/ Scared	X	X	X	X	X	X	X	X
Ashamed/ Embarrassed	X	X	X	X	X	X	X	
Disappointed	X	X	X		X	X	X	
Helpless/ Hopeless	X	X	X	X	X	X		
Hurt	X		X	X	X		X	X
Pressured/ Stressed/ Tension		X	X	X	X	X		X
Restless	X	X		X	X	X	X	X
Torn		X	X	X	X		X	X
Unloved	X	X	X	X			X	X

Appendix:10 Summary of the Feelings and Thoughts of the Eight Female Youth After The Attempt

Feelings and thoughts	Anise	Mala	Yuma	Anita	Lammy	Nonie	Marina	Sima
After the attempt								
Negative								
Hate	X							
Fearful	X			X				
Fed-up	X							
Guilty				X				
Sorry								
Uncertain	X	X		X			X	
Unhappy	X							
<b>Total</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>
Positive								
Ashamed				X				
Foolish/Mad		X	X			X	X	
Glad			X		X	X		X
Hopeful			X					X
Thankful			X			X		
Regret/Remorseful		X	X	X		X	X	
Relief							X	
<b>Total</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>3</b>	<b>2</b>

JABATAN PSIKIATRI  
HOSPITAL KUALA LUMPUR.

HKC/IP/98/35/165

16 Zulhijjah 1421  
24 Mac 2000

Pengarah  
Hospital Kuala Lumpur.  
(u.p. Dr. D. Saraswathy)

Puan,

**Permohonan Untuk Menjalankan Penyelidikan  
Oleh Puan Aini bt. Omar, pelajar Sarjana Pendidikan  
(Bimbingan & Kaunseling) Universiti Malaya.**

Merujuk kepada perkara di atas dan memo puan bertarikh 20.1.2000 sukacita dimaklumkan bahawa kami tiada masalah untuk pemohon menjalankan penyelidikan bertajuk *A Study of Suicide Attempters Among Young Women* di jabatan ini.


2. Walaubagaimanapun perlu diingatkan kepada pemohon bahawa setelah setiap pesakit dikenalpasti penyelidik perlu berjumpa dengan pakar yang menjaga pesakit berkenaan.

Sekian, untuk tindakan puan selanjutnya.

Terima kasih.

"Berkhidmat Untuk Negara"

Saya yang menjalankan tugas,



(DATO' HJ. DR. ABDUL AZIZ ABDULLAH)  
Ketua Jabatan Psikiatri  
Hospital Kuala Lumpur.

S.K. Cik Aini bt Omar  
No 6, Jalan Perdana 5/2  
Pandan Perdana, 55300 K. Lumpur  
AAH/hh.admin.5 Fax: 4623419