

REFERENCES

- Aebi, C., Stone, B., Beucher, M., Cope, L.D., Maciver, I., Thomas, S.E., McCracken, Jr., G.H., Sparling, F. and Hansen, E.J. (1996) Expression of the CopB outer membrane protein by *Moraxella catarrhalis* is regulated by iron and affects iron acquisition from transferrin and lactoferrin. *Infect. Immun.* 64:2024-2030.
- Agger, W.A., McCormick, J.D. and Gurwith, M.J. (1985) Clinical and microbiological features of *A. hydrophila* associated diarrhea. *J. Clin. Microbiol.* 21:909-913.
- Albert, M.J. (1996) Epidemiology and molecular biology of *Vibrio cholerae* O139 Bengal. *Indian J. Med. Res.* 104:14-27.
- Alford, C.E., King Jr., T.E. and Campbell, P.A. (1991) Role of transferrin, transferrin receptors and iron in macrophage listericidal activity. *J. Exp. Med.* 174:459-466.
- Allan, B.J. and Stevenson R.M.W. (1981) Extracellular virulence factors of *Aeromonas hydrophila* in fish infections. *Can. J. Microbiol.* 27:1114-1122.
- Alm, R.A., Mayrhofer, G., Kotlarski, I. and Manning, P.A. (1991) Aminoterminal domain of the El Tor haemolysin of *Vibrio cholerae* O1 is expressed in classical strain and is cytotoxic. *Vaccine*. 9:588-594.
- Altwegg, M. and Geiss, H.K. (1989) *Aeromonas* as a human pathogen. *CRC Crit. Rev. Microbiol.* 16:253-286.
- Archibald, F. (1983) *Lactobacillus plantarum*, an organism not requiring iron. *FEMS Microbiol. Lett.* 19:29-32.
- Arnow, L.E. (1937) Colorimetric determination of the components of 3,4-dihydroxyphenylalanine-tyrosine mixtures. *J. Biol. Chem.* 118:531-537.
- Asao, T., Kinoshita, Y., Kozaki, S., Uemura, T. and Sakaguchi, G. (1984) Purification and some properties of *Aeromonas hydrophila* hemolysin. *Infect. Immun.* 46:122-127.
- Asao, T., Kozaki, S., Keito, K., Keiji, K.Y.O., Uemura, T. and Sakaguchi, G. (1986) Purification and characterization of an *Aeromonas hydrophila* hemolysin. *J. Clin. Microbiol.* 24:228-232.
- Bagg, A. and Neilands, J.B. (1987) Ferric uptake regulation protein acts as a repressor, employing iron(II) as a cofactor to bind the operator of an iron transport operon in *Escherichia coli*. *Biochemistry*. 26:5471-5477.

Barghouthi, S., Payne, S.M., Arceneaux, J.E.L. and Byers, B.R. (1991)
Cloning, mutagenesis and nucleotide sequence of a siderophore biosynthetic gene (*amoA*) from *Aeromonas hydrophila*. *J. Bacteriol.* **173**:5121-5128.

Barghouthi, S., Young, R., Olson, M.O.J., Arceneaux, J.E.L., Clem, L.W. and Byers, B.R. (1989) Amonabactin, a novel tryptophan- or phenylalanine-containing phenolate siderophore in *Aeromonas hydrophila*. *J. Bacteriol.* **171**:1811-1816.

Benjamin, W.H., Turnbough, C.L., Posey, B.S. and Briles, D. (1985) The ability of *Salmonella typhimurium* to produce the siderophore enterobactin is not a virulence factor in mouse typhoid. *Infect. Immun.* **50**:392-397.

Bergeron, R.J. and Brittenham, G.M. eds. (1994) The Development of Iron Chelators for Clinical Use. CRC Press, Boca Raton, Fl. USA.

Berish, S.A., Subbarao, S., Chen, C.Y., Trees, D.L. and Morse, S.A. (1993) Identification and cloning of a *fur* homolog from *Neisseria gonorrhoeae*. *Infect. Immun.* **61**:4599-4606.

Bernheimer, A.W. and Avigad, I.S. (1974) Partial characterization of aerolysin, a lytic exotoxin from *Aeromonas hydrophila*. *Infect. Immun.* **9**:1016-1021.

Bezkorovainy, A. (1987) Iron proteins. In: Iron and Infection: Molecular, Clinical and Physiological Aspects (Bullen, J.J. and Griffiths, E., Eds.), pp. 27-67. Wiley, Chichester.

Bezkorovainy, A., Soberg, L., Poch, M. and Miller-Catchpole, R. (1987) Ferrous iron uptake by *Bifidobacterium bifidum* var. *pennsylvanicum*: the effect of metals and metabolic inhibitors. *Int. J. Biochem.* **19**:517-522.

Bezkorovainy, A., Topouzian, N. and Miller-Catchpole, R. (1986) Mechanisms of ferrous and ferric iron uptake by *Bifidobacterium bifidus* var. *pennsylvanicus*. *Clin. Physiol. Biochem.* **4**:150-158.

Bitter, W., Tommassen, J. and Weisbeek, P.J. (1993) Identification and characterization of the *exbB*, *exbD* and *tonB* genes of *Pseudomonas putida* WCS358: their involvement in ferric-pseudobactin transport. *Mol. Microbiol.* **7**:117-130.

Bjorn, M.J., Iglesias, B.H., Ives, S.K., Sadoff, J.C. and Vasil, M.I. (1978) Effect of iron on yields of exotoxin A in cultures of *Pseudomonas aeruginosa* PA-103. *Infect. Immun.* **19**:785-791.

Bjorn, M.J., Sokol, P.A. and Iglesias, B.H. (1979) Influence of iron on yields of extracellular products in *Pseudomonas aeruginosa* cultures. *J. Bacteriol.* **318**:193-200.

Black, J.R., Dyer, D.W., Thompson, M.K. and Sparling, P.F. (1986)
Human immune response to outer membrane proteins of *Neisseria meningitidis*.
Infect. Immun. **54**:710-713.

Blanton, K.J., Biswas, G.D., Tsai, J., Adams, J., Dyer, D.W., Davies, S.M., Koch, G.C., Sen, P.K. and Sparling, P.F. (1990) Genetic evidence that *Neisseria gonorrhoeae* produces specific receptors for transferrin and lactoferrin. *J. Bacteriol.* **172**: 5225-5235.

Booth, B.A., Boesman-Finkelstein, M. and Finkelstein, R.A. (1983) *Vibrio cholerae* soluble hemagglutinin/protease is a metalloenzyme. *Infect. Immun.* **42**:639-644.

Booth, B.A., Boesman-Finkelstein, M. and Finkelstein, R.A. (1984) *Vibrio cholerae* hemagglutinin/protease nicks cholera enterotoxin. *Infect. Immun.* **45**:558-560.

Borrego, J.J., Morinigo, M.A., Martinez-Manzanarez, E., Bosca, M., Castro, D., Barja, J.L. and Toranzo, A.E. (1991) Plasmid associated virulence properties of environmental isolates of *Aeromonas hydrophila*. *J. Med. Microbiol.* **35**:264-269.

Boyd, J., Oso, M.N. and Murphy, J.R. (1990) Molecular cloning and DNA sequence analysis of a diphtheria *tox* iron-dependent regulatory element (*dtxR*) from *Corynebacterium diphtheriae*. *Proc. Natl. Acad. Sci. USA* **81**:6929-6933.

Braun, V. (1995) Energy-coupled transport and signal transduction through the gram-negative outer membrane via TonB-ExxB-ExbD-dependent receptor proteins. *FEMS Microbiol. Rev.* **16**:295-307.

Braun, V., Gaisser, S., Herrmann, C., Kampfenkel, K., Killmann, H. and Traub, I. (1996) Energy-coupled transport across the outer membrane of *Escherichia coli*: ExxB binds ExbD and TonB in vitro, and leucine 132 in the periplasmic region and aspartate 25 in the transmembrane region are important for ExbD activity. *J. Bacteriol.* **178**:2836-2845.

Braun, V., Schaffer, S., Hantke, K. and Troger, W. (1990) Regulation of gene expression by iron. In: The molecular biology of bacterial metabolism. pp. 164-179. 41st Mosbach Colloquium. Springer-Verlag KG, Berlin.

Brenden, R. and Janda, J.M. (1987) Detection, quantitation and stability of the β -haemolysin of *Aeromonas* spp. *J. Med. Microbiol.* **24**:247-251.

Brickman, T.J., and McIntosh, M.A. (1992) Overexpression and purification of ferric enterobactin esterase from *Escherichia coli*. Demonstration of enzymatic hydrolysis of enterobactin and its iron complex. *J. Biol. Chem.* **267**:12350-55.

Britigan, B.E., Roeder, T.E., Rasmussen, G.T., Shasby, D.M., McCormick, M.L. and Cox, C.D. (1992) Interaction of the *Pseudomonas aeruginosa* secretory products pyocyanin and pyochelin generates hydroxyl radical and causes synergistic damage to endothelial cells. *J. Clin. Invest.* 90:2187-2196.

Brock, J.H., and Mainou-Fowler, T. (1986) Iron and immunity. *Proc. Nutr. Soc.* 45:305-315.

Brown, M.R.W., Anwar, H. and Lambert, P.A. (1984) Evidence that mucoid *Pseudomonas aeruginosa* in the cystic fibrosis lung grows under iron-restricted conditions. *FEMS Microbiol. Lett.* 21:113-117.

Brown, M.H. and Manning, P.A. (1985) Haemolysin genes of *V. cholerae*: presence of homologous DNA in non-haemolytic and non-O1 strains. *FEMS Microbiol. Lett.* 30:197-201.

Brumlik, M.J. and Storey, D.G. (1992) Zinc and iron regulate translation of the gene encoding *Pseudomonas aeruginosa* elastase. *Mol. Microbiol.* 6:337-344.

Bryan, C.F., Leech, S.H., and Bozelka, B. (1986) The immunoregulatory nature of iron. II. Lymphocyte surface marker expression. *J. Leukocyte Biol.* 40:589-600.

Burke, V., Robinson, J.M., Atkinson, H.M., Dibley, M., Berry, R.J. and Gracey, M. (1981) Exotoxins of *Aeromonas hydrophila*. *Aust. J. Exp. Biol. Med. Sci.* 59:753-761.

Burke, V., Robinson, J., Gracey, M., Peterson, D. and Partridge, K. (1984a) Isolation of *Aeromonas hydrophila* from a metropolitan water supply: seasonal correlation with clinical isolates. *Appl. Environ. Microbiol.* 48:361-366.

Burke, V., Robinson, J., Cooper, M., Beaman, J., Partridge, K., Peterson, D. and Gracey, M. (1984b) Biotyping and virulence factors in clinical and environmental isolates of *Aeromonas* spp. *Appl. Environ. Microbiol.* 47:1146-1149.

Burke, V., Gracey, M., Robinson, J., Peck, D., Beaman, J. and Bundell, C. (1983) The microbiology of childhood of gastroenteritis: *Aeromonas* species and other infective agents. *J. Infect. Dis.* 148:68-74.

Butterton, J.R., Stoebner, J.A., Payne, S.M. and Calderwood, S.B. (1992) Cloning, sequencing and transcriptional regulation of *viuA*, the gene encoding the ferric vibriobactin receptor of *Vibrio cholerae*. *J. Bacteriol.* 174:3729-3738.

Byers, B.R. (1987) Pathogenic iron acquisition. *Life Chem. Reports.* 4:143-159.

Byrd, T. and Horwitz, M.A. (1991) Chloroquin inhibits the intracellular multiplication of *Legionella pneumophila* by limiting the availability of iron. *J. Clin. Invest.* **88**:351-357.

Cahill, M.M. (1990) Virulence factors in motile *Aeromonas* species. *J. Appl. Bacteriol.* **69**:1-6.

Calderwood, S.B. and Mekalanos, J.J. (1987) Iron regulation of Shiga-like toxin expression in *Escherichia coli* is mediated by the *fur* locus. *J. Bacteriol.* **169**:4759-4764.

Carlton, W.W. and Hunt, R.D. (1978) Bacterial diseases. In: *Pathology of Laboratory Animals*. (Bernischke, K., Garner, F.M., Jones, T.C. Eds) Vol. 2 New York, Springer-Verlag. pp.1373-1377.

Carroll, J.A., Dorward, D.W. and Gherardini, F.C. (1996) Identification of a transferrin-binding protein from *Borrelia burgdorferi*. *Infect. Immun.* **64**:2911-2916.

Cartwright, G.E., Lauritsen, M.A., Jones, P.J., Merril, L.M. and Wintrrobe, M.M. (1946) The anaemia of infection. I. Hypoferremia, hypercupremia and alterations in porphyrin metabolism in patients. *J. Clin. Invest.* **25**:65-80.

Chart, H. and Trust, T.J. (1983) Acquisition of iron by *Aeromonas salmonocida*. *J. Bacteriol.* **156**:758-764.

Cheesborough, M. (1984) *Medical Laboratory Manual for Tropical Countries*. Vol. II: Microbiology. Butterworth-Heinemann Ltd. Oxford.

Chen, C.Y., Berish, S.A., Morse, S.A. and Mietzner T.A. (1993) The ferric iron-binding protein of pathogenic *Neisseria* spp. functions as a periplasmic transport protein in iron acquisition from human transferrin. *Mol. Microbiol.* **10**:311-318.

Chen, C.J., Sparling, P.F., Lewis, L.A., Dyer, D.W. and Elkins, C. (1996) Identification and purification of a hemoglobin-binding outer membrane protein from *Neisseria gonorrhoeae*. *Infect. Immun.* **64**:5008-5014.

Comstock, L.E., Johnson, J.A., Michalski, J.M., Morris Jr., J.G. and Kaper, J.B. (1996) Cloning and sequence of a region encoding a surface polysaccharide of *Vibrio cholerae* O139 and characterization of the insertion site in the chromosome of *Vibrio cholerae* O1. *Mol. Microbiol.* **19**:815-826.

Cornelissen, C.N., Biswas, G.D., Tsai, J., Parachuri, D.K., Thompson, S.A. and Sparling, P.F. (1992) Gonococcal transferrin binding protein 1 is required for transferrin utilization and is homologous to TonB-dependent outer membrane receptors. *J. Bacteriol.* **174**:5788-5797.

Coulton, J.W. (1982) The ferrichrome-iron receptor of *Escherichia coli* K-12: Antigenicity of the FhuA protein. *Biochim. Biophys. Acta.* **717**:154-162.

Cowart, R.E. and Foster, B.G. (1985) Differential effects of iron on the growth of *Listeria monocytogenes*: minimum requirements and mechanism of acquisition. *J. Inf. Dis.* **151**:721-730.

Cox, C.D. (1982) Effect of pyochelin on the virulence of *Pseudomonas aeruginosa*. *Infect. Immun.* **36**:17-23.

Cox, C.D. (1986) Role of pyocyanin in the acquisition of iron from transferrin. *Infect. Immun.* **52**:263-270.

Crosa, J.H. (1979) *Vibrio anguillarum*: an iron uptake mechanism as a factor of virulence. *Fish Health News* **8**:7-9.

Crosa, J.H. (1980) A plasmid associated with virulence in the marine fish pathogen *Vibrio anguillarum* specifies an iron sequestering system. *Nature*. **284**:566-568.

Crosa, J.H. (1984) The relationship of plasmid-mediated iron transport and bacterial virulence. *Ann. Rev. Microbiol.* **38**:69-89.

Crosa, J.H. (1989) Genetics and molecular biology of siderophore mediated iron transport in bacteria. *Microbiol. Rev.* **53**:517-530.

Crosa, J.H., Hodges, L.L. and Schiewe, M.H. (1980) Curing of a plasmid is correlated with attenuation of virulence in the marine fish pathogen *Vibrio anguillarum*. *Infect. Immun.* **27**:897-902.

Crosa, J.H., Schiewe, M.H. and Falkow, S. (1977) Evidence for plasmid contribution to the virulence of the fish pathogen *Vibrio anguillarum*. *Infect. Immun.* **18**:509-513.

Crichton, R.R. and Charlotteaux-Wauters, M. (1987) Iron transport and storage. *Eur. J. Biochem.* **164**:485-506.

Crowther, R.S., Roomi, N.W., Fahim, R.E.F. and Forstner, J.F. (1987) *Vibrio cholerae* metalloproteinase degrades intestinal mucin and facilitates enterotoxin-induced secretion from rat intestine. *Biochim. Biophys. Acta* **924**:393-402.

Cryz, S.J., Russel, L.M. and Holmes, R.K. (1983) Regulation of toxinogenesis in *Corynebacterium diphtheriae*: mutations in the bacterial genome that alter the effects of iron on toxin production. *J. Bacteriol.* **154**:245-252.

Csaky, T. (1948) On the estimation of bound hydroxylamine in biological materials. *Acta Chem. Scand.* **2**:450-454.

Cumberbatch, N., Gurwith, M.J., Langston, C., Sack, R.B. and Brunton, J.L. (1979) Cytotoxic enterotoxin produced by *Aeromonas hydrophila*: relationship of toxigenic isolates to diarrheal disease. *Infect. Immun.* 23:829-837.

Dallman, P.R. (1986) Biochemical basis for the manifestations of iron deficiency. *Ann. Rev. Nutr.* 6:13-40.

Dancis, A., Klausner, R.D., Hinnebusch, A.G. and Barriocanal, J.G. (1990) Genetic evidence that ferric reductase is required for iron uptake in *Saccharomyces cerevisiae*. *Mol. Cell. Biol.* 10:2294-2301.

Dancis, A., Roman, D.G., Anderson, G.J., Hinnebusch, A.G. and Klausner, R.D. (1992) Ferric reductase of *Saccharomyces cerevisiae*: molecular characterization, role in iron uptake and transcriptional control by iron. *Proc. Natl. Acad. Sci. USA* 89:3869-3873.

Davis, W.A., Kane, J.G. and Garagusi, V.F. (1978) Human *Aeromonas* infections: a review of the literature and a case report of endocarditis. *Medicine* 57:267-277.

Dean, H.M. and Post R.M. (1967) Fatal infection with *Aeromonas hydrophila* in a patient with acute myelogenous leukemia. *Ann. Intern. Med.* 66:1177-1179.

Deis, A. (1983) Iron metabolism in reticuloendothelial cells. *Sem. Hematol.* 20:81-90.

De Lorenzo, V., Giovannini, F., Herrero, M. and Neilands, J.B. (1988a) Metal ion regulation of gene expression: Fur repressor-operator interaction at the promoter region of the aerobactin system of pColV-K30. *J. Mol. Biol.* 203:875-884.

De Lorenzo, V., Herrero, M., Giovannini, F. and Neilands, J.B. (1988b) Fur (ferric uptake regulation) protein and CAP (catabolite activator protein) modulate transcription of fur gene in *Escherichia coli*. *Eur. J. Biochem.* 173:537-546.

De Lorenzo, V., Wee, S., Giovannini, F. and Neilands, J.B. (1987) Operator sequences of the aerobactin operon of plasmid ColV-K30 binding the ferric uptake regulation (fur) repressor. *J. Bacteriol.* 169:2624-2630.

De Moor, C.E. (1963) A non-haemolytic vibrio. *Trop. Geogr. Med.* 15:97-107.

Dixon, B.A., Yamashita, J. and Evelyn, F. (1990) Antibiotic resistance of *Aeromonas* spp. isolated from tropical fish imported from Singapore. *J. Aquatic Animal Health* 2:295-297.

Dyer, D.W., West, E.P. and Sparling, P.F. (1987) Effects of serum carrier proteins on the growth of pathogenic *Neisseria* with heme-bound iron. *Infect. Immun.* **55**:2171-2175.

Evans, S.L., Arceneaux, J.E.L., Byers, B.R., Martin, M.E. and Aranha, N. (1986) Ferrous iron transport in *Streptococcus mutans*. *J. Bacteriol.* **168**:1096-1099.

Evans, W.C. (1947) Oxidation of phenol and benzoic acid by some soil bacteria. *Biochem. J.* **41**:373-382.

Feeley, J.C. (1965) Classification of *Vibrio cholerae* (*Vibrio comma*), including El Tor vibrios, by intrasubspecific characteristics. *J. Bacteriol.* **89**:665-678.

Fernandez-Berroz, M.E., Gonzales, C., McIntosh, M.A. and Cabello, F.C. (1987) Immune response to the iron-deprivation induced proteins of *Salmonella typhi* in typhoid fever. *Infect. Immun.* **57**:1271-1275.

Figura, N., Marri, L., Verdiani, S., Ceccherini, C. and Barberi, A. (1986) Prevalence, species differentiation and toxigenicity of *Aeromonas* strains in cases of childhood gastroenteritis and in controls. *J. Clin. Microbiol.* **23**:529-599.

Finkelstein, R.A. (1973) Cholera. *Crit. Rev. Microbiol.* **2**:553-623.

Finkelstein, R.A., Boesman-Finkelstein, M. and Holt, P. (1983) *Vibrio cholerae* hemagglutinin/lectin/protease hydrolyzes fibronectin and ovomucin: F. M. Burnet revisited. *Proc. Natl. Acad. Sci. USA.* **80**:1092-1095.

Finkelstein, R.A., Boesman-Finkelstein, M., Chang, Y. and Hase, C.C. (1992) *Vibrio cholerae* hemagglutinin/protease, colonial variation, virulence, and detachment. *Infect. Immun.* **60**:472-478.

Finkelstein, R.A. and Hanne, L.F. (1982) Purification and characterization of the soluble hemagglutinin (cholera lectin) produced by *Vibrio cholerae*. *Infect. Immun.* **36**:1199-1208.

Finkelstein, R.A. and Mukerjee, S. (1963) Hemagglutination: a rapid method for differentiating *Vibrio cholerae* and El Tor vibrios. *Proc. Soc. Exp. Biol. Med.* **112**:355-359.

Flesch, I.E.A. and Kaufmann, S.H.E. (1991) Mechanisms involved in mycobacterial growth inhibition by gamma interferon-activated bone marrow macrophages: role of reactive nitrogen intermediates. *Infect. Immun.* **58**:3213-3218.

Flitter, R.W., Rowley, D.A. and Halliwell, B. (1983) Superoxide dependent formation of hydroxide radicals in the presence of iron salts. *FEBS Lett.* **158**:310-312.

Fontecave, M., Coves, J. and Pierre, J.L. (1994) Ferric reductases or flavin reductases? *Biometals.* **7**:3-8.

Foster, J.W. (1993) The acid tolerance response of *Salmonella typhimurium* involves transient synthesis of key acid shock proteins. *J. Bacteriol.* **175**:1981-1987.

Foster, J.W. and Hall, H.K. (1992) Effect of *Salmonella typhimurium* ferric uptake regulator (*fur*) mutations on iron- and pH-regulated protein synthesis. *J. Bacteriol.* **174**:4317-4323.

Franzen, V.L., and Manning, P.A. (1986) Hemagglutinins of *Vibrio cholerae*: molecular cloning and expression in *Escherichia coli* K-12 of the gene for a hemagglutinin. *Infect. Immun.* **52**:279-284.

Freij, B.J. (1984) *Aeromonas*: biology of the organism and disease in children. *Pediatr. Infect. Dis.* **3**:164-175.

Gautam, A.R., Pathak, S.P., Ramteke, P.W. and Bhattacharjee, J.W. (1992) Virulence factors in environmental isolates of *Aeromonas* spp. *J. Gen. Appl. Microbiol.* **38**:185-189.

Georgatsou, E. and Alexandraki, D. (1994) Two distinctly regulated genes are required for ferric reduction, the first step of iron uptake in *Saccharomyces cerevisiae*. *Mol. Cell Biol.* **14**:3065-3073.

Goebel, W., Chakraborty, T. and Kleft, J. (1988) Bacterial hemolysins as virulence factors. *Antonie van Leeuwenhoek J. Microbiol.* **54**:453-463.

Goldberg, M.B., Boyko, S.A. and Calderwood, S.B. (1990a) Transcriptional regulation by iron of a *Vibrio cholerae* virulence gene and homology of the gene to the *Escherichia coli* Fur system. *J. Bacteriol.* **172**:6863-6870.

Goldberg, M.B., DeRita, V.J. and Calderwood, S.B. (1990b) Identification of an iron regulated virulence determinant in *Vibrio cholerae*, using TnphoA mutagenesis. *Infect. Immun.* **58**:55-60.

Goldberg, S.L. and Murphy, J.R. (1984) Molecular cloning of the hemolysin determinant from *Vibrio cholerae* El Tor. *J. Bacteriol.* **160**:239-244.

Goldberg, S.L. and Murphy, J.R. (1985) Cloning and characterization of the hemolysin determinants from *Vibrio cholerae* RV79(Hly⁺), RV79(Hly⁻), and 569B. *J. Bacteriol.* **162**:35-41.

Gonzalez, C., Fernandez-Beros, M.E and Cabello, F.C. (1987) *Salmonella typhi* iron starvation induced outer membrane proteins are immunogenic in typhoid fever. Abstracts of the Annual Meeting of the American Society for Microbiology, B-12.

Gracey, M., Burke, V. and Robinson, J.R. (1982) *Aeromonas*-associated gastroenteritis. *Lancet* **2**:1304-1306.

Gray-Owen, S.D. and Schryvers, A.B. (1995) Characterization of transferrin binding proteins 1 and 2 in invasive type b and non-typable strains of *Haemophilus influenzae*. *Infect. Immun.* **63**:3809-3815.

Gray, S.J., Stickler, D.J. and Bryant, T.N. (1990) The incidence of virulence factors in mesophilic *Aeromonas* species isolated from farm animals and their environment. *105*:277-294.

Griffiths, E. (1987) The iron uptake systems of pathogenic bacteria. In: Iron and Infection: Molecular, Clinical and Physiological Aspects (Bullen, J.J. and Griffiths, E. Eds.), pp. 69-137. Wiley, Chichester.

Griffiths, E. and Humphreys, J. (1980) Isolation of enterochelin from the peritoneal washings of guinea pigs lethally infected with *Escherichia coli*. *Infect. Immun.* **28**:286-289.

Griffiths, E., Stevenson, P. and Joyce, P. (1983) Pathogenic *Escherichia coli* express new outer membrane proteins when growing in vivo. *FEMS Microbiol. Lett.* **16**:95-99.

Griffiths, E., Stevenson, P., Thorpe, R. and Chart, H. (1985) Naturally occurring antibodies in human sera that react with the iron regulated outer membrane proteins of *Escherichia coli*. *Infect. Immun.* **47**:808-813.

Griffiths, E., Stevenson, P., Byfield, P., Ala'Aldeen, D.A., Borriello, S.P., Holland, J., Parsons, T. and Williams, P. (1993a) Antigenic relationships of transferrin-binding proteins from *Neisseria meningitidis*, *N. gonorrhoeae* and *Haemophilus influenzae*: cross-reactivity of antibodies to NH₂ terminal peptides. *FEMS Microbiol. Lett.* **109**:85-92.

Griffiths, E., Stevenson, P., Ala'Aldeen, D.A., Borriello, S.P., Holland, J., Parsons, T. and Williams, P. (1993b) Cross-reacting human antibodies to transferrin-binding protein 2 (TBP2) of *Haemophilus influenzae* and *Neisseria meningitidis*. In: Neisseria 1992, Cuernava, Mexico.

Griffiths, G.L., Sigel, S.P., Payne, S.M. and Neilands, J.B. (1984) Vibriobactin, a siderophore from *Vibrio cholerae*. *J. Biol. Chem.* **259**:383-385.

Griggs, D.W. and Konisky, J. (1989) Mechanism for iron-regulated transcription of the *Escherichia coli cir* gene: metal dependent binding of Fur protein to the promoters. *J. Bacteriol.* **171**:1048-1054.

Gross, R. and Carbonetti, N.H. (1993) Differential regulation of *Bordetella pertussis* virulence factors. *Int. J. Med. Microbiol. Virol. Parasitol. Infect. Dis.* **278**:177-186.

Gruenig, H.M., Rutsch, D., Schoch, C. and Lebek, G. (1987) The chromosomal *fur* gene regulates the extracellular hemolytic activity encoded by certain Hly plasmids. *Zentralbl. Bakteriol. Hyg. A* 266:231-238.

Hall, K.H. and Foster, J.W. (1996) The role of Fur in the acid tolerance response of *Salmonella typhimurium* is physiologically and genetically separable from its role in iron acquisition. *J. Bacteriol.* 178:5683-5691.

Halliwell, B. and Gutteridge, J.M.C. (1985) Free Radicals in Biology and Medicine. Oxford University Press. Oxford.

Hanson, M.S. and Hansen, E.J. (1991) Molecular cloning, partial purification, and characterization of a haemin-binding lipoprotein from *Haemophilus influenzae* type b. *Mol. Microbiol.* 5:267-278.

Hanson, M.S., Pelzel, S.E., Latimer, J., Muller-Eberhard, U. and Hansen, E.J. (1992) Identification of a genetic locus of *Haemophilus influenzae* type b necessary for binding and utilization of heme bound to human hemopexin. *Proc. Natl. Acad. Sci. USA.* 89:1973-1977.

Hantke, K. (1981) Regulation of ferric iron transport in *Escherichia coli* K12: isolation of a constitutive mutant. *Mol. Gen. Genet.* 182:288-292.

Hantke, K. (1984) Cloning of the repressor protein gene of iron regulated systems in *Escherichia coli* K-12. *Mol. Gen. Genet.* 197:337-341.

Hantke, K. (1987) Ferrous iron transport mutants in *Escherichia coli* K-12. *FEMS Microbiol. Lett.* 44:53-57.

Harris, R.L., Fainstein, V., Elting, L., Hopfer, R.L. and Bodey, G.P. (1985) Bacteremia caused by *Aeromonas hydrophila* species in hospitalized cancer patients. *Rev. Infect. Dis.* 7:314-320.

Hase, C.C. and Finkelstein, R.A. (1990) Comparison of the *Vibrio cholerae* hemagglutinin/protease and the *Pseudomonas aeruginosa* elastase. *Infect. Immun.* 58:4011-4015.

Hase, C.C. and Finkelstein, R.A. (1991) Cloning and nucleotide sequence of the *Vibrio cholerae* hemagglutinin/protease (HA/protease) gene and construction of an HA/protease-negative strain. *J. Bacteriol.* 173:3311-3317.

Hazen, T.C., Fliersman, C.B., Hirsch, R.P., and Esch, G.W. (1978) Prevalence and distribution of *A. hydrophila* in the United States. *Appl. Environ. Microbiol.* 367:731-738.

Heesemann, J., Hantke, K., Vocke, T., Saken, E., Rakin, A., Stojiljkovic, I. and Berner, R. (1993) Virulence of *Yersinia enterocolitica* is closely associated

with siderophore production, expression of an iron-repressible outer membrane polypeptide of 65,000 Da and pesticin sensitivity. Mol. Microbiol. 8:397-408.

Henderson, D.P. and Payne, S.M. (1993) Cloning and characterization of the *Vibrio cholerae* genes encoding the utilization of iron from hemin and hemoglobin. Mol. Microbiol. 7:461-469.

Herrington, D.A. and Sparling, P.F. (1985) *Haemophilus influenzae* can use human transferrin as a sole source for required iron. Infect. Immun. 48:248-251.

Ho, A.S.Y., Mietzner, T.A., Smith, A.J. and Schoolnik, G.K. (1990) The pili of *Aeromonas hydrophila*: identification of an environmentally regulated "mini pilin". J. Exp. Med. 172:795-806.

Holland, J., Langford, P., Towner, K.J. and Williams, P. (1992) Evidence for in vivo expression of transferrin-binding proteins in *Haemophilus influenzae* type b. Infect. Immun. 60:2986-2991.

Holland, J., Towner, K.J. and Williams, P. (1991) Isolation and characterization of *Haemophilus influenzae* type b mutants defective in transferrin binding and iron assimilation. FEMS Microbiol. Lett. 77:283-288.

Honda, T., and Finkelstein, R.A. (1979) Purification and characterization of a hemolysin produced by *Vibrio cholerae* biotype El Tor: another toxic substance produced by cholera vibrios. Infect. Immun. 26:1020-1027.

Howard S.P. and Buckley, J.T. (1985) Activation of the hole-forming toxin aerolysin by extracellular processing. J. Bacteriol. 163:336-340.

Howard S.P. and Buckley, J.T. (1986) Molecular cloning and expression in *Escherichia coli* of the structural gene for the hemolytic toxin aerolysin from *Aeromonas hydrophila*. Mol. Gen. Genet. 204:285-295.

Howard, S.P., Garland, W.J., Green, M.J. and Buckley, J.T. (1987) Nucleotide sequence of the gene for the hole-forming toxin aerolysin of *Aeromonas hydrophila*. J. Bacteriol. 169:2869-2871.

Husslein, V., Huhle, B., Jarchau, T., Lurz, R., Goebel, W. and Chakraborty, T. (1988) Nucleotide sequence and transcriptional analysis of the *aerC* *aerA* region of *Aeromonas sobria* encoding aerolysin and its regulatory region. Mol. Microbiol. 2:507-517.

Husson, M.O., Legrand, D., Spic, G. and Leclerc, H. (1993) Iron acquisition by *Helicobacter pylori*: importance of human lactoferrin. Infect. Immun. 61:2694-2697.

Ikigai, H., Akatsuka, A., Tsujiyama, H., Nakae, T. and Shimamura, T. (1996) Mechanism of membrane damage by El Tor hemolysin of *Vibrio cholerae* O1. *Infect. Immun.* 64:2968-2973.

Irwin, S.W., Averil, N., Chen, C.Y. and Schryvers, A.B. (1993) Preparation and analysis of isogenic mutants in the transferrin receptor protein genes, *tbpA* and *tbpB*, from *Neisseria meningitidis*. *Mol. Microbiol.* 8:1125-1133.

Janda, J.M. (1985) Biochemical and exoenzymatic properties of *Aeromonas* species. *Diagn. Microbiol. Infect. Dis.* 3:223-232.

Janda, J.M., Bottone, E.J., Skinner, C.V. and Calcaterra, D. (1983) Phenotypic markers associated with gastrointestinal *Aeromonas hydrophila* isolates from symptomatic children. *J. Clin. Microbiol.* 17:588-591.

Johnson, W., Varner, L. and Poch, M. (1991) Acquisition of iron by *Legionella pneumophila*: role of iron reductase. *Infect. Immun.* 59:2376-2381.

Joseph, S.W., Daily, O.P., Hunt, W.S., Seidler, R.J., Allen, D.A. and Colwell, R.R. (1979) *Aeromonas* primary wound infection of a diver in polluted waters. *J. Clin. Microbiol.* 10:46-49.

Kammler, M., Schon, C. and Hantke, K. (1993) Characterization of the ferrous iron uptake system of *Escherichia coli*. *J. Bacteriol.* 175:6212-6219.

Kampfenkel, K. and Braun, V. (1992) Membrane topology of the *Escherichia coli* ExbD protein. *J. Bacteriol.* 174:5845-5487.

Kampfenkel, K. and Braun, V. (1993) Topology of the ExbB protein in the cytoplasmic membrane of *Escherichia coli*. *J. Biol. Chem.* 268:6050-6057.

Karam, G.H., Ackley, A.M. and Dismukes, W.E. (1983) Posttraumatic *Aeromonas hydrophila* osteomyelitis. *Arch. Intern. Med.* 143:2073-2074.

Karlsson, M., Hannavy, K. and Higgins, C.F. (1993) ExbB acts as a chaperone-like protein to stabilize TonB in the cytoplasm. *Mol. Microbiol.* 8:389-396.

Khadouri, N. and Fainstein, V. (1988) *Aeromonas* and *Pleisiomonas* as etiological agents. *Ann. Rev. Microbiol.* 42:395-419.

Klebba, P.E., Rutz, J.M., Liu, J. and Murphy, C.K. (1993) Mechanisms of TonB-catalyzed iron transport through the enteric bacterial cell envelope. *J. Bioenerg. Biomembr.* 25:603-611.

Konijin, A.M. and Hershko, C. (1989) The anaemia of inflammation and chronic disease. In: *Iron and Immunity, Cancer and Inflammation* (De Sousa, M. and Brock, J.H., Eds.), pp. 111-143. Academic Press, Chichester.

Kuijper, E.J., Steigerwalt, A.G., Schoenmakers, B.S.C.I.M., Peeters, M.F., Zanen, H.C. and Brenner, D.J. (1989) Phenotypic characterization and DNA relatedness in human fecal isolates of *Aeromonas* spp. J. Clin. Microbiol. 27:132-137.

Lautrop, H. (1961) *Aeromonas hydrophila* isolated from human faeces and its possible pathological significance. Acta. Path. Microbiol. Scand. 51(suppl. 144):299-301.

Lawlor, K.M., Daskaleros, P.A., Robinson, R.E and Payne, S.M. (1987) Virulence of iron transport mutants of *Shigella flexneri* and utilization of host compounds. Infect. Immun. 55:594-599.

Lee, B.C. (1992) Isolation of an outer membrane hemin-binding protein of *Haemophilus influenzae* type b. Infect. Immun. 60:810-816.

Lee, B.C. and Bryan, L.E. (1989) Identification and comparative analysis of the transferrin and lactoferrin receptors among clinical isolates of gonococci. J. Med. Microbiol. 28:199-204.

Lesuisse, E., Raguzzi, F. and Crichton, R.R. (1987) Iron uptake by the yeast *Saccharomyces cerevisiae*: involvement of a reduction step. J. Gen. Microbiol. 133:3329-3326.

Leung, K.Y. and Stevenson, R.W.M. (1988a) Characteristics and distribution of extracellular proteases from *Aeromonas hydrophila*. J. Gen. Microbiol. 134:151-160.

Leung, K.Y. and Stevenson, R.W.M. (1988b) Tn5-induced protease-deficient strains of *Aeromonas hydrophila* with reduced virulence for fish. Infect. Immun. 56:2639-2644.

Liew, F.Y. and Cox, F.E.G. (1990) Non-specific defence mechanism: the role of nitric oxide. Immunol. Today 12:A17-A21.

Liles, M.R. and Cianciotto N.P. (1996) Absence of siderophore-like activity in *Legionella pneumophila* supernatants. Infect. Immun. 64:1873-1875.

Litwin, C.M., Boyko, S.A. and Calderwood, S.B. (1992) Cloning, sequencing, and transcriptional regulation of the *Vibrio cholerae fur* gene. J. Bacteriol. 174:1897-1903.

Litwin, C.M. and Calderwood, S.B. (1993) Cloning and genetic analysis of the *Vibrio vulnificus fur* gene and construction of a *fur* mutant by in vivo marker exchange. J. Bacteriol. 175:706-715.

Litwin, C.M. and Calderwood, S.B. (1994) Analysis of the complexity of gene regulation by Fur in *Vibrio cholerae*. J. Bacteriol. 176:240-248.

Ljungh, A. and Wadstrom, T. (1982) *Aeromonas* toxins. Pharmacol. Ther. 15:339-354.

Ljungh, A. and Wadstrom, T. (1983) Toxins of *Vibrio parahaemolyticus* and *Aeromonas hydrophila*. J. Toxicol. - Toxin Rev. 1:257-307.

Ljungh, A., Wretlind, B. and Mollby, R. (1981) Separation and characterization of enterotoxin and two haemolysins from *A. hydrophila*. Acta. Path. Microbiol. Scand. Sect B 89:387-397.

Lucier, T.S., Fetherston, J.D., Brubaker, R.R. and Perry, R.D. (1996) Iron uptake and iron-repressible polypeptides in *Yersinia pestis*. Infect. Immun. 64:3023-3031.

Maciver, I., Latimer, J.L., Liem, H.H., Muller-Eberhard, U., Hrkal, Z. and Hansen, E.J. (1996) Identification of an outer membrane protein involved in utilization of hemoglobin-haptoglobin complexes by nontypable *Haemophilus influenzae*. Infect. Immun. 64:3703-3712.

Manning, P.A., Brown, M.H. and Heuzenroeder, M.W. (1984) Cloning of the structural gene (*hly*) for the haemolysin of *Vibrio cholerae* El Tor strain O17. Gene. 31:225-231.

Manning, P.A., Brown, M.H., Mercurio, A. and Heuzenroeder, M.W. (1986) Molecular cloning and analysis of the haemolysin from *Vibrio cholerae* El Tor strain O17. Y. Takeda and N.F. Pierce (eds.), Advances in cholera and related diarrheas, vol. 4, KTK Publications, Tokyo, Japan.

Massad, G., Aeceneaux, J.E.L. and Byers, B.R. (1991) Acquisition of iron from host sources by mesophilic *Aeromonas* species. J. Gen. Microbiol. 137:237-241.

McCracken, A.W. and Barkley, R. (1972) Isolation of *Aeromonas* species from clinical sources. J. Clin. Pathol. 25:970-975.

McKenna, W.R., Mickelsen, P.A., Sparling, P.F. and Dyer, D.W. (1988) Iron uptake from lactoferrin and transferrin by *Neisseria gonorrhoeae*. Infect. Immun. 56:785-791.

Meeks, M.V. (1963) Genus *Aeromonas*: Methods for identification. Am. J. M. Technol. 29:361-378.

Mekalanos, J.J. (1992) Environmental signals controlling expression of virulence gene determinants in bacteria. J. Bacteriol. 174:1-7.

Menzl, K., Maier, E., Chakraborty, T. and Benz, R. (1996) HlyA hemolysin of *Vibrio cholerae* O1 biotype El Tor: identification of the hemolytic complex and evidence for the formation of anion-selective ion-permeable channels. Eur. J. Biochem. 240:646-654.

Meyer, J.M., Neely, A., Stintzi, A., Georges, C. and Holder, I.A. (1996)
Pyoverdin is essential for virulence of *Pseudomonas aeruginosa*. Infect. Immun. 64:518-523.

Mickelsen, P.A. and Sparling, P.F. (1981) Ability of *Neisseria gonorrhoeae*, *Neisseria meningitidis* and commensal *Neisseria* species to obtain iron from transferrin and iron compounds. Infect. Immun. 33:555-564.

Miller, R.A., Rasmussen, G.T., Cox, C.D. and Britigan, B.E. (1996)
Protease cleavage of iron-transferrin augments pyocyanin-mediated endothelial cell injury via promotion of hydroxyl radical formation. Infect. Immun. 64:182-188.

Monfort, P. and Baleux, B. (1990) Dynamics of *Aeromonas hydrophila*, *Aeromonas sobria* and *Aeromonas caviae* in a sewage treatment pond. Appl. Environ. Microbiol. 56:1999-2006.

Morgan, E.H. (1981) Transferrin: biochemistry, physiology and clinical significance. Mol. Asp. Med. 4:1-123.

Morton, D.J. and Williams, P. (1989) Utilization of transferrin bound iron by *Haemophilus* species of human and porcine origin. FEMS Microbiol. Lett. 65:123-128.

Morton, D.J. and Williams, P. (1990) Siderophore independent acquisition of transferrin bound iron by *Haemophilus influenzae* type b. J. Gen. Microbiol. 136:927-933.

Muller-Eberhard, U. (1970) Hemopexin. N. Eng. J. Med. 283:1090-1094.

Naidu, A.J. and Yadav, M. (1997) Influence of iron, growth temperature and plasmids on siderophore production in *Aeromonas hydrophila*. J. Med. Microbiol. 47:1-6.

Nassif, X. and Sansonetti, P.J. (1986) Correlation of the virulence of *Klebsiella pneumoniae* K1 and K2 with the presence of a plasmid encoding aerobactin. Infect. Immun. 54:603-608.

Nassif, X., Mazert, M.C., Mounier, J. and Sansonetti, P.J. (1987) Evaluation with an *iuc::Tn10* mutant of the role of aerobactin production in the virulence of *Shigella flexneri*. Infect. Immun. 55:1963-1969.

Neilands, J.B. (1981a) Microbial iron compounds. Ann. Rev. Biochem. 50:715-731.

Neilands, J.B. (1981b) Iron absorption and transport in microorganisms. Ann. Rev. Nutr. 1:27-45.

Niederhoffer, E.C., Naranjo, C.M., Bradley, K.L. and Fee, J.E. (1990)
Control of *Escherichia coli* superoxide dismutase (*sodA* and *sodB*) genes by the ferric uptake regulation (*fur*) locus. *J. Bacteriol.* 172:1930-1938.

Nieto, T.P. and Ellis, A.E. (1986) Characterization of extracellular metallo- and serine-proteases of *Aeromonas hydrophila* strain B₅₁. *J. Gen. Microbiol.* 132:1975-1979.

Nikaido, H. and Saier, M.H.J. (1992) Transport proteins in bacteria: common themes in their design. *Science*. 258:936-942.

Nishina, Y., Miyoshi, S.I., Nagase, A. and Shinoda, S. (1992) Significant role of an exocellular protease in utilization of heme by *Vibrio vulnificus*. *Infect. Immun.* 60:2128-2132.

Nord, C.E., Sjoberg, L., Wadstrom, D.T. and Wretlind, B. (1975) Characterization of three *Aeromonas* and *Pseudomonas* species by extracellular enzymes and haemolysins. *Med. Microbiol. Immunol.* 161:79-87.

Nozaki, M. and Ishimura, Y. (1974) Oxygenases. In: *Microbial iron metabolism: a Comprehensive Treatise* (Neilands, J.B., Ed.). pp. 417-444. Academic Press, New York, NY.

O'Brien, L.G., Cox, G.B. and Gibson, F. (1971) Enterochelin hydrolysis and iron metabolism in *Escherichia coli*. *Biochim. Biophys. Acta*. 237:537-549.

Ochsner, U.A., Vasil, A.I. and Vasil, M.I. (1995) Role of the ferric uptake regulator of *Pseudomonas aeruginosa* in the regulation of siderophores and exotoxin A expression: purification and activity on iron-regulated promoters. *J. Bacteriol.* 177:7194-7201.

Ong, K.R., Sordillo, E. and Frankel, E. (1991) Unusual case of *Aeromonas hydrophila* endocarditis. *J. Clin. Microbiol.* 29:1056-1057.

O'Reilly, T. and Day, D.F. (1983) Effects of cultural conditions on protease production by *Aeromonas hydrophila*. *Appl. Environ. Microbiol.* 45:1132-1135.

Otto, B.R., Kusters, J.G., Luijink, J. de Graaf, F.K. and Oudega, B. (1996) Molecular characterization of a heme-binding protein of *Bacteroides fragilis* BE1. *Infect. Immun.* 64:4345-4350.

Otto, B.R., Vereij-van, A.M.J.J. and MacLaren, D.M. (1992) Transferrins and heme-compounds as iron sources for pathogenic bacteria. *Crit. Rev. Microbiol.* 18:217-233.

Palmer, H.M., Powell, N.B.L., Ala'Aldeen, D.A.A., Wilton, J. and Borriello, S.P. (1993) *Neisseria meningitidis* transferrin binding protein 1 expressed in

Escherichia coli is surface exposed and binds human transferrin. FEMS Microbiol. Lett. 110:139-146.

Park, J. and Rikihisa, Y. (1992) L-Arginine dependent killing of intracellular *Ehrlichia risticii* by macrophages treated with gamma interferon. Infect. Immun. 60:3504-3508.

Park, R.W.A. (1961) Study of certain heterotrophic polarly flagellated water bacteria: *Aeromonas*, *Pseudomonas* and *Comamonas*. J. Gen. Microbiol. 27:121-133.

Parras, F., Diaz, M.D., Reina, J., Moreno, S., Guerrero, C. and Bonza, E. (1993) Meningitis due to *Aeromonas* species: case report and review. Clin. Infect. Dis. 17:1058-1060.

Payne, S.M. and Finkelstein, R.A. (1978) Siderophore production by *Vibrio cholerae*. Infect. Immun. 20:310-311.

Perry, R.D. (1993) Acquisition and storage of inorganic iron and hemin by the yersinia. Trends Microbiol. 1:142-147.

Perry, R.D. and Brubaker, R.P. (1979) Accumulation of iron by yersinia. J. Bacteriol. 137:1290-1298.

Pickett, C.L., Auffenberg, T., Pesci, E.C., Sheen, V.L. and Jusuf, S.S.D. (1992) Iron acquisition and hemolysin production by *Campylobacter jejuni*. Infect. Immun. 60:3872-3877.

Pidcock, K.A., Wooten, J.A., Daley, B.A. and Stull, T.L. (1988) Iron acquisition by *Haemophilus influenzae*. Infect. Immun. 56:721-725.

Pech, M.T. and Johnson, W. (1993) Ferric reductases of *Legionella pneumophila*. Biometals. 6:107-114.

Postle, K. (1993) TonB protein and energy transduction between membranes. J. Bioenerg. Biomembr. 25:591-601.

Prince, R.W., Cox, C.D. and Vasil, M.L. (1993) Coordinate regulation of siderophore and exotoxin A production: molecular cloning and sequencing of the *Pseudomonas aeruginosa fur* gene. J. Bacteriol. 175:2589-2598.

Prince, R.W., Story, D.G., Vasil, A.I. and Vasil, M.L. (1991) Regulation of *toxA* and *regA* by the *Escherichia coli fur* gene and identification of a Fur homologue in *Pseudomonas aeruginosa* PA103 and PA01. Mol. Microbiol. 5:2823-2831.

Rahim, Z., Sanyal, S.C., Aziz, K.M.S., Huq, M.I. and Chowdry, A.A. (1984) Isolation of enterotoxigenic, haemolytic and antibiotic-resistant *Aeromonas hydrophila* strains from infected fish in Bangladesh. Appl. Environ. Microbiol. 48:865-867.

Redhead, K., Hill, T. and Chart, H. (1987) Interaction of lactoferrin and transferrin with the outer membrane of *Bordetella pertussis*. *J. Gen. Microbiol.* **133**:891-898.

Reichard, P. and Ehrenberg, A. (1983) Ribonucleotide reductase - a radical enzyme. *Science*. **221**:514-519.

Retzer, M.D., Kabani, A., Button, L.L., Yu, R. and Schryvers, A.B. (1996) Production and characterization of chimeric transferrins for the determination of the binding domain for bacterial transferrin receptors. *J. Biol. Chem.* **271**:1166-1173.

Riddle, L.M., Graham, T.E. and Amborski, R.L. (1981a) Medium for the accumulation of extracellular hemolysin and protease by *Aeromonas hydrophila*. *Infect. Immun.* **33**:728-733.

Riddle, L.M., Graham, T.E., Amborski, R.L. and Hugh-Jones, M. (1981) Production of haemolysin and protease by *Aeromonas hydrophila* in a chemically defined medium. *Dev. Biol. Stan.* **49**:125-133.

Rigney, M.M., Zinlinsky, J.W., and Rouf, M.A. (1978) Pathogenicity of *Aeromonas hydrophila* in red leg disease in frogs. *Curr. Microbiol.* **1**:175-179.

Rippey, S.R. and Cabelli, V.J. (1980) Occurrence of *Aeromonas hydrophila* in limnetic environments: relationship of the organism to trophic state. *Microb. Ecol.* **6**:45-54.

Rivero, O., Anguita, J., Mateos, D., Paniagua, C. and Naharro, G. (1991) Cloning and characterization of an extracellular temperature-labile serine protease gene from *Aeromonas hydrophila*. *FEMS Microbiol. Lett.* **81**:1-8.

Rivero, O., Anguita, J., Paniagua, C. and Naharro, G. (1990) Molecular cloning and characterization of an extracellular protease gene from *Aeromonas hydrophila*. *J. Bacteriol.* **172**:3905-3908.

Roberts, M., Wooldridge, K.G., Gavine, H., Kuswandi, S.I. and Williams, P.H. (1989) Inhibition of biological activities of the aerobactin receptor protein in rough strains of *Escherichia coli* by polyclonal antiserum raised against native protein. *J. Gen. Microbiol.* **135**:2387-2398.

Robins-Browne, R.M., Prpic, J.K. and Stuart, S.J. (1987) Yersinia and iron: a study in host-parasite relationships. *Contrib. Microbiol. Immunol.* **9**:254-258.

Rodriguez, L.A., Ellis, A.E. and Nieto, T.P. (1992) Purification and characterization of an extracellular metalloprotease, serine protease and haemolysin of *Aeromonas hydrophila* strain B₃₂: all are lethal for fish. *Microb. Pathog.* **13**:17-24.

Rokbi, B., Mignon, M., Maitre-Wilmotte, G., Lissolo, L., Danve, B., Caugant, D.A. and Quentin-Millet, M.J. (1997) Evaluation of recombinant transferrin binding protein B variants from *Neisseria meningitidis* for their ability to induce cross-reactive and bactericidal antibodies against a genetically diverse collection of serogroup B strains. *Infect. Immun.* **65**:55-63.

Roof, S.K., Allard, J.D., Bertrand, K.P. and Postle, K. (1991) Analysis of *Escherichia coli* TonB membrane topology by use of PhoA fusions. *J. Bacteriol.* **173**:5554-5557.

Rose, J.M., Houston, C.W., Coppenhaver, D.H., Dixon, J.D. and Kurosky, A. (1989) Purification and chemical characterization of a cholera toxin-cross reactive cytolytic enterotoxin produced by a human isolate of *Aeromonas hydrophila*. *Infect. Immun.* **57**:1165-1169.

Roy, C., and Mukerjee, S. (1962) Variability in the haemolytic power of El Tor vibrios. *Ann. Biochem. Exp. Med.* **22**:295-296.

Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989) Molecular Cloning: A Laboratory Manual. Cold Spring Harbour Laboratory, New York.

Sanyal, S.C., Singh, S.J. and Sen, P.C. (1975) Enteropathogenicity of *Aeromonas hydrophila* and *Plesiomonas shigelloides*. *J. Med. Microbiol.* **8**:195-198.

Schaffer, S., Hantke, K. and Braun, V. (1985) Nucleotide sequence of the iron regulatory gene *fur*. *Mol. Gen. Genet.* **200**:110-113.

Schmitt, M.P. and Holmes, R.K. (1991) Iron dependent regulation of diphtheria toxin and siderophore expression by the cloned *Corynebacterium diphtheriae* repressor gene *dtxR* in *C. diphtheriae* C7 strains. *Infect. Immun.* **59**:1899-1904.

Schryvers, A.B. (1989) Identification of the transferrin and lactoferrin binding proteins in *Haemophilus influenzae*. *J. Med. Microbiol.* **29**:121-130.

Schryvers, A.B. and Lee, B.C. (1989) Comparative analysis of the transferrin and lactoferrin binding proteins in the family *Neisseriaceae*. *Can. J. Microbiol.* **35**:409-415.

Schryvers, A.B. and Morris, L.J. (1988) Identification and characterization of the human lactoferrin-binding protein from *Neisseria meningitidis*. *Infect. Immun.* **56**:1144-1149.

Schubert, R.H.W. and Matzinou, D. (1990) Temperature as an environmental factor influencing the pathogenicity of *Aeromonas hydrophila*. *Zentralblatt fur Bakteriologie, Mikrobiologie und Hygiene.* **273**:327-331.

Schwyn, B., and Neilands, J.B. (1987) Universal chemical assay for the detection and determination of siderophores. *Anal. Biochem.* **160**:47-56.

Sciortino, C.V. and Finkelstein, R.A. (1983) *Vibrio cholerae* expresses iron regulated outer membrane proteins in vivo. *Infect. Immun.* **42**:990-996.

Sen, R. (1969) A classification of cholera vibrios into biotypes and their value for epidemiological purposes. *Indian J. Med. Res.* **57**:856-863.

Shoji, A. and Ozawa, E. (1985) Requirement of Fe ion for activation of RNA polymerase. *Proc. Jpn. Acad. Ser. B* **61**:494-496.

Shoji, A. and Ozawa, E. (1986) Necessity of transferrin for RNA synthesis in chick myotubes. *J. Cell Physiol.* **127**:349-356.

Shoots, E.B.Jr., Hsu, T.C. and Waltman, W.D. (1985) Extracellular proteolytic activity of *Aeromonas hydrophila* complex. *Fish Pathol.* **20**:37-44.

Sigel, S.P. and Payne, S.M. (1982) Effect of iron limitation on growth, siderophore production and expression of outer membrane proteins of *Vibrio cholerae*. *J. Bacteriol.* **150**:148-155.

Sigel, S.P., Stoebner, J.A. and Payne, S.M. (1985) Iron-vibriobactin transport system is not required for virulence of *Vibrio cholerae*. *Infect. Immun.* **47**:360-362.

Silver, S. and Walderhaug, M. (1992) Gene regulation of plasmid and chromosome-determined inorganic ion transport in bacteria. *Microbiol. Rev.* **56**:195-228.

Simonson, C., Brener, D. and De Voe, I.W. (1982) Expression of a high affinity mechanism for acquisition of transferrin iron by *Neisseria meningitidis*. *Infect. Immun.* **36**:107-113.

Singh, D.V. and Sanyal, S.C. (1992) Production of haemolysin and its correlation with enterotoxicity in *Aeromonas* spp. *J. Med. Microbiol.* **37**:262-267.

Skare, J.T., Ahmer, B.M., Seachord, C.L., Darveau, R.P. and Postle, K. (1993) Energy transduction between membranes. TonB, a cytoplasmic membrane protein, can be chemically cross-linked in vivo to the outer membrane receptor FepA. *J. Biol. Chem.* **268**:16302-8.

Slotnick, I.J. (1970) *Aeromonas* species isolates. *Ann. N. Y. Acad. Sci.* **174**:503-510.

Sokol, P.A., Cox, C.D. and Iglesias, B.H. (1982) *Pseudomonas aeruginosa* mutants altered in their sensitivity to the effect of iron on toxin A or elastase yields. *J. Bacteriol.* **151**:783-787.

Sokol, P.A. and Woods, D.E. (1984) Antibody inhibition of ferricytochelin binding to *Pseudomonas aeruginosa* cell envelopes. *Biochemistry*. **23**:5076-5080.

Sokol, P.A. and Woods, D.E. (1986) Monoclonal antibodies to *Pseudomonas aeruginosa* ferricytochelin binding protein. *Infect. Immun.* **53**:621-627.

Song, L., Hobaugh, M.R., Shustak, C., Cheley, S., Bayley, H. and Gouaux, J.E. (1996) Structure of staphylococcal α -hemolysin, a heptameric transmembrane pore. *Science* **274**:1859-1865.

Spangler, B. (1992) Structure and function of cholera toxin and the related *Escherichia coli* heat-labile enterotoxin. *Microbiol. Rev.* **56**:622-647.

Sriyosachati, S. and Cox, C.D. (1986) Siderophore mediated iron acquisition from transferrin by *Pseudomonas aeruginosa*. *Infect. Immun.* **47**:360-362.

Staggs, T.M. and Perry, R.D. (1991) Identification and cloning of a *fur* regulatory gene in *Yersinia pestis*. *J. Bacteriol.* **173**:417-425.

Staggs, T.M. and Perry, R.D. (1992) Fur regulation in *Yersinia* species. *Mol. Microbiol.* **6**:2507-2516.

Stevens, M.K., Porcella, S., Klesney-Tait, J., Lumbley, S., Thomas, S.E., Norgard, M.V., Radolf, J.D. and Hansen, E.J. (1996) A hemoglobin-binding outer membrane protein is involved in virulence expression by *Haemophilus ducreyi* in an animal model. *Infect. Immun.* **64**:1724-1735.

Stevenson, P., Williams, P. and Griffiths, E. (1992) Common antigenic domains in transferrin binding protein 2 of *Neisseria meningitidis*, *Neisseria gonorrhoeae* and *Haemophilus influenzae* type b. *Infect. Immun.* **60**:2391-2396.

Stoebner, J.A., Butterton, J.R., Calderwood, S.B. and Payne, S.M. (1992) Identification of the vibriobactin receptor of *Vibrio cholerae*. *J. Bacteriol.* **174**:3270-3274.

Stoebner, J.A. and Payne, S.M. (1988) Iron regulated hemolysin production and utilization of heme and hemoglobin by *Vibrio cholerae*. *Infect. Immun.* **56**:2891-2895.

Stojiljkovic, I. and Hanke, K. (1992) Hemin uptake system of *Yersinia enterocolitica*: similarities with other TonB-dependent systems in Gram-negative bacteria. *EMBO J.* **11**:4359-4367.

Stojiljkovic, I., Larson, J., Hwa, V., Anic, S. and So, M. (1996) HmbR outer membrane receptors of pathogenic *Neisseria* spp: Iron-regulated hemoglobin binding proteins with a high level of primary structure conservation. *J. Bacteriol.* **178**:4670-4678.

Tai, S.S. and Holmes, R.K. (1988) Iron regulation of the cloned diphtheria promoter in *Escherichia coli*. *Infect. Immun.* **56**:2430-2436.

Tigyi, Z., Kishore, A.R., Maeland, J.A., Forsgren, A. and Naidu, A.S. (1992) Lactoferrin binding proteins in *Shigella flexneri*. *Infect. Immun.* **60**:2619-2626.

Theil, E.C. (1987) Ferritin: structure, gene regulation, and cellular functions in animals, plants and microorganisms. *Annu. Rev. Biochem.* **56**:289-315.

Thomas, C.E. and Sparling, P.F. (1994) Identification and cloning of a *fur* homolog from *Neisseria meningitidis*. *Mol. Microbiol.* **11**:725-737.

Thune, R.L., Graham, T.E., Riddle, L.M. and Amborski, R.L. (1982) Extracellular proteases from *Aeromonas hydrophila*: Partial purification and effects on age-O channel catfish. *Transactions of the American Fisheries Society*. **3**:749-754.

Tolmasky, M.E., Wertheimer, A.M., Actis, L.A. and Crosa, J.H. (1994) Characterization of the *Vibrio anguillarum fur* gene. role in regulation of expression of the FatA outer membrane protein and catechols. *J. Bacteriol.* **176**:213-220.

Trust, T.J. and Chapman, D.C. (1979) Clinical involvement of *A. hydrophila*. *Can. Med. Assoc. J.* **120**:942-946.

Trust, T.J. (1986) Pathogenesis of infectious diseases of fish. *Ann. Rev. Microbiol.* **40**:479-502.

Tsai, J., Dyer, D.W. and Sparling, P.F. (1988) Loss of transferrin receptor activity in *Neisseria meningitidis* correlates with inability to use transferrin as an iron source. *Infect. Immun.* **56**:3132-3138.

Tsolis, M.R., Baumler, A.J., Stojilkovic, I. and Heffron, F. (1995) Fur regulon of *Salmonella typhimurium*: identification of new iron-regulated genes. *J. Bacteriol.* **177**:4628-4637.

Vadivelu, J., Puthucheary, S.D., Phipps, M. and Chee, Y.W. (1995) Possible virulence factors involved in bacteremia caused by *Aeromonas hydrophila*. *J. Med. Microbiol.* **42**:171-174.

Valvano, M.A., and Crosa, J.H. (1984) Aerobactin iron transport genes commonly encoded by certain ColV plasmids occur in the chromosome of a human invasive strain of *Escherichia coli* K1. *Infect. Immun.* **46**:159-167.

Valvano, M.A. and Crosa, J.H. (1988) Molecular cloning, expression and regulation in *Escherichia coli* K-12 of a chromosome-mediated aerobactin iron transport system from a human invasive strain of E. Coli K1. *J. Bacteriol.* **170**:5529-5538.

Valvano, M.A., Silver, R.P. and Crosa, J.H. (1986) Occurrence of chromosome- or plasmid-mediated aerobactin iron transport systems and hemolysin production among clonal groups of human strains of *Escherichia coli* K1. Infect. Immun. 52:192-199.

Van Dongen, W.M.A.M. and De Graaf, F.K. (1986) Molecular cloning of a gene coding for a *Vibrio cholerae* haemagglutinin. J. Gen. Microbiol. 132:2225-2234.

Verweij-Van Vught, A.M.J.J., Otto, B.R., Namavar, F., Sparrius, M. and MacLaren, D.A. (1988) Ability of *Bacteroides* species to obtain iron from iron salts, haem compounds and transferrin. FEMS Microbiol. Lett. 49:223-228.

von Graevenitz, A. and Altwegg, M. (1985) *Aeromonas* and *Pleisiomonas*. In: Manual of Clinical Microbiology. (Lennette, E.H., Balows, A., Hausler, W.J., Jr. and Shadomy, H.J. Eds.). 4th ed. American Society for Microbiology, Washington, D.C. pp.278-281.

Waalwijk, C., MacLaren, D.M. and de Graaf, J. (1983) In vivo function of hemolysin in the nephropathogenicity of *Escherichia coli*. Infect. Immun. 42:245-249.

Wachsmuth, I.K., Blake, P.A. and Olsvik, Ø. (eds.) (1994) *Vibrio cholerae* and cholera. ASM Press, Washington D.C.

Waldbesser, L.S., Tolmasky, M.E., Actis, L.A. and Crosa, J.H. (1993) Mechanisms for negative regulation by iron of the *fatA* outer membrane protein gene expression in *Vibrio anguillarum* 775. J. Biol. Chem. 268:10433-10439.

Waldor, M.K., Colwell, R. and Mekalanos, J.J. (1994) The *Vibrio cholerae* O139 serogroup antigen includes an O-antigen capsule and lipopolysaccharide virulence determinants. Proc. Natl. Acad. Sci. USA. 91:11388-11392.

Waldor, M.K. and Mekalanos, J.J. (1996) Lysogenic conversion by a filamentous phage encoding cholera toxin. Science 272:1910-1914.

Watanabe, N.A., Nagasu, T., Katsu, K. and Kitoh, K. (1987) E-0702, a new cephalosporin, is incorporated into *Escherichia coli* cells via the *tonB*-dependent iron transport system. Antimicrob. Agents Chemother. 31:497-504.

Watson, I.M., Robinson, J.O., Burke, V. and Gracey, M. (1985) Invasiveness of *Aeromonas* spp. in relation to biotype, virulence factors and clinical features. J. Clin. Microbiol. 22:48-51.

Weinberg, E.D. (1984) Iron-withholding: a defence against infection and neoplasia. Physiol. Rev. 64:65-102.

Weinberg, E.D. (1989) Cellular regulation of iro:: assimilation. Quart. Rev. Biol. 64:261-290.

Weinberg, E.D. (1992a) Cellular acquisition of iron and the iron-withholding defense against microbial and neoplastic invasion. In: Iron and Human Disease, ed. R.B. Lauffer, pp.179-200. Boca Raton: CRC.

Weinberg, E.D. (1992b) Iron depletion: a defense against intracellular infection and neoplasia. *Life Sci.* **50**:1289-1297.

Weinberg, E.D. (1993) The iron-withholding defense system. *ASM News.* **59**:559-562.

Westmacott, D., Hawkes, J.E., Hill, R.P., Clarke, L.E. and Bloxham, D.P. (1986) Comparison of the effects of murine and human interleukin-1 in vitro and in vivo. *Lymphokine Res.* **5** (Suppl. 1): 87-91.

Williams, P. and Griffiths, E. (1992) Bacterial transferrin receptors - structure, function and contribution to virulence. *Med. Microbiol. Immunol.* **181**:301-322.

Williams, P.H. (1979) Novel iron uptake system specified by ColV plasmids: an important component in the virulence of invasive strains of *Escherichia coli*. *Infect. Immun.* **26**:925-932.

Wilmes-Riesenbergs, M.R., Bearson, B., Foster, J.W. and Curtiss III, R. (1996) Role of the acid tolerance response in virulence of *Salmonella typhimurium*. *Infect. Immun.* **64**:1085-1092.

Wilton, J., Ala'Aldeen, D.A.A., Palmer, H.M. and Borriello, S.P. (1993) Cloning and partial sequence of transferrin-binding protein 2 of *Neisseria meningitidis* using a novel method: twin N-terminal PCR. *FEMS Microbiol. Lett.* **107**:59-66.

Winkler, U., Ruger, W. and Wackernagel, W. (1976) Bacterial, phage and molecular genetics. Berlin, Springer-Verlag, pp127-130.

Woods, D.E., Sokol, P.A. and Iglewski, B.H. (1982) Modulatory effect of iron on the pathogenesis of *Pseudomonas aeruginosa* mouse corneal infections. *Infect. Immun.* **35**:461-464.

Woolridge K.G. and Williams, P.H. (1993) Iron uptake mechanisms of pathogenic bacteria. *FEMS Microbiol. Rev.* **12**:325-348.

Worst, D.J., Otto, B.R. and de Graaf, J. (1995) Iron-repressible outer membrane proteins of *Helicobacter pylori* involved in heme uptake. *Infect. Immun.* **63**:4161-4165.

Wrigglesworth, J.M. and Baum, H. (1980) The biochemical functions of iron. In: Iron in Biochemistry and Medicine (Jacobs, A. and Worwood, M., Eds.), pp. 29-86. Academic Press, London.

Yadav, M., Liew, S.H. and Ansary, A. (1992) Elaboration of cytotoxin by *Aeromonas hydrophila* from human sources. Tropical Biomedicine. 9:105-106.

Yadava, R., Seeler, R.A., Kalelkar, M. and Royal, J.E. (1979) Fatal *Aeromonas hydrophila* sepsis and meningitis in a child with sickle cell anaemia. Am. J. Dis. Child. 133:753-754.

Yancey, R.J., Breeding, S.A.L. and Lankford, C.E. (1979) Enterochelin (enterobactin): virulence factor for *Salmonella typhimurium*. Infect. Immun. 24:174-180.

Zwyno, S.R., Arceneaux, J.E.L., Altwegg, M. and Byers, B.R. (1992) Siderophore production and DNA hybridization groups of *Aeromonas hydrophila*. J. Clin. Microbiol. 30:619-622.