

**References**

- 1) S. Timoshenko (1974), D. H. Young, W. Weaver, JR., "Vibration Problems In Engineering", John Wiley & Sons, pp 415-420.
- 2) P. Cawley, R. D. Adams (1979), "The Location of Defects in Structures from Measurements of Natural Frequencies", Journal of Strain Analysis, Vol. 14, No. 2, pp 49-57.
- 3) Moradalizadeh. M. (1990), "Evaluation of Crack Defects in Frames Structures Using Resonant Frequency Techniques", M. Phil. Thesis, Civil Engineering Department, University of Newcastle Upon Tyne, Newcastle.
- 4) O. S. Salawu (1997), "Detection of Structural Damage Through Changes in Frequency: A Review", Engineering Structures, Vol. 19, No. 9, pp 718-723.
- 5) K. Lakshmi Narayana and C. Jebaraj (1999), "Sensitivity Analysis of Local/Global Modal Parameters for Identification of A Crack in A Beam", Journal of Sound and Vibration, 228(5), pp 977-994.
- 6) Mostafiz R. Chowdhury (1990), "Experimental modal testing and analysis of continuously supported structures", in proceedings, 8<sup>th</sup> International Modal Analysis Conference, Florida, 1, pp 70-76.
- 7) M. Boltezar, B. Strancar, A. Kuhelj (1998), "Identification of Transverse Crack Location in Flexural Vibrations of Free-Free Beams", Journal of Sound and Vibration, 211(5), pp 729-734.
- 8) B. P. Nandwana and S. K. Maiti (1997), "Detection of The Location and Size of A Crack in Stepped Cantilever Beams Based on Measurements of Natural Frequencies", Journal of Sound and Vibration, 203(3), pp 435-446.
- 9) R. Y. Liang, F. K. Choy and J. Hu (1991). "Detection of cracks in beam structures using measurements natural frequencies", Journal of the Franklin Institute, 328(4), pp 505-518.
- 10) J. -T. Kim and N. Stubbs (2003), "Crack detection in beam-type structures using frequency data", Journal of Sound and Vibration, 259(1), pp 145-160.
- 11) Mark H. Richardson (March 1997), "Is it mode shape, or an operating deflection shape?", Sound & Vibration Magazine 30<sup>th</sup> Anniversary Issue.
- 12) A. K. Pandey, M. Biawas and M. M. Samman (1990), "Damage detection from changes in curvature mode shapes" Journal of Sound and Vibration, 145(2), pp 321-332.

- 13) C. P. Ratcliffe, (1997) "Damage detection using a modified Laplacian Operator on mode shape data", Journal of Sound and Vibration, 204(3), July, pp 505-517.
- 14) T. Wolff and M. Richardson (1989), "Fault detection in structures from changes in their modal parameters", Proceedings of the 7<sup>th</sup> International Modal Analysis Conference 1, pp 87-94.
- 15) N. A. J. Lieven and D. J. Ewins (1988), "Spatial correlation of mode shapes, the Co-ordinate Modal Assurance Criterion (COMAC)", Proceedings of the 6<sup>th</sup> International Modal Analysis Conference 1, pp 690-695.
- 16) O. S. Salawu and C. Williams (1995), "Bridge Assessment using Forced-Vibration Testing", Journal of Structural Engineering, ASCE, Vol. 121, No. 2, February, pp 161-173.
- 17) W. Heylen and T. Janter (1989), "Application of the Modal Assurance Criterion in dynamic model updating", Proceedings of the 12<sup>th</sup> Biennial Conference on Mechanical Vibration and Noise, ASME 1, pp 289-294.
- 18) D. J. Ewins (June 2000), "Model validation: Correlation for updating", *Sādhanā*, Vol. 25, Part 3, pp 221-234.
- 19) N.M. Mania, E. Silva, and M. Julio (1997), "Theoretical and experimental modal analysis", New York: Research Studies Press Ltd. and John Wiley & Sons Inc, ch. 3.
- 20) "The fundamental of modal testing", (1997), *Application note 243-3*, Hewlett-Packard.
- 21) Rechardson, M. H. (Octorber 1978), "Measurement and analysis of the dynamics of mechanical structures" Hewlett-Packard Conference for Automotive and Related Industries, HP, Detroit, MI, pp36-42.
- 22) Peter Avitabile (1997) , "Modal Handbook for STAR Users", Version 1.5.
- 23) He J. and Imregun M. (July 1995), "Different forms of orthogonality for MDOF systems", Int. J. of Analytical and Exp. Modal Analysis, Vol. 10(3), pp 131-141.
- 24) S. C. Chapra and R. P. Canale (1988), "Numerical methods for engineers", New York: McGraw – Hill, second edition.
- 25) Diana – Finite element analysis (2002), "User's manual release 8.1", Department of Computational Mechanics, TNO Building and Construction Research, Netherlands.
- 26) M. M. F. Yuen (1985), "A numerical study of the eigenparameters of a damage cantilever", Journal Sound and Vibration, Vol 103, pp301-310.

- 27) Wei-Xin Ren and Guido De Roeck (Jan 2002), "Structural damage identification using modal data. II: Test verification", Journal of Structural Engineering, pp 96-104.
- 28) H. Abdul Razak, S. L. Teng, Z. Ismail and A. G. Abdul Rahman, "Crack detection in a simply supported RC beam using simplified Laplacian"
- 29) Allemand R. J. and Brown D. L. (1983), "Correlation coefficient for modal vector analysis", Proceeding 1<sup>st</sup> International Modal Analysis Conference, Kissimmee, Fla., pp110-116.
- 30) F. C. Choi (Nov 2000), "Characterisation of reinforced concrete beams subjected to reinforcement corrosion using modal parameters" Master Dissertation, Department of Civil Engineering, University of Malaya.
- 31) E. I. Shifrin and R. Ruotolo (1999) "Natural frequencies of a beam with an arbitrary number of cracks", Journal of Sound and Vibration, 222(3), pp 409-423.
- 32) Kato, M. and Shimada, S. (1986), "Vibration of PC bridge during failure process", Journal Structural Engineering, ASCE, Vol. 121, No. 2, February, pp 161-173.
- 33) J. E. Mottershead and M. I. Friswell (1993), " Model updating in structural dynamics: A survey" Journal Sound and Vibration, 167(2), pp 347-375.
- 34) D. J. Ewins (June 2000), " Model validation: Correlation for updating", Journal *Sādhanā*, Vol 25, Part 3, pp 221-234.
- 35) J. E. Mottershead, M. I. Friswell, G. H. T. Ng and J. A. Brandon (1996), " Geometric parameters for finite element model updating of joints and constraints" Mechanical Systems and Signal Processing, 10(2), p171-182.
- 36) G. M. Owolabi, A.S.J Swamidas and R. Seshadri (2003), "Crack detection in beams using changes in frequencies and amplitudes of frequency response functions", Journal of Sound and Vibration, 265, pp 1-22.
- 37) A. Rytter (1993), Ph.D. Dissertation, University of Aalborg, Denmark, "Vibration based inspection of civil engineering".
- 38) J.-M. Ndambi, J. Vantomme and K. Harri (2002), "Damage assessment in reinforced concrete beams using eigenfrequencies and mode shape derivatives", Journal of Engineering Structures, 24, pp501-515.
- 39) Yong Xia and Hong Hao (2003), Statistical Damage Identification of Structures with Frequency Changes, Journal of Sound and Vibration, 263, pp 853-870.