

TABLE OF CONTENTS

ACKNOWLEDGEMENTS	i
ABSTRACT	ii
1. INTRODUCTION	1
1.1. Electrochemistry as a Way to Synthesis Polymers	1
1.2. Conducting Polymers	3
1.3. Conducting Polymers and Their Composites	5
1.3.1. Polypyrrole and Their Composites	5
1.3.2. Polyaniline and Their Composites	7
1.4. Polyaniline	8
1.5. Polypyrrole	11
1.5.1. Mechanism of Polypyrrole Formation	12
1.6. Electrical Properties of Polymeric Materials	13
1.7. Cyclic Voltammetry to Characterize Electropolymerisation Process	14
1.8. Conductivity Measurement by Method of Four-point Probe	15
1.9. Wastewater Treatment	18
1.10. Ion-exchange	19
2 EXPERIMENTAL	
2.1. Apparatus	21
2.1.1. Glassware and Cleaning	21
2.1.2. Sample Bottles (polyethylene)	21

2.2.	Chemicals Used	22
2.3.	Instruments and Equipment	21
2.4.	Cleaning Process for Working Electrodes	25
2.5.	Solutions Preparation	25
2.6.	Cyclic Voltammetry	26
2.7.	Preparation of Conducting Polymer Film	27
2.8.	Conductivity Measurement	29
2.9.	Ion-exchange	32
2.10.	Platinised Titanium	33
2.11.	Surface Morphology	34
2.12.	Microanalysis	34
2.13.	Insertion of Cation and Anion in Ppy-PSS film	34
3	RESULTS AND DISCUSSION	
3.1.	Cyclic Voltammetry	
3.1.1.	Cyclic Voltammetry of Polyaniline in Aqueous Sulphuric Acid	35
3.1.2.	Effect of Concentration of Monomer (aniline) on CV of PANI	38
3.1.3.	Cyclic Voltammetry of Polyaniline on SnO ₂ Surface	44
3.1.4.	The Differences between Pt and SnO ₂ as Working Electrodes	46
3.1.5.	Cyclic Voltammetry of Polyaniline by Ti	49
3.1.6.	Effect of Concentration of Sulphuric Acid on Polymerisation of Polyaniline	51
3.1.7.	Polymerisation at Various Working Electrodes	53
3.1.8.	Incorporation of Orthanilic Acid into Polyaniline	56

3.1.9. Effect of Adding Orthanilic Acid to The Cyclic Voltammetry of Polyaniline	56
3.1.10. Thermal Effect	59
3.1.11. Quantitative Analysis	61
3.2. Polypyrrole	69
3.2.1. Electropolymerization of Pyrrole	69
3.2.2. Insertion of Cation and Anion in Ppy-PSS film	71
3.2.3. Conductivity	73
3.3. Conductivity of Ppy-PSS	75
3.3.1. Surface Conductivity versus Film Thickness	75
3.3.2. Calculation for Surface Conductivity	77
3.3.3. Use of PSS of Molecular weight 70,000 as Dopant	79
3.3.4. The Relationship between Density and Surface Conductivity	79
3.3.5. Effect of Total Charge Consumed on the Thickness of the Film	79
3.3.6. Effect of Current and Polymerization time on Film Thickness	83
3.4. Conductivity across Ppy-PSS Film	85
3.4.1. Calculation for Body Conductivity	87
3.4.2. High Pressure Effects	88
3.4.3. Low Pressure ($0 < P < 100$ kPa)	91
3.4.4. AC Impedance Measurement on Ppy-PSS Film	98
3.4.5. Comparison between All the Three Methods Used in the Conductivity Measurement	100
3.4.6. Microscopy Study of Ppy-PSS Surface after Compression	101

3.4.7.	Platinised Titanium	104
3.5.	Copper Removal	107
3.5.1.	Cyclic Voltammetry Study	107
3.5.2.	The Used of Titanium Plate as Substrate for the Conducting in Ion-removal Process	110
3.5.3.	Copper Removal by Ion-exchange / Deposition by Alternately Depositing and Stripping Using Ppy-PSS Film	111
3.5.4.	Continuous Deposition without Stripping	115
3.5.5.	Using the Ppy-PSS/PAN Composition Film	117
4	REFERENCES	123
5	APPENDICES	133