CONTENTS

Abstract			1		
Abstrak			I		
Acknowledg	ement		II		
Chapter I	Intro	duction	1		
1.1	Brief	History of Erbium-Doped Fiber Amplifiers	1		
1.2	Principles of Amplification Mechanism				
1.3	Recent Development in Erbium-doped Fiber Amplifiers				
	With Optical Feedback				
1.4	Outline of this Thesis				
Refer	rences		10		
Chapter II	Basic	Principles of Erbium-Doped Fiber Amplifiers	15		
2.1	Introd	luction	15		
2.2	Dope	d Glass Structure and Properties	15		
2.3	Energ	Energy Levels of Er ³⁺ Ions			
	2.3.1	Stark Effects	18		
	2.3.2	Rate Equations	20		
	2.3.3	Nonradiative Relaxation	22		
	2.3.4	Pump Bands and Excited/Ground State Absorption	24		
2.4	Broadening				
2.5	Spontaneous and Stimulated Emission				
2.6	Absorption and Small-signal Gain Coefficient				
2.7	Principles of Gain-clamping in Erbium-Doped Fiber Amplifiers				
2.8	Key Is	Key Issues For Optical Amplifiers			
	2.8.1	Signal Gain	35		
	2.8.2	Noise	37		
2.9	Simulation Using OptiAmplifier		38		
	2.9.1	Introduction to OptiAmplifier	38		
	2.9.2	Simulation Setup	41		
	2.9.3	Comparison of Simulation Results with			
		Experimental Results	43		
Refere	ences		48		

Chapter III	Com	ponents Characterization and Measurement Methods	50		
3.1	Introduction				
3.2	Basic Experimental Setup and Components Characterization				
3.3	Study of Back Reflection				
3.4	Selection of Pumping Scheme				
3.5	Measurement Methods				
	3.5.1	Principle of Interpolation Method	67		
	3.5.2	Principles of Time-Domain-Extinction (TDE) Method	68		
	3.5.3	Results Comparison between Different Measurement			
		Methods	71		
3.6	Study	of Boosted Signal Source	73		
3.7	Concl	Conclusions			
Refere	References				
Chapter IV	Experimental Results and Discussion I:				
	Erbium-Doped Fiber Amplifier with Optical Counter-				
	Feedl	pack	80		
4.1	Introduction		80		
4.2	Experimental Setup				
4.3	Amplifier Performance without Wavelength Selective Element				
	4.3.1	Output Spectrums	83		
	4.3.2	Effects of Pump Power Variation	85		
	4.3.3	Effects of Input Signal Power Variation	87		
	4.3.4	Effects of Signal Wavelength Variation	90		
4.4	Perfor	mance Comparison Among The Systems	92		
	4.4.1	Output Spectrums	92		
	4.4.2	Effects of Pump Power Variation	94		
	4.4.3	Effects of Input Signal Power Variation	99		
	4.4.4	Effects of Signal Wavelength Variation	103		
4.5	Variat	ion of Lasing Wavelength	106		
	4.5.1	Effects of Lasing Wavelength Variation	106		
	4.5.2	Performance Comparison for Different			
		Lasing Wavelengths	111		

4.6	Conc	Conclusions					
Refe	rences						
Chapter V Experimental Results and Discussion II:							
	Erbiu	ım-Doped Fiber Amplifier with Optical Co-Feedback	122				
5.1	Introd	luction	122				
5.2	Exper	Experimental Setup					
5.3	Ampl	ifier Performance - Comparison Among The Systems	124				
	5.3.1	Output Spectrums	124				
	5.3.2	Effects of Pump Power Variation	125				
	5.3.3	Effects of Input Signal Power Variation	130				
	5.3.4	Effects of Signal Wavelength Variation	137				
5.4	Variat	tion of Lasing Wavelength	140				
5.5	Study	of Cavity Loss	148				
5.6	Effect	Effects of Input Signal on Oscillating signal					
5.7	Concl	usions	165				
References			166				
Chapter VI	Expe	rimental Results and Discussion III:					
Chapter VI	•	rimental Results and Discussion III: nm-Doped Fiber Amplifier with Optical Regenerative-					
Chapter VI	•	m-Doped Fiber Amplifier with Optical Regenerative-	169				
Chapter VI	Erbiu Feedb	m-Doped Fiber Amplifier with Optical Regenerative-	169 169				
·	Erbiu Feedh Introd	nm-Doped Fiber Amplifier with Optical Regenerative- pack					
6.1	Erbiu Feedb Introd Exper	m-Doped Fiber Amplifier with Optical Regenerative- oack uction	169				
6.1	Erbiu Feedb Introd Exper	m-Doped Fiber Amplifier with Optical Regenerative- back uction imental Setup	169 170				
6.1	Erbiu Feedh Introd Exper Unidin	m-Doped Fiber Amplifier with Optical Regenerative- back uction imental Setup rectional-Feedback with Wavelength Selective Element	169 170 172				
6.1	Feedb Introd Exper Unidin 6.3.1 6.3.2	m-Doped Fiber Amplifier with Optical Regenerative- back uction imental Setup rectional-Feedback with Wavelength Selective Element Comparison between Different Measurement Methods	169 170 172 172				
6.1 6.2 6.3	Feedb Introd Exper Unidin 6.3.1 6.3.2	am-Doped Fiber Amplifier with Optical Regenerative- back uction imental Setup rectional-Feedback with Wavelength Selective Element Comparison between Different Measurement Methods Comparison with System Without Feedback rectional-Feedback without Wavelength Selective Element	169 170 172 172 175				
6.1 6.2 6.3	Erbiu Feedb Introd Exper Unidii 6.3.1 6.3.2 Unidii	mr-Doped Fiber Amplifier with Optical Regenerative- back uction imental Setup rectional-Feedback with Wavelength Selective Element Comparison between Different Measurement Methods Comparison with System Without Feedback rectional-Feedback without Wavelength Selective Element	169 170 172 172 175 177				
6.1 6.2 6.3	Erbiu Feedb Introd Exper Unidii 6.3.1 6.3.2 Unidii	mr-Doped Fiber Amplifier with Optical Regenerative- back uction imental Setup rectional-Feedback with Wavelength Selective Element Comparison between Different Measurement Methods Comparison with System Without Feedback rectional-Feedback without Wavelength Selective Element Operation Below Threshold	169 170 172 172 175 177				
6.1 6.2 6.3	Erbiu Feedb Introd Exper Unidii 6.3.1 6.3.2 Unidii	mr-Doped Fiber Amplifier with Optical Regenerative- back uction imental Setup rectional-Feedback with Wavelength Selective Element Comparison between Different Measurement Methods Comparison with System Without Feedback rectional-Feedback without Wavelength Selective Element Operation Below Threshold 6.4.1.1 Amplifier Performance	169 170 172 172 175 177 177				
6.1 6.2 6.3	Erbiu Feedb Introd Exper Unidii 6.3.1 6.3.2 Unidii	mr-Doped Fiber Amplifier with Optical Regenerative- back uction imental Setup rectional-Feedback with Wavelength Selective Element Comparison between Different Measurement Methods Comparison with System Without Feedback rectional-Feedback without Wavelength Selective Element Operation Below Threshold 6.4.1.1 Amplifier Performance 6.4.1.2 Saturation Characteristics	169 170 172 172 175 177 177 177				
6.1 6.2 6.3	Erbiu Feedb Introd Exper Unidii 6.3.1 6.3.2 Unidii	mr-Doped Fiber Amplifier with Optical Regenerative- back uction imental Setup rectional-Feedback with Wavelength Selective Element Comparison between Different Measurement Methods Comparison with System Without Feedback rectional-Feedback without Wavelength Selective Element Operation Below Threshold 6.4.1.1 Amplifier Performance 6.4.1.2 Saturation Characteristics 6.4.1.3 Amplification Bandwidth	169 170 172 172 175 177 177 177 185 188				

			6.4.2.2 Comparison with the System Without Feedback	210	
		6.4.2.3 Comparison with Co-feedback Scheme	220		
	6.5 Injection Locking				
	6.6	.6 Regenerative Amplifier Subject To External Injection			
	6.7	Bidirectional-Feedback Regenerative Amplifier			
		6.7.1	Output Spectrums	253	
		6.7.2	Operation Below Threshold	254	
		6.7.3	Operation Above Threshold	259	
	6.8 Conclusions		266		
	References		268		
Chapter VII		Conclusions		271	
	7.1	Introd	uction	271	
	7.2	Counter-Feedback		271	
	7.3	Co-Feedback		272	
	7.4	Regenerative-Feedback		273	
	7.5	Summary of the Work		274	
	7.6	Suggestions for Future Work		276	
	References			277	
APPE	NDIXE	ES			
A	Giles Model		279		
В	Theory	Theory of Regenerative Amplifier Model			
C	Injection Locking Theory Based on Adler's Model			284	
D	Publication List			286	

Publication List