

REFERENCES

REFERENCES

- Agarwal, B., Singh, U. and Banerjee, M. (1992). *In vitro* clonal propagation of tea (*Camellia sinensis* (L.) O. Kuntze). *Plant Cell, Tissue and Organ Culture*. 30: 1-5.
- Altman, A., Gülsen, Y. and Goren, R. (1982). Growth and metabolic activity of lemon juice vesicle explants *in vitro*. *Plant Physiol*. 69: 1-6.
- Amo-Marco, J.B. and Picazo, I. (1994). *In vitro* culture of albedo tissue from fruits of *Citrus sinensis* cv. Washington Navel: Effect of fruit age and orange juice. *Journal of Horticultural Science*. 69: 929-935.
- Ashari, S., Aspinall, D. and Sedgley, M. (1989). Identification and investigation of relationships of mandarin types using isozyme analysis. *Scientia Horticulturae*. 40: 305-315.
- Attaway, J.A., Pieringer, A.P. and Barabas, L.J. (1966a). The origin of *Citrus* flavour components-I. The analysis of *Citrus* leaf oils using gas-liquid chromatography, thin layer chromatography and mass spectrometry. *Phytochemistry*. 5: 141-151.
- Attaway, J.A., Pieringer, A.P. and Barabas, L.J. (1966b). The origin of *Citrus* flavour components-II. Identification of volatile components from *Citrus* blossoms. *Phytochemistry* 5: 1273-1279.

- Azzouz, M.A. and Reineccius, G.A. (1976). Comparison between cold-pressed and distilled lime oils through the application of gas chromatography and mass spectrometry. *Journal of Food Science*. 4: 324-328.
- Baaliouamer, A., Meklati, B.Y., Fraisse, D. and Scharff, C. (1985). Qualitative and quantitative analysis of petitgrain Eureka lemon essential oil by fused silica capillary column gas chromatography mass spectrometry. *J. Sci. Food Agric.* 36: 1145-1154.
- Baldry, C.W., Bucke, C. and Coombs, J. (1970). Effects of some phenoloxidase inhibitors on chloroplast and carboxylating enzymes of sugarcane and spinach. *Planta* (Berl.). 94: 124-133.
- Barlass, M. and Skene, K.G.M. (1982). *In vitro* plantlet formation from *Citrus* species and hybrids. *Scientia Horticulturae*. 17: 333-341.
- Barlass, M. and Skene, K.G.M. (1986). *Citrus* (*Citrus* species). In Y.P.S. Bajaj (ed.), *Biotechnology in Agriculture and Forestry-I*. Springer-Verlag Berlin Heidelberg. pp. 207-219.
- Barthe, G.A., Jourdan, P.S., Mc Intosh, C.A. and Mansell, R.L. (1987). Naringin and limonin production in callus cultures and regenerated shoots from *Citrus* sp. *J. Plant Physiol.* 127: 55-65.
- Beloualy, N. (1991). Plant regeneration from callus culture of three *Citrus* rootstocks. *Plant Cell, Tissue and Organ Culture*. 24: 29-34.

- Berhow, M.A., Bennet, R.D., Poling, S.M., Vannier, S., Hidaka, T. and Omura, M. (1994). Acylated flavonoids in callus cultures of *Citrus aurantifolia*. *Phytochemistry*. 36: 1225-1227.
- Bhat, S.R., Chitralekha, P. and Chandel, K.P.S. (1992). Regeneration of plants from long-term root culture of lime, *Citrus aurantifolia* (Christm.) Swing. *Plant Cell, Tissue and Organ Culture*. 29: 19-25.
- Bonga, J.M. and Von Aderkas, P.V. (1992). *In Vitro Culture of Trees*. Kluwer Academic Publishers.
- Bouza, L., Jacques, M. and Miginiac, E. (1994). *In vitro* propagation of *Paeonia suffruticosa* Andr. cv. 'Mme de Vatry': developmental effects of exogenous hormones during the multiplication phase. *Scientia Horticulturae*. 57: 241-251.
- Brewer, G.J. (1970). *An Introduction to Isozyme Techniques*. Academic Press. 180 pp.
- Brunet, G. and Ibrahim, R.K. (1973). Tissue culture of *Citrus* peel and its potential for flavanoid synthesis. *Z. Pflanzenphysiol*. 69: 152-162.
- Burger, D.W. and Hackett, W.P. (1986). Gradients of adventitious bud formation on exercised epicotyl and root sections of *Citrus*. *Plant Sci.* 43: 229-232.
- Cadwallader, K.R. and Xu, Y. (1994). Analysis of volatile components in fresh grapefruit juice by purge and trap gas chromatography. *J. Agric. Food Chem.* 42: 782-784.

Carimi, F., De Pasquale, F. and Crescimanno, F.G. (1994). Somatic embryogenesis from styles of lemon (*Citrus limon*). *Plant Cell, Tissue and Organ Culture*. 37: 209-211.

Carimi, F., De Pasquale, F. and Crescimanno, F.G. (1995). Somatic embryogenesis in *Citrus* from styles culture. *Plant Science*. 105: 81-86.

Chamblee, T.S., Clark, B.C., Jr., Brewster, G.B., Radford, T. and Iacobucci, G.A. (1991). Quantitative analysis of the volatile constituents of lemon peel oil. Effects of silica gel chromatography on the composition of its hydrocarbon and oxygenated fractions. *J. Agric. Food Chem.* 39: 162-169.

Chilaka, F.C., Anosike, E.D. and Egbuna, P.C. (1993). Purification and properties of polyphenol oxidase from oil bean (*Pentaclethra macrophylla* Benth) seeds. *J. Sci. Food Agric.* 6: 125-127.

Clark, B.C. Jr., Chamblee, T.S. and Iacobucci, G.A. (1987). HPLC isolation of the sesquiterpene hydrocarbon germacrene B from lime peel oil and its characterization as an important flavour impact constituent. *J. Agric. Food Chem.* 35: 514-518.

Conklin, M.E. and Smith, H.H. (1971). Peroxidase isozymes: a measure of molecular variation in ten herbaceous species of *Datura*. *Amer. J. Bot.* 58: 688-696.

Coombs, J. and Hind, G. (1985). Enzymes: separation and kinetics. In J. Coombs, D.O. Hall, S.P. Long & J.M.D. Scurlock (eds.), *Techniques in Bioproduction and Photosynthesis*. Pergamon Press. pp. 201-218.

- da Graca, J.V. (1991). *Citrus* greening disease. *Annu. Rev. Phytopathol.* 29: 109-136.
- Del Río, J.A., Ortúñoz, A., García-Puig, D., Iborra, J.L. and Sabater, F. (1991). Accumulation of the sesquiterpenes nootkatone and valencene by callus cultures of *Citrus paradisi*, *Citrus limonia* and *Citrus aurantium*. *Plant Cell Reports.* 10: 410-413.
- Del Río, J.A., Ortúñoz, A., García-Puig, D., Porras, I., García-Lidon, A. and Sabater, F. (1992). Variations of nootkatone and valencene levels during the development of grapefruit. *J. Agric. Food Chem.* 40: 1488-1490.
- Dodds, J.H. and Roberts, L.R. (1982). *Experiments in Plant Tissue Culture*. Cambridge University Press.
- Drawert, F., Berger, R.G. and Godelmann (1984). Regioselective biotransformation of valencene in cell suspension cultures of *Citrus* sp. *Plant Cell Reports.* 3: 37-40.
- Duran-Vila, N., Ortega, V. and Navarro, L. (1989). Morphogenesis and tissue cultures of three *Citrus* species. *Plant Cell, Tissue and Organ Culture.* 16: 123-133.
- Durham, R.E., Liou, P.C., Gmitter, Jr., F.G. and Moore, G.A. (1992). Linkage of restriction fragment length polymorphisms and isozymes in *Citrus*. *Theor. Appl. Genet.* 84: 39-48.
- Edriss, M.H. and Burger, D.W. (1984). *In vitro* propagation of 'Troyer' citrange from epicotyl segments. *Scientia Hort.* 23: 159-162.

- Einset, J.W. (1978). *Citrus*. Tissue culture. Stimulation of fruit explant cultures with orange juice. *Plant Physiol.* 62: 885-888.
- Erner, Y., Reuveni, O. and Goldschmidt, E. (1975). Partial purification of a growth factor from orange juice which affects *Citrus* tissue culture and its replacement by citric acid. *Plant Physiol.* 56: 279-282.
- Esen, A. and Soost, R.K. (1974a). Inheritance of browning of young shoot extracts of *Citrus*. *The Journal of Heredity*. 65: 97-100.
- Esen, A. and Soost, R.K. (1974b). Polyphenol oxidase-catalyzed browning of young shoot extracts of *Citrus* taxa. *Journal of the American Society for Horticultural Science*. 99: 484-489.
- Esen, A. and Scora, R.W. (1975). Distribution of enzymatic browning of young shoot homogenates in the Aurantioideae. *Amer. J. Bot.* 62: 1078-1083.
- Esen, A. and Soost, R.K. (1976). Peroxidase polymorphism in *Citrus*. *The Journal of Heredity*. 67: 199-203.
- Esen, A. and Scora, R.W. (1977). Amylase polymorphism in *Citrus* and some related Genera. *Amer. J. Bot.* 64: 305-309.
- Friedman, M. and Bautista, F.F. (1995). Inhibition of polyphenol oxidase by thiols in the absence and presence of potato tissue suspensions. *J. Agric. Food Chem.* 43: 69-76.

- Fujita, S. and Tono, T. (1988). Purification and some properties of polyphenol oxidase in eggplant (*Solanum melongena*). *J. Sci. Food Agric.* 46: 115-123.
- Fujita, Y. (1990). The production of industrial compounds. In S.S. Bhojwani (ed.), *Plant Tissue Culture: Applications and Limitations*. Elsevier. pp. 259-275.
- Fujita, S., Saari, N., Maegawa, M., Tetsuka, T., Hayashi, N. and Tono, T. (1995). Purification and properties of polyphenol oxidase from cabbage (*Brassica oleracea* L.). *J. Agric. Food Chem.* 43: 1138-1142.
- Galun, E. (1988). Application of molecular methods to modern *Citrus* taxonomy. *Proceedings of the Sixth International Citrus Congress*. 295-301.
- George, E.F. and Sherrington, P.D. (1984). Plant propagation by tissue culture. *Handbook and directory of commercial laboratories*. Exegetic Ltd.
- Germanà, M.A., Wang, Y.Y., Barbagallo, M.G., Iannolino, G. and Crescimanno, F.G. (1994). Recovery of haploid and diploid plantlets from anther culture of *Citrus clementina* Hort. ex Tan. and *Citrus reticulata* Blanco. *Journal of Horticultural Science*. 69: 473-480.
- Ghosh, S.P. (1990). *Citrus*. In T.K. Bose and S.K. Mitra (eds.), *Fruits: Tropical and Subtropical*. Naya Prokash. pp. 63-131.
- Gill, M.I.S., Singh, Z., Dhillon, B.S. and Gosal, S.S. (1994). Somatic embryogenesis and plantlet regeneration on calluses derived from seedling explants of 'Kinnnow'

mandarin (*Citrus nobilis* Lour. X *Citrus deliciosa* Tenora). *Journal of Horticultural Science*. 69: 231-236.

Goh, H.K., Rao, A.N. and Loh, C. (1990). Direct shoot bud formation from leaf explants of seedlings and mature mangosteen (*Garcinia mangostana* L.) trees. *Plant Sci.* 68: 113-121.

Grinblat, V. (1972). Differentiation of *Citrus* stem *in vitro*. *J. Am. Soc. Hortic. Sci.* 97: 599-603.

Grosser, J.W. and Chandler, J.L. (1986). *In vitro* multiplication of Swingle citrumello rootstock with coumarin. *Hort. Science*. 21: 518-520.

Guenther, E. (1965). Individual esssential oils of the plant families Gramineae, Lauraceae, Burseraceae, Myrtaceae, Umbelliferae and Geraniaceae. *The Essential Oils*. Volume Four. Robert E. Krieger Publishing Company. Huntington, New York.

Guenther, E. (1967). Individual essential oils of the plant families Rutaceae and Labiatae. *The Essential Oils*. Volume Three. Robert E. Krieger Publishing Company. Huntington, New York.

Gülsen, Y., Altman, A. and Goren, R. (1981). Growth and development of *Citrus* pistils and fruit explants *in vitro*. *Physiol. Plant.* 53: 295-300.

Haagen-Smit, A.J. (1972). The chemistry, origin and function of essential oils in plant life. In E. Guenther (ed.), *The Essential Oils. History-Origin in Plants Production-*

Analysis. Volume One. Robert E. Krieger Publishing Company, Huntington, New York. pp. 17-83.

Hidaka, T. (1984). Induction of plantlets from anthers of 'Trovita' orange (*Citrus sinensis* Osbeck). *J. Japan. Soc. Hort. Sci.* 53: 1-5.

Hidaka, T. and Kajiura, I. (1988). Plantlet differentiation from callus protoplasts induced from *Citrus* embryo. *Scientia Horticulturae*. 34: 85-92.

Hirai, M., Kozaki, I. and Kajiura, I. (1986). Isozyme analysis and phylogenetic relationships of *Citrus*. *Japan. J. Breed.* 36: 377-389.

Hirai, M. and Kajiura, I. (1987). Genetic analysis of leaf isozymes in *Citrus*. *Japan. J. Breed.* 37: 377-388.

Hossain, M., Islam, R., Karim, M.R., Joarder, O.I. and Biswas, B.K. (1994). Regeneration of plantlets from *in vitro* cultured cotyledons of *Aegle marmelos* Corr. (Rutaceae). *Scientia Horticulturae*. 57: 315-321.

Hume, H.H. (1957). Botany of *Citrus* fruits and their relatives. *Citrus Fruits*. The Macmillan Company. pp. 10-27.

Iglesias, L., Lima, H. and Simon, J.P. (1974). Isoenzyme identification of zygotic and nucellar seedlings in *Citrus*. *The Journal of Heredity*. 65: 81-84.

Jones, D.T. (1983). Family portrait: The Rutaceae ('Limau') of Peninsular Malaysia. *Nature Malaysiana*. 8: 16-23.

Jones, D.T. (1984). *Citrus* in Malaysia. *Nature Malaysiana*. 9: 8-17.

Jones, D.T. and Ahmed Zainudin Ibrahim (1984). *Citrus* cultivation and germplasm collection in west Malaysia. *IBPGR Newsletter*. 8: 9-12.

Jones, D.T. and Farah D. Ghani (1987). *Citrus* research and germplasm collection in Malaysia. *Malays. Appl. Biol.* 16: 139-144.

Kahn, V. (1977). Some biochemical properties of polyphenol oxidase from two avocado varieties differing in their browning ratios. *Journal of Food Science*. 42: 38-43.

Kitto, S.L., Young, M.J. (1981). *In vitro* propagation of carriko citrange. *Hort. Science*. 16: 305-306.

Ko, W.W. (1992). *Citrus* varieties and rootstocks of Cameron Highlands, Malaysia. *MARDI Report*. No. 154. 13 pp.

Kochba, J., Spiegel-Roy, P. and Safran, H. (1972). Adventive plants from ovules and nucelli in *Citrus*. *Planta*. 106: 237-245.

Kochba, J., Spiegel-Roy, P., Neumann, N. and Saad, S. (1982). Effect of carbohydrates on somatic embryogenesis in subcultured nucellar callus of *Citrus* cultivars. *Z. Pflanzenzuchtg*. 105: 359-368.

Kornerup, A. and Wanscher, J.H. (1963). *Methuen Handbook of Colour*. Methuen & Co. Ltd.

Kouider, M., Korban, S.S., Skirvin, R.M. and Joung, H. (1985). The relationship of apple embryos and cotyledon to maturity, dormancy and the potential to form shoots *in vitro*. *J. Am. Soc. Hortic. Sci.* 110: 93-96.

Kunitake, H., Kagami, H. and Mii, M. (1991). Somatic embryogenesis and plant regeneration from protoplasts of 'Satsuma' mandarin (*Citrus unshiu* Marc.). *Scientia Horticulturae*. 47: 27-33.

Lee, P.M., Lee, Kong-Hung and Abdul Karim, M.I. (1991). Biochemical studies of cocoa bean polyphenol oxidase. *J. Sci. Food Agric.* 55: 251-260.

Lewinsohn, E., Berman, E., Mazur, Y. and Gressel, J. (1986). Glucosylation of exogenous flavanones by grapefruit (*Citrus paradisi*) cell cultures. *Phytochemistry*. 25: 2531-2535.

Ling, J.T., Nito, N., Iwamasa, M. and Kunitake, H. (1990). Plant regeneration from protoplasts isolated from embryogenic callus of Satsuma. *Hort. Science*. 25: 970-972.

Lund, E.D., Shaw, P.E. and Kirkland, C.L. (1981). Composition of rough lemon leaf oil. *J. Agric. Food Chem.* 29: 490-494.

Mac Leod, A.J., Mac Leod, G. and Subramaniam, G. (1988). Volatile aroma constituents of orange. *Phytochemistry*. 27: 2185-2188.

Marin, M.L. and Duran-Vila, N. (1988). Survival of somatic embryos and recovery of plants of sweet orange (*Citrus sinensis* (L.) Osb.) after immersion in liquid nitrogen. *Plant Cell, Tissue and Organ Culture*. 14: 51-57.

Marin, M.L. and Duran-Vila, N. (1991). Conservation of *Citrus* germplasm *in vitro*. *J. Amer. Soc. Hort. Sci.* 116: 740-746.

Masada, Y. (1976). *Analysis of essential oil by gas chromatography and mass spectrometry*. John Wiley & Sons, New York.

Mayer, A.M. and Harel, E. (1979). Polyphenol oxidases in plants. *Phytochemistry*. 18: 193-215.

Merkle, S.A., Parrott, W.A. and Williams, G.A. (1990). Applications of somatic embryogenesis and embryo cloning. In S.S. Bhojwani (ed.), *Plant Tissue Culture: Applications and limitations*. Elsevier. pp. 67-101.

Moore, G.A. (1985). Factors effecting *in vitro* embryogenesis from undeveloped ovules of mature *Citrus* fruit. *Journal of the American Society for Horticultural Science*. 110: 66-70.

Moore, G.A. (1986). *In vitro* propagation of *Citrus* rootstocks. *Hort. Science*. 21: 300-301.

- Moshonas, M.G. and Shaw, P.E. (1994). Quantitative determination of 46 volatile constituents in fresh, unpasteurised orange juices using dynamic headspace gas chromatography. *J. Agric. Food Chem.* 42: 1525-1528.
- Murashige, T. and Skoog, F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue culture. *Physiol. Plant.* 15: 473-497.
- Murashige, T. and Tucker, D.P.H. (1969). Growth factor requirements of *Citrus* tissue culture. *Proceedings First International Citrus Symposium.* 3: 1155-1161.
- Navas-Castillo, J., Moreno, P. and Duran-Vila, N. (1995). *Citrus* psorosis, ringspot, cristacortis and concave gum pathogens are maintained in callus culture. *Plant Cell, Tissue and Organ Culture.* 40: 133-137.
- Nito, N., and Iwamasa, M. (1990). *In vitro* plantlet formation from juice vesicle callus of satsuma (*Citrus unshiu* Marc.). *Plant Cell, Tissue and Organ Culture.* 20: 137-140.
- Ogihara, K., Munehada, K., Yamamoto, T. and Suga, T. (1989). Fragrant and biologically active constituents of the *Citrus* cultivar jyabon. *Phytochemistry.* 28: 1061-1067.
- Oh, S.D., Song, W.S. and Cho, H.M. (1991). Plant regeneration in dangyooza (*Citrus grandis* Osbeck) through somatic embryogenesis 4. Effect of plant growth regulators or direct somatic embryogenesis and plant regeneration from immature ovule. *Research Reports of the Rural Development Administration, Biotechnology.* 33: 38-43.

- Omura, M. (1991). Pomegranate (*Punica granatum* L.). In Y.P.S. Bajaj (ed.), *Biotechnology in Agriculture and Forestry*. Vol. 16. Trees III. Springer-Verlag, Berlin Heidelberg. pp. 44-61.
- Opeke, L.K. (1982). *Citrus* Fruits. *Tropical Tree Crops*. John Wiley and Sons. pp. 202-214.
- Park, Y.K., Sato, H.H., Almeida, T.D. and Moretti, R.H. (1980). Polyphenol oxidase of mango (*Mangifera indica* Van Haden). *Journal of Food Science*. 45: 1619-1621.
- Rahman, M.M. and Nito, N. (1994). Phylogenetic relationships in the kumquat (*Fortunella*) as revealed by isozyme analysis. *Scientia Horticulturae*. 57: 17-28.
- Raj Bhansali, R. and Arya, H.C. (1978). Shoot formation in stem and root callus of *Citrus aurantifolia* (Christm.) Swingle, grown in cultures. *Current Science*. 47: 775-776.
- Raj Bhansali, R. and Arya, H.C. (1979). Organogenesis in *Citrus limettoides* (Sweet lime) callus culture. *Phytomorphology*. 29: 97-100.
- Rao, A.N., Yeow, M.S., Kothagoda, N. and Hutchinson, J.F. (1982). Cotyledon tissue culture of some tropical fruits. In A. N. Rao (ed.), *Proceeding of COSTED Symposium on Tissue Culture of Economically Important Plants*, Singapore, 1981. pp. 124-137.
- Reitz, H.J. (1984). The world Citrus crop. *Outlook on Agriculture*. Volume 13, No 3. Pergamon Press. pp. 140-146.

- Rhodes, M.J.C. (1977). The extraction and purification of enzymes from plant tissues. In H. Smith (ed.), *Regulation of Enzyme Synthesis and Activity in Higher Plants: Proceedings of the Phytochemical Society Symposium*, Oxford, April, 1977. Academic Press, New York and London. pp. 245-267.
- Roose, M.L. (1988). Isozymes and DNA restriction fragment length polymorphisms in *Citrus* breeding and systematics. *Proceedings of the Sixth International Citrus Congress*. 155-165.
- Rouse, R.E. (1988). Major *Citrus* cultivars of the world as reported from selected countries. *Hort. Science*. 23: 680-684.
- Saamin, S. Mohamed Osman, W.W. Ko and Mohd. Shamsudin Osman (1991). Malaysian *Citrus* industry development perspectives. Paper presented at the seminar 'Towards Integrated *Citrus* Health Management', organised by MARDI-UNDP-FAO. MARDI Serdang, Malaysia. 12 pp.
- Saamin, S. and Bakar, H. (1991). *Citrus* cultivars rediscovered-tolerant to greening disease?. *Prosiding Simposium Buah-buahan kebangsaan Ketiga 1991. Kearah Industri Buah-Buahan Berdaya Maju*, 24-26 Sep., Genting Highlands. pp. 312-314.
- Samson, J.A. (1980). *Citrus. Tropical Fruits*. Tropical Agriculture Series, Longman, London. pp. 64-118.
- Sauton, A., Mouras, A. and Lutz, A. (1982). Plant regeneration from *Citrus* root meristems. *Journal of Horticultural Science*. 57: 227-231.

- Singh, S., Ray, B.K., Bhattacharyya, S. and Deka, P.C. (1994). *In vitro* propagation of *Citrus reticulata* Blanco and *Citrus limon* Burm. f. *Hort Science.* 29: 214-216.
- Song, W.S., Oh, S.D., Cho, H.M. and Park, J.H. (1991a). Plant regeneration in dangyooza (*Citrus grandis* Osbeck) through somatic embryogenesis. *Research Reports of the Rural Development Administration, Biotechnology.* 33: 14-21.
- Song, W.S., Oh, S.D. and Park, E.H. (1991b). *In vitro* propagation of yooza (*Citrus junos* Sieb. et Tanaka) II. Callus induction, somatic embryogenesis, and plant regeneration from shoot tip and immature ovule. *Journal of the Korean Society for Horticultural Science.* 32: 206-215.
- Song, W.S., Oh, S.D. and Kim, J.S. (1991c). *In vitro* propagation of yooza (*Citrus junos* Sieb. et Tanaka) III. Plant regeneration from cotyledon, hypocotyl and leaf of plantlets induced from somatic embryos. *Journal of the Korean Society for Horticultural Science.* 32: 345-354.
- Soost, R.K. and Cameron, J.W. (1975). *Citrus.* In J. Janick & J.N. Moore (eds.), *Advances in fruit breeding.* Purdue University Press. pp. 507-540.
- Soost, R.K. and Torres, A.M. (1981). Leaf isozymes as genetic markers in *Citrus.* *Proc. Int. Soc. Citriculture.* 1: 7-10.
- Spiegel-Roy, P. and Vardi, A. (1984). *Citrus.* In P.V. Ammirato, D.A. Evans, W.R. Sharp & Y. Yamada (eds.), *Handbook of Plant Cell Culture.* Vol.3. Macmillan, New York. pp. 355-372.

Starrantino, A. and Caruso, A. (1988). *In vitro* culture for *Citrus* micropropagation. *Acta-Horticulturae.* 227: 444-446.

Stone, B.C. (1972). A new wild *Citrus* from Malaya. *Planter*, Kuala Lumpur. 48: 90-92.

Stone, B.C., Lowry, J.B., Scora, R.W. and Jong, K. (1973). *Citrus halimii*: A new species from Malaya and Peninsular Thailand. *Biotropica*. 5: 102-110.

Swingle, W.T. (1967). The botany of *Citrus* and its wild relatives. In W. Reuther, H.J. Webber & L.D. Batchelor (eds.), *The Citrus Industry*. Vol. I. University of California, Berkley. pp. 190-430.

Teo, L.F.N., Rao, A.N. and Loh, C.S. (1988). Cotyledon tissue culture and shoot buds on roots in *Citrus*. Reprinted from FFTC Series No. 38. *Cell and Tissue Culture in Field Crop Improvement*. pp. 115-127.

Tisserat, B. (1985). Embryogenesis, organogenesis and plant regeneration. In R.A. Dixon (ed.), *Plant Cell Culture, a Practical Approach*. IRL Press.

Tisserat, B., and Galletta, P.D. (1987). *In vitro* culture of lemon juice vesicles. *Plant Cell, Tissue and Organ Culture*. 11: 81-95.

Tisserat, B., Jones, D. and Galletta, P. (1988). Adventitious juice vesicle initiation in lemon (*C.limon* L.), mandarin (*Citrus reticulata* Blanco), sour orange (*Citrus*

aurantium L.), and sweet orange (*Citrus sinensis* (L.) Osb.) fruit explants. *Experientia.* 44: 723-724.

Tisserat, B., Jones, D. and Galletta, P.D. (1989a). Growth responses from whole fruit and fruit halves of lemon cultured *in vitro*. *Amer. J. Bot.* 76: 238-246.

Tisserat, B., Galletta, P.D. and Jones, D. (1989b). Induction of adventitious branches from cultured *Citrus* juice vesicle-a potential means of proliferation. *Amer. J. Bot.* 76: 1750-1758.

Tisserat, B., Vandercook, C.E. and Berhow, M. (1989c). *Citrus* juice vesicle culture: A potential research tool for improving juice yield and quality. *Food Technology.* 95-100.

Torres, A.M., Soost, R.K. and Diedenhofen, U. (1978). Leaf isozymes as genetic markers in *Citrus*. *Amer. J. Bot.* 65: 869-881.

Torres, A.M., Soost, R.K. and Mau-Lastovicka, T. (1982). *Citrus* isozymes. *J. Heredity.* 73: 335-339.

Tusa, N. and Geraci, G. (1988). *In vitro* propagation of some *Citrus* rootstocks. *Acta-Horticulturae.* In International Symposium on Vegetative Propagation of Woody Species, Pisa, Italy, 3-5 Sep., 1987. 227: 464-466.

Unger, J.W. and Feng, K.O. (1978). Growth and differentiation of juice vesicles of orange grown *in vitro*. *Amer. J. Bot.* 65: 511-515.

- Usai, M., Arras, G. and Fronteddu, F. (1992). Effects of cold storage on essential oils of peel of Thompson Navel oranges. *J. Agric. Food Chem.* 40: 271-275.
- Valero, E., Varon, R. and Garcia-Carmona, F. (1988). Characterization of polyphenol oxidase from Airen grapes. *Journal of Food Science*. 53: 1482-1489.
- Vallejos, C.E. (1983). Enzyme activity staining. In S.D. Tanksley & T.J. Orton (eds.), *Isozymes in Plant Genetics and Breeding*, Part A. Elsevier Science Publishers, B.V., Amsterdam. pp. 469-516.
- Van Sumere, C.F., Albrecht, J., Dedonde , A., De Pooter, H. and Irma, P. (1975). Plant proteins and phenolics. In J.B. Harborne & C.F. Van Sumere (eds.), *The Chemistry and Biochemistry of Plant Proteins: Proceedings of the Phytochemical Society Symposium*, University of Ghent, Belgium, September, 1973. Academic Press, New York and London. pp. 211-256.
- Vandercook, C.E. and Tisserat, B. (1989). Flavonoid changes in developing lemons grown *in vitro*. *Phytochemistry*. 28: 799-803.
- Vaughn, K.C. and Duke, S.O. (1984). Function of polyphenol oxidase in higher plants. *Physiol. Plant.* 60: 106-112.
- Wilson, C.W., III, and Shaw, P.E. (1980). Glass capillary gas chromatography for quantitative determination of volatile constituents in cold-pressed grapefruit oil. *J. Agric. Food Chem.* 28: 919-922.