

REFERENCES

REFERENCES

- Abreu, P.R.C., Almeida, M.C., Bernardo, R.M., Brito, L.C., Garcia, E.A.C., Fonseca, A.S. and Bernardo-Filho, M. (2006). Guava extract (*Psidium guajava*) alters the labelling of blood constituents with technetium-99m. *Journal of Zhejiang University Science*; **7**: 429-435.
- Anusavice, K.J. (1996). *Phillips' Science of dental materials*, 10th Edition. W.B. Saunders Company: 273-313.
- Asmussen, E. (1983). Softening of BIS-GMA-based polymers by ethanol and organic acids of plaque. *Scandinavian Journal of Dental Restorative*; **92**: 257-261.
- Atai, M, Nekoomanesh, M, Hashemi, S.A. and Amani, S. (2004). Physical and mechanical properties of an experimental dental composite based on a new monomer. *Dental Materials*; **20**: 663-668.
- Bayne, S.C., Heyman, H.O., and Swift Jr, E.J. (1994). Update on dental composite restoration. *Journal of American Dental Association*; **125**: 687-701.
- Bowen, R.L. (1963). Properties of silica-reinforced polymer for dental restorations. *Journal of American Dental Association*; **66**: 57-64.
- Borrajo, J.L.L., Varela, L.G., Castro, G.L., Rodriguez-Nuez, I., Figueroa, M.G., and Torreira, M.G. (2002). Efficacy of chlorhexidine mouthrinses with and without alcohol: A clinical study. *Journal of Periodontology*; **73**: 317-321.

Burke, F.J.T. (1985). Light-activated composites: The current status. *Dental Update*; 182-192.

Cavalcante, L.M.A., Peris, A.R, Amaral, C.M, Ambrosano, G.M.B. and Pimenta, L.A.F. (2003). Influence of polymerization technique on microleakage and microhardness of resin composite restoration. *Operative Dentistry*; **28**: 200-206.

Chandler, H.H., Bowen, R.L. and Paffenbarger, G.C. (1971). Methods for polishing composite restorative materials. *Journal of American Dental Association*; **83**: 344-348.

Chung,S.M. and Yap, A.U.J. (2005). Effect of surface finish on indentation modulus and hardness of dental composites restoratives. *Dental Materials*; **21**: 1008-1016.

Coffey, O., Ray, N.J., Lynch, C.D., Burke, F.M. and Hannigan, A. (2004). In vitro study of surface microhardness of a resin composite exposed to a quartz lamp. *Quintessence International*; **35**: 795-800.

Craig, R.G. and Powers, J.M. (2002). *Restorative Dental Materials*, 11th Edition. Mosby-Year Book,Inc: 232-256.

Darby, M.L. and Bushee, E.J. (1991). *Comprehensive review of dental hygiene*. Mosby Year Book Inc.; 482-483.

Darby, M.L. and Walsh, M.M. (1995). *Dental Hygiene Theory and Practice*. W.B. Saunders Company: 452-455.

Dennison, J., Fan, P. and Powers, J. (1981). Surface roughness of microfilled composites. *Journal of American Dental Association*; **102**: 859-862.

Disciacati, J.A.C., Neves, A.D., Orefice, R.L., Pimenta, F.J.G.S. and Sander, H.H. (2004). Effect of light intensity and irradiation time on polymerization process of a dental composite resin. *Material Research*; **7**: 1-10.

Dudai, N., Segey, D. Haykin-Frenkel, D. and Eshel, A. (2006). Genetic variation of phenolic compounds content, essential oil composition and anti oxidative activity in Israel-grown *Mentha longifolia* L. *International symposium on natural preservatives in food systems*; **14**: Princeton, USA.

Fan, P.L., Schumacher, R.M., Azzolin, K., Geary, R. and Eichmiller, F.C. (2002). Curing-light intensity and depth of cure of resin-based composites tested according to international standards. *Journal of American Dental Association*; **133**: 429-434.

Ferracane, J.L. (2001). *Materials in Dentistry- Principles and Applications*. Lippincott Williams and Wilkins: 88-101.

Gedik, R., Hurmuzlu, F., Coskum, A., Bektas, O.O. and Ozdmir, A.K. (2005). Surface roughness of new microhybrid resin-based composites. *Journal of American Dental Association*; **136**: 1106-1112.

Gurdal, P., Guniz Akdeniz, B. and Hakan Sen, B. (2002). The Effect of mouthrinses on microhardness and colour stability of aesthetic restorative materials. *Journal of Oral Rehabilitation*; **29**: 895-901.

Gurgan, S., Onen, A. and Koprulu, H. (1997). In vitro effects of alcohol-containing and alcohol free mouthrinses on microhardness of some restorative materials. *Journal of Oral Rehabilitation*; **24**: 244-246.

Harris, N.O. and García-Godoy, F. (2004). *Primary Preventive Dentistry*, 6th Edition. Pearson Education Inc., Pearson Prentice Hall, Upper Saddle River, New Jersey: 119-137.

Hondrum, S.O. and Fernandez, R. (1997). Contouring, finishing and polishing Class 5 restorative materials. *Operative Dentistry*; **22**: 30-36.

Larsen, I.B. and Munksgaard, C. (1990). Effect of human saliva on surface degradation of composite resins. *Journal of Dental Research*; **99**: 254-261.

Lee, D.W., Brammeier, S. and Smith, A.P. (1987). The selective advantages of anthocyanins in developing leaves of mango and cacao. *Biotropica*; **19**: 40-49.

Lee, S.Y., Huang, H.M., Lin, C.Y. and Shih, Y.H. (1998). Leached components from dental composites in oral simulating fluids and the resultant composite strength. *Journal of Oral Rehabilitation*; **25**: 575-588.

Leinfelder, K.F. (1985). Composite resin. *Dental Clinics of North America*; **38**: 359-371

Lutz, F. and Phillips, R.W. (1983). A classification and evaluation of composite resin system. *Journal of Prosthetic Dentistry*; **50**: 480-488.

Mahmood, R. and Lui, J.L. (2005). Effect of polishing on matrix-formed surfaces of resin composites. *Master of Clinical Dentistry, Restorative Dentistry*, Faculty of Dentistry, University of Malaya Research Report

Marigo, L., Rizzi, M., La Torre, G. and Rumi, G. (2001). 3-D surface profile analysis: different finishing methods for resin composites. *Operative Dentistry*; **26**: 562-568.

Marshall, G.W.Jr, Balooch, M., Tench,R.J., Kinney,J.H. and Marshall, S.J.(1993). Atomic force microscopy of acid effect on dentine. *Dental Materials*; **9**: 265-268.

Martos, J., Osinaga, P.W.R., de Oliveira, E. and de Castro, L.A.S. (2003). Hydrolytic degradation of composite resin: Effects on the microhardness. *Materials Research*; **6**: 599-604.

McCabe, J.F. and Walls, A.W.G. (1998). *Applied Dental Materials*, 8th Edition. Blackwell Science Ltd: 169-188.

McKinney, J.E. and Wu, W. (1985). Chemical softening and wear of dental composite. *Journal of Dental Research*; **64**:1326-1331.

Milleding, P., Ahlgren, F., Wennerberg, A., Ortengren, U. and Karlsson, S. (1998). Microhardness and surface topography of a composite resin cement after water storage. *International Journal of Prosthodontic*; **11**: 21-26.

Mitra, S.B. and Holmes, B.N. (2003). An application of nanotechnology in advanced dental materials. *Journal of American Dental Association*; **134**: 1382-1390.

Moran, J., Addy, M., Jackson, R. and Newcombe, R.G.(2000). Comparative effects of quarternary ammonium mouthrinses on 4-day plaque regrowth. *Journal of Clinical Periodontology*; **27**; 37-40.

Moszner, N. and Klapdohr, S. (2004). Nanotechnology for dental composites. *Int. Journal of Nanotechnology*; **1**: 130-156.

O'Brien, W.J. (2002) *Dental Materials and Their Selection*, 3rd Edition. Quintessence Publishing Co, Inc: 113-131.

Oberholzer, T.G., Grobler, S.R., Pameijer C.H. and Hudson A.P.G.(2003). The effect of light intensity and methods of exposure on the hardness of four light-cured dental restorative materials. *International Dental Journal*; **53**:211-215

Obici, A.C., Sinhoreti, M.A.C., Sobrinho, L.C., Goes, L.F.d. and Consani, S. (2004). Evaluation of depth of cure and Knoop hardness in dental composite photo-activated using different methods. *Brazilian Dental Journal*; **15**: 199-203

Okada, K, Tosaki, S., Hirota, K and Hume, W.R.(2001). Surface hardness change of restorative filling materials stored in saliva. *Dental Materials*; **17**:34-39

Penugonda, B., Settembrini, L., Scherer, W., Hittleman, E. and Strassler H. (1994). Alcohol-containing mouthwashes: effect on composite hardness. *Journal of Clinical Dentistry*; **5**: 60-62.

Pereira.S.G., Osorio,R, Toledano,M. and Nunes,T.G.(2005). Evaluation of two Bis-GMA analogues as potential monomer diluents to improve the mechanical properties of light-cured composite resin. *Dental Materials*; **21**: 823-830

Peutzfeldt, A. (1997).Resin composites in dentistry: the monomer system. *European Journal of Oral Science*; **105**: 97-116.

Peutzfeldt, A. and Asmussen E. (1989). Oxygen –inhibited surface layers on microfill pontic. *Acta Odontologica Scandinavica*; **47**: 31-33

Phillips, R.W. (1991). *Science of Dental Materials*, 9th Edition. W.B. Saunders Company, Philadelphia, USA: 215-248.

Pistorius, A., Willershausen, B., Steinmeier E-M. and Kreisier,M. (2003). *Journal of Clinical Periodontology*; **74**: 616-622.

Poskus, L.T., Placido, E. and Cardoso, P.E.C. (2004). Influence of placement techniques on Vickers and Knoop hardness of class II composite resin restoration. *Dental Materials*; **20**: 726-732.

Ray, N.J., Lynch, C.D., Burke, F.M. and Hannigan, A. (2006). Surface microhardness of a resin composite: a comparison of a tungsten halogen and a LED light curing unit, in vitro. *European Journal of Prosthodontic Restorative Dentistry*; **14**:7-12.

Rueggeberg, F.A. and Margeson, D.H. (1990). The effect of oxygen-inhibition on an unfilled/filled composite system. *Journal of Dental Research*; **69**: 1652-1658.

Schulze, K.A., Marshall, S.J., Gansky, S.A. and Marshall, G.W. (2003). Colour stability and hardness in dental composites after accelerated aging. *Dental Materials*; **19**: 612-619.

Schwartz, J.I. and Söderholm, K-J.M. (2004). Effects of Filler size, water and alcohol on hardness and laboratory wear of dental composites. *Acta Odontologica Scandinavica*; **62**: 102-106.

Setcos, J.C., Tarim, B. and Suzuki, S. (1999). Surface finish produced on resin composites by new polishing system. *Quintessence International*; **30**: 169-173.

Shuman, E. (2003). The gentle art of periodontal maintenance: A protocol using essential oils. *Dentistry Today*; **4**: 1-9

Sobrinho, L.C., Lima, A.A., Consani, S., Sinhoreti, M.A.C., and Knowles, J.C. (2000). Influence of curing tip distance on composites Knoop hardness values. *Brazilian Dental Journal*; **11**: 11-17.

Söderholm, K.J. (1981). Degradation of glass filler in experimental composites. *Journal of Dental Research*; **60**: 1867-1875

Söderholm, K.J., Zigan, M., Ragan, M., Fischlschweiger, W. and Bergman, M. (1984). Hydrolytic degradation of dental composites. *Journal of Dental Research*; **63**: 1248-1254

Sturdevant, C.M. (1995). *The Art and Science of Operative Dentistry*. 3rd Edition. Mosby-Year Book, Inc: 252-263.

Sukumaran, P., Azami, N.H. and Abu Kasim, N.H. (2005). Effect of acidic beverages on surface microhardness of nanocomposites. *Year 5 Elective Study*; Faculty of Dentistry, University of Malaya.

Tabachnick, B.G., and Fidell, L.S. (2001). *Using multivariate statistics*. Needham Heights, MA: Allyn and Bacon

Tjan, A.H.L. and Chan, C.A. (1989). The polishability of posterior composites. *Journal of Prosthetic Dentistry*; **61**: 138-146.

Turssi, C.P., Hara, A.T., Serra, M.C. and Rodrigues Jr, A.L. (2002). Effect of storage media upon the surface micromorphology of resin-based restorative materials. *Journal of Oral Rehabilitation*; **29**: 864-871.

van Noort, R. and Davis, L.G. (1984). The surface finish of composite resin restorative materials. *British Dental Journal*; **157**: 360-364.

Wilson, G.S., Davies, E.H. and Von Fraunhoffer, J.A. (1980). Microhardness characteristics of anterior restorative materials. *British Dental Journal*; **148**: 37-40.

Whitters, C. J., Strang, R., Brown R.L, Curtis,R.V.,Hatton, P.V., Ireland,C.H., McCabe,J.F., Nicholson, J.W., Scrimgeour, S.N., Setcos, J.C., Sherriff,M., van Noort, R., Watts, D.C. and Wood, D. (1999). Dental Materials: 1997 Literature Review. *Journal of Dentistry*; **27**: 401-435.

Wongkhantee, S., Patanapiradej, V., Maneenut, C. and Tantbirojn, D. (2006). Effect of acidic food and drinks on surface hardness of enamel, dentine and tooth coloured filling materials. *Journal of Dentistry*; **34**: 214-220

Wu, W. and McKinney, J.E. (1982). Influence of chemicals on wear of dental composites. *Journal of Dental Research*; **61**: 1180-1183.

Yap, A.U.J., Low, J.S. and Ong, L.F.K.L.(2000). Effect of food-stimulating liquids on surface characteristic of composite and polyacid-modified composite restorative. *Operative Dentistry*; **25**: 170-176.

Yap, A.U.J., Mah, M.K.S., Lye, C.P.W. and Loh, P.L. (2004). Influence of dietary simulating solvents on the hardness of provisional restorative materials. *Dental Materials*; **20**: 370-376

Yap, A.U.J., Sau, C.W. and Lye, K.W. (1998). Effects of finishing / polishing time on surface characteristic of tooth-coloured restoratives. *Journal of Oral Rehabilitation*; **25**: 260-265.

Yap, A.U.J., Tan, B.W.Y., Tan, L.C., Chang, K.M., Loy, T.K. and Mok, B.Y.Y. (2003). Effect of mouthrinses on microhardness and wear of composite and compomer Restoratives. *Operative Dentistry*; **28**: 740-746

Yap, A.U.J., Tan, S.H.L., Wee, S.S.C. and Lee, C.W. (2001). Chemical degradation of composite restoratives. *Journal of Oral Rehabilitation*; **28**: 1015-1021

Ceram•X nano ceramic restorative. (2003). *Scientific Compendium for Dentsply Clinical Research*.

3M Technical report (2002). Soft-Lex manual

3M Technical product profile (2005). Filtek Z350 Universal Restorative.