

CHAPTER 7: REFERENCES

- Abdalla, A. I. and Davidson, C. L. (1990). Effect of mechanical load cycling on the marginal integrity of adhesive Class I resin composite restorations. *J Dent*;24:87-90.
- Affleck, M. S., Denehy, G. E., Vargas, M. A. and Setien, V. J. (1999). Microleakage with incremental vs bulk placement utilizing condensable composites. *J Dent Res*;78:155, (Abstract No. 393).
- Aguiar, F. H. B., Santos, A. J. S., Franca, F. M. G., Paulillo, L. A. M. and Lovadino, J. R. (2003). A quantitative method of measuring the microleakage of thermocycled or non-thermocycled posterior tooth restorations. *Oper Dent*;28:793-799.
- Alani, A. H. and Toh, C. G. (1997). Detection of microleakage around dental restorations: a review. *Oper Dent*;22:173-185.
- Alavi, A. A. and Kianimanesh, N. (2002). Microleakage of direct and indirect composite restorations with three dentin bonding agents. *Oper Dent*;27:19-24.
- Alhlberg, K. M., Assavanop, P. and Tay, W. M. (1995). A comparison of the apical dye penetration pattern shown by methylene blue and India ink in root-filled teeth. *Int Endod J*;28:30-34.
- Almeida, J. B., Platt, J. A., Oshida, Y., Morre, B. K., Cochran, M. A. and Eckert, G. J. (2003). Three different methods to evaluate microleakage of packable composites in Class II restorations. *Oper Dent*;28:453-460.
- Al-Turki, M. and Akpata, E. S. (2002). Penetrability of dentinal tubules in adhesive-lined cavity walls. *Oper Dent*;27:124-131.
- Alves, J., Walton, R. and Drake, D. (1998). Coronal leakage: endotoxin penetration from mixed bacterial communities through obturated, post-prepared root canals. *J Endod*;24:587-591.
- American Dental Association Council of Dental Materials, instruments, and equipment (1981): classification and definition of alloys used for casting substrates for porcelain veneering. *JADA*;103:755-758.
- Anagnostopoulos, T., Eliades, G. and Palaghias, G. (1993). Composition, reactivity and surface interactions of three dental silane primers. *Dent Mater*;9:182-190.
- Annuar, W. A. and Abdullah, H. (2003). Comparative study on microleakage of composite inlays using various resin luting cements. *Annal Dent Univ Malaya*;10:27-32.
- Antonucci, J. M., McKinney, J. E. and Stansbury, J. W. (1988). Resin modified glass ionomer cement, US Patent Application 160856.
- Anusavice, K. J. (2003). Phillip's science of dental materials.11th ed. St. Louis:WB Saunders. p. 399-441, 655-681.
- Araujo, F. O., Viera, L. C. C. and Junior, S. M. (2006). Influence of resin composite shade and location of the gingival margin on the microleakage of posterior restorations. *Oper Dent*;31:556-561.

- Asaka, Y., Yamaguchi, K., Inage, H., Takamizawa, T., Kurokawa, H., Rikuta, A., Kuroda, T. and Miyazaki, M. (2006). Effect of thermal cycling on bond strengths of single-step self-etch adhesives to bovine dentin. *J Oral Sci*;48:63-69.
- Asmussen, E. and Jørgensen, K. D. (1972). A microscopic investigation of the adaptation of some plastic filling materials to dental cavity walls. *Acta Odontol Scand*;30:3-21.
- Asmussen, E., Peutzfeldt, A. and Heitmann, T. (1999). Stiffness, elastic limit and strength of newer types of endodontic posts. *J Dent*;27:275-278.
- Asgar, K. and Arfaei, A. H. (1985). Castability of crown and bridge alloys. *J Prosthet Dent*;54:60-63.
- Ateyah, A. Z. and Elhejazi, A. A. (2004). Shear bond strengths and microleakage of four types of dentine adhesive. Materials. *J Contemp Dent Pract*;5:063-073.
- Aw, T. C. and Nicholls, J. I. (1999). Polymerization shrinkage of condensable composite resins. *J Dent Res*;78:370, (Abstract 2118).
- Bala, O., Üçtasli, M. B. and Ünlü, I. (2003). The Leakage of Class II Cavities Restored with Packable Resin-Based Composites. *J Contemp Dent Pract*;4:001-011.
- Baldissara, P. Comin, G. Marton, F. and Scotti, R. (1998). Comparative study of the marginal microleakage of six cements in fixed provisional crowns. *J Prosthet Dent*; 80:417-422.
- Barkmeier, W. W., Menis, D. L. and Barnes, D. M. (1992). Bond strength of a veneering porcelain using newer generation adhesive systems. *Pract Periodont Aesthet Dent*;5:50-55.
- Barghi, N. and Lorenzana, R. E. (1982). Optimum thickness of opaque and body porcelain. *J Prosthet Dent*;48:429-431.
- Barthel, C. R., Moshonov, J., Shuping, G. and Orstavik, D. (1999). Bacterial leakage versus dye leakage in obturated root canals. *Int Endod J*;32:370-375.
- Bauer, J. G. and Henson, J. L. (1984). Microleakage: A measure of the performance of direct filling materials. *Oper Dent*;9:2-9.
- Bayne, S. C., Heymann, H. O. and Swift, J. R. (1994). Update on dental composite restorations. *JADA*;125:687-701.
- Bayne, S. C., Thompson, J. Y., Swift, E. J. Jr., Stamatiades, P. and Wilkerson, M. (1998). A characterization of first-generation flowable composites. *JADA*;129:567-577.
- Bayne, S. C. (2005). Dental Biomaterials: Where Are We and Where Are We Going?. *J Dental Education*;69:571-585.
- Behle, C. (1998). Flowable composites: properties and applications. *Pract Periodont Aesthet Dent*;10:347-351.

- Belli, S., Inokoshi, S., Özer, F., Pereira, P. N. R., Ogata, M. and Tagami, J. (2001). The effect of additional enamel etching and a flowable composite to the interfacial integrity of Class II adhesive composite restorations. *Oper Dent*; **26**:70-75.
- Belli, S., Erdemir, A., Ozcopur, M. and Eskitascioglu, G. (2005). The effect of fiber insertion on fracture resistance of root filled molar teeth with MOD preparations restored with composite. *Int Endod J*; **38**:73-80.
- Bello, A. and Jarvis, R. H. (1997). A review of esthetic alternatives for the restoration of anterior teeth. *J Prosthet Dent*; **78**:437-440.
- Bergenholtz, G. and Nyman, S. (1984). Endodontic complications following periodontal and prosthetic treatment of patients with advanced periodontal disease. *J Periodontol*; **55**(2):63-68.
- Beun, S., Glorieux, T., Devaux, J., Vrevena, J. and Leloupa, G. (2007). Characterization of nanofilled compared to universal and microfilled composites. *Dent Mater*; **23**:51-59.
- Beznos, C. (2001). Microleakage at the cervical margin of composite Class II cavities with different restorative techniques. *Oper Dent*; **26**:60-69.
- Bijella, M. F. B., Bijella, M. F. T. B. and Silva, S. M. B. (2001). In vitro quantitative evaluation of marginal microleakage in class II restorations confected with a glass ionomer cement and two composite resins. *Pesqui Odontol Bras*; **15**:277-282.
- Blalock, J. S., Holmes, R. G. and Rueggeberg, F. A. (2006). Effect of temperature on unpolymerized composite resin film thickness. *J Prosthet Dent*; **96**:424-432.
- Blatz, M. B., Sadan, A. and Kern, M. (2003). Resin-ceramic bonding: a review of the literature. *J Prosthet Dent*; **89**:268-274.
- Bodrumlu, E. and Tunga, U. (2007). Coronal sealing ability of a new root canal filling material. *JCDA*; **73**:623-623c.
- Braga, R. R., Boaro, L. C. C., Kuroe, T., Azevedo, C. L. N. and Singer, J. M. (2006). Influence of cavity dimensions and their derivatives (volume and 'C' factor) on shrinkage stress development and microleakage of composite restorations. *Dent Mater*; **22**:818-823.
- Braga, R. R., Ferracane, J. L. and Hilton, T. J. (2003). Contraction stress of flowable composites and their efficacy as stress-relieving layers. *JADA*; **134**:721-728.
- Britto, L. R., Grimaudo, N. J. and Vertucci, F. J. (2003). Coronal microleakage assessed by polymicrobial markers. *J Contemp Dent Pract*; **4**:1-10.
- Bullard, R. H., Leinfelder, K. F. and Russell, C. M. (1988). Effect of coefficient of thermal expansion on microleakage. *JADA*; **116**:871-874.
- Buonocore, M. G. (1955). A simple method of increasing the adhesion of acrylic filling materials to enamel surface. *J Dent Res*; **34**(6):849-853.

- Burke, F. J. T., Combe, E. C. and Douglas, W. H. (2000). Dentine bonding systems: 1. Mode of Action. *Dent Update*;27:85-93.
- Burke, F. J. T. and Watts, D. C. (1994). Fracture resistance of teeth restored with dentin-bonded crowns. *Quintessence Int*;25:335-340.
- Burrell, W. E. and Goldberg, A. T. (1974). Vented endodontic access crowns. *J Prosthet Dent*;32:267-269.
- Campbell, S. D. (1989). A comparative strength study of metal ceramic and all-ceramic esthetic materials: Modulus of rupture. *J Prosthet Dent*;62:476-479.
- Camps, J. and Pashley, D. (2003). Reliability of the dye penetration studies. *J Endod*;29:592-594.
- Cao, L., Geerts, S., Gueders, A., Albert, A., Seidel, L. and Charpentier, J. (2003). Experimental comparison of cavity sealing ability of five dental adhesive systems after thermocycling. *J Adhes Dent*;5:139-144.
- Carratu, P., Arnato, M., Riccitello, F. and Rengo, S. (2002). Evaluation of leakage of bacteria and endotoxins in teeth treated endodontically by two different techniques. *J Endod*;28:272-275.
- Celik, C., Özgünaltay, G. and Attar, N. (2007). Clinical evaluation of flowable resins in non-caries cervical lesions: Two-year results. *Oper Dent*;32:313-321.
- Chailertvanitkul, P., Saunders, W. P. and Mackenzie, D. (1996). An assessment of microbial coronal leakage in teeth root filled with gutta-percha and three different sealers. *Int Endod J*;29:387-392.
- Chandler, N. P. and Stockdale, C. R. (1987). Endodontic-access adhesive bridges. *Endod Dent Traumatol*;3:209-212.
- Chan, M. F. and Glyn Jones, J. C. (1994). Significance of thermal cycling in microleakage analysis of root restorations. *J Dent*;22:292-295.
- Chan, D. C., Reinhardt, J. W. and Boyer, D. B. (1985). Composite resin compatibility and bond longevity of a dentin bonding agent. *J Dent Res*;64:1402-1404.
- Chen, T. M. and Brauer, G. M. (1982). Solvent effects on bonding organo-silane to silica surfaces. *J Dent Res*;61:1439-1443.
- Cheung, G. S. P. (1991). A preliminary investigation into the longevity and causes of failure of single unit extracoronal restorations. *J Dent*;19:160-163.
- Christen, A. G. and Mitchell, D. F. (1966). A fluorescent dye method for demonstrating leakage around dental restorations. *J Dent Res*;45:1485-1492.
- Chuang, S. F., Jin, Y. T., Lin, T. S., Chang, C. H. and Garcia-Godoy, F. (2003). Effects of lining materials on microleakage and internal voids of Class I I resin-based composite restoration. *Am J Dent*;16:84-90.

- Chuang, S. F., Liu, J. K., Chao, C. C., Liao, F. P. and Chen, Y. H. M. (2001a). Effects of flowable composite lining and operator experience on microleakage and internal voids in class II composite restorations. *J Prosthet Dent*; **85**:177-183.
- Chuang, S. F., Liu, J. F. and Jin, Y. T. (2001b). Microleakage and internal voids in class II composite resoration with flowable composite linings. *Oper Dent*; **26**:193-200.
- Chung, K. and Hwang, Y. (1997). Bonding strengths of porcelain repair systems with various surface treatments. *J Prosthet Dent*; **78**:267-274.
- Cobankara, F. K., Adanir, N., Belli, S. and Pashley, D. H. (2002). A quantitative evaluation of apical leakage of four root-canal sealers. *Int Endod J*; **35**:979-984.
- Cobb, D. S., Macgregor, K. M., Vargas, M. A. and Denehy, G. E. (2000). The physical properties of packable and conventional posterior resin-based composites: A Comparison. *JADA*; **131**:1610-1615.
- Cohen, B. D. and Wallace, J. A. (1991). Castable glass ceramic crowns and their reaction to endodontic therapy. *Oral Surg Oral Med Oral Pathol*; **72**:108-110.
- Combe, E. C. and Burke, F. J. T. (2000). Contemporary resin-based composite materials for direct placement restorations: packables, flowables and others. *Dent Update*; **27**: 326-336.
- Cooley, R. L. and Barkmeier, W. W. (1991). Dentinal shear bond strength, microleakage, and contraction gap of visible light-polymerized liners/bases. *Quintessence Int*; **22**:467-474.
- Craig, R. G. and Ward, M. L. (1997). Restorative dental materials. 10th ed. Mosby. St. Louis, Missouri. p. 44-45, 154-158.
- Craig, R. G. and Powers, J. M. (2002). Restorative dental materials. 11th ed. Mosby. St. Louis, Missouri. p.52-53, 232-251, 260-280, 480-488, 566-568.
- Craig, R. G., O'Brien, W. J. and Powers, J. M. (1996). Dental materials properties and manipulation. 6th ed. Mosby. St. Louis, Missouri.
- Craig, R. G., Powers, J. M. and Wataha, J. C. (2004). Dental materials properties and manipulation. 8th ed. Mosby. St. Louis, Missouri. p.68-71, 297-303.
- Crim, G. A. (1987). Assessment of microleakage of 12 restorative systems. *Quintessence Int*; **18**:419-421.
- Crim, G. A. and Garcia-Godoy, F. (1987). Microleakage: The effect of storage and cycling duration. *J Prosthet Dent*; **57**:574-576.
- Crim, G. A. and Mattingly, S. L. (1981). Evaluation of two methods for assessing marginal leakage. *J Prosthet Dent*; **45**:160-163.
- Crim, G. A., Swartz, M. L., and Phillips, R. W. (1985). Comparison of four thermocycling techniques. *J Prosthet Dent*; **53**:50-53.

- Croll, T. P. (2004). The “sandwich” technique. *J Esthet Restor Dent*; **16**:210-212.
- Cruz, E. V., Shigetani, Y., Ishikawa, K., Kota, K., Iwaku, M. and Goodis, H. E. (2002). A laboratory study of coronal microleakage using four temporary restorative materials. *Int Endodo J*; **35**:315-320.
- Darbyshire, P. A., Messer, L. B. and Douglas, W. H. (1988). Microleakage in Class II composite restorations bonded to dentin using thermal and load cycling. *J Dent Res*; **67**:585-587.
- da Silva, E. M., dos Santos, G. O., Guimaraes, J. G. A., Barcellos, A. A. L. and Sampaio, E. M. (2007). The influence of C-factor, flexural modulus and viscous flow on gap formation in resin composite restorations. *Oper Dent*; **32**:356-362.
- Davidson, C. L. (1986). Resisting the curing contraction with adhesive composites. *J Prosthet Dent*; **55**:446-447.
- Davidson, C. L., de Gee, A. J. and Feilzer, A. (1984). The competition between the composite-dentin bond strength and the polymerization contraction stress. *J Dent Res*; **63**:1396-1399.
- Davidson, C. L. (1999). *Advances in glass-ionomer cements*. Chicago, IL: Quintessence Publishing Co.
- De Bruyne, M. A., De Bruyne, R. J. and De Moor, R. J. (2006). Capillary flow porometry to assess the seal provided by root-end filling materials in a standardized and reproducible way. *J Endod*; **32**:206-209.
- de Camargo, D. S., Sinhoreti, M. A., Correr-Sobrinho, L., de Sousa Neto, M. D. and Consani, S. (2006). Influence of the methodology and evaluation criteria on determining microleakage in dentin–restorative interfaces. *Clin Oral Invest*; **10**:317–323.
- Déjou, J., Sindres, V. and Camps, J. (1996). Influence of criteria on the results of in vitro evaluation of microleakage. *Dent Mater*; **12**:342-349.
- De Munck, J., Van Landuyt, K., Peumans, M., Poitevin, A., Lambrechts, P., Braem, M. and Van Meerbeek, B. (2005). A critical review of the durability of adhesion to tooth tissue: Methods and Results. *J Dent Res*; **84**:118-132.
- Dhuru, V. B. (2004). *Contemporary Dental Materials*. Oxford University Press. Amazis Louka: Materials for Adhesive Dentistry. p. 81-87.
- Diaz-Arnold, A. M., Schneider, R. L. and Aquilino, S. A. (1989). Bond strengths of intraoral porcelain repair materials. *J Prosthet Dent*; **61**:305-309.
- Dörfer, C. E., Staehle, H. J., Wurst, M. W., Duschner, H. and Pioch, T. (2000). The nanoleakage phenomenon: influence of different dentin bonding agents, thermocycling and etching time. *Eur J Oral Sci*; **108**:346-351.
- Douglas, W. H. and Zakariasen, K. L. (1981). Volumetric assessment of apical leakage utilizing a spectrophotometric, dye-recovery method [Abstract]. *J Dent Res*; **60A**:627.

- Dumsha, T. and Biron. G. (1984). Inhibition of marginal leakage with a dentin bonding agent. *J Dent Res*; **63**:1255–1257.
- Eames, W. B., Rogers, L. B., Feller, P. R. and Price, W. R. (1977). Bonding agents for repairing porcelain and gold: An Evaluation. *Oper Dent*; **2**:118-124.
- El-Mowafy, O., El-Badrawy, W., Eltanty, A., Abbasi, K. and Habib, N. (2007). Gingival microleakage of Class I I resin composite restorations with fiber inserts. *Oper Dent*; **32**:298-305.
- Ernst, C. P., Cortain, G., Spohn, M., Rippin, G. and Willershausen, B. (2002). Marginal integrity of different resin-based composites for posterior teeth: an in vitro dye-penetration study on eight resin-composite and compomer-/adhesive combinations with a particular look at the additional use of flow-composites. *Dent Mater*; **18**:351-358.
- Estafan, D., Estafan, A. and Leinfelder, K. L. (2000). Cavity wall adaptation of resin-based composites lined with flowable composites. *Am J Dent*; **13**:192-194.
- Fabianelli, A., Goracci, C. and Ferrari, M. J. (2003). Sealing ability of packable resin composites in class II restorations. *J Adhes Dent*; **5**:217-223.
- Fabianelli, A., Pollington, S., Davidson, C. L., Cagidiaco, M. C. and Goracci, C. (2007). The relevance of microleakage studies. *Inter Dent SA*; **9**:64-74.
- Fabre, H. S. C., Fabre, S., Cefaly, D. F. G., Carrilho, M. R. O., Garcia, F. C. P. and Wang, L. (2007). Water sorption and solubility of dentin bonding agents light-cured with different light sources. *J Dent*; **35**:253-258.
- Fayyad, M. A. and Shortall, A. C. (1987). Microleakage of dentine bonded posterior composite restorations. *J Dent*; **15**:67-72.
- Fayyad, M. A. and Shortall, A. C. (1989). Marginal seal of injection molded ceramic crowns cemented with three adhesive systems. *J Prosthet Dent*; **61**:24-27.
- Federlin, M., Thonemann, B., Hiller, K. A., Fertig, C. and Schmalz, G. (2002). Microleakage in class II composite resin restorations: application of a clearing protocol. *Clin Oral Invest*; **6**:84–91.
- Feilzer, A. J., De Gee, A. J. and Davidson, C. L. (1987). Setting stress in composite resin in relation to configuration of the restoration. *J Dent Res*; **66**:1636-1639.
- Feilzer, A. J., De Gee, A. J. and Davidson, C. L. (1990). Relaxation of polymerization contraction shear stress by hygroscopic expansion. *J Dent Res*; **69**:36-39.
- Ferdianakis, K. (1998). Microleakage reduction from newer esthetic restorative materials in permanent molars. *J Clin Pediatr Dent*; **22**:221-229.
- Ferrari, M., Vichi, A., Mannocci, F. and Mason, P. N. (2000). Retrospective study of the clinical performance of fiber posts. *Am J Dent*; **13**:9B-13B.
- Fortin, D. and Vargas, M. A. (2000). The spectrum of composites: New techniques and materials. *JADA*; **131**:26S-30S.

- Frankenberger, R., Pashley, D. H., Reich, S. M., Lohbauer, U., Petschelt, A. and Tay, F. R. (2005). Characterisation of resin–dentine interfaces by compressive cyclic loading. *Biomaterials*; **26**:2043-2052.
- Fusayama, A. and Kohno, A. (1989). Marginal closure of composite restorations with the gingival wall in cementum/dentin. *J Prosthet Dent*; **61**:293-296.
- Fusayama, T., Nakamura, M., Kurosaki, N. and Iwaku, M. (1979). Non-pressure adhesion of a new adhesive restoration resin. *J Dent Res*; **58**:1364-1370.
- Gale, M. S. and Darvell, B. W. (1999). Thermal cycling procedures for laboratory testing of dental restorations. *J Dent*; **27**:89-99.
- Gale, M. S., Darvell, B. W. and Cheung, G. S. P. (1994). Three-dimensional reconstruction of microleakage pattern using a sequential grinding technique. *J Dent*; **22**:370–375.
- Gallo, J. R., Bates, M. L., Burgess, J. O. (2000). Microleakage and adaptation of Class II packable resin-based composites using incremental or bulk filling techniques. *Am J Dent*; **13**:205-208.
- Gallo, J. R., Burgess, J. O., Ripps, A. H., Walker, R. S., Winkler, M. M., Mercante, D. E. and Davidson, J. M. (2005). Two-year clinical evaluation of a posterior resin composite using a fourth- and fifth- generation bonding agent. *Oper Dent*; **30**:290-296.
- Giachetti, L., Scaminaci Russo, D., Bambi, C. and Grandini, R. (2006). A review of polymerization shrinkage Stress: Current techniques for posterior direct resin restorations. *J Contemp Dent Pract*; **7**:079-088.
- Glasspoole, E. A. and Erickson, R. L. (1989). The effect of finishing time on wear resistance of composite. *J Dent Res*; **68**:207 (Abstract 203).
- Glyn Jones, J. C., Grieve, A. R. and Harrington, E. (1979). A machine for thermal cycling in the investigation of marginal leakage. *Br Dent J*; **146**:207-211.
- Glyn Jones, J. C., Grieve, A. R. and Youngson, C. C. (1988). Marginal leakage associated with three posterior restorative materials. *J Dent*; **16**:130-134.
- Going, R. E. (1972). Microleakage around dental restorations: a summarizing review. *JADA*; **84**:1349-1357.
- Going, R. E., Myers, H. M. and Prussin, S. G. (1968). Quantitative method for studying microleakage in vivo and in vitro. *J Dent Res*; **47**:1128-1132.
- Goldman, M., Laosonthorn, P. and White, R. R. (1992). Microleakage full crowns and the dental pulp. *J Endod*; **18**:473-475.
- Görgül, G., Alacam, T., Kivanc, B. H., Uzun, O. and Tinaz, C. (2002). Microleakage of packable composites used in post space condensed using different methods. *J Contemp Dent Pract*; **3**:023-030.

- Greenhill, J. D. and Pashley, D. H. (1981) The effects of desensitizing agents on the hydraulic conductance of human dentin in vitro. *J Dent Res*;60:686-698.
- Gregory, W. A. and Moss, S. M. (1990). Effects of heterogenous layers of composite and time on composite repair of porcelain. *Oper Dent*;15:18-22.
- Grieve, A. R. (1973). The occurrence of secondary caries-like-lesion in vitro. The effect of a fluoride cavity liner and a cavity varnish. *Br Dent J*;134:530-536.
- Gross, J. D., Retief, D. H. and Bradley, E. L. (1984). An optimal concentration of phosphoric acid as an etching agent. Part II: Microleakage studies. *J Prosthet Dent*;52:786-789.
- Grossman, D. (1985). Cast glass ceramics. *Dent Clin North Am*;29:725-39.
- Gutmann, J. L. and Lovdahl, P. E. (1997). Problems encountered in restoring endodontically treated teeth. In: Gutmann, J. L., Dusmsha, T. C., Lovdhal, P. E. and Hovland, E. J. (1997). Problem solving in endodontics. (prevention, identification, and management). 3rd ed. St Louis. Mosby. p. 344.
- Gwinnett, J. A., Tay, F. R., Pang, K. M., Hcslt, C. L. T. and Wei, S. H. Y. (1995). Comparison of three methods of critical evaluation of microleakage along restorative interfaces. *J Prosthet Dent*;74:575-585.
- Haikel, Y., Wittenmeyer, W., Bateman, G., Bentaleb, A. and Allemann, C. (1999). A new method for the quantitative analysis of endodontic microleakage. *J Endod*;25:172-177.
- Hakimeh, S., Vaiddyanathan, J., Houpt, M. L., Vaiddyanathan, T. K. and Hagen, S. V. (2000). Microleakage of compomer Class V restorations: Effect of load cycling, thermal cycling, and cavity shape differences. *J Prosthet Dent*;83:194-203.
- Haller, B. (2000). Recent developments in dentin bonding. *Am J Dent*;13:44-50.
- Hansen, E. K. and Asmussen, E. (1985). Cavity preparation for restorative resins used with dentin adhesives. *Scand J Dent Res*;93:474-479.
- Hansen, E. K. and Asmussen, E. (1989). Marginal adaptation of posterior resins: Effect of dentin-bonding agent and hygroscopic expansion. *Dent Mater*;5:122-126.
- Haselton, D. R., Lloyd, P. M. and Johnson, W. T. (2000). A comparison of the effects of two burs on endodontic in all-ceramic high Lucite crowns. *Oral Surg Oral Med Oral Pathol Radiol Endod*;89:486-492.
- Heling, I., Gorfil, C., Slutzky, H., Kopolovic, K., Zalkind, M. and Slutzky-Goldberg, I. (2002). Endodontic failure caused by inadequate restorative procedures: Review and treatment recommendations. *J Prosthet Dent*;87:674-678.
- Helvatjoglu-Antoniades, M., Pahini, T. S., Papadogiannis, Y. and Karezis, A. (2000). Microleakage of bonded amalgam restorations: Effect of thermal cycling. *Oper Dent*;25:316-323.

Helvatjoglu-Antoniades, M., Papadogiannis, Y., Lakes, R. S., Dionysopoulos, P. and Papadogiannis, D. (2006). Dynamic and static elastic moduli of packable and flowable composite resins and their development after initial photo curing. *Dent Mater*;22:450-459.

Hembree, J. H. Jr. (1986). In vitro microleakage of a new dental adhesive system. *J Prosthet Dent*;55:442-445.

Hilton, T. J. (2002a). Can modern restorative procedures and materials reliably seal cavities? In vitro investigations. Part 1. *Am J Dent*;15:198-210.

Hilton, T. J. (2002b). Can modern restorative procedures and materials reliably seal cavities? In vitro investigations. Part 2. *Am J Dent*;15:279-289.

Hilton, T. J. and Ferracane, J. L. (1998). Cavity preparation factors and microleakage of class II composite restorations filled at intraoral temperatures. *Am J Dent*;11:123-130.

Hirasawa, T., Hirano, S. and Hirabayashi, S. (1983). Initial dimensional change of composites in dry and wet conditions. *J Dent Res*;62:28-31.

Howdle, M. D., Fox, K. and Youngson, C. C. (2002). An in vitro of coronal microleakage around bonded amalgam coronal-radicular cores in endodontically treated molar teeth. *Quintessence Int*;33:22-29.

Howell, P. G. T. (1984). Assessment of a bur designed for the removal of metal restorations. *Br Dent J*;156:58-60.

Ito, S., Hashimoto, M., Wadgaonkar, B., Svizero, N., Carvalho, R. M., Yiu, C., Rueggeberg, F. R., Foulger, S., Saito, T., Nishitani, Y., Yoshiyama, M., Tay, F. R. and Pashley, D. H. (2005). Effects of resin hydrophilicity on water sorption and changes in modulus of elasticity. *Biomaterials*;26:6449-6459.

Iwami, Y., Hayashi, M., Takeshige, F. and Ebisu, S. (2007). The accuracy of electrical method for microleakage evaluation by a three-dimensional analysis. *J Dent*;35:268-274.

Iwami, Y., Shimizu, A., Hayashi, M., Takeshige, F. and Ebisu, S. (2005). Three dimensional evaluation of gap formation of cervical restorations. *J Dent*;33:325-333.

Iwami, Y., Yamamoto, H. and Ebisu, S. (2000). A new electrical method for detecting marginal leakage of in vitro resin restorations. *J Dent*;28:241-247.

Iwami, Y., Yamamoto, H., Hayashi, M., Takeshige, F. and Ebisu, S. (2002). Validity of electrical conductance measurements in evaluating marginal leakage around resin composite restorations. *Oper Dent*;27:606-612.

International Organization for Standardization (ISO) (1999). Dentistry- Dental ceramic (ISO 6872). Geneva.

International Organization for Standardization (ISO) (2003). Dentistry-Dental materials- Testing of adhesion to tooth structure (ISO 11405). Geneva: ISO; 2nd ed.

- Jackson, R. D. and Morgan, M. (2000). The new posterior resins and a simplified placement technique. *JADA*;131:375-383.
- Jacobson, S. M. and Van Fraunhofer, J. A. (1976). The investigation of microleakage in root canal therapy. *Oral Surg Oral Med Oral Pathol*;42:817-823.
- Jain, P. and Belecher, M. (2000). Microleakage of Class I I resin-based composite restorations with flowable composite in the proximal box. *Am J Dent*;13:235-238.
- Jang, K. T., Chung, D. H., Shin, D. and Garcia-Godoy, F. (2001). Effect of eccentric load cycling on microleakage of Class V flowable and packable composite resin restorations. *Oper Dent*;26:603-08.
- Jantarat, J., Palamara, J. E. A. and Messer, H. H. (2001). An investigation of cuspal deformation and delayed recovery after occlusal loading. *J Dent*;29:363-370.
- Jedrychowski, J. R., Bleier, R. G. and Caputo, A. A. (1998). Shrinkage stresses associated with incremental composite filling techniques. *J Dent Child*;65:111-115.
- Jodaikin, A. (1981). Experimental microleakage around ageing dental amalgam restorations: a review. *J Oral Rehabil*;8:517-526.
- Jones, D. W. (1985). Development of dental ceramic: An historical perspective. *Dent Clin North Am*;29:621-644.
- Karagenc, B., Gençoglu, N., Ersoy, M., Cansever, G. and Külekci, G. (2006). A comparison of four different microleakage tests for assessment of leakage of root canal fillings. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*;102:110-113.
- Kemp-Scholte, C. M. and Davidson, C. L. (1990). Complete marginal seal of Class V resin composite restorations effected by increased flexibility. *J Dent Res*;69:1240-1243.
- Kerby, R., Lee, J., Knobloch, L. and Seghi, R. (1999). Hardness and degree of conversion of posterior condensable composite resins. *J Dent Res*;78:157, (Abstract No. 414).
- Kidd, E. A. M. (1976a). Microleakage: a review. *J Dent*;4:200-206.
- Kidd, E. A. M. (1976b). Microleakage in relation to amalgam and composite restoration. A laboratory study. *Br Dent J*;141:305-310.
- Krejci, I., Mueller, E. and Lutz, E. (1994). Effects of thermocycling and occlusal force on adhesive composite crowns. *J Dent Res*;73:1228-1232.
- Kok, S. (2008). Personal communication.
- Kopjar, K., Karlović, I. M., Simeon, P., Brzović, V. and Anić, I. (2006). Microleakage evaluation of resin composite fillings - A pilot study. *Acta Stomatol Croat*;40:142-150.
- Kubo, S., Yokota, H., Sata, Y. and Hayashi, Y. (2001). The effect of flexural load cycling on the micro-leakage of cervical resin composites. *Oper Dent*;26:451-459.

- Kubo, S., Yokota, H. Yokota, H. and Hayashi, Y. (2003). Effect of low-viscosity resin-based composite on the microleakage of cervical restorations. *Am J Dent*;16:244-248.
- Kugel, G. and Ferrari, M. (2000). The science of bonding: From first to sixth generation. *JADA*;131:20S-25S.
- Kurtzman, G. M. and Schneider, A. L. (2006). A technique for repair of a fractured porcelain-fused-to-metal bridge. *Dent Today*;25:94-95.
- Kwon, Y. H., Kwon, T., Ong, J. and Kim, K. (2002). Light polymerized compomers: coefficient of thermal expansion and microhardness. *J Prosthet Dent*;88:396-401.
- Labella, R., Lambrechts, P., Van Meerbeek, B. and Vanherle, G. (1999). Polymerization shrinkage and elasticity of flowable composites and filled adhesives. *Dent Mater*;15:128-137.
- Lacy, A. M., Wada, C., Du, W. and Watanabe, L. (1992). In vitro microleakage at the gingival margin of porcelain and resin veneers. *J Prosthet Dent*;67:7-10.
- Larson, T. D. and Jensen, J. R. (1980). Microleakage of composite resin and amalgam core material under complete cast crowns. *J Prosthet Dent*;44:40-44.
- Lee, S., Lee, H. Y., Lee, I. F. and Tseng, C. Y. (2004). Ink diffusion in water. *Eur J Phys*;25:331-336.
- Leevailoj, C., Cochran, M. A., Matis, B. A., Moore, B. K. and Platt, J. A. (2001). Microleakage of posterior packable resin composites with and without flowable liners. *Oper Dent*;26:302-307.
- Leinfelder, K. F. (2000). Porcelain esthetics for the 21st century. *JADA*;131:47S-51S.
- Leinfelder, K. F. (2001). It is possible to control the directional shrinkage of resin-based composite. *JADA*;132:782-783.
- Leinfelder, K. F., Byane, S. C. and Swift, E. J. (1999). Packable composites: Overview and technical consideration. *J Esthet Dent*;11:234-249.
- Leinfelder, K. F. and Prasad, A. (1998). A new condensable composite for the restoration of posterior teeth. *Dent Today*;17:112-116.
- Leinfelder, K. F., Radz, G. M. and Nash, R. W. (1998). A report on a new condensable composite resin. *Compendium of Continuing Education in Dentistry*;19:230-237.
- Leonard, J. E., Gutmann, J. L. and Guo, I. Y. (1996). Apical and coronal seal of roots obturated with a dentine bonding agent and resin. *Int Endod J*;29:76-83.
- Li, H., Burrow, M. F. and Tyas, M. J. (2002a). The effect of load cycling on the nanoleakage of dentin bonding systems. *Dent Mater*;18:111-119.
- Li, H., Burrow, M. F. and Tyas, M. J. (2002b). The effect of thermocycling regimens on the nano-leakage of dentin bonding systems. *Dent Mater*;18:189-196.

- Litkowski, L. J., McDonald, N. J. and Swierczewski, M. A. (1989). Comparison of thermal cycling methods for evaluation microleakage. *J Dent Res*;68:207.
- Llobell, A., Nicholls, J. I. and Daly, C. H. (1992). Fatigue life of porcelain repair systems. *Int J Prosthodont*;5:205-213.
- Logurcio, A. D., Bauer, J. R. and Reis, A. (2002). Microleakage of a packable composite associated with different materials. *J Clin Dent*;13:111-115.
- Lopes, G. C., Baratieri, L. N., Monterio, S. and Vieria, L. C. (2004). Effect of posterior resin composite placement technique on the resin-dentin interface formed in vivo. *Quintessence Int*;35:1-6.
- Lopes, G. C., Franke, M. and Maia, H. P. (2002). Effect of finishing time and techniques on marginal sealing ability of two composite restorative materials. *J Prosthet Dent*;88:32-36.
- Lucena-Martín, C., Ferrer-Luque, C. M., González-Rodríguez, M. P., Robles-Gijón, V. and Navajas-Rodríguez, J. M. (2002). A comparative study of apical leakage of Endomethasone, Top Seal, and Roeko Seal sealer cements. *J Endod*;28:423-426.
- Lui, J. L. and Low, T. (1982). The surface finish of the new microfill restorative materials. A scanning electron microscope study. *J Oral Rehabil*;9:67-82.
- Lui, J. L., Chan, C. L. and Yap, K. T. (2006). Depth of polymerization of a new nanocomposite according to different exposure times and shades. *Annal Dent Univ Malaya*;13:16-11.
- Lundin, S. A. and Noren, J. G. (1991). Marginal leakage in occlusally loaded, etched, Class II composite resin restorations. *Acta Odontol Scand*;49:247-254.
- Lutz, F. and Phillips, R. W. (1983). A classification and evaluation of composite resin systems. *J Prosthet Dent*;50:480-488.
- Maghairh, G., Bouschlicher, M. R., Qian, F. and Armstrong, S. R. (2007). The effect of energy application sequence on the microtensile bond strength of different C-factor cavity preparations. *Oper Dent*;32:124-132.
- Malacarne, J., Carvalho, R. M., de Goes, M. F., Svizero, N., Pashley, D. H., Tay, F. R., Yiu, C. K., Carrilho, M. R. O. (2006). Water sorption/solubility of dental adhesive resins. *Dent Mater*;22:973-980.
- Malmstrom, M., Schlueter, M., Roach, T. and Moss, M. E. (2002). Effect of thickness of flowable resins on marginal leakage in Class II composite restorations. *Oper Dent*;27:373-380.
- Maltezos, C., Glickman, G., Ezzo, P. and He, J. (2006). Comparison of the sealing of Resilon, Pro Root MTA, and Super-EBA as root-end filling materials: a bacterial leakage study. *J Endod*;32:324-327.

Marroquin, B. B., Kremers, L., Willershausen-Zönchen, B. and Mücke, A. (1995). Microleakage of gold casting repairs with different materials as quantified by a helium gas system. *Oper Dent*; **20**:197-203.

Material Safety Data Sheet (MSDS#:96112) of Parker® Quink® Ink (2003). <https://sanford.com/sanford/pdfs/Parker%20Quink%20Penman%20Ink.pdf> (Access on 2006).

Martin-Gil, J. (2007). Personal communication.

Martin-Gil, J., Ramos-Sanchez, M. C. and Martin-Gil, F. J. (2006). Chemical Composition of a Fountain Pen Ink. *J Chem Educ*; **33**:1476-1478.

Mathis, R. S. and Ferracane, J. L. (1989). Properties of a glass ionomer/resin composite hybrid material. *Dent Mater*; **5**:355-358.

McCabe, J. F. and Walls, A. W. G. (1998). Properties used to characterize materials. In: Applied dental materials, 8th ed. Blackwell science.

McCulloch, A. J. and Smith, B. G. (1986). In vitro studies of cuspal movement produced by adhesive restorative materials. *Br Dent J*; **161**:405-409.

McLean, A. G. R. (1998). Criteria for the predictably restorable endodontically treated tooth. *J Can Dent Assoc*; **64**:652-656.

McLean, J. W. (1979). The science and art of dental ceramics and their clinical use. Quintessence Pub. Comp. Chicago, USA, p. 23-51, 71

McLean, J. W. (1983). Dental ceramics. Chicago: Quintessence Publ. Co., Int.

McLean, J. W. (1984). Alloys for porcelain bonding. Quintessence Publ. Co., Int., 409-414.

McMullen, A. F., Himel, V. T. and Sarkar, N. K. (1989). An in vitro study of the effect endodontic access preparation has upon the retention of porcelain fused to metal crowns of maxillary central incisors. *J Endod*; **15**:154-156.

McMullen, A. F., Himel, V. T. and Sarkar, N. K. (1990). An in vitro study of the effect endodontic access preparation and amalgam restoration have upon incisor crown retention. *J Endod*; **16**:269-272.

Meiers, J. C., Kazemi, R. and Meier, C. D. (2001). Microleakage of packable composite resins. *Oper Dent*; **26**:121-126.

Messer, H. H. and Wilson, P. R. (2002). Preparation for restoration and temporization. In: Walton, R. E. and Torabinejad, M. Principles and practice of endodontic. 3rd ed. Philadelphia, USA; W.B. Saunders Co. p. 268-281.

Meyer, J. M., Payans, J. and Nally, J. N. (1979). Evaluation of alternative alloys to precious ceramic alloys. *J Oral Rehabil*; **6**:291-309.

- Miletic, I., Anic, I., Ribaric, S. P. and Jukic, S. (1999). Leakage of five root canal sealers. *Int Endod J*;32:415-418.
- Miletic, I., Ribaric, S. P., Karlovic, Z., Jukic, S., Bosnjak, A. and Anic, I. (2002). Apical leakage of five root canal sealers after one year of storage. *J Endod*;28:431-432.
- Miranda, W. G. Jr., Nunes, M. F., Cardoso, P. E. and Santos, J. F. (1999). Microleakage of condensable composite resins combined with a flowable composite (abstract 1603). *J Dent Res*;78 (special issue):306
- Mitsui, F. H., Bedran de Castro, A. K., Ritter, A. V., Cardoso, P. E. and Pimenta, L. A. (2003). Influence of load cycling on marginal micro-leakage with two self-etching and two one-bottle dentin adhesive systems in dentin. *J Adhes Dent*;5:209-216.
- Mitra, S. B. (1991). Adhesion to dentin and physical properties of a light-cured glass ionomer liner/base. *J Dent Res*;70:72-74.
- Mixson, J. M., Eick, J. D., Chappell, R. P., Tira, D. E. and Moore, D. L. (1991). Comparison of two-surface and multiple-surface scoring methodologies for in vitro microleakage studies. *Dent Mater*;7:191-196.
- Moffa, J. P., Jenkins, W., Ellison, J. A. and Hamilton, J. (1984). A clinical evaluation of two base metal alloys and a gold alloy for use in fixed prosthodontics: A five-year study. *J Prosthet Dent*;52:491-500.
- Moffa, J. P., Lugassy, A. A., Guckes, A. D. and Gettleman, L. (1973). An evaluation of nonprecious alloys for use with porcelain veneers. Part 1. Physical properties. *J Prosthet Dent*;30:424-431.
- Momoi, Y., Iwase, H., Nakano, Y., Kohno, A., Asanuma, A. and Yanagisawa, A. (1990). Gradual increases in marginal leakage of resin composite restorations with thermal stress. *J Dent Res*;69:1659-1663.
- Momoi, Y. and McCabe, J. F. (1994). Hygroscopic expansion of resin based composite during 6 months of water storage. *Br Dent J*;176:91-96.
- Monticelli, F., Goracci, C. and Ferrari, M. (2004). Micromorphology of the fiber post-resin core unit: a scanning electron microscopy evaluation. *Dent Mater*;20:176-183.
- Mota, C. S., Demarco, F. F., Camacho, G. B. and Powers, J. M. (2003). Microleakage in ceramic inlays luted with different resin cements. *J Adhes Dent*;5:63-70.
- Munksgaard, E. C., Itoh, K. and Jorgensen, K. D. (1985). Dentin-polymer bond in resin filling tested in vitro by thermo- and loadin g-cycling. *J Dent Res*;64:144-146.
- Nattar, N., Tan, L. E. and McComb, D. (2003). Flow, strength, stiffness, and radiopacity of flowable resin composites. *J Can Dent Assoc*;69:516-521.
- Naylor, W. P. (1992). Introduction to Metal Ceramic Technology. Quintessence Publishing Co, Inc, Carol Stream, Illinois.

- Neiva, I. F., de Andrad, M. C., Baratieri, L. N., Smonteiro, S. and Ritter, Jr. A. (1998). An in vitro study of the effect of restorative technique on marginal leakage in posterior composites. *Oper Dent*; **23**:282-289.
- Nelsen, R. J., Wolcott, R. B. and Paffenbarger, G. C. (1952). Fluid exchange at the margins of dental restorations. *JADA*; **44**:288-295.
- Neme, A. L., Maxson, B. B. and Pink, F. E. (2002). Microleakage of Class II packable resin composites lined with flowables: an in vitro study. *Oper Dent*; **27**:600-605.
- Newburg, R. and Pameijer, C. H. (1978). Composite resins bonded to porcelain with silane solution. *JADA*; **96**:288-291.
- Nicholson, J. W. and Croll, T. P. (1997). Glass-ionomer cements in restorative dentistry. *Quintessence Int*; **28**:705-714.
- Noguera, A. P. and McDonald, N. J. (1990). A comparative in vitro coronal microleakage study of new endodontic restorative materials. *J Endod*; **16**:523-527.
- Nowlin, T. P., Barghi, N. and Norling, B. K. (1981). Evaluation of the bonding of three porcelain repair systems. *J Prosthet Dent*; **46**:516-518.
- O'Brien, W. J. (1989). Dental materials: Properties and selection. Chicago: Quintessence Publ Co.
- Oden, A., Ruyter, I. E. and Øysæd, H. (1988). Creep and recovery of composites for use in posterior teeth during static and dynamic compression. *Dent Mater*; **4**:147-150.
- Okuda, M., Pereira, P. N., Nakajima, M. and Tagami, J. (2001). Relationship between nano-leakage and long-term durability of dentin bonds. *Oper Dent*; **26**:482-490.
- Oliver, C. M. and Abbott, P. V. (1998). An in vitro study of apical and coronal microleakage of laterally condensed gutta-percha with Ketac-Endo and AH-26. *Aust Dent J*; **43**:262-268.
- Opdam, N., Roeters, J., Peters, T., Burgers-Dijk, R. and Kuijs, R. (1996). Consistency of resin composites for posterior use. *Dent Mater*; **12**:350-354.
- Örtengren, U., Elgh, U., Spasensoka, V., Milleding, P., Haasum, J. and Karissn, S. (2000). Water Sorption and Flexural Properties of Composite Resin Cement. *Inter J Prosthet*; **13**:141-147.
- Orucoglu, H., Sengun, A. and Yilmaz, N. (2005). Apical leakage of resin based root canal sealers with a new computerized fluid filtration meter. *J Endod*; **31**:886-890.
- Özcan, M. (2003). Review: Evaluation of alternative intra-oral repair techniques for fractured ceramic-fused-to-metal restorations. *J Oral Rehabil*; **30**:194-203.
- Øysæd, H. and Ruyter, I. E. (1986). Water sorption and filler characteristics of composites for use in posterior teeth. *J Dent Res*; **65**(11):1315-1318.

- Papadogiannis, Y., Lakes, R. S., Palaghias, G., Helvatjoglu-Antoniades, M. and Papadogiannis, D. (2007). Fatigue of packable dental composites. *Dent Mater*;23:235-242.
- Pashley, D. H. (1990). Clinical consideration of microleakage. *J Endod*;16:70-77.
- Payne, J. H. I. V. (1999). The marginal seal of class II restorations: flowable composite resin compared to injectable glass ionomer. *J Clin Pediat Dent*;23:123-130.
- Pazinatto, F., B., Campos, B. B., Costa, L. C. and Atta, M. T. (2003). Effect of the number of thermocycles on microleakage of resin composite restorations. *Pesqui Odontol Bras*;17:337-341.
- Peris, A. R., Sillas, D. Jr. and Andrade, M. F. (2003). Evaluation of marginal microleakage in Class II cavities: Effect of microhybrid, flowable, and compactable resins. *Quintessence Int*;34:93-98.
- Peutzfeld, A. and Asmussen, E. (2002). Composite restorations: influence of flowable and self-curing resin composite linings on microleakage in vitro. *Oper Dent*;27:569-575.
- Phillips, W. R. (1982). Skinner's Science of Dental Materials, 8th ed. W.B Saunders Company, Philadelphia. p. 224, 516-534.
- Phillips, W. R. (1991). Skinner's Science of Dental Materials. 9th ed. W.B Saunders Company, Philadelphia.
- Pickard, H. M. and Gayford, J. J. (1965). Leakage at the margins of amalgam restorations. *Br Dent J*;119:69-77.
- Pilo, R. and Cardash, H. S. (1992). Post-irradiation polymerization of different anterior and posterior visible light-activated resin composites. *Dent Marter*;8:299-304.
- Pitt Ford, T. R., Rhodes, J. S. and Pitt Ford, H. E. (2002). Endodontics problem-solving in clinical practice. 1st ed. Martin Dunitz Ltd. London, UK. p. 79-109, 149-164.
- Pommel, L. and Camps, J. (2001). Effect of pressure and measurement time on the fluid filtration method in endodontics. *J Endod*;27:256-258.
- Pommel, L., Jacquot, B. and Camps, J. (2001). Lack of correlation among three methods for evaluation op apical leakage. *J Endod*;27:347-350.
- Pongprueksa, P., Kuphasuk, W. and Senawongse, P. (2007). Effect of elastic cavity wall and occlusal loading on microleakage and dentin bond strength. *Oper Dent*;32:466-475.
- Prasad, A. and Sarkar, N. (2004). Restorative composite resins. In: Dhuru Virendra B. Contemporary dental materials. Oxford University Press. p. 64.
- Pratt, R. C., Burgess, J. O., Schwartz, R. S. and Smith, J. H. (1989). Evaluation of bond strength of six porcelain repair systems. *J Prosthet Dent*;62:11-13.

- Puckett, A. D., Fitchie, J. G., Karns, L., Dellinger, T. M. and Inman, C. C. (2001). Microleakage of a compomer compared to conventional and hybrid ionomers. *Quintessence Int*; **32**:49-54.
- Qvist, V. (1993). Resin restorations-leakage, bacteria, pulp (Review). *Endod Dent Traumat*; **9**:127-152.
- Raskin, A., D'Hoore, W., Gonthier, S., Degrange, M. and Dejoui, J. (2001). Reliability of in vitro microleakage tests: A literature review. *J Adhesive Dent*; **3**:295-308.
- Raskin, A., Tassery, H., D'Hoore, W., Gonthier, S., Vreven, J., Degrange, M. and Dejoui, J. (2003). Influence of the number of sections on reliability of in vitro microleakage evaluations. *Am J Dent*; **16**:207-210.
- Ravanshad, S. and Torabinejad, M. (1992). Coronal dye penetration of apical filling materials after post space preparation. *Oral Surg Oral Med Oral Pathol*; **74**:644-647.
- Ray, H. A. and Trope, M. (1995). Periapical status of endodontically treated teeth in relation to the technical quality of the root filling and the coronal restoration. *Int Endo J*; **28**:12-18
- Rees, J. S. and Jacobsen, P. H. (1996). Restoration of posterior teeth with composite resin1: Direct-placement composite. *Dent Update*; **23**:406-410.
- Retief, D. H. (1994). Do adhesive prevent microleakage?. *Int Dent J*; **44**:19-26.
- Roberson, T. M., Heymann, H. O. and Swift, E. J. (2002). Sturtevant's Art and Science of Operative Dentistry. 4th ed. Mosby, Inc. St. Louis, Missouri. p. 135-235, 254-259.
- Rosenstiel, S. F., Land, M. F. and Fujimoto, J. (2001). Contemporary Fixed Prosthodontic. Mosby. 3nd ed. Ch. 19, 24.
- Rossomando, K. J. and Wendt, S. L. (1995). Thermocycling and dwell times in microleakage evaluation for bonded restorations. *Dent Mater*; **11**:47-51.
- Roulet, J. F. (1994). Marginal integrity: clinical significance. *J Dent*; **22** [Suppl 1]:S9-S12.
- Ruggeberg, F. A. and Craig, R. G. (1988). Correlation of parameters used to estimate monomer conversion in a light-cured composite. *J Dent Res*; **67**:923-937.
- Ruiz, J. L. and Mitra, S. B. (2006). Using cavity liners with direct posterior composite restorations. *Compend Contin Educ Dent*; **27**:347-351;quiz 352.
- Sano, H., Yoshiyama, M., Ebisu, S., Burrow, M. F., Takatsu, T. and Ciucchi, B. (1995). Comparative SEM and TEM observations of nanoleakage within the hybrid layer. *Oper Dent*; **20**:160-167.
- Saunders, W. P. and Saunders, E. M. (1994). Coronal leakage as a cause of failure in root-canal therapy: a review. *Endod Dent Traumatol*; **10**:105-108.

- Schafer, E. and Olthoff, G. (2002). Effect of three different sealers on the sealing ability of both thermalfil obturators and cold laterally compacted gutta-percha. *J Endod*;28:638-642.
- Schuckar, M. and Geurtsen, W. (1997). Proximo-cervical adaptation of class II composite restorations after thermocycling: a quantitative and qualitative study. *J Oral Rehabil*;24:766-775.
- Scott, A. C., Vire, D. E. and Swanson, R. (1992). An Evaluation of Thermafil Endodontic Oburation Technique. *J Endod*;18:340-343.
- Sensi, L. G., Marson, F. C., Monteiro, S. Jr., Baratieri, L. N. and de Andrada, M. A. C. (2004). Flowable composites as "Filled Adhesives:" A microleakage study. *J Contemp Dent Pract*;5:032-041.
- Shemesh, H., Wu, M-K. and Wesselink, P. R. (2006). Leakage along apical root fillings with and without smear layer using two different leakage models: a two-month longitudinal ex vivo study. *Int Endod J*;39:968-976.
- Shortall, A. C. (1982). Review: Microleakage, marginal adaptation and composite resin restorations. *Br Dent J*;153:223-227.
- So, B. K., Roeder, L. B. and Powers, J. M. (1999). Bond strength of condensable composite to dentin and bases. *J Dent Res*;78:480, (Abstract 2999).
- Söderholm, K. J., Zigan, M., Ragan, M., Fischlschweiger, W. and Bergman, M. (1984). Hydrolytic degradation of dental composites. *J Dent Res*;63:1248-1254.
- Sorensen, J. A., Kang, S. K. and Avera, S. P. (1991). Porcelain-composite interface microleakage with various porcelain surface treatments. *Dent Mater*;7:118-123.
- Spangberg, L. S. W., Acierno, T. G. and Cha, B. Y. (1989). Influence of entrapped air on the accuracy of leakage studies using dye penetration methods. *J Endod*;15:548-551.
- Stavridakis, M. M., Dietschi, D. and Krejer, I. (2005). Polymerization shrinkage of flowable resin-based restorative materials. *Oper Dent*;30:118-128.
- Stokes, A. N. and Tidmarsh, B. G. (1988). A comparison of diamond and tungsten carbide burs for preparing endodontic access cavities through crowns. *J Endod*;14:550-553.
- Sutherland, J. K., Teplitsky, P. E. and Moulding, M. B. (1989). Endodontic access of all-ceramic crowns. *J Prosthet Dent*;61:146-149.
- Swanson, K. and Madison, S. (1987). An evaluation of coronal microleakage in endodontically treated teeth. Part 1. Time periods. *J Endod*;13:56-59.
- Swift, E. J. (1991). Microleakage of dentin adhesive systems. *J Esthet Restor Dent*;3:91-94.
- Swift, E. J. (2005). Nanocomposites. *J Esthet Restor Dent*;17:3-4.

- Swift, E. J. Jr., Perdigao, J. and Heymann, H. O. (1995). Bonding to enamel and dentin: A brief history and state of the art. *Quintessence Int*;26:95-110.
- Tani, Y., Suzuki, K., Hamada, T. and Yuasa, S. (1985). Relationship between curing shrinkage of matrix-monomer and marginal leakage of composite resins. *J Dent Res*;64:179 (Abstract No. 41).
- Tay, F. R. and Pashley, D. H. (2003). Water treeing—a potential mechanism for degradation of dentin adhesives. *Am J Dent*;16:6-12.
- Tay, F. R., Hashimoto, M., Pashley, D. H., Peters, M. C., Lai, S. C. N., Yiu, C. K. Y. and Cheong, C. (2003). Aging affects two modes of nanoleakage expression in bonded dentine. *J Dent Res*;82:537–541.
- Tay, F. R., Pashley, D. H. and Yoshiyama, M. (2002). Two modes of nanoleakage expression in single-step adhesives. *J Dent Res*;81:472–476.
- Tay, F. R., Pashley, D. H., Suh, B. I., Hiraishi, N. and Yiu, C. K. Y. (2005). Buonocore Memorial Lecture: Water treeing in simplified dentin adhesives-Déjà Vu?. *Oper Dent*;30:561-579.
- Taylor, M. J. and Lynch, E. (1992). Microleakage. *J Dent*;73:3-10.
- Technical Profile, 1998, Filtek™ P60: Posterior Restorative System. 3M, USA.
- Technical Profile, 2005, Filtek™ Z350: Flowable nanocomposite. 3M, USA.
- Technical Profile, 2003, Rely X™ Ceramic Primer. 3M, USA.
- Teplisky, P. E. and Sutherland, J. K. (1985). Endodontic Access of Cerestore Crowns. *J Endod*;11:555-558.
- Thonemann, B. M., Federlin, M. and Schmalz, G. (1997). SEM analysis of marginal expansion and gap formation in Class II composite restorations. *Dent Mater*;13:192-197.
- Timpawat, S., Amornchat, C. and Trisuwan, W-R. (2001). Bacterial coronal leakage after obturation with three root canal sealers. *J Endod*;27:36-39.
- Tjan, A. H. L. and Chiu, J. (1989). Microleakage of core materials for complete cast crowns. *J Prosthet Dent*;61:659-664.
- Tjan, A. H. L., Dunn, J. R. and Grant, B. E. (1992). Marginal leakage of cast gold crowns luted with an adhesive resin cement. *J Prosthet Dent*;67:11-15.
- Torabinejad, M., Ung, B. and Kettering, J. D. (1990). In vitro bacterial penetration of coronal unsealed endodontically treated teeth. *J Endod*;16:566-569.
- Trautmann, G., Gutmann, J. L., Nunn, M. E., Witherspoon, D. E., Berry, C. W. and Romero, G. G. (2001a). Restoring teeth that are endodontically treated through existing crowns. Part III: Material usage and prevention of bacterial leakage. *Quintessence Int*; 32:27-32.

- Trautmann, G., Gutmann, J. L., Nunn, M. E., Witherspoon, D. E., Berry, C. W. and Romero, G. G. (2001b). Restoring teeth that are endodontically treated through existing crowns. Part IV: Material usage and prevention of dye leakage. *Quintessence Int*;32:33-41.
- Trautmann, G., Gutmann, J. L., Nunn, M. E., Witherspoon, D. E. and Shulman, J. D. (2000). Restoring teeth that are endodontically treated through existing crowns. Part II: Survey of restorative material commonly used. *Quintessence Int*;31:719-728.
- Tredwin, C. J., Stokes, A. and Moles, D. R. (2005). Influence of flowable liner and margin location on microleakage of conventional and packable Class I I resin composites. *Oper Dent*;30:32-38.
- Trowbridge, H. O. (1987). Model systems for determining biologic effects of microleakage. *Oper Dent*;12:164-172.
- Tsuchiya, T., Zidan, O. and Gomez-Marin, O. (1986). Marginal gaps in Class V cavities: comparative study of dentinal bonding agents and application techniques. *J Dent Res*;65:765, [Abstract No. 353].
- Tung, F. F., Estafan, D. and Scherer, W. (2000). Microleakage of a condensable resin composite: An in vitro investigation. *Quintessence Int*;31:430-434.
- Unterbrink, G. L. and Liebenberg, W. H. (1999). Flowable resin composites as “filled adhesives”: Literature review and clinical recommendations. *Quintessence Int*;30:249-257.
- Uranga, A., Blum, J. Y., Esber, S., Parahy, E. and Prado, C. (1999). A comparative study of four coronal obturation materials in endodontic treatment. *J Endod*;25:178-180.
- Van Fraunhofer, J. A., Fagundes, D. K., McDonald, N. J. and Dumsha, T. C. (2000). The effect of root canal preparation on microleakage within endodontically treated teeth: an in vitro study. *Int Endod J*;33:355-360.
- Van Noort, R. (2002). Introduction to dental materials. 2nd Ed. Elsevier Science Limited.
- Verissimo, D. M. and do Vale, M. S. (2006). Methodologies for assessment of apical and coronal leakage of endodontic filling materials: a critical review. *J Oral Science*;28:93-98.
- Versluis, A., Douglas, W. H., Cross, M. and Sakaguchi, R. L. (1996). Does an incremental filling technique reduce polymerization shrinkage stresses? *J Dent Res*;75:871-878.
- Vincent, P. F., Steven, L. and Basford, K. E. (1977). A comparison of the casting ability of precious and nonprecious alloys for porcelain veneering. *J Prosthet Dent*;37:527-536.
- Wahab, F. K., Shaini, F. J. and Morgano, S. M. (2003). The effect of thermocycling on microleakage of several commercially available composite Class V restorations in vitro. *J Prosthet Dent*;90:168-174.

- Wakefield, C. W. and Kofford, K. R. (2001). Advances in restorative materials. *Dental Clinics of North America*;45:7-29.
- Wang, R. R. and Fung, K. K. (1997). Oxidation behavior of surface-modified titanium-ceramic restorations. *J Prosthet Dent*;77:423-434.
- Watts, D. C., McNaughton, V. and Grant, A. A. (1986). The development of surface hardness in visible light-cured posterior composites. *J Dent*;14:169-174.
- Wendt, S. L., McInnes, P. M. and Dickinson, G. L. (1992). The effect of thermocycling in microleakage analysis. *Dent Mater*;8:181-184.
- Wenner, K. K., Fairhurst, C. W., Morris, C. F., Hawkings, I. K. and Ringle, R. D. (1988). Microleakage of root restorations. *JADA*;117:825-828.
- Whitworth, J. M., Walls, A. W. G. and Wassell, R. W. (2002). Crowns and extra-coronal restorations: Endodontic considerations: the pulp, the root-treated tooth and the crown. *Br Dent J*;192:315-327.
- Wibowo, G. and Stockton, L. (2001). Microleakage of class II composite restorations. *Am J Dent*;14:177-185.
- Wilson, A. D. (1990). Resin-modified glass-ionomer cements. *Int J Prosthodont*;3:442-446.
- Witzel, M. F., Calheiro, F. C., Gonçalves, F., Kawano, Y. and Braga, R. R. (2005). Influence of photo-activation method on conversion, mechanical properties, degradation in ethanol and contraction stress of resin-based materials. *J Dent*;33:773-779.
- Wolaneck, G. A., Loushine, R. J., Weller, R. N., Kimbrough, W. F. and Volkmann, K. R. (2001). In vitro bacterial penetration of endodontically treated teeth coronally sealed with a dentin bonding agent. *J Endod*;27:354-357.
- Wood, K. C., Berzins, D. W., Luo, Q., Thompson, G. A., Toth, J. M. and Nagy, W. W. (2006). Resistance to fracture of two all-ceramic crown materials following endodontic access. *J Prosthet Dent*;95:33-41.
- Wu, M. K., De Gee, A. J. and Wesselink, P. R. (1994). Fluid transport and dye penetration along root canal filling. *Int Endod J*;27:233-238.
- Wu, M. K., Kontakiotis, E. G. and Wesselink, P. R. (1998). Decoloration of 1% methylene blue solution in contact with dental filling materials. *J Dent*;26:585-589.
- Wu, M. K. and Wesselink, P. R. (1993). Endodontic leakage studies reconsidered. Part I. methodology, application and relevance. *J Endod*;26:37-43.
- Xu, Q., Fan, M. W., Fan, B., Cheung, G. S. P. and Hu, H. L. (2005). A new quantitative method using glucose for analysis of endodontic leakage. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*;99:107-111.

- Xu, Q., Ling, J., Cheung, G. S. P. and Guangzhou, Y. H. (2007). A quantitative evaluation of sealing ability of 4 obturation techniques by using a glucose leakage test. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*;104:e109-e113.
- Yap, A. U. J. (2000). Effectiveness of polymerization in composite restoratives claiming bulk placement: Impact of cavity depth and exposure time. *Oper Dent*;25:113-120.
- Yap, A. U. J., Mok, B. Y. Y. and Pearson, G. J. (1997). An in vitro microleakage study of the bonded-base restorative techniques. *J Oral Rehabil*;24:230-236.
- Yazici, A. R., Sano, H. and Dayangac, B. (2003). The effect of flowable resin composite on microleakage in class V cavities. *Oper Dent*;28:42-46.
- Yiu, C. K. Y., King, N. M., Pashley, D. H., Suh, B. I., Carvalho, R. M., Carrilho, M. R. O. and Tay, F. R. (2004). Effect of resin hydrophilicity and water storage on resin strength. *Biomaterials*;25:5789-5791.
- Youngson, C. C. (1992). A technique for three-dimensional microleakage assessment using tooth sections. *J Dent*;20:231-234.
- Youngson, C. C., Glyn Jones, J. C., Fox, K., Smith, I. S., Wood, D. J. and Gale, M. (1999). A fluid filtration and clearing technique to assess microleakage associated with three dentine bonding systems. *J Dent*;27:223-233.
- Youngson, C. C., Glyn Jones, J. C., Manogue, M. and Smith, I. S. (1998) In vitro dentinal penetration by tracers used in microleakage studies. *Int Endod J*;31:90-99.
- Youngson, C. C., Grey, N. J. A. and Glyn Jones, J. G. (1990). In vitro marginal microleakage: examination of measurements used in assessment. *J Dent*;18:142-146.