

Bibliography

- Ahn, C.H., Han, W.S., Kong, B.H. and Cho, H.K. (2009a). Ga-doped ZnO nanorod arrays grown by thermal evaporation and their electrical behavior. *Nanotechnology*. **20**. 015601.
- Ahn, C.H., Kim, Y.Y., Kim, D.C., Mohanta, S.K. and Cho, H.K. (2009b). A comparative analysis of deep level emission in ZnO layers deposited by various methods. *J. Appl. Phys.* **105**. 013502.
- Ahn, C.H., Mohanta, S.K., Kong, B.H. and Cho, H.K. (2009c). Enhancement of band-edge emission of ZnO from one-dimensional ZnO/MgZnO core/shell nanostructures. *J. Phys D: Appl. Phys* **42**. 115106.
- Antony, J., Chen X.B., Morrison, J., Bergman, L., Qiang, Y., McCready, D.E. and Engelhard, M.H. (2005). ZnO nanoclusters: Synthesis and photoluminescence. *Appl. Phys. Lett.* **87**. 241917.
- Arnold, M.S., Avouris, P., Pan, Z.W. and Wang Z.L. (2003). Field-effect transistors based on single semiconducting oxide nanobelts. *J. Phys. Chem. B* **107** (3). 659-663.
- Bae, J., Hong, J.I., Han, W.H., Choi, Y.J. and Snyder, R.L., (2009). Superior field emission properties of ZnO nanocones synthesized by pulsed laser deposition. *Chem. Phys. Lett.* **475** (4-6). 260-263.
- Bae, S.Y., Na, C.W., Kang, J.H., Park, J. (2005a). Comparative structure and optical properties of Ga-, In-, and Sn-doped ZnO nanowires synthesized via thermal evaporation. *J. Phys. Chem. B* **109** (7). 2526-31.
- Bae, S.Y., Chio, H.C., Na, C.W., Prk, J. (2005b). Influence of In incorporation on the electronic structure of ZnO nanowires. *Appl. Phys. Lett.* **86**. 033102.
- Bae, S.Y., Seo, H.W. and Park, J. (2004). Vertically aligned sulfur-doped ZnO nanowires synthesized via chemical vapor deposition. *J. Phys. Chem. B* **108** (17). 5206-5210.
- Barnard, A.S., Russo, S.P., and Snook I.K. (2003). Electronic band gaps of diamond nanowires. *Phys. Rev. B* **68** (23). 235407.
- Bernard, J.E. and Zunger, A. (1987). Electronic structure of ZnS, ZnSe, ZnTe, and their pseudobinary alloys. *Phys. Rev. B* **36** (6). 3199-28.
- Boyd, E J. and Brown, S A. (2009). The size dependence of tin oxide atomic cluster nanowire field effect transistors. *Nanotechnology* **20** (42). 425201.
- Bunn, C.W. (1935). The lattice-dimensions of zinc oxide. *Proc. Phys. Soc.* **47** (5). 835-842

Burstein, E. (1954). Anomalous optical absorption limit in InSb. *Phys. Rev.* **93** (3). 632-633.

Chen, C.H., Chang, S.J., Chang, S.P., Li, M.J., Chen, I.C., Hsueh, T.J. and Hsu, C.L. (2009). Electroluminescence from *n*-ZnO nanowires/*p*-GaN heterostructure light-emitting diodes. *Appl. Phys. Lett.* **95**. 223101.

Chen C.W., Chen, K.H., Shen, C.H., Ganguly, A., Chen, L.C. (2006). Anomalous blueshift in emission spectra of ZnO nanorods with sizes beyond quantum confinement regime. *Appl. Phys. Lett.* **88**. 241905.

Chen, J.T., Wang, J., Zhuo, R.F., Yan, D., Feng, J.J., Zhang, F. and Yan, P.X. (2009). The effect of Al doping on the morphology and optical property of ZnO nanostructures prepared by hydrothermal process. *Appl. Surf. Sci.* **255** (7). 3959-64.

Chen, L. Huang J., Ye Z., He H., Zeng Y., Wang S. and Wu, H. (2008). Controllable synthesis of ordered ZnO nanodots arrays by nanosphere lithography. *Cryst. Growth Des.* **8** (8). 2917-20.

Chen, S.J., Wang, G.R. and Liu, Y.C. (2009). The structure and photoluminescence properties of ZnO nanobelts prepared by a thermal evaporation process. *J. Luminescence* **129** (4). 340-343.

Chen, Y.Q., Zheng, X. J. and Feng, X. (2010). The fabrication of vanadium-doped ZnO piezoelectric nanofiber by electrospinning. *Nanotechnology* **21**. 055708.

Chen, Y.W., Liu, Y.C., Lu, S.X., Xu, C.S., Shao, C.L., Wang, C., Zhang, J.Y., Lu, Y.M., Shen, D. Z. and Fan, X.W. (2005). Optical properties of ZnO and ZnO:In nanorods assembled by sol-gel method. *J. Chem. Phys* **123** (13). 134701.

Cheng, C., Jiang, Z-J. and Liu, C-Y. (2008). Plus green emission of ZnO nanorods induced by Ce³⁺ doping and concentration. *Journal of Photochemistry and Photobiology A: Chemistry*. **195** (2-3). 151-155.

Cheng, C.L., Chao, S.H. and Chen, Y.F. (2009). Enhancement of field emission in nanotip-decorated ZnO nanobottles. *J. Cryst. Growth* **311** (19). 4381.

Cheng, Y. Xiong, P., Fields, L., Zheng, J. P., Yang, R. S. and Wang Z. L. (2006). Intrinsic characteristics of semiconducting oxide nanobelt field-effect transistors. *Appl. Phys. Lett.* **89**. 093114.

Cui, J.B., Soo, Y.C., and Chen, T.P. (2008). Low-temperature growth and characterization of cl-doped zno nanowire arrays. *J. Phys. Chem. C* **112** (12). 4475-79.

Cullity, B.D. (1956). *ELEMENTS OF X-RAY DIFFRACTION*. Addison-Wesley.

Dai, Z.R., Pan, Z.W., Wang, Z.L. (2003). Novel nanostructures of functional oxides synthesized by thermal evaporation. *Adv. Funct. Mater.* **13** (1). 9-24.

- Das, A.K., Misra, P. and Kukreja, L.M. (2009). Effect of Si doping on electrical and optical properties of ZnO thin films grown by sequential pulsed laser deposition. *J. Phys. D: Appl. Phys.* **42**. 165405.
- Deng, R., Zhang, X., Zhang, E., Liang, Y., Liu, Z., Xu, H.Y. and Hark, S. (2007). Planar defects in Sn-doped single-crystal ZnO nanobelts. *J. Phys. Chem. C* **111** (35). 13013-15.
- Deng, R. and Zhang, X.T. (2008). Effect of Sn concentration on structural and optical properties of zinc oxide nanobelts. *J. Luminescence* **128** (9). 1442-46.
- Ding, Y., Kong, X.Y. and Wang, Z.L. (2004). Doping and planar defects in the formation of single-crystal ZnO nanorings: *PHYS REV B* **70**. 235408.
- Djurisic', A.B. and Leung, Y.H. (2006). Optical properties of ZnO nanostructures. *Small* **2** (8-9). 944-961.
- Fang, X., Li, J., Zhao, D., Shen, D., Li, B. and Wang, X. (2009). Phosphorus-doped *p*-type zno nanorods and zno nanorod *p-n* homojunction led fabricated by hydrothermal method. *J. Phys. Chem. C* **113** (50). 21208-21212.
- Feng, C., Yi-Ding, W., Da-Li, L., Jing-Zhi, Y., Bao-Jia, G., Lei, L. and Yu-Peng, A. (2009). Preparation and characterization of transparent conductive Nb-doped ZnO films by radio-frequency sputtering. *Chinese Phys. Lett.* **26**. 034210.
- Filip, V., Nicolaescu, D. and Tanemura, M. and Okuyama, F. (2001). Modeling the electron field emission from carbon nanotube films. *Ultramicroscopy*, **89** (1-3). 39-49.
- Foreman, J.V., Li, J., Peng, H., Chio, S., Everitt, H.O. and Liu, J.. (2006). Time-resolved investigation of bright visible wavelength luminescence from sulfur-doped ZnO nanowires and micropowders. *Nano Letters* **6** (6). 1126-30.
- Fowler, R.H. and Nordheim, L. (1928). Electron emission in intense electric fields. *Proc. R. Soc. Lond. A* **119**. 173-181.
- Ferraro J.R., Nakamoto K., and Brown C.W. (2003). *Introductory Raman Spectroscopy*. 2th edn. Elsevier.
- Gautam, S., Kumar, S., Thakur, P., Chae, K.H., Kumar, R., Koo, B.H. and Lee, C.G. (2009). Electronic structure studies of Fe-doped ZnO nanorods by x-ray absorption fine structure. *J. Phys. D: Appl. Phys.* **42**. 175406.
- Geng, B.Y., Wang, G.Z., Jiang, Z., Xie, T., Sun, S.H., Meng, G.W. and Zhang L.D. (2003). Synthesis and optical properties of S-doped ZnO nanowires. *Appl. Phys. Lett* **82**. 4791-93.
- Givargizov, E.I. (1975). Fundamental aspects of VLS growth. *J. Cryst. Growth*. **31**. 20-30.

Good, R.H. and Muller (1956), E.W. Field Emission, Handbuch der Physik, Vol. 21 Heidelberg: Springer.

Gu, Y., Kuskovsky, I.L., Yin, M., O'Brien, S. and Neumark, G.F. (2004). Quantum confinement in ZnO nanorods. *Appl. Phys. Lett.* **85**. 3833-35.

Gupta, R.K., Ghosh, K., Patel, R., Mishra, S.R. and Kahol, P.K. (2009). Band gap engineering of ZnO thin films by In₂O₃ incorporation. *J. Cryst. Growth.* **310** (12). 3019-23.

Harima, H. (2002). Properties of GaN and related compounds studied by means of Raman scattering. *J. Phys.: Condens. Matter* **14**. R967-R993.

Hejazi, S.R., Madaah Hosseini, H.R., Sasani Ghamsari, M. (2008). The role of reactants and droplet interfaces on nucleation and growth of ZnO nanorods synthesized by vapor-liquid-solid (VLS) mechanism. *J. Alloys Compd.* **455** (1-2). 353-357.

Heo, Y.W., Kaufman, M., Pruessner, K., Norton, D.P., Ren, F., Chisholm, M.F., and Fleming, P.H. (2003). Optical properties of Zn_{1-x}Mg_xO nanorods using catalysis-driven molecular beam epitaxy. *Solid State Electron.* **47**. 2269-2273

Hsu, H.C., Wu, C.Y., Cheng, H.M. and Hsieh, W.F. (2006). Band gap engineering and stimulated emission of ZnMgO nanowires. *Appl. Phys. Lett.* **89**. 013101.

Huang, G-Y., Wang, C-Y. and Wang, J-T. (2009). First-principles study of diffusion of Li, Na, K and Ag in ZnO. *J. Phys.: Condens. Matter.* **21**. 345802.

Huang, M.H., Mao, S., Feick, H., Yan, H., Wu, Y., Kind, H., Weber, E., Russo, R., and Yang, P. (2001). Room-temperature ultraviolet nanowire nanolasers. *Science*. **292**. 1897-99.

Huang, X., Li, G., Duan, L., Li, L., Dou, X. and Zhang, L. (2009). Formation of ZnO nanosheets with room-temperature ferromagnetism by co-doping with Mn and Ni. *Scr. Mater.* **60** (11). 984-987.

Huang, Y., Zhang, Y., Gu, Y., Bai, X., Qi, J., Liao, Q. and Liu, J., (2007). Field emission of a single In-doped ZnO nanowire. *J. Phys. Chem. C* **111** (26). 9039-43.

Hur, T.B., Hwang, Y.H. and Kim, H.K. (2004). Impurity band characteristics near the band edge of Al-doped ZnO. *J. Appl. Phys.* **96**. 1507.

Hussain, S.G., Liu, D., Huang, X., Suliman, K.M., Liu, J., Liu, H. and Alla, A.N.A. (2007a). Synthesis and optical properties of partially S-doped ZnO symmetric three-sided feather-like nanostructures. *Smart Mater. Struct.* **16**. 1736-41.

Hussain, S.G., Liu, D., Huang, X., Suliman, K.M., Liu, J., Liu, H. and Rasool, R.U. (2007b). Synthesis and optical properties of heterostructured ZnO:S/ZnO nanosaws. *J. Phys. D: Appl. Phys.* **40**. 7662-68.

Iijima, S. (1991). Helical microtubules of graphitic carbon. *Nature*. **354**. 56-58.

Iqbal, J., Wang, B., Liu, X., Yu, D., He, B. and Yu, R. (2009). Oxygen-vacancy-induced green emission and room-temperature ferromagnetism in Ni-doped ZnO nanorods. *New J. Phys.* **11**. 063009.

Jagadish, C., Pearton, S.J., (2006) *Zinc Oxide Bulk, Thin Films and Nanostructures*. New York: Elsevier.

Jang, H.S., Kim, D.H., Lee, H.R. and Lee, S.Y. (2005). Field emission from cone-like single crystalline indium tin oxide nanorods. *Mater. Lett.* **59** (12). 1526-29.

Jayanthi, K., Chawla, S., Sood, K.N., Chhibara, M., and Singh, S. (2009). Dopant induced morphology changes in ZnO nanocrystals. *Appl. Surf. Sci.* **255** (11). 5869-75.

Jia, T., Wang, W., Long, F., Fu, Z., Wang, H. and Zhang, Q. (2009). Synthesis, characterization and luminescence properties of Y-doped and Tb-doped ZnO nanocrystals. *Mater. Sci. Eng., B* **162** (3). 179-184.

Jiang, P., Zhou, J.J., Fang, H.F., Wang, C.Y., Wang, Z.L., Xie, S.S. (2007). Hierarchical shelled ZnO structures made of bunched nanowire arrays *Adv. Funct. Mater.* **17** (8). 1303-10.

Jie, J., Wang, G., Han, X. and Hou, J.G. (2004a). Synthesis and characterization of ZnO:In nanowires with superlattice structure. *J. Phys. Chem. B* **108** (44). 17027-31.

Jie, J., Wang, G., Han, X., Yu, Q., Liao, Y., Li, G. and Hou, J.G. (2004b). Indium-doped zinc oxide nanobelts. *Chem. Phys. Lett* **387** (4-6). 466-470.

Jin, B.J., Im, S. and Lee, S.Y. (2000). Violet and UV luminescence emitted from ZnO thin films grown on sapphire by pulsed laser deposition. *Thin Solid Films* **366** (1-2). 107-110.

Jung, C.H., Kim, D.J., Kang, Y.K. and Yoon, D.H. (2009). Transparent amorphous In-Ga-Zn-O thin film as function of various gas flows for TFT applications. *Thin Solid Films* **517** (14). 4078-81.

Jung, M.N., Lee, E.S., Jeon, T.I., Gil, K.S., Kim, J.J., Murakami, Y., Lee, S.H., Park, S.H., Lee, H.J., Yao, T., Makino, H. and Chang, J.H. (2009). Synthesis and investigation on the extrinsic carrier concentration of indium doped ZnO tetrapods. *J. Alloys Compd.* **481** (1-2). 649-653.

Kar, S., Dutta, P., Pal, T. and Ghosh, S. (2009). Simple solvothermal route to synthesize S-doped ZnO nanonails and ZnS/ZnO core/shell nanorods. *Chem. Phys. Lett.* **473** (1-3). 102-107.

Khan, A. and Kordesch, M.E. (2005). Effect of substrate temperature on the growth and luminescence properties of ZnO nanostructures. *Physica E* **30** (1-2). 51-54.

Kim, H.M. , Kim, D.S., Kim, D.Y., Kang, T.W., Cho Y.H. and Chung, K.S. (2002). Growth and characterization of single-crystal GaN nanorods by hydride vapor phase epitaxy. *Appl. Phys. Lett.* **81**. 2193.

- Kling, R., Kirchner, C., Gruber, T., Reuss, F. and Waag, A. (2004). Analysis of ZnO and ZnMgO nanopillars grown by self-organization. *Nanotechnology* **15**. 1043-46.
- Kittel, C. (1969). *Thermal Physics*, First edn. New York: John Wiley & Sons.
- Kittel, C. (1986). *Introduction to Solid State Physics*, 6th edn. New York: Wiley.
- Kong, X.Y. and Wang, Z.L. (2003). Spontaneous polarization-induced nanohelices, nanosprings, and nanorings of piezoelectric nanobelts. *Nano Lett.* **3 (12)**. 1625-31.
- Kong, X.Y., Ding, Y., Yang, R. and Wang, Z.L. (2004). Single-crystal nanorings formed by epitaxial self-coiling of polar nanobelts. *Science*. **303**. 1348-51.
- Lao C.S., Park M.C., Kuang Q., Deng Y., Sood A.K., Polla D.L. and Wang Z.L. (2007). Giant enhancement in UV response of ZnO nanobelts by polymer surface-functionalization. *J. Am. Chem. Soc.* **129 (40)**. 12096-97.
- Lee, J.Y., Jang, B.R., Lee, J.H., Kim, H.S., Cho, H.K., Moon, J.Y., Lee, H.S., Lee, W.J. and Baek, J.W. (2009). Characterization of low mole fraction In-doped-ZnO/Si (111) heterostructure grown by pulsed laser deposition. *Thin Solid Films*. **517 (14)**. 4086-89.
- Li, C., Fang, G., Yuan, L., Liu, N., Li, J., Li, D., Zhao, X. (2007). Field electron emission improvement of ZnO nanorod arrays after Ar plasma treatment. *Appl. Surf. Sci* **253 (20)**. 8478-82.
- Li, L., Shan, C.X., Li, B.H. Yao, B. Zhang, J.Y., Zhao, D.X., Zhang, Z.Z., Shen, D.Z., Fan, X.W. and Lu, Y.M. (2008). The compensation source in nitrogen doped ZnO. *J. Phys. D: Appl. Phys.* **41**. 245402.
- Li, J., Zhang, Q., Peng, H., Everitt, H.O., Qin, L., and Liu, J. (2009). Diameter-controlled vapor-solid epitaxial growth and properties of aligned ZnO nanowire arrays. *J. Phys. Chem. C* **113 (10)**. 3950-54.
- Li, L.M., Li, C.C., Zhang, J., Du, Z.F., Zou, B.S., Yu, H.C., Wang, Y.G. and Wang, T.H. (2007). Bandgap narrowing and ethanol sensing properties of In-doped ZnO nanowires. *Nanotechnology* **18**. 225504.
- Li, S.Y., Lin, P., Lee, C.Y., Tseng, T.Y. and Huang, C.J. (2004). Effect of Sn dopant on the properties of ZnO nanowires. *J. Phys. D: Appl. Phys.* **37**. 2274-82.
- Li, Y., Feneberg, M., Reiser, A., Schirra, M., Enchelmaier, R., Ladenburger, A., Langlois, A., Sauer, R., Thonke, K., Cai, J. and Rauscher, H. (2006). Au-catalyzed growth processes and luminescence properties of ZnO nanopillars on Si. *J. Appl. Phys.* **99**. 054307.
- Li, Z., Yang, R.S., Yu, M., Bai, F., Li, C., and Wang, Z.L. (2009). Cellular level biocompatibility and biosafety of ZnO nanowires. *J. Phys. Chem. C* **112 (51)**. 20114-117.

- Liao, Z.M., Zhang, H.Z., Zhou, Y.B., Xu, J., Zhang, J.M., and Yu, D.P. (2008). Surface effects on photoluminescence of single ZnO nanowires. *Phys. Lett. A* **372** (24). 4505-9.
- Lin, B., Fu, Z. and Jia, Y., (2001). Green luminescent center in undoped zinc oxide films deposited on silicon substrates. *Appl. Phys. Lett.* **79** (7). 943.
- Lin, K.F., Cheng, H.M., Hsu, H.C. and Hsieh, W.F. (2006). Band gap engineering and spatial confinement of optical phonon in ZnO quantum dots. *Appl. Phys. Lett.* **88** (26). 263117.
- Lin, S., Tang, H., Ye, Z., He, H., Zeng, Y., Zhao, B. and Zhu, L. (2008). Synthesis of vertically aligned Al-doped ZnO nanorods array with controllable Al concentration. *Mater. Lett.* **62**(4-5).603-606
- Lin, S., Ye, Z., He, H., Zeng, Y., Tang, H., Zhao, B. and Zhu, L. (2007). Catalyst-free synthesis of vertically aligned screw-shape InZnO nanorods array. *J. Cryst. Growth* **306** (2). 339-343.
- Lin, Y.H., Lin, C.C., Wu J.M., Chen U.S., Chen J.R. and Shih, H.C. (2008). Formation and cathodoluminescence of Al:ZnO nanoscrew clusters. *Thin Solid Films* **517**. 1225–1229
- Liu, H., Yang, J., Zhang, Y., Yang, L., Wei, M. and Ding, X. (2009). Structure and magnetic properties of Fe-doped ZnO prepared by the sol-gel method. *J. Phys.: Condens. Matter* **21**. 145803.
- Liu, X., Wu, X., Cao, H. and Chang, R.P.H. (2004). Growth mechanism and properties of ZnO nanorods synthesized by plasma-enhanced chemical vapor deposition. *J. Appl. Phys.* **95**. 3141.
- Lo, S-S., Huang, D., Tu, C.H., Hou, C-H. and Chen, C-C. (2009). Raman scattering and band-gap variations of Al-doped ZnO nanoparticles synthesized by a chemical colloid process. *J. Phys. D: Appl. Phys.* **42**. 095420.
- Loan, T.T., Long, N.N. and Ha, L.H. (2009). Photoluminescence properties of Co-doped ZnO nanorods synthesized by hydrothermal method. *J. Phys. D: Appl. Phys.* **42**. 065412.
- Luo, J.T., Zhu, X.Y., Fan, B., Zeng, F. and Pan, F. (2009). Microstructure and photoluminescence study of vanadium-doped ZnO films. *J. Phys. D: Appl. Phys.* **42**. 115109.
- Lyons, J.L. Janotti, A. and Van de Walle, C. G. (2009). Why nitrogen cannot lead to p-type conductivity in ZnO. *Appl. Phys. Lett.* **95**. 252105.
- Mensah, S.L., Kayastha, V.K. and Yap Y.K. (2007). Selective growth of pure and long ZnO nanowires by controlled vapor concentration gradients, *J. Phys. Chem. C* **111** (44). 16092-95.

Mohammad S.N. (2008). Analysis of the vapor–liquid–solid mechanism for nanowire growth and a model for this mechanism. *Nano Lett.* **8** (5). 1532-38.

Moss. T.S. (1954). The interpretation of the properties of indium antimonide. *Proc. Phys. Soc. B* **67**. 775-782

Mott N.F. (1974). *Metal-Insulator Transitions*. Taylor and Francis: London.,

Müller, S., Zhou, M., Li, Q. and Ronning, C. (2009). Intra-shell luminescence of transition-metal-implanted zinc oxide nanowires. *Nanotechnology* **20**. 135704.

Nagashima, K., Yanagida, T., Oka, K., Tanaka, H. and Kawai, T. (2008). Mechanism and control of sidewall growth and catalyst diffusion on oxide nanowire vapor- liquid-solid growth. *Appl. Phys. Lett.* **93** (15). 153103.

Nayak, J., Kimura, S. and Nozaki, S. (2009). Enhancement of the visible luminescence from the ZnO nanocrystals by Li and Al co-doping. *J. Lumin.* **129** (1). 12-16.

Özgür, Ü., Alivov, Y.I., Liu, C., Teke, A., Reshchikov, M.A., Doğan, S., Avrutin, V., Cho, S-J. and Morkoçd, H. (2005). A comprehensive review of ZnO materials and devices. *J. Appl. Phys.* **98**. 041301.

Oostrom, A.G. J.V. (1966). *Philips Res. Report Suppl.*No.1, Netherlands.

Ortega, Y., Fernández, P., and Piqueras, J. (2009). Al doped ZnO nanoplate arrays and microbox structures grown by thermal deposition. *J. Appl. Phys.* **105**. 054315

Pál, E., Hornok, V., Oszkoó, A. and Dékány, I. (2009). Hydrothermal synthesis of prism-like and flower-like ZnO and indium-doped ZnO structures. *Colloids Surf. A* **340** (1-3). 1-9.

Pan, C.J., Chen, C.W., Chen, J.Y., Huang, P.J., Chi, G.C., Chang, C.Y., Ren, F., Pearton, S.J. (2009). Optical and structural properties of Eu-diffused and doped ZnO nanowires. *Appl. Surf. Sci.* **256** (1). 187-190.

Pan, C.J., Hsu, H.C., Cheng, H.M., Wu, C.Y. and Hsieh, W.F. (2007) Structural and optical properties of ZnMgO nanostructures formed by Mg in-diffused ZnO nanowires. *J. Solid. State. Chem* **180** (4). 1188-92.

Pan, H., Zhu, Y., Sun, H., Feng, Y., Sow, C-H. and Lin, J. (2006). Electroluminescence and field emission of Mg-doped ZnO tetrapods. *Nanotechnology* **17**. 5096-5100.

Pan, Z.W., Dai. Z.R. and Wang, Z.L. (2001). Nanobelts of semiconducting oxides. *Science* **291**. 1947-49.

Park, J., Choi, H-H, Siebein, K. and Singh, R.K. (2003). Two-step evaporation process for formation of aligned zinc oxide nanowires. *J. Cryst. Growth* **258** (3-4). 342-348.

Park, W.I., An, S.J., Yang, J.L. and Yi, G.C. (2004). Photoluminescent properties of ZnO/Zn_{0.8}Mg_{0.2}O nanorod single-quantum-well structures. *J. Phys. Chem. B* **108** (40). 15457-60.

- Patra, M.K., Manzoor, K., Manoth, M., Vadera, S.R. and Kumar, N. (2009). Studies on structural and magnetic properties of Co-doped pyramidal ZnO nanorods synthesized by solution growth technique. *J. Phys. Chem. Solids.* **70** (3-4). 659-664.
- Pearton, S.J., Ren, F., Wang, Y.L., Chu, B.H., Chen, K.H., Chang, C.Y., Lim, W., Lin, J. and Norton, D.P. (2010). Recent advances in wide band gap semiconductor biological and gas sensors. *Prog. Mater. Sci.* **55** (1). 1-59.
- Peng, L.P., Fang, L., Yang, X.F., Li, Y.J., Huang, Q.L., Wu, F. and Kong, C.Y. (2009). Effect of annealing temperature on the structure and optical properties of In-doped ZnO thin films. *J. Alloys Compd.* **484** (1-2). 575-579.
- Phan, T.L., Vincent, R., Cherns, D., Nghia, N.X. and Ursaki, V.V. (2008). Raman scattering in Me-doped ZnO nanorods (Me = Mn, Co, Cu and Ni) prepared by thermal diffusion. *Nanotechnology* **19**. 475702.
- Ponce, F.A. and Bour, D.P. (1997). Nitride-based semiconductors for blue and green light-emitting devices. *Nature*. **386** 351-359.
- Qiu, M.X., Ye, Z.Z., He, H.P., Zhang, Y.Z., Tang, H.P., Gu, X.Q., Zhu, L.P., Zhao, B.H., Huang, J.Y. and Lu, J.G. (2008). Synthesis of ZnO/cubic (Zn, Mg)O heterostructure nanorods. *J. Phys. D: Appl. Phys.* **41**. 085109.
- Ren, S.Y. (2006). *Electronic States in Crystals of Finite Size Quantum Confinement of Bloch Waves*. New York: Springer.
- Schneider, L., Zaitsev, S.V., Jin, W., Kompch, A., Winterer, M., Acet, M., and Bacher, G. (2009). Fabrication and analysis of Cr-doped ZnO nanoparticles from the gas phase. *Nanotechnology*. **20**. 135604.
- Sernelius, B.E., Berggren, K.F., Jin, Z.C., Hamberg, I. and Granqvist, C.G. (1988). Band-gap tailoring of ZnO by means of heavy Al doping. *Phys. Rev. B* **37** (17). 10244-48.
- Shalish, I., Temkin, H. and Narayananamurti, V. (2004). Size-dependent surface luminescence in ZnO nanowires. *Phys. Rev. B* **69** (24). 245401.
- Sheini, F.J., Joag, D.S., More, M.A. (2009). Field emission studies on electrochemically synthesized ZnO nanowires. *Ultramicroscopy* **109** (5). 418-422.
- Shen, G., Bando, Y., Liu, B., Golberg, D., Lee, C.J. (2006). Characterization and field-emission properties of vertically aligned ZnO nanonails and nanopencils fabricated by a modified thermal-evaporation process. *Adv. Funct. Mater.* **16** (3). 410-416.
- Shen, G., Cho, J.H., Yoo, J.K., Yi, G.C. and Lee, C.J. (2005a). Synthesis and optical properties of S-doped ZnO nanostructures: nanonails and nanowires. *J. Phys. Chem. B* **109** (12). 5491-96.
- Shen, G., Cho, J.H., Jung, S.I. and Lee, C.J. (2005b). Synthesis and characterization of S-doped ZnO nanowires produced by a simple solution-conversion process. *Chem. Phys. Lett.* **401** 529-533.

- Shi, L., Xu, Y., Hark, S., Liu, Y., Wang, S., Peng, L.M., Wong, K. and Li, Q. (2007). Optical and electrical performance of SnO₂ capped ZnO nanowire arrays. *Nano Lett* **7** (12). 3559-63.
- Smith, K.K. (1981). Photoluminescence of semiconductor materials. *Thin Solid Films* **84** (2). 171-182.
- Song, Y-W., Kim, K., Ahn, J.P., Jang, G-E. and Lee, S.Y. (2009). Physically processed Ag-doped ZnO nanowires for all-ZnO p-n diodes. *Nanotechnology*. **20**. 275606.
- Stichtenoth,D., Ronning, C., Niermann, T., Wischmeier, L., Voss, T., Chien, C.J., Chang, P.C. and Lu, J.G. (2007). Optical size effects in ultrathin ZnO nanowires. *Nanotechnology* **18**. 435701.
- Straumal, B.B., Mazilkin, A.A., Protasova, S.G., Myatiev, A.A., Straumal, P.B., Schütz, G., Aken, P.A.V, Goering, E. and Baretzky, B. (2009). Magnetization study of nanogranated pure and Mn-doped ZnO films: Formation of ferromagnetic grain-boundary foam. *Phys. Rev. B* **79** (20). 205206.
- Su, Y., Meng, X., Chen, Y., Li, S., Zhou, Q., Liang, X. and Feng, Y. (2008). Synthesis and photoluminescence properties of aligned Zn₂GeO₄ coated ZnO nanorods and Ge doped ZnO nanocombs. *Mater. Res. Bull.* **43** (7). 1865-71.
- Su, Y., Li, L., Chen, Y., Zhou, Q., Gao, M., Chen, Q. and Feng, Y. (2009). The synthesis of Sn-doped ZnO nanowires on ITO substrate and their optical properties. *J. Cryst. Growth* **311** (8). 2466-69.
- Subramanian, M., Thakur, P., Gautam, S., Chae, K.H., Tanemura, M., Hihara, T., Vijayalakshmi, S., Soga, T., Kim, S.S., Asokan, K. and Jayavel, R. (2009). Investigations on the structural, optical and electronic properties of Nd doped ZnO thin films. *J. Phys. D: Appl. Phys.* **42**. 105410.
- Sui, Y.R., Yao, B., Hua, Z. Xing, G.Z., Huang, X.M., Yang, T., Gao, L.L., Zhao, T.T., Pan, H.L., Zhu, H. Liu, W.W. and Wu, T, (2009). Fabrication and properties of B-N codoped p-type ZnO thin films. *J. Phys. D: Appl. Phys.* **42**. 065101.
- Tamura, T and Ozaki, H. (2009). The relationship of the magnetic properties of M (M = Mn, Fe, Co)-doped ZnO single crystals and their electronic structures. *J. Phys.: Condens. Matter* **21**. 026009.
- Tang, H., He, H., Zhu, L., Ye, Z., Zhi, M., Yang, F. and Zhao, B. (2006). Synthesis and characterization of dendritic ZnMgO nanostructures. *J. Phys. D: Appl. Phys.* **39**. 3764-68.
- Tiwari, A., Park, M., Jin, C., Wang, H., Kumar, D., Narayan, J. (2002). Epitaxial growth of ZnO films on Si(111). *J. Matter. Res.* **17**. 2480.
- Umar, A. and Hahn, Y.B. (2006). Aligned hexagonal coaxial-shaped ZnO nanocolumns on steel alloy by thermal evaporation. *Appl. Phys. Lett.* **88** (17). 173120.

Umar, A. and Hahn, Y.B. (2008). Ultraviolet-emitting ZnO nanostructures on steel alloy substrates: growth and properties. *Cryst. Growth. Des* **8** (8). 2741-47.

Umar, A., Kim, S.H., Lee, Y.S., Nahm, K.S. and Hahn, Y.B. (2005). Catalyst-free large-quantity synthesis of ZnO nanorods by a vapor-solid growth mechanism: Structural and optical properties. *J. Cryst. Growth.* **282** (1-2). 131-136.

Umar A., Kim, S.H., Kim, J.H., Al-Hajry, A. and Hahn Y.B. (2008). Temperature-dependant non-catalytic growth of ultraviolet-emitting ZnO nanostructures on silicon substrate by thermal evaporation process. *J. Alloys Compd.* **463** (1-2). 516-521.

Umar, A., Ra, H.W., Jeong, J.P., Suh E.K. and Hahn Y.B. (2006). Synthesis of ZnO nanowires on Si substrate by thermal evaporation method without catalyst: Structural and optical properties. *Korean Journal of Chemical Engineering.* **23** (3). 499-504.

Van Vechten, J. A. and Bergstresser, T. K. (1970). Electronic structures of semiconductor alloys. *Phys. Rev. B* **1** (8). 3351–58

Vanheusden, K. , Warren, W.L. , Seager, C.H. , Tallant, D.R., Voigt, J. A. and Gnade, B. E. (1996). Mechanisms behind green photoluminescence in ZnO phosphor powders, *J. Appl. Phys.* **79** (10). 7983.

Vijayalakshmi, S., Venkataram, S., and Jayave,R. (2008). Characterization of cadmium doped zinc oxide (Cd : ZnO) thin films prepared by spray pyrolysis method. *J. Phys. D: Appl. Phys.* **41**. 245403.

Vomiero, A., Concina, I., Natile, M. M., Comini, E., Faglia, G., Ferroni, M., Kholmanov, I. and Sberveglieri, G. (2009). ZnO/TiO₂ nanonetwork as efficient photoanode in excitonic solar cells. *Appl. Phys. Lett.* **95** (19). 193104.

Wagner, R.S. and Ellis, W.C. (1964). Vapor-liquid-solid mechanism of single crystal growth. *Appl. Phys. Lett.* **4** (5). 89.

Walukiewicz, W. (1994). Defect formation and diffusion in heavily doped semiconductors. *Phys. Rev. B* **50** (8). 5221-25.

Wan, Q. , Huang, J. , Lu, A. and Wang, T. (2008). Degenerate doping induced metallic behaviors in ZnO nanobelts. *Appl. Phys. Lett.* **93** (10). 103109.

Wang, F., Chao, Z., Bo, L. and Sicong, Y. (2009). Synthesis and photoluminescence of quasi-arrayed ZnMgO nanorods. *J. Phys. D: Appl. Phys.* **42**. 115411.

Wang, G., Ye Z., He H., Tang H. and Li J. (2007). Growth and properties of ZnO/hexagonal ZnMgO/cubic ZnMgO nanopagoda heterostructures. *J. Phys. D: Appl. Phys.* **40**. 5287-90.

Wang, J.R., Zhang, Y.Z., Ye, Z.Z., Lu, J.G., He, H.P., Zeng, Y.J., Ma, Q.B., Huang, J.Y., Zhu, L.P., Wu, Y.Z., Yang, Y.F. and Gong, L. (2008). Microstructure and crystal defects in ZnMgO pleated nanosheets. *J. Appl. Phys.* **104** (10). 103507.

- Wang, L., Pu, Y., Chen, Y.F., Mo, C.L., Fang, W.Q., Xiong, C.B., Dai, J.N. and Jiang, F.Y. (2005) MOCVD growth of ZnO films on Si(1 1 1) substrate using a thin AlN buffer layer, *J. Cryst. Growth* **284** (3-4). 459-463.
- Wang, Q., Sun, Q. and Jena, P. (2009). N-doped ZnO thin films and nanowires: energetics, impurity distribution and magnetism. *New J. Phys.* **11**. 063035.
- Wang, X., Ding, Y., Summers, C.J. and Wang, Z.L. (2004). Large-Scale Synthesis of Six-Nanometer-Wide ZnO Nanobelts. *J. Phys. Chem. B* **108** (26). 8773-77.
- Wang, X., Summers, C.J. and Wang, Z.L. (2004). Large-scale hexagonal-patterned growth of aligned zno nanorods for nano-optoelectronics and nanosensor arrays. *Nano Lett.* **4** (3). 423-426.
- Wang, X., Song, J. and Wang, Z.L., (2007). Nanowire and nanobelt arrays of zinc oxide from synthesis to properties and to novel devices. *J. Mater. Chem.* **17**. 711-720.
- Wang, Z.L. (2004). Zinc oxide nanostructures: growth, properties and applications. *J. Phys.: Condens. Matter* **16**. R829–R858.
- Wang, Z. L., (2008). Towards self-powered nanosystems: From nanogenerators to nanopiezotronics. *Adv. Funct. Mater.* **18**. 1–15.
- Wang, Z.L. (2009b). Ten years' venturing in ZnO nanostructures: from discovery to scientific understanding and to technology applications. *Chinese Science Bulletin* **54** (22). 4021-34.
- Wei, A., Sun X.W., Xu C.X. , Dong Z.L. (2006). Stable field emission from hydrothermally grown ZnO nanotubes. *Appl. Phys. Lett.* **88** (21). 213102.
- Wei, Q., Meng, G., An, X., Hao, Y. and Zhang, L. (2005). Temperature-controlled growth of ZnO nanostructures: branched nanobelts and wide nanosheets. *Nanotechnology* **16**. 2561.
- Wei, Q., Li, M., Yang, Z., Cao, L., Zhang, W. and Liang, H. (2008). Fabrication and optical properties of aligned $Zn_{1-x}Mg_xO$ nanowire Arrays. *Acta Phys. Chem. Sin* **24**. 793-798.
- Wenckstern, H.V., Schmidt, H., Brandt, M., Lajna, A., Pickenhain, R., Lorenz, M., Grundmann, M., Hofmann, D.M., Polity, A., Meyer, B.K., Saal, H., Binnewies, M., Bōrger, A., Becker, K.D., Tikhomirov, V.A. and Jug, K. (2009). Anionic and cationic substitution in ZnO. *Prog. Solid State Chem.* **37** (2-3). 153-172.
- Wu, G.S., Zhuang, Y.L., Lin, Z.Q., Yuan, X.Y., Xie, T. and Zhang, L.D. (2006). Synthesis and photoluminescence of Dy-doped ZnO nanowires. *Physica E* **31** (1). 5-8.

- Xiao, J., Wu, Y., Bai, X., Zhang, W. and Yu, L. (2008). Controlled growth of ZnO pyramid arrays with nanorods and their field emission properties. *J. Phys. D: Appl. Phys.* **41** 135409.
- Xiu, F., Yang, Z., Zhao, D., Liu, J., Alim, K.A., Balandin, A.A., Itkis, M.E. and Haddon, R.C. (2006). ZnO growth on Si with low-temperature ZnO buffer layers by ECR-assisted MBE.. *J. Cryst. Growth* **286** (1). 61.
- Xu, C., Wang, X. and Wang, Z.L. (2009). Nanowire structured hybrid cell for concurrently scavenging solar and mechanical energies. *J. Am. Chem. Soc.* **131** (16). 5866–5872
- Xu, H.J., Zhu, H.C., Shan, X.D., Liu, Y.X., Gao, J.Y., Zhang, X.Z., Zhang, J.M., Wang, P.W., Hou, Y.M. and Yu, D.P. (2010). Effects of annealing on the ferromagnetism and photoluminescence of Cu-doped ZnO nanowires. *J. Phys.: Condens. Matter.* **22**. 016002.
- Xu, L., Su, Y., Chen, Y., Xiao, H., Zhu, L., Zhou, Q. and Li, S. (2006). Synthesis and characterization of indium-doped ZnO nanowires with periodical single-twin structures *J. Phys. Chem. B* **110** (113). 6637-42.
- Yang, A.L., Wei, H.Y., Liu, X.L., Song, H.P., Zheng, G.L., Guo, Y., Jiao, C.M., Yang, S.Y., Zhu, Q.S. and Wang, Z.G. (2009). Synthesis and characterization of well-aligned $Zn_{1-x}Mg_xO$ nanorods and film by metal organic chemical vapor deposition. *J. Cryst. Grow* **311** (2). 278-281.
- Yang, J., Gao, M., Yang, L., Zhang, Y., Lang, J., Wang, D., Wang, Y., Liu, H. and Fan, H. (2008). Low-temperature growth and optical properties of Ce-doped ZnO nanorods. *Appl. Surf. Sci.* **255** (5). 2646-50.
- Yang, P., Yan, H., Mao, S., Russo, R., Johnson, J., Saykally, R., Morris, N., Pham, J., He, R. and Choi, H-J. (2002). Controlled growth of zno nanowires and their optical properties. *Adv. Funct. Mater.* **12** (5). 323-331.
- Yang, R., Qin, Y., Li, C., Dai, L., and Wang, Z.L. (2009). Characteristics of output voltage and current of integrated nanogenerators. *Appl. Phys. Lett.* **94** (2). 022905.
- Yang, X.X., Lei, W., Zhang, X.B., Wang, B.P., Li, C., Hou, K., Cui, Y.K., Di, Y.S. (2009). Growth and optical and field emission properties of flower-like ZnO nanostructures with hexagonal crown. *Thin Solid Films* **517** (15). 4385-89.
- Yang, Y. , Qi, J. , Liao, Q. , Li, H. , Wang, Y. , Tang, L and Zhang, Y. (2009). High-performance piezoelectric gate diode of a single polar-surface dominated ZnO nanobelts. *Nanotechnology* **20**. 125201.
- Yang, Y., Qi J., Zhang, Y., Liao, Q., Tang, L. and Qin, Z. (2008). Controllable fabrication and electromechanical characterization of single crystalline Sb-doped ZnO nanobelts. *Appl. Phys. Lett.* **92** (18). 183117.

- Yang Y.H., Wang, B., Xu, N.S., and Yang, G. W. (2006). Field emission of one-dimensional micro- and nanostructures of zinc oxide. *Appl. Phys. Lett.* **89** (4). 043108.
- Yao, B. Xie, Y.P., Cong, C.X., Zhao, H.J., Sui, Y.R., Yang, T. and He, Q. (2009). Mechanism of p-type conductivity for phosphorus-doped ZnO thin film. *J. Phys. D: Appl. Phys.* **42**. 015407.
- Yao, B.D., Chan, Y.F. and Wang, N. (2002). Formation of ZnO nanostructures by a simple way of thermal evaporation, *Appl. Phys. Lett.* **81** (4). 757.
- Ye, C., Fang, X., Hao, Y., Teng, X. and Zhang, L. (2005). Zinc oxide nanostructures: morphology derivation and evolution. *J. Phys. Chem. B* **109** (42). 19758-65.
- Ye, Z.Z., Yang, F., Lu, Y.F., Zhi, M.J., Tang, H.P. and Zhu, L.P. (2007). ZnO nanorods with different morphologies and their field emission properties. *Solid State Commun.* **142** (8). 425.
- Yong S., Ling, L., Yiqing, C., Qingtao Z., Mi, G., Qiong, C. and Yi, F., (2009). The synthesis of Sn-doped ZnO nanowires on ITO substrate and their optical properties, *J. Cryst. Growth* **311** (8). 2466-69.
- Yu, D., Hu, L., Qiao, S., Zhang, H., Len, S-E.A., Len, L.K., Fu, Q., Chen, X. and Sun, K. (2009). Photoluminescence study of novel phosphorus-doped ZnO nanotetrapods synthesized by chemical vapor deposition. *J. Phys. D: Appl. Phys.* **42**. 055110.
- Yu, D., Li, J., Hu, L., Hu, H., Zhang, H., Sun, K. and Zhu, J. (2008). Synthesis and photoluminescence investigation of ZnO:P nanorods on an InP substrate by pulsed laser deposition. *Chem. Phys. Lett.* **464** (1-3). 69-72.
- Yu, D.Q., Hu, L.Z., Li, J., Hu, H., Zhang, H.Q., Bian, J.M., Zhu, J.X., Qiao, S.S., Chen, X. and Wang, B. (2009). Photoluminescence investigation of ZnO:P nanoneedle arrays on InP substrate by pulsed laser deposition. *Appl. Surf. Sci.* **255** (8). 4430-33.
- Yun, E.J., Jung, J.W., Lee, B.C. (2010). Effects of O₂ fraction on the properties of Al-doped ZnO thin films treated by high-energy electron beam irradiation. *J. Alloy Compd.* **496** (1-2). 543-47
- Zeng, Y.J., Ye, Z.Z., Liu, F., Li, D.Y., Lu, Y.F., Jeager, W., He, H.P., Zhu, L.P., Huang, J.Y. and Zhao, B.H. (2008). Controllable synthesis of ordered ZnO nanodots arrays by nanosphere lithography.. *Cryst. Growth. Des* **8**. 2917.
- Zeng, H., Cai, W., Li, Y., Hu, J. and Liu, P. (2005). Composition/structural evolution and optical properties of ZnO/Zn nanoparticles by laser ablation in liquid media. *J. Phys. Chem. B* **109** (39). 18260–66.
- Zhang, L., Persaud, R. and Madey, T.E. (1997). Ultrathin metal films on a metal oxide surface: Growth of Au on TiO₂ (110). *Phys. Rev. B* **56** (16). 10549-557.

Zhang, X., Yan, X., Zhao, J., Qin, Z. and Zhang Y. (2009). Structure and photoluminescence of S-doped ZnO nanorod arrays. *Mater. Lett.* **63** (3-4). 444-446.

Zhang, Y., Liu, Y., Wu, L., Xie, E. and Chen, J. (2009). Photoluminescence and ZnO → Eu³⁺ energy transfer in Eu³⁺-doped ZnO nanospheres. *J. Phys. D: Appl. Phys.* **42**. 085106.

Zhang, Y.Z., Lu, J.G., Ye, Z.Z., Zeng, Y.J., Zhu, L.P. and Huang, J.Y. (2007). Quasi-aligned Zn_{1-x}Mg_xO nanorods synthesized by thermal evaporation. *J. Phys. D: Appl. Phys.* **40**. 3490.

Zhao, D., Andreazza, C., Andreazza, P., Ma J., Liu, Y. and Shen. D. (2004). Temperature-dependent growth mode and photoluminescence properties of ZnO nanostructures. *Chemi. Phys. Lett.* **399** (4-6). 522-526.

Zhao, Q., Xu, X.Y., Song, X.F., Zhang, X.Z., Yu D.P., Li C.P. and Guo, L. (2006). Enhanced field emission from ZnO nanorods via thermal annealing in oxygen. *Appl. Phys. Lett.* **88** (3). 033102.

Zhi, M., Zhu, L., Ye, Z., Wang, F. and Zhao, B. (2005). Preparation and properties of ternary ZnMgO nanowires. *J. Phys. Chem. B* **109** (50). 23930-34.

Zhou, S.M., Zhang, X.H., Meng, X.M., Wu, S.K. and Lee, S.T. (2005a). Synthesis and optical properties of Pb-doped ZnO nanowires. *Phys. Stat. Sol. A.* **202** (3). 405-410.

Zhou, S.M., Zhang, X-H., Meng, X-M., Fan, X., Wu, S-K and Lee, S-T. (2005b). Preparation and photoluminescence of Sc-doped ZnO nanowires. *Physica E.* **25** (4). 87-591.

Zhou, S.M., Zhang, X.H., Meng, X.M., Wu S.K., Lee S.T. (2006). Fabrication of large-scale ultra-fine Cd-doped ZnO nanowires. *Mater. Rea. Bull.* **41**. 340–346

Zhu, L., Zhi, M., Ye, Z., and Zhao, B., (2006). Catalyst-free two-step growth of quasialigned ZnMgO nanorods and their properties. *Appl. Phys. Lett* **88** (11). 113106.