Acknowledgements

First of all I would like to express my heartfelt gratitude to my supervisors Prof. Wan Haliza Abd Majid and Dr Vengadesh for accepting me as their student. Without their support, encouragement and invaluable advice from both of them throughout the duration of this project, this work could not have been made possible.

My heartfelt gratitude to my mom Sithaletchumy and my dad, late Mr. Kuppusamy for nurturing and encouraging my intellectual interest from young age and providing me with their unconditional love and support.

The journey towards this Masters Degree was physically and mentally exhaustive due to the fact that I'm working full time as well, but nevertheless was an enriching and delightful experience. Throughout my years of studies many people have enriched my academic knowledge. Among those are Dr. Thirumeni Subramaniam, Prof. Kaream and the technical staff and post graduate students of the solid state physics lab of University Malaya. Many thanks are extended to each and every one of you.

I would also like to thank my company Xyratex (M) Sdn Bhd, specifically to my Manager Mr. Rosli Sukiman, who had allowed me to be flexible in my working hours throughout the duration of my studies. My special thanks to my friend Chen Ket Choong who was willingly volunteered himself to proof read this thesis.

Publications and Proceedings

1. Characterization of Bacteriorhodopsin – Langmuir Blodgett Thin Film Produced by Forced Mixing Bacteriorhodopsin and Hexane - Colloquium of Physics 2007.

2. Effect of Forced Mixing Of Bacteriorhodopsin Suspension And Hexane In The Formation Of Stable Langmuir Blodgett Films – International Meeting on Frontiers of Physics 2009.

3. Preparation of Bacteriorhodopsin Based "Wire-Like" Self-Assembled Bio-Nano Structures – Nanotoday Conference Singapore 2009.

4. Mechanical and Thermodynamic Properties of Bacteriorhodopsin Thin Film. – Currently writing for publication.

| Table of Content | Page |
|-----------------------------------|------|
| Abstract | ii |
| Abstrak | iv |
| Acknowledgements | vi |
| Publications and Proceedings | vii |
| Table of Content | viii |
| List of Figures | xi |
| List of Figures | xiv |
| List of Symbols and Abbreviations | XV |

CHAPTER 1

| 1.0 Introduction | 1 |
|----------------------|---|
| 1.1 Objective | 2 |
| 1.3 Thesis Structure | 3 |

CHAPTER 2

Literature Review

| 2.1 Bacteriorhodopsin | |
|---------------------------------|----|
| 2.1.1 Halobacterium Salinarium | 4 |
| 2.1.2 Sensory rhodopsin | 6 |
| 2.1.3 Photosynthetic rhodopsin | 7 |
| 2.1.4 Bacteriorhodopsin | 8 |
| 2.1.4.1 Discovery and Structure | 8 |
| 2.1.4.2 Photocycle | 12 |
| 2.1.4.3 Applications of bR | 14 |

| 2.2 Langmuir Film and Langmuir Blodgett Film Deposition | 15 |
|---------------------------------------------------------|----|
| 2.2.1 Introduction | 15 |
| 2.2.2 Short History of LB- Films | 15 |
| 2.2.3 Fundamentals of Surface Chemistry | 16 |
| 2.2.4 Surface Pressure | 20 |
| 2.2.5 The Langmuir Film Balance | 21 |
| 2.2.6 Surface Pressure - Area Isotherms | 23 |
| 2.2.7 Deposition of Langmuir Blodgett Films | 26 |
| 2.3 Previous Works on bR-Langmuir Blodgett Film and | |
| Scope of This Study | 31 |
| 2.3.1 Thermodynamic Properties of Langmuir Film | 33 |
| 2.3.2 Spectroscopic Characterization | 35 |
| 2.3.2.1 UV-Vis Spectroscopy | 35 |
| 2.3.2.2 Structural Characterization | 36 |
| 2.3.2.3 Film Thickness Measurement | 36 |

CHAPTER 3

Experimental Methodology

| 3.0 Introduction | 37 |
|----------------------------------------------------|----|
| 3.1 Langmuir Blodgett Trough | 37 |
| 3.2 Langmuir Blodgettry General Precautions | 38 |
| 3.3 Langmuir Blodgett Trough Preparation | 39 |
| 3.4 Preparation of Bacteriorhodopsin (bR) Solution | 41 |
| 3.5 Preparation of bR-Hexane Spreading Emulsion | 43 |

ix

CHAPTER 4

Results and Discussion

| 4.0 Introduction | 46 |
|-------------------------------------------------------------------|----|
| 4.1 Analysis of Area Per Molecule and Effect of bR | |
| Suspension Concentration on Isotherm | 46 |
| 4.2 Identification of Phase Transition from Mechanical | |
| Properties of bR Langmuir Film | 52 |
| 4.3 Thermodynamic Properties of bR-LB Film from π -A Isotherm | 54 |
| 4.4 Spectroscopic Characterization | 57 |
| 4.5 Structural Characterization | 58 |
| 4.6 bR Monolayer Film Thickness Measurement | 60 |

CHAPTER 5

Conclusion and Future Work675.0 Introduction675.1 Conclusion675.2 Future Work70

71

List of Figures

Figure 2.1 Proton transfer processes related to bioenergetic and photosensory processes in Halobacterium salinarum.

Figure 2.2: AFM image with a high resolution of the topography of the purple membrane containing bR and lipids.

Figure 2.3: bR Trimer in 2-Dimensional Hexagonal cell.

Figure 2.4: Unit cell of bR in3-Dimensional View.

Figure 2.5: Seven Helical structure of Bacteriorhodopsinwith the retinal shown in green.

Figure 2.6: Photoisomerization of retinal from all-trans to13- cis.

Figure 2.7: Photocycle of bR with the approximate relaxation times of the reactions at room temperature.

Figure 2.8: Schematic illustration of the interaction of molecules at a gas-liquid interface and the bulk.

Figure 2.9: A schematic illustration showing the components of an amphiphile (left), and the orientation of an amphiphile adopted at an interface (right).

Figure 2.10: A schematic illustration showing a spread monolayer at the air/water interface.

Figure 2.11: Schematic illustration of a Langmuir film balance with a Wilhelmy plate electrobalance measuring the surface pressure, and barriers for reducing the available surface area.

Figure 2.12: A Wilhelmy plate partially immersed in subphase.

Figure 2.13: Schematic π -A-isotherm and orientation of the molecules in different phases.

Figure 2.14: Deposition of a floating monolayer on a solid substrate.

Figure 2.15: Deposition on hydrophobic substrate.

Figure 2.16: Deposition of on hydrophilic substrate.

Figure 2.17: Different types of deposited LB films.

Figure 3.1: NIMA Langmuir Blodgett Trough model 2200.

Figure 3.2: Wilhelmy Plate made with Filter Paper and Nima Tensiometer.

Figure 3.3: bR suspension at various concentration.

Figure 3.4: bR and Hexane before mixing.

Figure 3.5: bR and Hexane after mixing.

Figure 4.1: Surface pressure-area isotherm for 1 mg/ml bR solution at 20° C.

Figure 4.2: Surface pressure-area isotherm of bR at various concentration at 20° C.

Figure 4.3: Schematic that explains the hysteresis (increase in area per molecule) between the annealing isotherm and full isotherm at higher concentration.

Figure 4.4: Surface Pressure and Compressibility Modulus Vs Area permolecule for 1mg/ml bR Solution at 20° C.

Figure 4.5: Surface Pressure and Compressibility Modulus VS Area per molecule for 1mg/ml bR Suspension at 20° C.

Figure 4.6: Gibbs Free Energy VS Surface pressure at various temperatures.

Figure 4.7: Entropy of Compression VS Surface Pressure.

Figure 4.8: Entropy of Compression VS Surface Pressure.

Figure 4.9: Absorption UV-Vis spectroscopy of bR monolayer film deposited on ITO slide.

Figure 4.10: 10 X SEM Micrograph of bR monolayer film deposited at surface pressure of 25 mN/m.

Figure 4.11: 3000 X SEM Micrograph of bR monolayer film deposited at surface pressure of 25 mN/m.

Figure 4.12: 8000 X SEM Micrograph of bR monolayer film deposited at surface pressure of 25 mN/m.

Figure 4.13: Surface analysis results of bR monolayer film.

Figure 4.14: AES film thickness analysis.

Figure 4.15: Surface Pressure Vs Area permolecule for 1mg/ml bR Solution at 20° C.

Figure 4.16: Surface Pressure Vs Area permolecule for 3mg/ml bR Solution at 20° C.

Figure 4.17: Surface Pressure Vs Area permolecule for 5mg/ml bR Solution at 20° C.

Figure 4.18: Surface Pressure Vs Area permolecule for 7mg/ml bR Solution at 20° C.

Figure 4.19: Surface Pressure Vs Area permolecule for 9mg/ml bR Solution at 20° C.

Figure 5.1: Schematic that explains the entropy of compression for 1mg/ml bR suspension.

List of Tables

Table 2.1: Some two phase inter-phase systems and the surface tension value.

Table 3.1: Weight of bR and volume of DI water used to prepare different concentration.

Table 3.2: Volume of bR suspension used to prepare spreading solutions and number of bR molecules spread.

Table 4.1: Hysteresis between annealing and full isotherm of different bR concentrations.

List of Symbols and Abbreviations

| 2-D | Two Dimensional |
|---------|-----------------------------------------|
| 3-D | Three Dimensional |
| AES | Auger Electron Spectroscope |
| AFM | Atomic Force Microscope |
| ATP | Adenosine Triphosphate |
| bR | Bacteriorhodopsin |
| DFM | Dimethylformamide |
| LB | Langmuir Blodgett |
| PC | Phosphatidycholine |
| PMF | Proton Motif Force |
| SEM | Scanning Electron Microscope |
| TR | Transfer Ration |
| UV | Ultra Violet |
| UV-Vis | Ultra Violet-Visible |
| γ | Surface Tension Without Monolayer |
| γο | Surface Tension With Monolayer Molecule |
| π | Surface Pressure |
| π_c | Collapse Pressure |
| ρ | Density |
| А | Area |
| A_o | Area per molecule |
| С | Compressibility |
| CS | Condensed Solid Phase |

| F | Free Energy |
|-------|----------------------------------|
| g | Gravity |
| G | Gaseous Phase |
| G_c | Gibbs Free Energy of Compression |
| H_c | Enthalpy of Compression |
| ΙΤΟ | Indium Tin Oxide |
| Κ | Compressibility Modulus |
| L1 | Liquid Expanded Phase |
| L2 | Liquid Condensed Phase |
| S_c | Entropy of Compression |
| S | Solid Phase |
| Т | Temperature |
| U | Internal Energy |