

References

- Abdalla, A.I. & Davidson,C.L.(2000).Marginal intergrity after fatigue loading of ceramic inlay restoration luted with three different cements. *Am. J. Dent.*; **13**:77-80
- Abu Bakr, N., Han,L. Okamoto,A & Iwaku,M.(2000). Changes in the mechanical properties and surface texture of compomer immersed in various media. *J. Prost. Dent.*; **84**:444-452
- Alani,A.H. & Toh,C.G. (1997).Detection of microleakage around dental restorations: a review.*Oper.Dent.*; **22**:173-185
- Alavi, A. A. & Kianimanesh, N. (2002). Microleakage of direct and indirect composite restorations with three bonding agents. *Oper. Dent.*; **27**:19-24
- Aranha,A.C. & Pimenta,L.A.(2004).Effect of two different restorative techniques using resin-based composites on microleakage. *Am.J.Dent.*; **17**:99-103
- Arcoria,C.J., Vitasek,B.A., DeWald,J.P.,& Wagner,M.J.(1990).Microleakage in restorations with glass ionomer liners after thermocycling. *J Dent.*; **18**:107-112
- Arias,V.G., Campos,I.T. & Pimanya, L.A.F.(2004).Microleakage study of three adhesive systems. *Braz. Dent. J.*; **15(3)**:194-198
- Asmussen, E, & Jorgensen, K.D. (1972).A microscopic investigation of the adaptation of some placement filling materials to the dental cavity walls. *Acta Odonto.Scand.*; **30**:3-21
- Asmussen,E.(1984).Softening of BISGMA based polymers by ethanol and by organic acids of plaque. *Scand. J. Dent. Res.*; **92**:256-261
- Balasingam,P., Paramanandam,V.D. & Kasim,N.A.(2003).Microhardness of enamel immersed in selected carbonated soft drinks. *Year V Elective Research Report, Faculty of Dentistry, Uni.Malaya.*
- Barbour,M.E.,Parker, D.M.,Allen,G.C. & Jandt,K.D. (2003).Human enamel dissolution in citric acid as a function of pH in the range(2.30<or=pH<=6.3...)a nanoindentation study .*Euro. J. Oral Sci.*; **111**:258-262
- Bashir,E. Ekberg,O.& Lagerlof, F.(1995).Salivary clearance of citric acid after an oral rinse *J.Dent.*; **23**:209-212
- Bauer, J.G. & Henson, J. L. (1984) .Microleakage: A measure of the performance of direct filling materials. *Oper. Dent.*; **9**: 2-9
- Bayne, S.C. (2005). Dental Biomaterials: Where are we & where are we going. *J. of Dental Education* ;**69**: 571-585
- Boyde,A. & Knight, P.J.(1969).The use of scanning electron microscopy in clinical dental research. *Bri. Dent.J.*; **127**:313-322

Bowen, R.L. (1965). Adhesive bonding of various materials to hard tooth tissues: II. Bonding to dentine promoted by a surface-active co-monomer. *J. Dent. Res.*; **44**: 895-902

Brackett,W.W, Gunnin,T.D., Gilpatrick,R.O.& Browning, W.D.(1998).Microleakage of Class V compomer and light-cured glass ionomer restorations *Prost. Dent.*; **79**:261-263

Braga,R.R., Ferracane, J.L.& Hilton, T.J.(2003). Contraction stress of flowable composites and their efficacy as stress-relieving layers. *J. Am. Dent. Assoc.*; **134**:721-8.

Brannstrom,M. & Nordenvall,K.J.(1978).Bacterial penetration, pulpal reaction and inner surface of concise enamel bond. Composite fillings in etched and unetched cavities. *J. Dent. Res.*; **57**:3-10

Buonocore, M. (1956). A report on a resin composition capable of bonding to human dentine surfaces. *J. Dent. Res.*; **35**: 846-851

Causton, B.E., Braden ,M., Brown, D.& Combe,E.C. (1984).Dental materials: Literature review, part I. *J. Dent.*; **12**:1-28

Chadwick, R.G., McCabe, J.F., Walls A.W.G.& Storer, R.(1990).The effect of storage media upon the surface microhardness and abrasion resistance in three composites.*Dent. Mat.*; **12** :123-128

Charlton, D.G. & Moore, B.K. (1992).In vitro evaluation of two microleakage detection tests *J. Dent.*; **20**:55-58

Chimello,D.T., Chinellatti,M.A., Ramos,R.P.& Palma Dibb, R.G.(2002).*In vitro* evaluation of microleakage of a flowable composite in Class V restorations. *Braz. Dent.J.*; **13**:184-187

Choi ,K.K., Condon, J.R., & Ferracane, J.L.(2000) The effects of adhesive thickness on polymerization contraction stress of composite. *J.Dent. Res.*; **79**:12-7.

Combe,E.C. & Burke, F.J.T.(2000).Contemporary resin-based composite materials for direct placement restorations: packable, flowables and others *Dental Update*; **27**:326-336

Condon, J.R.,& Ferracane, J.L. (1998). Reduction of composite contraction stress through non-bonded microfiller particles. *Dent .Mat.*; **14**:256-260.

Craig,R.G. & Powers, J.M. (2002) .*Restorative Dental material*, 11th edition, Mosby,Inc. (p:232-251)

Crim, G.A., Esposito, C.J. & Chapman, K.W. (1985). Microleakage with a dentine – bonding agent. *Gen. Dent.*; **33**:232-234

Crim, G.A. & Garcia-Godoy, F. (1987).Microleakage: the effect of storage and cycling duration. *J. Prost. Dent.*; **57**: 574-576

Crim,G.A.& Mattingly,S.L.(1981).Evaluation of two methods for assessing marginal leakage. *J. Prost. Den.*;45:160-163

Davidson, C.L. & Feilzer A.J. (1997).Polymerization shrinkage and polymerization shrinkage stress in polymer-based restoratives *J. Dent.*; 25: 435-440

Davila, J.M., Gwinnett, A.J. & Robles, J.C. (1988).Marginal adaptation of composite resins and dental bonding agents *J.Dent. for Children*; 55:25-28

Davila, J.M., Gwinnett, A.J. & Robles, J.C. (1986).Marginal adaptation of composite resins and dental bonding agents *J. Dent. Res.*; 65 Abstract of papers pg 238.Abstract 623

Eccles,J.D.(1979).Dental erosion on non industrial origin: A clinical survey and classification *J. Prost. Dent.*;42:649-653

Eisenburger, M.,Addy,M.& Rossbach,A.(2003).Acid solubility of luting cements. *J. Dent.*; 31:137-142

Ferrari,M., Mason,P.N., Vichi,A. & Davidson, C.L. (2000).Role of hybridization on marginal leakage and bond strength *Am. J. Dent.*;13:329-336

Glyn Jones, J.C., Grieve, A.R.& Harrington, E.(1979).A machine for thermal cycling in the investigation of marginal leakage.*Bri.Dent.J.*;146:207-211

Going, R.E. (1972). Microleakage around dental restorations: A summarizing review *J. Am. Dent.*; 84:1347-1357

Going, R.E. (1964). Cavity liners and dentin treatment. *J Am. Dent. Assoc.*;69: 415-422

Going,R.E.,Myers,H.M. & Prussin,S.G.(1968).Quantitative method for studying microleakage *in vivo* and *in vitro*. *J.Dent.Res.*;47:1128-1132

Gonzalez,G., Kasim,N.A. & Aziz, R.D.(1997).Microleakage Testing. *Annals Dent. Univ. Malaya*; 4: 31-37

Gonzales, M.A. (1992) Comparizon of four microleakage methods. MSD Thesis University of Indiana, Indianapolis

Gopferich, A. (1996).Mechanisms of polymer degradation and erosion.*Bio.Mat.*;17: 103-114

Granath,L.E. & Svenson, A.(1970).Studies of microleakage with restorative materials. A new air pressure method. *Scand. J. Dent.Res.*;78:353-366

Grieve, A.R (1973).The occurrence of secondary caries-like lesions *in vitro*. The effect of a fluoride cavity liner and a cavity varnish. *Bri. Dent. J.*; 134:530-536

Grieve, A.R., Saunders, W.P. & Alani,A.H. (1993). The effects of dentin bonding agents on marginal leakage of composite restoration –long term studies *J. Oral Rehab.*; 20:11-18

Guyton,A.C. & Hall,J.E.(2000). *Textbook of medical Physiology* 10th edition
W B Saunders Company. (p :347)

Gwinnett, A.J. (1967). The ultrastructure of the prismless enamel of permanent human teeth. *Arch Oral Bio*; **12**:571

Gwinnett,J.A., Tay, F.R., Pand, K.M. & Wei, S.H.Y.(1995) Comparison of three methods of critical evaluation of microleakage along restorative interfaces.*J.Prost.Dent.*; **74**:575-585

Hals,E.& Kvinnslund (1974).Structure of experimental *in vitro* and *in vivo* lesion around composite (Addent XV) fillings. *Scand.Dent.Res.*; **82**:517-526

Hals,E.& Nernaes,A.(1971).A histopathology of *in vitro* caries developing around silver amalgam fillings. *Caries Res.*; **5**:58-77

Harper, F.N., Schnell, R.J., Swartz,M.L., & Phillips, R.W. (1980). *In vivo* measurements of thermal diffusion through restorations of various materials. *J. Prost. Dent.*; **43**:180-185

Hilton,T.J. (2002).Can modern restorative procedures and materials reliably seal cavities? *In vitro investigation,Part 2 .Am. J. Dent.*; **15**:279-289

Hosada,H., Yamada,T.& Inokoshi,S. (1987).Study on degradation of posterior composite resins, part I. Structural changes of resin surface under alkaline condition. *Japanese J.Cons.Dent.*; **30**:863-882

Hughes,J.A., West,N.X.D., Parker,M.H., Addy,M.(2000) .Effects of pH and concentration of citric, malic and lactic acids on enamel *in vitro*.
J. Dent.; **28**:147-152

Jacobsen,P.H.& Von Fraunhofer,J.A.(1975).Assessment of microleakage using a conductimetric technique. *J. of Dent.Res.*; **54**:41-48

Jenkins, N.G. (1978).*The Physiology and Biochemistry of The Mouth*
4th Edition. Blackwell Scientific Pub. (p: 279,287, 299)

Jensen M.E., Chan D.C.N. (1985). Polymerization shrinkage and microleakage. In:Vanherle G.,SmithD.C., editor Proceeding of the international Symposium on Posterior composite resin Dental Restorative Materials:1985,October 13-14,Chapel Hill,NC.Netherlands:Peter Szu PublishingCo.,243-262

Kao, E.C. (1989). Influence of food simulating solvents on resin composite and glass ionomer restorative cement. *Dent. Mat.*; **5**:201-208

Kidd, E.A.M. (1976a). Microleakage: A review. *J. Dent.*; **4**: 199-205

Kidd, E.A.M. (1976b). Microleakage in relation to amalgam and composite restoration. A laboratory study. *Bri. Dent. J.*; **141**: 305-310

Kidd, E.A.M., Harrington, E. & Grieve, A.R. (1978). The cavity sealing ability of composite restorations subjected to thermal stress. *J. Oral Rehabab.*; **5**:279-286

Kondo, S., Ohkawa,S., Hanawa,T., Sugawa,T. & Ota, M.(1989). Environmental durability of composite resins acidic and alkaline solutions. *J. Dent. Res.*;68:922 Special issue/Abstract 790

Kugel, G. & Ferrari, M. (2000). The sciences of bonding: from first to sixth generation. *J. Am. Dent. Assoc* ;131: 20-25

Kuramoto, M.Jr., Matos, A.B., Matson, E., Eduardo,C. De P.& Powers, J.M.(2000). Microlleakage of resin-based composite restorations with ceramic insert. *Am. J. Dent.*;13:311-314

Lagerlof,F. & Lindqvist,L.A.(1982). A method for determining concentrations of calcium complexes in human parotid saliva by gel filtration. *Arch of Oral Bio.*;27:735-738

Lee,H.L.,& Swartz, M.L.(1970). Scanning electron microscope study of composite restorative materials. *Dent. Res.*; 49:149-158

Lim, B.S., Ferracane, J.L., Sakaguchi, R.L. & Condon J.R. (2002). Reduction of polymerization contraction stress for dental composites by two-step light activation. *Dent. Mat.*; 18:436-44.

Lutz, F. & Ralph,P.W.(1983) .A classification and evaluation of composite resins system *J. Prost. Dent*; 50:480-488

Mandell,I.D.(1987).The function of saliva.*J.Dent.Res.*;66:623-627

Mandras, R.S., Retief, D.H. & Russell, C.M. (1991).The effects of thermal and occlusal stress on the microlleakage of the Scotchbond 2 dentinal bonding system *Dent. Mat.*; 7:63-67

Maupome, G.,Bonilla,J.D.,Villasenor,G.T.,Delgado,L.D.A. & Castono,V.M.(1998).*In vitro Quantitative Assessment of Enamel Microhardness after Exposure to Eroding Immersion in a Cola Drink*. *Caries Res.*; 32:148-153

McCabe,J.F. & Walls,A.W.G.(1998).*Applied Dental materials*. 8th Edition Blackwell Science.(p:1,169-188)

McComb,D,Ben-Amar,A. & Brown,J. (1990).Sealing Efficacy of therapeutic vanishes used with silver amalgam restorations.*Oper.Dent.*;15:122-128

Meurmann, J.H. & Ten Cate, J.M. (1996). Pathogenesis and modifying factors of dental erosion. *Euro. J. Oral Sci.*;104:199-106(Part II)

Millward, A.,Shaw,L., Harrington,E.,& Smith,A.J.(1997).Continuous monitoring of salivary flow rate and pH at the surface of the dentition following consumption of acidic beverages. *Caries Res.*; 31:44-49

Moazzez, R., Smith,B.G.N. & Barlett,D.W.(2000).Oral pH and drinking habit during ingestion of a carbonated drink in a group of adolescents with dental erosion.*J.Dent.*;28:395-397

- Moller,B. Schroder,U.& Granath,L.(1983).Effect of IRM on human dental pulp. *Scand. J. Dent. Res.* ;**91**:281-287
- Morley,F. & Stockwell, P.B. (1977). A simple thermal cycling device for testing dental materials .*J. Dent.*; **5**:39-41
- Muhlmann, H.R. (1960).Experimental modifications of the enamel surface. *Helvetica Odontologica Acta* ; **4**:5-24
- Nelson,R.J., Wolcott,R.B.& Paffenbarger, G.C.(1952).Fluid exchange at the margin of dental restoration. *J. Am Dent Assoc.*; **44**:288-295
- Ortengren,U., Andersson,F., Elgh,U.Terselius,B.& Karlsson,S.(2001).Influences of pH and storage time on sorption and solubility behaviour of three composite resin materials. *J. Dent.*,**29**:35-41
- Palmer,D.S., Barco,M.T.& Billy,E.J.(1992).Temperature extremes produced orally by hot and cold liquids. *J. Prost. Dent.*; **67**:325-327
- Perdigao, J. & Swift Jr, E. J. (2006).Fundamental concepts of enamel and dentine adhesion (Chapter 5). Sturdevant's Art and Science of Operative Dentistry 5th edition Mosby Elsevier.
- Peterson, E.A.,Phillips, R.W. & Swartz, M.L.(1966). A comparison of the physical properties of four restorative resins. *J. Am. Dent. Assoc.*,**73**:1324-1336
- Peutzfeldt, A. (1997). Resin composites in dentistry: The monomer systems. *Euro. J. Oral Sci.*,**105**:97-116.
- Pickard, H.M. & Gayford,J.L.(1965).Leakage at the margin of amalgam restorations. *Bri. Dent. J.*,**199**:69-77
- Ross, E.E., Lai, J., Williams, N.B. & Falcetti, J.P. (1955).The screening of materials for adhesion to human tooth structure .*J. Dent. Res.*; **34**:577-588
- Rossmando,K.J. & Wendt,S.L.(1995).Thermocycling and dwell times in microleakage evaluation for bonded restorations. *Dent. Mat.*; **11**: 47-51
- Santini,A. Plasschaert, A.J.M.& Mitchell, S.(2000).Marginal leakage of filled dentin adhesives used with wet and dry bonding techniques. *Am. J. Dent.*,**13**:93-97
- Sarrett, D.C.,Coletti, D.P. & Peluso, A.R. (2000).The effects of alcoholic beverage on composite wear. *Dent. Mat.*; **16**:62-67
- Saunders,W.P.,Griev,A.R.,Russell,E.M.& Alani, A.H.(1990).The effects of dentine bonding agents on marginal leakage of composite restorations. *J. Oral Rehabab.*; **17**:519-527
- Seltzer, S. (1955) The penetration of microorganism between the tooth and direct resin fillings. *J. Am. Dent. Assoc.*,**51**:223-227

Shortall,A.C.(1982).Microleakage, marginal adaptation and composite resin restorations . *Bri. Dent. J.*; **153**:223-227

Silverstone, L.M. (1968).The surface zone in caries and in caries like lesions produced in vitro. *Bri. Dent. J.*; **125**:145-157

Soares, C.J., Celiberto, L., Dechichi,P., Fonseca, R.B. & Martins, L.R.M. (2005). Marginal integrity and microleakage of direct and indirect composite inlays-SEM and stereomicroscopic evaluation. *Braz. Oral Res.*; **19**: 295-301

Staninec, M., Mochizuki, A., Tanizaki,K.,Jukuda,K.& Tsuchitani,Y.(1986).Interfacial space,marginal leakage, and enamel cracks around composite resins. *Oper.Dent.*; **11**:14-24

Stephan, R.M.(1944).Intraoral hydrogen ion concentration associated with dental caries activity. *J.Dent.Res.*; **23**:257-266

Stephan, R.M. (1966).Effects of different types of human foods on dental health in experimental animals. *J.Dent.Res.*; **45**:1551-1561

Tahir, M.M.A., Tan,H.Y., Woo,A.A.S. &Yap, A.U.J.(2005).Effects of pH on the microhardness of resin-based restorative materials. *Oper. Dent.*; **30**:661-666

Taylor, M.J. &.Lynch,E.(1992).Review of Microleakage. *J. Dent.*; **20**:3-10

Tenniswood, C.A., Dennison, J.B., Yaman, P. & Herero, A.A (2006). Microleakage evaluation of three categories of adhesives. ADEA/AADR/CADR Meeting and exhibition 8-11 March 2006 (0317)

Tjan,A.H.L. &Tan,D.E.(1991).Microleakage at gingival margins of Class V composite resin restorations rebounded with various low-viscosity resin systems. *Quint Int.*; **22**:565-573

Trowbridge,H.O.(1987).Model systems for determining biologic effects of microleakage. *Oper Dent.*; **12**:164-172

Van Dijken,J.W.V. & Horsted,B.P.(1989).The effects of Gluma and Glumma/Scotchbond on *in vivo* marginal adaptation of a composite resin to dentin. *Dent.Mat.*; **5**:165-167

Von Bartheld, F. (1961).Membrane phenomena in carious dissolution of the teeth. *Arch. Oral Bio.*; **6**:284-303

Wendt, S.L., McInnes, P.M. & Dickinson, G.L. (1992).The effect of thermocycling in microleakage analysis. *Dent. Mat.*; **8**:181-184

Williams, P.T., Schramke, D. & Stockton,L. (2002).Comparison of methods of measuring dye penetration in restoration microleakage studies. *Oper.Dent.*; **27**:628-635

Wu, W.,Toth, E.E.,Moffa, J.F. & Ellison,J.A. (1984). Subsurface damage of *in-vivo* worn dental composite restoration. *J. Dent. Res.*; **63**: 675-680

Yap,A.U.,Low,J.S,& Ong,L.F.(2000) Effect of food simulating liquids on surface characteristics of composite and polyacid-modified composite restoratives. *Oper. Dent.*; **25**:170-176

Yip, K.H.,Peng,D. & Smales,R.J.(2001).Effectc of APF gel on the physical structure of compomers and glass ionomer cements.*Oper.Dent.*; **26**:231-238

Young,R.A.(1975).Biological apatite vs. hydroxyapatite at the atomic level.*Clin.Orthopaed.*; **113**:249-262

Youngson,C.C.(1992). A technique for three-dimensional microleakage assessment using tooth sections *J.Dent.*; **20**:231-234

Youngson,C.C., Jones,J.C.G., Fox,K., Smith,I.S., Wood,D.J. & Gale,M. (1999).A filtration and clearing technique to assess microleakage associated with three dentine bonding system. *J. Dent.*; **27**:223-233

Zero,D.T.(1996).Etiology of dental erosion-extrinsic factors. *Euro. J. Oral Sci.*; **104**:162-171