

REFERENCES

REFERENCES:

American Academy of Pediatric Dentistry. (2006). Guideline on pulp therapy for primary and young permanent teeth. *Pediatr Dent*.**28**.144-148.

Andreasen, J.O. (1971). Treatment of fractured and avulsed teeth. *J Dent Child*.**38**.29-31, 45-48.

Andreasen, J.O., Andreasen, F.M. (1994) *Essentials of Traumatic Injuries to the Teeth*. 1st edn. 4th printing. Munksgaard, Copenhagen. pg 63-75.

Andreasen, J.O., Farik, B., Munksgaard, E.C. (2002). Long-term calcium hydroxide as a root canal dressing may increase risk of root fracture. *Dent Traumatol*.**18**.134-137.

Andreasen, J.O., Hjorting-Hansen, R. (1967). Intra-alveolar root fractures: radiographic and histologic study of 50 cases. *J Oral Surg*.**25**.414-426.

Andreasen, J.O., Munksgaard E.C., Bakland, L.K. (2006). Comparison of fracture resistance in root canals of immature sheep after filling with calcium hydroxide or MTA. *Dent Traumatol*.**22**.154-156.

Anthony, D.R., Gordon, T.M, del Rio, C.E. (1982). Effect of three vehicles on the pH of calcium hydroxide. *Oral Surg Oral Med Oral Pathol*.**54**.560-565.

Assed, S., Ito, I.Y., Leonardo, M.R., *et al.* (1996). Anaerobic microorganisms in root canals of human teeth with chronic apical periodontitis detected by indirect immunofluorescence. *Endod Dent Traumatol*.**12**.66-69.

- Ball, J.S. (1964). Apical root formation in non-vital immature permanent incisor. Report of a case. *Br Dent J*.**116**.166-167.
- Barthel, C.R., Levin, L.G., Reisner, H.M., *et al.* (1997). TNF-alpha in monocytes after exposure to calcium hydroxide treated *Escherichia coli* LPS. *Int Endod J*.**30**.155-159.
- Beavers, I.E., Bergenholtz, G., Cox, C.F. (1986). Periodontal wound healing following intentional root perforations in permanent teeth of *Macaca mulatta*. *Int Endod J*.**19**.36-44.
- Behnia, A., Strassler, H.E., Campbell, R. (2000). Repairing iatrogenic root perforations. *J Am Dent Assoc*.**131**.196-201.
- Bergmans, L., Van Cleynenbreugel, J., Beullens, M., *et al.* (2003). Progressive versus constant tapered shaft design using NiTi rotary instruments. *Int Endod J*.**36**.288-295.
- Bergmans, L., Van Cleynenbreugel, J., Beullens, M., *et al.* (2002a). Smooth flexible versus active tapered shaft design using NiTi rotary instruments. *Int Endod J*.**35**.820-828.
- Bergmans, L., Van Cleynenbreugel, L., Verbeken, E., *et al.* (2002b). Cervical external root resorption in vital teeth. X-ray microfocus-tomographical and histopathological case study. *J Clin Periodontol*.**29**.580-585.
- Bergmans, L., Van Cleynenbreugel, J., Wevers, M., *et al.* (2001). A methodology for quantitative evaluation of root canal instrumentation using microcomputed tomography. *Int. Endod J*.**34**.390-398.
- Binnie, W.H., Mitchell, D.F. (1973). Induced calcification in the subdermal tissues of the rat. *J Dent Res*.**52**.1087-1091.
- Bjørndall, L., Larsen, T., Thylstrup, A. (1997). A clinical and microbiological study of deep carious lesion during stepwise excavation using long treatment intervals. *Caries Res*.**31**.411-417.
- Blanco, L.P. (1996). Treatment of crown fractures with pulp exposure. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*.**82**.564-568.
- Blanco, L., Cohen, S. (2002). Treatment of crown fractures with exposed pulps. *J Calif Dent Assoc*.**30**.419-425.
- Bodic, F., Hamel, L., Lerouxel, E., *et al.* (2004). Bone loss and teeth. *Joint Bone Spine*.**4**.1-7.
- Bogaerts, P. (1997). Treatment of root perforations with calcium hydroxide and SuperEBA cement : A clinical report. *Int Endod J*.**30**.210-219.
- Bramante, C.M., Berbert, A., Borges, R.P. (1987). A methodology for evaluation of root canal instrumentation. *J Endod*.**13**.243-245.

- Byström, A., Claesson, R., Sundqvist, G. (1985). The antibacterial effect of camphorated parachlorophenol, camphorated phenol and calcium hydroxide in the treatment of infected root canals. *Endod Dent Traumatol.***1.**170-175.
- Byström, A., Sundqvist, G. (1985). The antibacterial action of sodium hypochlorite and EDTA in 60 cases of endodontic therapy. *Int Endod J.***18.**35-40.
- Caliskan, M.K., Pehlivan, Y. (1996). Prognosis of root-fractured permanent incisors. *Endod Dent Traumatol.***12.**129-136.
- Caliskan, M.K., Sen, B.H. (1996). Endodontic treatment of teeth with apical periodontitis using calcium hydroxide: a long term study. *Endod Dent Traumatol.***12.**215-221.
- Caliskan, M.K., Sen, B.H., Ozinel, B.H. (1994) Treatment of extra-oral sinus tracts from traumatized teeth with apical periodontitis. *Endod Dent Traumatol.***10.**115-120.
- Caliskan, M.K., Turkun, M. (1997). Prognosis of permanent teeth with internal resorption: a clinical review. *Endod Dent Traumatol.***13.**75-81.
- Calt, S., Serper, A., Ozcelik, B., *et al.* (1999). pH changes and calcium ion diffusion from calcium hydroxide dressing materials through root dentine. *J Endod.***25.**329-331.
- Camp J. (2002) Pediatric Endodontics: Endodontic treatment for the primary and young permanent dentition. In: Cohen S, Burns RC, eds. *Pathways of the Pulp.* 8th ed. St. Louis, Mo: Mosby Year Book, Inc. pg. 823-844.
- Camilleri, J., Montesin, F.E., Brady, K., *et al.* (2005). The constitution of mineral trioxide aggregate. *Dent Mater.***21.**297-303.
- Carrotte, P. (2004). Endodontics: Part 9, Calcium hydroxide, root resorption, endo-perio lesions. *Br Dent J.***197.**735-743.
- Chivian, N. (1991). Root resorption. In Cohen, S., Burns, R.C. *Pathways of the Pulp.* 5th ed. St. Louis: Mosby, pg 504-547.
- Clark, S.J., Eleazer, P. (2000). Management of a horizontal root fracture after previous root canal therapy. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.***89.**220-223.
- Coakes, S., Steed, L. (2003). *SPSS Analysis without Anguish version 11.0 for Windows*, John Wiley and Sons Australia, Ltd, pg. 177.
- Cooke, C., Rowbotham, T.C. (1960). Root canal therapy in non-vital teeth with open apices. *Br Dent J.***108.**147-150.
- Coviello, J., Brilliant, J.D. (1979). A preliminary clinical study on the use of tricalcium phosphate as an apical barrier. *J Endod.***5.**6-13.

- Cvek, M. (1972). Treatment of non-vital permanent incisors with calcium hydroxide.1. Follow-up of periapical repair and apical closure of immature roots. *Odontol Revy.***23.**27-44.
- Cvek, M., Mejàre, I., Andreasen, J.O. (2004). Conservative endodontic treatment of teeth fractured in the middle or apical part of the root. *Dent Traumatol.***20.**261-269.
- Das, S. (1980). Apexification in a non-vital tooth by control of infection. *J Am Dent Assoc.***100.**880-881.
- Das, S., Das, A.K., Murphy, R.A. (1997). Experimental apexogenesis in baboons. *Endod Dent Traumatol.***13.**31-35.
- De Moor, R.J.G., De Witte, A.M.J.C. (2002). Periapical lesions accidentally filled with calcium hydroxide. *Int Endod J.***35.**946-958.
- Deveaux, E., Dufour, D., Boniface, B. (2000). Five methods of calcium hydroxide intracanal placement. An *in vitro* evaluation. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.***89.**349-355.
- Dominguez, R.A., Munoz, M.L., Aznar, M.T. (2005). Study of calcium hydroxide apexification in 26 young permanent teeth. *Dent Traumatol .***21.**141-145.
- Doyon, G.E., Dumsha, T., von Fraunhofer, J.A. (2005). Fracture resistance of human root dentine exposed to intracanal calcium hydroxide. *J Endod.***31.**895-897.
- England, M.C. Jr., Best, E. (1977). Non induced apical closure in immature roots of dog's teeth. *J Endod.***3.**411-417.
- Erdogan, G. (1997). The treatment of non-vital immature teeth with calcium hydroxide-sterile water paste: Two case reports. *Quint Int.***28.**681-686.
- Esberard, R.M., Carnes, D.L. Jr., del Rio, CE. (1996) Changes in pH at the dentine surface in roots obturated with calcium hydroxide pastes. *J Endod.***22.**402-405.
- Estrela, C., Holland, R. (2003). Calcium hydroxide: Study based on scientific evidences. *J Appl Oral Sci.***11.**269-282.
- Estrela, C., Mamede Neto, I., Lopes, H.P., *et al.* (2002). Root canal filling with calcium hydroxide using different techniques. *Braz Dent J.***13.**53-56.
- Estrela, C., Pecora, J.D.,Souza-Neto, M.D., *et al.* (1999). Effect of vehicle on antimicrobial properties of calcium hydroxide pastes. *Braz Dent J.***10.**63-72.
- Estrela, C., Pesce, H.F. (1996). Chemical analysis of the liberation of calcium and hydroxyl ions from calcium hydroxide pastes in connective tissue in the dog. Part I. *Braz Dent J.***7.**41-46.

Estrela, C., Sydney, G.B., Bammann, L.L., Felipe, Jr. O. (1995). Mechanism of action of calcium and hydroxyl ions of calcium hydroxide on tissue and bacteria. *Braz Dent J*.**6**.85-90.

Farhad, A., Mohammadi, Z. (2005). Calcium hydroxide: a review. *Int Dent J*.**55**.293-301.

Fava, L.R.G. (1994). A clinical evaluation of one- and two-appointment root canal therapy using calcium hydroxide. *Int Endod J* .**27**.47-51.

Fava, L.R.G. (1998). Acute apical periodontitis: incidence of postoperative pain using two different root canal dressings. *Int Endod J*.**31**.343-347.

Fava, L.R.G. (1991). Pastas de hidróxido de cálcio. Considerações sobre seu emprego clínico em Endodontia. *Revista Paulista de Odontologia*.**13**.36-43 as cited in Fava, L.R.G., Saunders, W.P. (1999). Calcium hydroxide pastes: Classification and clinical indications. *Int Endod J*.**32**.257-282.

Fava, L.R.G., Saunders, W.P. (1999). Calcium hydroxide pastes: Classification and clinical indications. *Int Endod J*.**32**.257-282.

Featherstone, J.D. (1999). Prevention and reversal of dental caries: role of low level fluoride. *Comm Dent Oral Epidemiol*.**27**.31-40.

Felippe, M.C., Felipe, W.T., Marques, M.M., *et al.* (2005). The effect of the renewal of calcium hydroxide paste on the apexification and periapical healing of teeth with incomplete root formation. *Int Endod J*.**38**.436-442.

Ferguson, F.S., Friedman, S., Frazzetto, V. (1980). Successful apexification technique in an immature tooth with dens in dente. *Oral Surg, Oral Med Oral Pathol*.**49**.356-359.

Foreman, P.C., Barnes, I.E. (1990). A review of calcium hydroxide. *Int Endod J*.**23**.283-297.

Frank, A.L. (1966). Therapy for the divergent pulpless tooth by continued apical formation. *J Am Dent Assoc*.**72**.87-93.

Fuks, A.B., Gavra, A., Chosack, A., (1993). Long-term follow up of traumatized incisors treated by partial pulpotomy. *Pediat Dent*.**15**.334-336.

Gallagher, F.J., Cioffi, G.A., Taybos, G.M. (1988). Dens evaginatus: Report of case. *Quint Int*.**19**.443-446.

Gazelius, B., Olgart, L., Edwall, B., (1988). Restored vitality in luxated teeth assessed by laser Doppler flowmeter. *Endod Dent Traumatol*.**4**.265-268.

George, D., Mallery, P. (2006). *SPSS for Windows Step by Step: A Simple Guide and Reference 13.0 Update*. 6th edn. Boston, MA; Person Education, pg 98-99.

Ghose, L.J., Baghdady, Y.S., Hikmat, Y.M. (1987). Apexification of immature apices of pulpless permanent anterior teeth with calcium hydroxide. *J Endod.***13.**285-290.

Giuliani, V., Baccetti, T., Pace, R., *et al.* (2002). The use of MTA in teeth with necrotic pulps and open apices. *Dent Traumatol.***18.**217-221.

Gomes, B.P., Ferraz, C.C., Vianna, M.E., *et al.* (2002). In vitro antimicrobial activity of calcium hydroxide pastes and their vehicles against selected microorganisms. *Braz Dent J.***13.**155-161.

Goodman, L. (1971). Partitioning chi-square, analysis of marginal contingency tables, and estimation of expected frequencies in multidimensional contingency tables. *J Am Stat Ass.***66.**339-440.

Granath, L.E., Hagman, G., (1971). Experimental pulpotomy in human bicuspid with reference to cutting technique. *Acta Odontol Scand.***29.**155-159.

Grigoratos, D., Knowles, J., Ng Y-L., *et al.* (2001). Effect of exposing dentine to sodium hypochlorite and calcium hydroxide on its flexural strength and elastic modulus. *Int Endod J.***34.**113-119.

Gruythuysen, R.J., Weerheijm, K.L. (1997). Calcium hydroxide pulpotomy with a light-cured cavity-sealing material after two years. *ASDC J Dent Child.***64.**251-253.

Gutmann, J.L., Fava, L.R.G. (1992). Periradicular healing and apical closure of a non-vital tooth in the presence of apical contamination. *Int Endod J.***25.**307-311

Gutmann, J.L., Heaton, J.F. (1981). Management of the open (immature) apex. 2. Non-vital teeth. *Int Endod J.***14.**173-177.

Hachmeister, D.R., Schindler, W.G., Walker, W.A., *et al.* (2002). The sealing ability and retention characteristics of mineral trioxide aggregate in a model of apexification. *J Endod.***28.**386-390.

Harbert, H. (1996). One-step apexification without calcium hydroxide. *J Endod.***22.**690-692.

Hasselgren, G., Olsson, B., Cvek, M. (1988). Effects of calcium hydroxide and sodium hypochlorite on the dissolution of necrotic porcine muscle tissue. *J Endod.***14.**125-127.

Heide, S., Kerekes, K. (1977). Endodontisk behandling av rotapre permanente incisiver. *Den Norske Tannlageforenings Tidene.***87.**426-30 as cited in Hasselgren, G., Olsson, B., Cvek, M. (1988). Effects of calcium hydroxide and sodium hypochlorite on the dissolution of necrotic porcine muscle tissue. *J Endod.***14.**125-127.

Heithersay, G.S. (1975). Calcium hydroxide in the treatment of pulpless teeth with associated pathology. *J British Endod Soc.***8**.74-93 as cited in Foreman, P.C., Barnes, I.E. (1990). A review of calcium hydroxide. *Int Endod J.***23**.283-297.

Heithersay, G.S. (1970). Stimulation of root formation in incompletely developed pulpless teeth. *Oral Surg Oral Med Oral Pathol.***29**.620-630.

Hermann, B.W. (1930). Dentino bliteration der Wurzelkanäle nach der Behandlung mit Kalcium. *Zahnärztl Rundschau.***39**.888 as cited in Fava, L.R.G., Saunders, W.P. (1999). Calcium hydroxide pastes: Classification and clinical indications. *Int Endod J.***32**.257-282.

Hill, F.J., Bellis, W.J. (1984). Dens evaginatus and its management. *Br Dent J.***156**.400-402.

Huang, T-J.G., Schilder, H., Nathanson, D. (1992). Effects of moisture content and endodontic treatment on some mechanical properties of human dentin. *J Endod.***18**.2099-2150.

Hülsmann, M. (1997). Dens invaginatus: aetiology, classification, prevalence, diagnosis and treatment considerations. *Int Endod J.***30**.79-90.

Hülsmann, M., Gambal, A., Bahr, R. (1999). An improved technique for the evaluation of root canal preparation. *J Endod.***25**.599-602.

Jardine, S., Gulabivala, K. (2000). An *in vitro* comparison of canal preparation using two automated rotary nickel-titanium instrumentation techniques. *Int Endod J.***33**.381-391.

Jung, H., Kim, H.J., Hong, S., *et al.* (2003). Osseointegration assessment of dental implants using synchrotron radiation imaging technique: a preliminary study. *Int J Oral Max Implants.***18**.121-126.

Jung, M., Lommel, D., Klimek, J. (2005). The imaging of root canal obturation using microcomputed tomography. *Int Endod J.***38**.617-626.

Keiser, K., Johnson, C., Tipton, D.A. (2000). Cytotoxicity of MTA using human periodontal ligament fibroblasts. *J Endod.***26**.288-291.

Kim, M., Kim, B., Yoon, S. (2001). Effect on the healing of periapical perforations in dogs of the addition of growth factors to calcium hydroxide. *J Endod.***27**.734-737.

Kim, I., Paik, K., Lee, S. (2007). Quantitative evaluation of the accuracy of microcomputed tomography in tooth measurement. *Clin. Anat.***20**.27-34.

Kinirons, M.J., Srinivasan, V., Welbury, R.R., *et al.* (2001). A study in two centres of variations in the time of apical barrier detection and barrier position in non-vital immature permanent incisors. *Int J Paed Dent.***11**.447-451.

- Kleier, D.J., Averbach, R.E., Kawulok, T.C. (1985). Efficient calcium hydroxide placement within the root canal. *J Prosthet Dent*.**53**.509-510.
- Kleier, D.J., Barr, E.S. (1991). A study of endodontically apexified teeth. *Endod Dent Traumatol*.**7**.112-117.
- Klein, S.H., Levy, B.A. (1974). Histologic evaluation of induced apical closure of a human pulpless teeth. *Oral Surg Oral Med Oral Pathol*.**38**.954-959.
- Koenigs, J.F., Heller, A.L., Brilliant, J.D., *et al.* (1975). Induced apical closure of permanent teeth in adult primates using a resorbable form of tricalcium phosphate ceramic. *J Endod*.**1**.102-106.
- Kontakiotis, E., Nakou, M., Georgopoulou, M. (1995). In vitro study of the indirect action of calcium hydroxide on the anaerobic flora of the root canal. *Int Endod J*.**28**.285-289.
- Krell, K., Madison, S. (1985). The use of the messing gun in placing calcium hydroxide powder. *J Endod*.**11**.133-234.
- Lader, D., Chadwick, B., Chestnutt, I., *et al.* (2003). *Children's Dental Health in the United Kingdom, Summary Reports*, pg 22.
- Laskaris, G. (2000). *Color atlas of oral diseases in children and adolescents*. 1st ed. Thieme Medical Publishers, pg 8-9.
- Lieberman, J., Trowbridge, H. (1983). Apical closure of non-vital permanent incisor teeth where no treatment was performed : a case report. *J Endod*.**9**.257-260.
- Llewelyn, D.R. (2000). UK National Clinical Guidelines in Paediatric Dentistry – The pulp treatment of the primary dentition. *Int J Pediatr Dent*.**10**.248-252.
- Ludlow, M.O. (1979). Apical closure after nonsurgical apical curettage. *J Endod*.**5**.151-153.
- Mackie, I.C. (1998). Management of root canal treatment of non-vital immature permanent incisor teeth. *Int J Pediatr Dent*.**8**.289-293.
- Mackie, I.C., Bentley, E.M., Worthington, H.V. (1988). Closure of open apices in non-vital immature incisor teeth. *Br Dent J*.**165**.169-173.
- Maroto, M., Barberia, E., Planells, P., Vera, V. (2003). Treatment of a non-vital immature incisor with mineral trioxide aggregate (MTA). *Dent Traumatol*.**19**.165-169.
- Martin, L.R., Gilbert, B., Dickerson, A.W. (1982). Management of endodontic perforations *Oral Surg Oral Med Oral Pathol*.**54**.668-677.

- Matsumiya, S., Kitamura, M. (1960). Histopathological and histobacteriological studies of the relation between the condition of sterilization of the interior of the root canal and the healing process of periapical tissues in experimentally infected root canals. *Bull Tokyo Dent Coll.***1**.1-19.
- McCann, J.T., Keller, D.L., LaBounty, G.L. (1990). A modification of the muffle system to study root canal morphology. *J Endod.***16**.114-115.
- McCormick, J.E., Weine, F.S., Maggio, J.D. (1983). Tissue pH of developing periapical lesions in dogs. *J Endod.***9**.47-51.
- Metzger, Z., Solomonov, M., Mass, E. (2001). Calcium hydroxide retention in wide root canals with flaring apices. *Dent Traumatol.***17**.86-92.
- Michanowicz, J., Michanowicz, A. (1967). A conservative approach and procedure to fill an incompletely formed root using calcium hydroxide as an adjunct. *J Dent Child.***32**.42-47.
- Moodnick, R.M. (1963). Clinical correlation of the development of the root apex and surrounding structures. *Oral Surg Oral Med Oral Pathol.***16**.600-607.
- Morfis, A.S., Siskos, G. (1991). Apexification with the use of calcium hydroxide: a clinical study. *J Clin Pediatr Dent.***16**.13-19.
- Morse, D.R., Esposito, J.V., Pike, C. (1983). A radiographic evaluation of the periapical status of teeth treated by the gutta-percha-eucapercha endodontic method: a one year follow-up study of 458 root canals. *Oral Surg Oral Med Oral Pathol.***55**.607-610.
- Morse, D.R., O'Larnie, J., Yesilsoy, C. (1990). Apexification : review of the literature. *Quint Int.***21**.589-598.
- Nerwich, A., Figdor, D., Messer, H.H. (1993). pH changes in root dentine over a 4-week period following root canal dressing with calcium hydroxide. *J Endod.***19**.302-306.
- Nik-Hussein, N.N. (1986). Apexification of a non-vital dens evaginatus premolar. *J Pedod.***11**.91-97.
- Nik-Hussein, N.N. (1994). Dens invaginatus: Complications and treatment of non-vital infected tooth. *J Clin Pediatr Dent.***18**.303-306.
- Ørstavik, D., Kerekes, K., Molven, O. (1991). Effect of extensive apical reaming and calcium hydroxide dressing on bacterial infection during treatment of apical periodontitis. *Int Endod J.***24**.1-7.
- Öztan, M.D., Akmam, A., Dalat, D. (2002). Intracanal placement of calcium hydroxide: a comparison of two different mixtures and carriers. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.***94**.93-97.

Park, Y-S., Yi, K-Y., Lee, I-S., *et al.* (2005). Correlation between microtomography and histomorphometry for assessment of implant osseointegration. *Clin Oral Impl Res*.**16**.156-160.

Peters, C.I., Koka, R.S., Highsmith, S., *et al.* (2005). Calcium hydroxide dressings using different preparation and application modes:density and dissolution by simulated tissue pressure. *Int Endod J*.**38**.889-895.

Peters, L.B., van Winkelhoff, A.J., Buijs, J.F., *et al.* (2002). Effects of instrumentation, irrigation and dressing with calcium hydroxide on infection in pulpless teeth with periapical boen lesions. *Int Endod J*.**35**.13-21.

Piekoff, M.D., Trott, J.R. (1976). Apexification:report of a case. *J Endod*.**2**.182-185.

Pitt Ford, T.R. (2002). Apexification and Apexogenesis. In Walton, R.E., Torabinejad, M. *Principles and Practices of Endodontics*. 2nd edn. Philadelphia:W.B. Saunders, pg 373-384.

Pradhan, D.P., Chawla, H.S., Gamba, K.S., *et al.* (2006). Comparative evaluation of endodontic management of teeth with unformed apices with mineral trioxide and calcium hydroxide. *J Dent Child*.**73**.79-85.

Rafter, M. (2005). Apexification : A review. *Dent Traumatol*.**21**.1-8.

Reit, C., Dahlen, G. (1988). Decision making analysis of endodontic treatment strategies in teeth with apical periodontitis. *Int Endod J*.**21**.291-299.

Reyes, A.D., Muñoz, L.M., Martin, T.A. (2005). Study of calcium hydroxide apexification in 26 young permanent incisors. *Dental Traumatol*.**21**.141-145.

Ricketts, D. (2001). Management of the deep carious lesion and the vital pulp dentine complex. *Br Dent J*.**191**.606-610.

Rivera, E.M., Williams, K. (1994). Placement of calcium hydroxide in simulated canals: comparison of glycerin versus water. *J Endod*.**20**.445-448.

Roberts, S.C. Jr., Brilliant, J.D. (1975). Tricalcium phosphate as as adjunct to apical closure in pulpless permanent teeth. *J Endod* .**1**.263-269.

Rosenberg, B., Murray, P.E., Namerow, K., (2007). The effect of calcium hydroxide root filling on dentine fracture strength. *Dent Traumatol*.**23**.26-29.

Rossmeisl, R., Reader, A., Melfi, R., Marquard, J. (1982a). A study of freeze-dried (lyophilized) cortical bone used as an apical barrier in adult monkey teeth. *J Endod*.**8**.219-226.

Rossmeisl, R., Reader, A., Melfi, R., Marquard, J. (1982b). A study of freeze-dried (lyophilized) dentine used as an apical barrier in adult monkey teeth. *Oral Surg Oral Med Oral Pathol*.**53**.303-310.

- Rutherford, R.B., Wanle, J., Tucker, M., *et al.* (1993). Induction of reparative dentine formation in monkeys by recombinant human osteogenic protein-1. *Arch Oral Biol.***38**.571-576.
- Safavi, K.E., Nichols, F.C. (1994). Alteration of biological properties of bacterial lipopolysaccharide by calcium hydroxide treatment. *J Endod.***20**.127-129.
- Safavi, K.E., Nichols, F.C. (1993). Effect of calcium hydroxide on bacteria lipopolysaccharide. *J Endod.***19**.76-78.
- Sampath, T.K., Maliakal, J.C., Hauschka, P.V., *et al.* (1992). Recombinant human osteogenic protein-1 (hOP-1) induces new bone formation in vivo with a specific activity comparable with natural bovine osteogenic protein and stimulates osteoblast proliferation and differentiation *in vitro*. *J Biol Chem.***267**.20352-62.
- Santis, R., Mollica, F., Prisco, D., *et al.* (2005). A 3D analysis of mechanically stressed dentine-adhesive-composite interfaces using x-ray micro-CT. *Biomaterials.***26**.257-270.
- Schäfer, E. (1997). Root canal instruments for manual use: a review. *Endod Dent Traumatol.***13**.51-64.
- Scarfe, W.C., Fana, C.R., Farman, A.G. (1995). Radiographic detection of accessory/lateral canals: Use of RadioVisioGraphy and hypaque. *J Endod.***21**.185-190.
- Scheerer, S.Q., Steiman, R., Cohen, J. (2001). A comparative evaluation of three root end filling materials; an in vitro leakage study using *Prevotella nigrescens*. *J Endod.***27**.40-42.
- Schein, B., Schilder, H. (1975). Endotoxin content in endodontically involved teeth. *J Endod.***1**.19-21.
- Schmitt, D., Bogen, G. (2001). Multifaceted use of ProRoot MTA root canal repair material. *Pediatr Dent.***23**.326-330.
- Schumacher, J.W., Rutledge, R.E. (1993). An alternative to apexification. *J Endod.***19**.529-531.
- Shabahang, S., Torabinejad, M. (2000). Treatment of teeth with open apices using MTA. *Prac Periodont Aesthet Dent.***12**.315-320.
- Shabahang, S., Torabinejad, M., Boyne, P.P., *et al.* (1999). A comparative study of root-end induction using osteogenic protein-1, calcium hydroxide and MTA in dogs. *J Endod.***25**.1-5.
- Shay, J. (1984). Dens evaginatus : Case report of a successful treatment. *J Endod.***10**.324-326.
- Sheehy, E.C., Roberts, G.J. (1997). Use of calcium hydroxide for apical barrier formation and healing in non-vital immature permanent teeth: a review. *Br Dent J.***183**.241-246.

- Sigurdsson, A., Stancill, R., Madison, S. (1992). Intracanal placement of calcium hydroxide: A comparison of techniques. *J Endod.***18.**367-370.
- Silva, L.A.B., Nelson-Filho, P., Leonardo, M.R., *et al.* (2002). Effect of calcium hydroxide on bacterial endotoxin in vivo. *J Endod.***25.**94-98.
- Simon, S.T., Bhat, K.S., Francis, R. (1995). Effect of four vehicles on the pH of calcium hydroxide and the release of calcium ion. *Oral Surg Oral Med Oral Pathol.***80.**459-464.
- Siqueira, J.F., Lopes, H.P. (1999). Mechanisms of antimicrobial activity of calcium hydroxide: a critical review. *Int Endod J.***32.**261-369.
- Siqueira, J.F., Uzeda, M. (1998). Influence of different vehicles on the antibacterial effects of calcium hydroxide. *J Endod.***24.**663-665.
- Solak, H., Oztan, M.D. (2003). The pH changes of four different calcium hydroxide mixtures used for intracanal medication. *J Oral Rehab.***30.**436-439.
- Southard, D.W., Oswald, R.J., Natkin, E. (1987). Instrumentation of curved molar root canal with the Roane technique. *J Endod.***13.**479-489.
- Souza, V., Holland, R. (1974). Treatment of the inflamed dental pulp. *Aust Dent J.***19.**191-196.
- Spangberg, L.S.W. (1994). Intracanal medication. In: *Endodontics*. Ingle JI, Bakland L. eds. 4th ed. Baltimore: Williams & Wilkins, 1994. pg 627-640.
- Staeble, H.J., Thoma, C., Muller, H.P. (1997). Comparative in vitro investigation of different methods for temporary root canal filling with aqueous suspensions of calcium hydroxide. *Endod Dent Traumatol.***13.**106-112.
- Stamos, D.G., Haasch, G.C., Gerstein, H. (1985). The pH of local anaesthetic/calcium hydroxide solutions. *J Endod.***11.**264.
- Stanley, H.R., Pameijer, C.H. (1997). Dentistry's friend: calcium hydroxide. *Operat Dent.***22.**1-3.
- Stark, M.M., Nicholson, R.J., Soelberg, K.B. (1976). Direct and indirect pulp capping. *Dent Clin N Am.***1.**115-126.
- Steiner, J.C., Dow, P.R., Cathy, G.M. (1968). Inducing root end closure of non-vital permanent teeth. *J Dent Child.***35.**47-54.
- Steinig, T.H., Regan, J.D., Gutmann, J.L. (2003). The use and predictable placement of Mineral Trioxide Aggregate in one-visit apexification cases. *Aust Endod J.***29.**34-42.
- Stewart, D.J. (1963). Root canal therapy in incisor teeth with open apices. *Br Dent J.***114.**249-254.

- Strauss, P.G., Closs, E.I., Schmidt, J., *et al.* (1990). Gene expression during osseous differentiation in mandibular condyles *in vitro*. *J Cell Biol.***110**.1369-1378.
- Su, H. (1992). Dens evaginatus : Report of a case of continued root development after calcium hydroxide apexification. *J Dent Child.***59**.285-288.
- Sundqvist, G. (1994). Taxonomy, ecology and pathogenicity of the root canal flora. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.***78**.522-530.
- Sydney, G.B., Batista, A., DeMelo, L.L. (1991). The radiographic platform; a new method to evaluate root canal preparation *in vitro*.*J Endod.***17**.570-572.
- Tabachnick, B.G., Fidell, L.S. (2001). *Using Multivariate Statistics*. 5th Ed. Allyn & Bacon pg 330.
- Tamse, A., Pilo, R. (1998). A new muffle model system to study root canal morphology and instrumentation techniques. *J Endod.***24**.540-542.
- Teplitsky, P. (1986). McSpadden compactor vertical condensation technique to deliver calcium hydroxide. *J Can Dent Assoc.***9**.779-781.
- Toothacker, L.E. (1993). *Multiple comparisons procedures*. Thousand Oaks, CA: Sage Publications. Quantitative Applications in the Social Sciences series #89, pg 66.
- Torabinejad, M., Chivian, N. (1999). Clinical application of MTA. *J Endod.***25**.197-205.
- Torabinejad, M., Higa, R.K., McKendry, D.J., *et al.* (1994). Dye leakage of four root end filling materials: effects of blood contamination. *J Endod.***20**.159-163.
- Torabinejad, M., Hong, C.U., Pitt Ford, T.R., *et al.* (1995). Cytotoxic of four root-end filling materials. *J Endod.***21**.489-492.
- Torabinejad, M., Pitt Ford, T.R. (1996). Root end filling materials: A review. *Endod Dent Traumatol.***12**.161-178.
- Torneck, C.D. (1982). Effects of trauma to the developing permanent dentition. *Dent Clin N Am.***26**.481-504.
- Torres, C.P., Apicella, M.J., Yancich, P.P., *et al.* (2004). Intracanal placement of calcium hydroxide : A comparison of techniques, revisited. *J Endod.***30**.225-227.
- Tran, T.H.D., Roach, N.A., O’kane, D.L., *et al.* (2000). Creating a digital radiographic teaching file and database using a PC and common software. *Am J Roentgenol.***175**.325-327.

- Tronstad, L., Andreasen, J.O., Hasselgren, G., *et al.* (1981). pH changes in dental tissues after root filling with calcium hydroxide. *J Endod.***7**.17-21.
- Tronstad, L., Barnett, F., Riso, K., *et al.* (1987). Extraradicular endodontic infections. *Endod Dent Traumatol.***3**.86-90.
- Trope, M. (2002). Root resorption due to dental trauma. *Endod Topics.***1**.79-100.
- Turgut, M.D., Gonul, N., Altay, N. (2004). Multiple complicated crown-root fracture of a permanent incisor. *Dent Traumatol.***20**.288-292.
- Uyeno, D.S., Lugo, A. (1996). Dens evaginatus : A review. *J Dent Child.***28**.328-332.
- Vernieks, A.A., Messer, L.B. (1978). Calcium hydroxide induced healing of periapical lesions: a study of 78 non-vital teeth. *J British Endod Soc.***11**.61-70.
- Walia, T., Chawla, H.S., Gauba, K. (2000). Management of wide open apices in non-vital permanent teeth with calcium hydroxide paste. *J Clin Pediatr Dent.***25**.51-56.
- Walton, R.E., Rivera, E.M. (1996). Cleaning and Shaping. In Walton, R.E., Torabinejad, M. *Principles and Practices of Endodontics.* (2002) 2nd edn. Philadelphia:W.B. Saunders, pg. 208.
- Webber, J.A. (1984). Apexogenesis versus apexification. *Dent Clin North Am.***28**.669-697.
- Webber, R.T., Schwiebert, K.A., Cathey, G.A. (1981). A technique for placement of calcium hydroxide in the root canal system. *J Am Dent Ass.***103**.417-421.
- Weine, F.S. (1984). The enigma of the lateral canal. *Dent Clin North Am.***28**.833-852.
- White, J.D., Lacefield, W.R., Chavers, L.S., *et al.* (2002). The effect of three commonly used endodontic materials on the strength and hardness of root dentine. *J Endod.***28**.828-830.
- Winter, G.B. (1966). The root treatment of infected permanent incisors in children. *Br Dent J.***120**.11-13.
- Yates, T.A. (1988). Barrier formation time in non-vital teeth with open apices. *Int Endod J.***21**.313-319.
- Zander, H.A. (1939). Reaction of the dental pulp to calcium hydroxide. *J Dent Res.***18**.373.
- Zerella, J.A., Fouad, A.F., Spangberg, L.S. (2005). Effectiveness of a calcium hydroxide and chlorhexidine digluconate mixture as disinfectant during retreatment of failed endodontic cases. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.***100**.756-761.