

## CONTENTS

<b>Acknowledgements</b>	iii
<b>Abstract</b>	iv
<b>Contents</b>	vi
<b>List of figures</b>	xiii
<b>List of tables</b>	xvi
<b>CHAPTER 1: INTRODUCTION</b>	2
<b>CHAPTER 2: LITERATURE REVIEW</b>	
2.1 Immature permanent teeth	6
2.2 Treatment	9
2.2.1 Control of infection	9
2.2.2 Short-fill	9
2.2.3 Customized cone	10
2.2.4 Periapical surgery	10
2.2.5 Apexification	11
2.2.6 One-visit Apexification	12
2.3 Materials for induction of apexification	14
2.3.1 Antiseptic and antibiotic pastes	14
2.3.2 Tricalcium phosphate	15
2.3.3 Osteogenic protein-1	15
2.3.4 Mineral Trioxide Aggregate (MTA)	16
2.3.5 Calcium hydroxide	18
2.3.5.1 Chemical properties	19
2.3.5.2 Biological properties	19
2.3.5.2.1 Antimicrobial activity	19

2.3.5.2.2	Mechanism of antimicrobial action	19
2.3.5.2.3	Induction of repair by hard tissue formation	22
2.3.5.2.4	Tissue-dissolving activity	23
2.3.5.2.5	Effect on physical properties of dentine	23
2.3.5.3	Types of calcium hydroxide vehicles	24
2.3.5.3.1	Aqueous vehicles	25
2.3.5.3.2	Viscous vehicles	26
2.3.5.3.3	Oily vehicles	27
2.3.5.3.4	Effect of vehicle	27
2.3.5.4	Dissociation and pH of calcium hydroxide	28
2.3.5.5	Antimicrobial properties of calcium hydroxide	28
2.3.5.6	Uses of calcium hydroxide (other than apexification)	29
2.3.5.6.1	Indirect pulp capping	29
2.3.5.6.2	Direct pulp capping	30
2.3.5.6.3	Pulpotomy	31
2.3.5.6.3.1	Partial pulpotomy (Cvek's Pulpotomy)	31
2.3.5.6.3.2	Cervical (full) pulpotomy	32
2.3.5.6.4	Root canal dressing	33
2.3.5.6.5	Perforation repair	33
2.3.5.6.6	Prevention of root resorption	34
2.3.5.6.7	Treatment of root fracture	35
2.4	Methods of calcium hydroxide placement	36
2.4.1	Amalgam carrier	36
2.4.2	McSpadden compactor	37
2.4.3	Messing gun	37

2.4.4	Pastinject	38
2.4.5	Lentulo spiral	39
2.4.6	Syringe	39
<b>CHAPTER 3: PURPOSE OF STUDY</b>		
3.1	Aim	41
3.2	Objectives	41
3.3	Research questions	42
3.3.1	Test of main effects	42
3.3.2	Test of interaction	42
<b>CHAPTER 4: PRELIMINARY STUDY</b>		
4.1	Preliminary study	44
4.1.1	Teeth selection	44
4.1.2	Preparation of tooth	45
4.1.3	Preparation of specimen	46
4.1.3.1	Mounting of specimen	46
4.1.3.2	Preparation of the apical part of the canal	49
4.1.3.3	Cross-sectioning of the specimens	51
4.1.3.4	Fabrication of muffle to hold the cross-sections	53
4.1.3.5	Preparation of the coronal part of the canal	55
4.1.4	Radiographic –taking technique	56
4.1.5	Image acquisition and determination of exposure time	58
4.1.6	Time interval to separate the cross-sections after calcium hydroxide placement	61
4.1.8	Removal of the uncovered apical part	61
4.2	Findings of preliminary study	62

4.2.1	Preparation of specimen	62
4.2.1.1	Preparation of the apical part of the canal	62
4.2.1.2	Reassembling the cross-sections of the specimen	62
4.2.1.3	Muffle to hold the specimen	62
4.2.2	Radiographic taking technique	64
4.2.3	Exposure time	65
4.2.4	Removal of the uncovered apical part	68
4.2.5	Time interval to separate the cross-sections of the specimen after calcium hydroxide placement	68
4.3	Summary and conclusion from the preliminary study	69
<b>CHAPTER 5: MATERIALS AND METHOD</b>		
5.1	Collection and storage of specimen	71
5.2	Preparation of specimen	71
5.3	Method of calcium hydroxide placement	72
5.4	Post-insertion radiograph	76
5.4.1	Three-dimensional view	76
5.4.2	Two-dimensional view	76
5.5	Investigation of the cross-sections using Image Analyser	78
5.6	Determination of the accuracy of length from the radiographs (quality of filling)	82
5.7	Determination of the quality of filling/surface area from the cross-sections of the specimens	82
5.8	Data analysis	83
5.8.1	Analysis of quality of filling from the radiographs	84
5.8.2	Analysis of quality of filling from the cross sections	84

5.8.3	Analysis of presence/location of voids	85
-------	--	----

## **CHAPTER 6: RESULTS**

6.1	Introduction	87
6.2	Quality of calcium hydroxide filling	87
6.2.1	Scores based on radiograph	87
6.2.2	Surface area from the cross sections	90
6.2.2.1	Boxplots for visualization of distribution	91
6.2.2.1.1	Pulpdent® Tempcanal™	91
6.2.2.1.2	Vitapex™	93
6.2.2.2	Normality of distribution of percentage of surface area data	95
6.2.2.3	Mean percentage of filling/surface area	96
6.2.2.4	Assessment of differences between groups using multivariate analysis of variance (MANOVA)	97
6.2.2.4.1	Assessment of normality of distribution of the data	97
6.2.2.4.2	Assessment of the homogeneity of dependent and independent variables	97
6.2.2.4.3	Assessment of homogeneity of variance for each dependent variable	98
6.2.2.4.4	Relationship between methods of placement and vehicles used	98
6.2.2.4.4	Interaction of percentage of surface area and methods of placement at both levels	98
6.2.2.4.6	Determination of method of placement that effecting the quality of filling at level B	99
6.3	Presence of voids from the cross section	100

6.4	Three-dimensional investigation	103
6.5	Summary of findings	108
<b>CHAPTER 7: DISCUSSION</b>		
7.1	Limitations of the study	111
7.2	Discussions	113
<b>CHAPTER 8: CONCLUSIONS AND RECOMMENDATION</b>		
8.1	Conclusions	126
8.2	Recommendations for further study	128
<b>REFERENCES</b>		130
<b>APPENDICES</b>		
<b>A:</b>	<b>Chi-square tests for quality of calcium hydroxide filling and methods of placement</b>	145
<b>B:</b>	<b>Chi-square tests for quality of calcium hydroxide filling and types of vehicles of calcium hydroxide</b>	146
<b>C:</b>	<b>Skewness and kurtosis values of surface area at the level A and B</b>	147
<b>D:</b>	<b>Data and Z score or standard score for the percentage of surface area data</b>	148
<b>E:</b>	<b>Skewness and kurtosis values of surface area at level A and B after outlier was removed</b>	152
<b>F:</b>	<b>Box's M Test of equality of covariance matrices</b>	153
<b>G:</b>	<b>Levene's test of equality of error variances</b>	154
<b>H:</b>	<b>Multivariate tests of significance between the dependent variables (percentage of surface area)</b>	155
<b>I:</b>	<b>Test of between-subjects effects for methods of placement at different levels</b>	156
<b>J:</b>	<b>Data for quality of filling/scoring system-radiograph</b>	157

<b>K:</b>	<b>Data for percentage of surface area from the cross sections</b>	159
<b>L:</b>	<b>Data for presence/location of voids</b>	162

## LIST OF FIGURES

Figure 4.1	File Tip Just Visible At The Apical Opening	46
Figure 4.2	Apical Part Of The Tooth Embedded In A Block of Wax	47
Figure 4.3	A Spectrophotometric Clear Curvette	47
Figure 4.4	The Curvette Placed Directly On The Wax Block	48
Figure 4.5	The Specimen Mounted With Clear Acrylic In The Curvette With The Apical Part Of The Tooth Uncovered	48
Figure 4.6	Gates-Glidden Bur Of Different Sizes	49
Figure 4.7	Radiographs Of Specimen With Apical Preparation Using Gates-Glidden Bur Size 1 To 6	50
Figure 4.8	ISOMET Low Speed Saw	51
Figure 4.9 (a) and (b)	Diagonal Line Drawn Using A Marker Pen And Separated Cross-sections With The Diagonal Line	52
Figure 4.10 (a) and (b)	Diagonal Line Made From Small Round Bur On High Speed Handpiece And The Separated Cross-sections	52
Figure 4.11	Muffle From Dental Stone And Plaster Of Paris At Different Views	53
Figure 4.12	Side View Of Clear Perspex Muffle With “Key-and-hole” System	54
Figure 4.13	Anterior View Of Clear Perspex Muffle	54
Figure 4.14 (a) and (b)	Anterior And Lateral View Of The Specimen In The Muffle, Ready For Canal Preparation	55
Figure 4.15	K-Flexofile And K-File From Size 015 To 140	55
Figure 4.16	Film Holder In Horizontal Arrangement Designed From A Conventional Film Holder and A Special Attachment	56
Figure 4.17	Horizontal Platform With Specimen In The Special Attachment	56
Figure 4.18	Film Holder In Vertical Arrangement Designed From A Book Stand	57



Figure 4.19 (a) and b)	Intraoral Phosphor Storage Plate And Special Container That Can Held Up To 4 Image Plates	59
Figure 4.20	Phosphor Storage Plate Placed In Light Protection Cover	59
Figure 4.21	Foil Cassette To Hold The Exposed Image Plates	60
Figure 4.22	Dürr VistaScan Intra 2130-60	60
Figure 4.23	Radiograph Taken Using Dental Stone/Plaster Of Paris Muffle	63
Figure 4.24	Radiograph Taken Using Perspex Muffle	63
Figure 4.25	Different Exposures (0.02s-0.16s) Of Specimen With Vitapex™ In The Canal	66
Figure 4.26	Different Exposures Of Specimen With Pulpdent® Tempcanal™ In The Canal	67
Figure 5.1	Oil Suspension Calcium Hydroxide (Vitapex™, Morita)	74
Figure 5.2	Aqueous Suspension Calcium Hydroxide (Pulpdent® Tempcanal™)	74
Figure 5.3	Radiograph Of Specimen with Pulpdent® Tempcanal™ At 0.14s Exposure, Normal View And Embossed View	77
Figure 5.4 (a) and (b)	Cross-sections Of The Specimen Showing Surfaces A And B	78
Figure 5.5	Image Analyser (Leica Qwin, Leica Imaging Systems Ltd., Cambridge, England)	79
Figure 5.6	Anterior View Of The Jig With Central Hollow Column And A Screw To Move The Platform	80
Figure 5.7	Lateral View Of The Jig	81
Figure 5.8	Top View Of The Specimen Placed Inside The Jig, Ready To Be Examined Under The Image Analyser	81
Figure 6.1	Graph chart for Pulpdent® Tempcanal™	89
Figure 6.2	Graph chart for Vitapex™	89
Figure 6.3	Boxplot Of Percentage Of Filling/Surface Area Of Pulpdent® Tempcanal™ By Placement Methods At Level A	91
Figure 6.4	Boxplot Of Percentage Of Filling/Surface Area Of Pulpdent®	92

## Tempcanal™ By Placement Methods At Level B

Figure 6.5	Boxplot Of Percentage Of Filling/Surface Area Of Vitapex™ By Placement Methods At Level A	93
Figure 6.6	Boxplot Of Percentage Of Filling/Surface Area Of Vitapex™ By Placement Methods At Level B	94
Figure 6.7 (a), (b) and (c)	Longitudinal Views Of Material Pulpdent® Tempcanal™ For Method Syringe, Syringe + Lentulo Spiral and Lentulo Spiral	103
Figure 6.8 (a), (b) and (c)	Longitudinal Views Of Material Vitapex™ For Method Syringe, Syringe + Lentulo Spiral and Lentulo Spiral	104
Figure 6.9	Pulpdent® Tempcanal™ With Syringe Method	105
Figure 6.10	Pulpdent® Tempcanal™ With Syringe + Lentulo Spiral Method	105
Figure 6.11	Pulpdent® Tempcanal™ With Lentulo Spiral Method	105
Figure 6.12	Vitapex™ With Syringe Method	106
Figure 6.13	Vitapex™ With Syringe + Lentulo Spiral Method	106
Figure 6.14	Vitapex™ With Lentulo Spiral Method	106

## LIST OF TABLES

Table 4.1	Model Of Visual Inspection Of Calcium Hydroxide At Different Time Interval	61
Table 4.2	Time Lapse To Achieve Hardening Of Materials	68
Table 5.1	Sampling According To Method Of Placement And Material	72
Table 6.1	Method*Type*Score Crosstabulation Multiway Contingency Table	88
Table 6.2	Mean Percentage Of Filling/Surface Area	90
Table 6.3	Mean Percentage Of Filling/Surface Area After Outlier Was Removed	96
Table 6.4	Significance Level Of Percentage Of Surface Area At Level B For Different Methods Of Placement	99
Table 6.5	Presence/Absence Of Voids At Level A And B According To Types Of Vehicle And Methods Of Placement	101
Table 6.6	One-to-one Interaction Between Level, Methods, Types And Voids	102
Table 6.7	Percentage Of Surface Area From 3-dimensional And 2-Dimensional Views	107