

References

- ADA Council of Scientific Affairs; ADA Council on Dental Benefit Programs. (1998). Statement on posterior resin-based composites. **129**: 1627-1628.
- Agarwal, S. and Jayalakshmi, K. B. (2002). Comparative stereomicroscopic evaluation of three methods of sealer placement with and without obturating the root canals. *Endodontology*; **14**: 61-64.
- Ahlberg, K. M. F., Assavanop, P. and Tay, W. M. A. (1995). Comparison of the apical dye penetration patterns shown by methylene blue and India ink in root-filled teeth. *Int Endod J*; **28**: 30-4.
- Ahlberg, K. M. F. and Tay, W. M. A. (1998). A methacrylate-based cement used as a root sealer. *Int Endod J*; **31**: 15-21.
- Ahlquist, M., Henningsson, O., Hultenby, K. and Ohlin, J. (2001). The effectiveness of manual and rotary techniques in the cleaning of root canals: a scanning electron microscopy study. *Int Endod J*; **34**: 533-537.
- Ahmad, M., PittFord, T. R. and Crum, L. A. (1987). Ultrasonic debridement of root canals: an insight into the mechanisms involved. *J Endod*; **13**: 93-101.
- Al-Dewani, N., Hayes, S. J. and Dummer, P. M. (2000). Comparison of laterally condensed and low-temperature thermoplasticized gutta-percha root fillings. *J Endod*; **26**: 733-738.
- Al-Ghamdi, A. and Wennberg, A. (1994). Testing of sealing ability of endodontic filling materials. *Endod Dent Traumatol*; **10**: 249-255.
- Allison, D. A., Weber, C. R. and Walton, R. E. (1979). The influence of the method of canal preparation on the quality of apical and coronal obturation. *J Endod*; **5**: 298-304.
- Allison, D. A., Michelich, R. J. and Walton, R. E. (1981). The influence of master cone adaptation on the quality of the apical seal. *J Endod*; **7**: 61-65.
- Al-Omari, M. A. and Dummer, P. M. (1995). Canal blockage and debris extrusion with eight preparation techniques. *J Endod*; **21**: 154-158.
- Alster, D., Feilzer, A. J., de Gee, A. J. and Davidson, C. L. (1997). Polymerization contraction stress in thin resin composite layers as a function of layer thickness. *Dent Mater*; **13**:146-50.
- Amditis, C., Blackler, S. M., Bryant, R. W. and Hewitt, G. H. (1992). The adaptation achieved by four root canal filling techniques as assessed by three methods. *Aust Dent J*; **37**: 439-444.
- American Association of Endodontists. (1994). *Quality Assurance Guideline*. Chicago, IL, USA: AAE.
- American Association of Endodontists. (1998). *Glossary; contemporary terminology for endodontics* (6th edn). Chicago.

- Ando, N. and Hoshino, E. (1990). Predominant obligate anaerobes invading the deep layers of root canal dentine. *Int Endod J*; **23**: 20-27.
- Anic, I., Shirasuka, T. and Matsumoto, K. (1995). Scanning electron microscopic evaluation of two compaction techniques using a composite resin as a root canal filling material. *J Endod*; **21**: 594-598.
- Aptekar, A. and Ginnan, K. (2006). Comparative analysis of microleakage and seal for two obturation materials: Resilon/Epiphany and gutta-percha. *J Can Dent Assoc*; **72**: 245.
- Araki, K., Suda, H., Barbosa, S. V. and Spångberg, L. S. (1993). Reduced cytotoxicity of a root canal sealer through eugenol substitution. *J Endod*; **19**: 554-557.
- Araki, K., Suda, H. and Spångberg, L. S. (1994). Indirect longitudinal cytotoxicity of root canal sealers on L929 cells and human periodontal ligament fibroblasts. *J Endod*; **20**: 67-70.
- Ardila, C. N., Wu, M.-K. and Wesselink, P. R. (2003). Percentages of filled canal area in mandibular molars after conventional root-canal instrumentation and after noninstrumentation technique (NIT). *Int Endod J*; **36**: 591-598.
- Armitage, G. C., Ryder, M. I. and Wilcox, S. E. (1983). Cemental changes in teeth with heavily infected root canals. *J Endod*; **9**: 127-130.
- Attin, A., Buchalla, W., Zirkel, C. and Lussi, A. (2002). Clinical evaluation of the cleaning properties of the noninstrumental technique for cleaning root canals. *Int Endod J*; **35**: 929-933.
- Augsburger, R. A. and Peters, D. D. (1990). Radiographic evaluation of extruded obturation materials. *J Endod*; **16**: 492-497.
- Averbach, R. E. and Kleier, D. J. (2006). Clinical update on root canal disinfection. *Compend Contin Educ Dent*; **27**: 284-289.
- Ayhan, H., Sultan, N., Cirak, M., Ruhi, M. Z. and Bodur, H. (1999). Antimicrobial effects of various endodontic irrigants on selected microorganisms. *Int Endod J*; **32**: 99-102.
- Baker, M. C., Ashrafi, S. H., VanCura, J. E. and Remeikis, N. A. (1988). Ultrasonics compared with hand instrumentation: a scanning electron microscope study. *J Endod*; **14**: 435-440.
- Bal, A. S., Hicks, M. L. and Barnett, F. (2001). Comparison of laterally condensed .06 and .02 tapered gutta-percha and sealer *in vitro*. *J Endod*; **27**: 786-788.
- Barbizam, J. V. B., Fariniuk, L. F., Marchesan, M. A., Pecora, J. D. and Sousa-Neto, M. D. (2002). Effectiveness of manual and rotary instrumentation techniques for cleaning flattened root canals. *J Endod*; **28**: 365-366.
- Barnard, D., Davies, J. and Figdor, D. (1996). Susceptibility of *Actinomyces Israeli* to antibiotics, sodium hypochlorite and calcium hydroxide. *Int Endod J*; **29**: 320-26.

- Barthel, C. R., Moshonov, J., Shuping, G. and Orstavik, D. (1999). Bacterial leakage versus dye leakage in obturated root canals. *Int Endod J*; **32**: 370-375.
- Baumgardner, K. R. and Krell, K. V. (1990). Ultrasonic condensation of gutta-percha: an *in vitro* dye penetration and scanning electron microscopic study. *J Endod*; **16**: 253-259.
- Beatty, R. G., Baler, P. S. and Haddix, J. (1989). The efficacy of root canal obturation techniques in preventing apical dye penetration. *J Am Dent Assoc*; **119**: 633-7.
- Bechelli, C., Orlandini, S. and Colafranceschi, M. (1999). Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus lightspeed instrumentation. *Int Endod J*; **32**: 484-493.
- Beer, R., Gängler, P. and Rupprecht, B. (1987). Investigation of the canal space occupied by gutta-percha following lateral condensation and thermomechanical condensation. *Int Endod J*; **20**: 271-275.
- Berutti, E. (1996). Microleakage of human saliva through dentinal tubules exposed at the cervical level in teeth treated endodontically. *J Endod*; **22**: 579-582.
- Beyer-Olsen, E. M., Ørstavik, D. and Eriksen, H. M. (1983). Radiographic voids and leakage along root fillings *in vitro*. *Int Endod J*; **16**: 51-58.
- Bhambhani, S. M. and Sprechman, K. (1994). Microleakage comparison of Thermafil vs vertical condensation using two different sealers. *Oral Surg, Oral Med, Oral Pathol*; **78**: 105-8.
- Binnie, W. H. and Rowe, A. H. R. (1974). The incidence of epithelial rests proliferations and apical periodontal cysts following root canal treatment in young dogs. *Br Dent J*; **137**: 56-60.
- Bolaños, O. R. and Jensen, J. R. (1980). Scanning electron microscope comparison of the efficacy of various methods of root canal preparation. *J Endod*; **6**: 815-822.
- Bouillaguet, S., Troesch, S., Wataha, J. C., Krejci, I., Meyer, J. M. and Pashley, D. H. (2003). Microtensile bond strength between adhesive cements and root canal dentin. *Dent Mater*; **19**: 199-205.
- Bouillaguet, S., Wataha, J. C., Lockwood, P. E., Galgano, C., Golay, A. and Krejci, I. (2004). Cytotoxicity and sealing properties of four classes of endodontic sealers evaluated by succinic dehydrogenase activity and confocal laser scanning microscopy. *Eur J Oral Sci*; **112**: 182-187.
- Brayton, S. M., Davis, S. R. and Goldman, M. (1973). Gutta-percha root canal filling. An *in vitro* analysis. *Oral Surg, Oral Med, Oral Pathol*; **35**: 226-231.
- Briseño Marroquin, B., Wolter, D. and Willershausen-Zönnchen, B. (2001). Dimensional variability of nonstandardized greater taper finger spreaders with matching gutta-percha points. *Int Endod J*; **34**: 23-28.

- Britto, L. R., Borer, R. E., Vertucci, F. J., Haddix, J. E. and Gordan, V. V. (2002). Comparison of the apical seal obtained by a dual-cure resin based cement or an epoxy resin sealer with or without the use of an acidic primer. *J Endod*; **28**: 721-723.
- Brothman, P. (1981). A comparative study of the vertical and lateral condensation of gutta-percha. *J Endod*; **7**: 27-30.
- Buchanan, L. S. (1989). Management of the curved root canal. *J Calif Dent Assoc*; **17**: 19-27.
- Buchanan, L. S. (1994). The continuous wave of condensation techniques: a convergence of conceptual and procedural advances in obturation. *Dent Today*; **13**: 80, 82, 84-85.
- Buchanan, L. S. (1996). The continuous wave of obturation techniques: 'centered' condensation of warm gutta-percha in 12-seconds. *Dent Today*; **15**: 60-62, 64-67.
- Buchanan, L. S. (2000). The standardized-taper root canal preparation. Part 1. Concepts for variably tapered shaping instruments. *Int Endod J*; **33**: 516-529.
- Budd, C. S., Weller, R. N. and Kulild, J. C. (1991). A comparison of thermoplasticized injectable gutta-percha obturation techniques. *J Endod*; **17**: 260-264.
- Calhoun, G. and Montgomery, S. (1988). The effects of four instrumentation techniques on root canal shape. *J Endod*; **14**: 273-277.
- Çalt, S. and Serper, A. (2002). Time-dependent effects of EDTA on dentin structure. *J Endod*; **28**: 17-9.
- Camps, J. and Pashley, D. (2003). Reliability of the dye penetration studies. *J Endod*; **29**: 592-594.
- Canalda-Sahli, C., Brau-Aguade, E., Sentis-Vilalta, J. and Aguade-Bruix, S. (1992). The apical seal of root canal sealing cements using a radionuclide detection technique. *Int Endod J*; **25**: 250-256.
- Carrotte, P. (2004). Endodontics: Part 7. Preparing the root canal. *Br Dent J*; **197**: 603-613.
- Cathro, P. R. and Love, R. M. (2003). Comparison of MicroSeal and System B/Obtura II obturation techniques. *Int Endod J*; **36**: 876-882.
- Chenail, B., Aurelio, J. and Gerstein, H. (1983). A model for teaching the buccal object rule. *J Endod*; **9**: 452-453.
- Chivian, N. (2004). Resilon—the missing link in sealing the root canal. *Compend Contin Educ Dent*; **25 (10A)**: 823-825.
- Chohayeb, A. (1992). Microleakage comparison of apical seal of plastic versus metal Thermafil root canal obturators. *J Endod*; **18**: 613-15.

- Clark, D. S. and ElDeeb, M. E. (1993). Apical sealing ability of metal versus plastic Thermafil obturators. *J Endod*; **19**: 4-9.
- Clem, W. H. (1969). Endodontics: the adolescent patient. *Dent Clin North Am*; **13**: 483-493.
- Cohen, B. D. (1982). The McSpadden compactor. *Dent Practice*; **20**: 13-14.
- Cohen, S. (1998). Case selection and treatment planning. In: *Pathways of the pulp*, 7th edn. (Cohen, S., Burns, R. C. eds), p. 60-79. St. Louis: Mosby Inc.
- Craig, R. G. (2002). Polymers and polymerization. In: *Restorative dental materials*, 11th edn. (Craig, R. G., Powers, J. M. eds), p. 185-198. St. Louis: Mosby Inc.
- Crim, G. A. (1987). Evaluation of a dental adhesive and cavosurface angle in preventing marginal leakage. *NY State Dent J*; **53**: 22-23.
- Crump, M. C. (1979). Differential diagnosis in endodontic failure. *Dent Clin North Am*; **23**: 617-635.
- Cunningham, W. T. and Martin, H. (1982). A scanning electron microscope evaluation of root canal debridement with the endosonic ultrasonic synergistic system. *Oral Surg, Oral Med, Oral Pathol*; **53**: 527-531.
- Cunningham, C. J. and Senia, E. S. (1992). A three-dimensional study of canal curvatures in the mesial roots of mandibular molars. *J Endod*; **14**: 294-300.
- Czonstkowsky, M., Michanowicz, A. and Vazquez, J. A. (1985). Evaluation of an injection of thermoplasticized low-temperature gutta-percha using radioactive isotopes. *J Endod*; **11**: 71-74.
- Dalat, D. M. and Spångberg, L. S. W. (1994). Comparison of apical leakage in root canals obturated with various gutta-percha techniques using a dye vacuum tracing method. *J Endod*; **20**: 315-19.
- Davidson, C. L., van Zeghbroeck, L. and Feilzer, A. J. (1991). Destructive stresses in adhesive luting cements. *J Dent Res*; **70**: 880-882.
- Davis, M. S., Joseph, S. W. and Bucher, J. F. (1971). Periapical and intracanal healing following incomplete root canal filling in dogs. *Oral Surg, Oral Med, Oral Pathol*; **31**: 662-675.
- De Bruyne, M. A. A. and De Moor, R. J. G. (2004). Review: the use of glass ionomer cements in both conventional and surgical endodontics. *Int Endod J*; **37**: 91-104.
- De Deus, Q. D. (1975). Frequency, location, and direction of the lateral, secondary, and accessory canals. *J Endod*; **1**: 361-366.
- De-Deus, G., Gurgel-Filho, E. D., Magalhães, K. M. and Coutinho-Filho, T. (2006). A laboratory analysis of gutta-percha-filled area obtained using Thermafil, System B and lateral condensation. *Int Endod J*; **39**: 378-383.

- Delivanis, P. D. and Chapman, K. A. (1982). Comparison and reliability of techniques for measuring leakage and marginal penetration. *Oral Surg, Oral Med, Oral Pathol*; **53**: 410-416.
- De Moor, R. J. and De Boever, J. G. (2000). The sealing ability of an epoxy resin root canal sealer used with five gutta-percha filling techniques. *Endod Dent Traumatol*; **16**: 291-7.
- Derkson, G. D., Pashley, D. H. and Derkson, M. E. (1986). Microleakage measurement of selected restorative materials: A new *in vitro* method. *J Prosthet Dent*; **56**: 435-440.
- Dow, R. P. and Ingle, J. L. (1955). Isotope determination of root canal failure. *Oral Surg, Oral Med, Oral Pathol*; **8**: 1100-1104.
- Dugas, N. N., Lawrence, H. P., Teplitsky, P. E., Pharoah, M. J. and Friedman, S. (2003). Periapical health and treatment quality assessment of root filled teeth in two Canadian populations. *Int Endod J*; **36**: 181-192.
- DuLac, K. A., Nielsen, C. J., Tomazic, T. J., Ferrillo, P. J. and Hatton, J. F. (1999). Comparison of the obturation of lateral canals by six techniques. *J Endod*; **25**: 376-380.
- Dulaimi, S. F. and Wali Al-Hashimi, M. K. (2005). A comparison of spreader penetration depth and load required during lateral condensation in teeth prepared using various root canal preparation techniques. *Int Endod J*; **38**: 510-515.
- Dummer, P. M., Lyle, L., Rawle, J. and Kennedy, J. K. (1994). A laboratory study of root fillings in teeth filling by lateral condensation of gutta-percha or Thermafil obturators. *Int Endod J*; **27**: 32-8.
- Dummer, P. M. H. (1997). Root canal filling. In: *Harty's Endodontics in clinical practice*, 4th edn. (Pitt Ford, T. R. ed.), p. 123-153. Oxford: Wright.
- Economides, N., Koulouzidou, E. A., Beltes, P. and Kortsaris, A. H. (1999). *In vitro* release of hydroxyl ions from calcium hydroxide gutta-percha point. *J Endod*; **25**: 481-482.
- Eguchi, D. S., Peters, D. D., Hollinger, J. O. and Lorton, L. (1985). A comparison of the area of the canal space occupied by gutta-percha following four gutta-percha obturation techniques using Procosol sealer. *J Endod*; **11**: 166-175.
- ElDeeb, M. E. (1985). The sealing ability of injection-molded thermoplasticized gutta-percha. *J Endod*; **11**: 84-86.
- ElDeeb, M. E., Zucker, K. J. and Messer, H. (1985). Apical leakage in relation to radiographic density of gutta-percha using different obturation techniques. *J Endod*; **11**: 25-29.
- Epley, S. R., Fleischman, J., Hartwell, G. and Cicalese, C. (2006). Completeness of root canal obturations: Epiphany techniques versus gutta-percha techniques. *J Endod*; **32**: 541-544.

- Erausquin, J. and Muruzábal, M. (1968). Tissue reaction to root canal cements in the rat molar. *Oral Surg, Oral Med, Oral Pathol*; **26**: 360-373.
- Erdemir, A., Ari, H., Güngünes, H. and Belli, S. (2004). Effect of medications for root canal treatment on bonding to root canal dentin. *J Endod*; **30**: 113-116.
- Eriksson, A. R. and Albrektsson, T. (1983). Temperature threshold levels for heat-induced bone tissue injury a vital microscopic study in the rabbit. *J Prosthet Dent*; **50**: 101-107.
- Ersev, H., Schmalz, G., Bayirli, G. and Schweikl, H. (1999). Cytotoxic and mutagenic potencies of various root-canal-filling materials in eukaryotic and prokaryotic cells *in vitro*. *J Endod*; **25**: 359-363.
- European Society of Endodontology (1994). Consensus report of the European Society of Endodontology on quality guidelines for endodontic treatment. *Int Endod J*; **27**: 115-124.
- Evans, J. T. and Simon, J. H. S. (1986). Evaluation of the apical seal produced by injectable thermoplasticized gutta-percha in the absence of smear layer and root canal sealer. *J Endod*; **12**: 101-107.
- Fan, B., Wu, M.-K., Wesselink, P. R. (2000). Leakage along warm gutta-percha fillings in the apical canals of curved roots. *Endod Dent Traumatol*; **16**: 29-33.
- Fava, L. R. (1983). The double flared technique: an alternative for biomechanical preparation. *J Endod*; **9**: 76-80.
- Feilzer, A. J., de Gee, A. J. and Davidson, C. L. (1989). Increased wall-to-wall curing contraction in thin bonded resin layers. *J Dent Res*; **68**: 48-50.
- Felton, D. A., Webb, E. L., Kanoy, B. E. and Dugoni, J. (1991). Threaded endodontic dowels: effect of post design on incidence of root fracture. *J Prosthet Dent*; **65**: 179-187.
- Ferracane, J. L. (2005). Developing a more complete understanding of stresses produced in dental composites during polymerization. *Dent Mater*; **21**: 36-42.
- Ferrari, M., Cagidiaco, M., Vichi, A., Mannocci, F., Mason, P. N. and Mjör, I. A. (2000). Bonding to root canal: structure characteristics of the substrate. *Am J Dent*; **13**: 255-260.
- Ferraz, C. C., Gomes, N. V., Gomes, B. P., Zaia, A. A., Teixeira, F. B. and Souza-Filho, F. J. (2001). Apical extrusion of debris and irrigants using two hand and three engine-driven instrumentation techniques. *Int Endod J*; **34**: 354-358.
- Finger, W. J., Lee, K. S. and Podszun, W. (1996). Monomers with low oxygen inhibition as enamel/dentine adhesive. *Dent Mater*; **12**: 256-61.
- Fors, U., Jonasson, E., Berquist, A. and Berg, J. (1985). Measurements of the root surface temperature during thermo-mechanical root canal filling *in vitro*. *Int Endod J*; **18**: 199-202.

- Frajlich, S. R., Goldberg, F., Massone, E. J., Cantarini, C. and Artaza, L. P. (1998). Comparative study of retreatment of Thermafil and lateral condensation of endodontic fillings. *Int Endod J*; **31**: 354-357.
- Franco, E. B., Lopes, L. G., D'alpino, P. H., Pereira, J. C., Mondelli, R. F. and Navarro, M. F. (2002). Evaluation of compatibility between different types of adhesives and dual-cured resin cement. *J Adhes Dent*; **4**: 271-5.
- Friedman, C. M., Sandrik, J. L., Heuer, M. A. and Rapp, G. W. (1975). Composition and mechanical properties of gutta-percha endodontic points. *J Dent Res*; **54**: 921-925.
- Friedman, S., Lost, C., Zarrabian, M. and Trope, M. (1995). Evaluation of success and failure after endodontic therapy using a glass ionomer cement sealer. *J Endod*; **21**: 384-390.
- Gençoğlu, N., Samani, S. and Günday, M. (1993a). Dentinal wall adaptation of thermoplasticized gutta-percha in the absence or presence of smear layer: a scanning electron microscopic study. *J Endod*; **19**: 558-562.
- Gençoğlu, N., Samani, S. and Günday, M. (1993b). Evaluation of sealing properties of Thermafil and Ultrafil techniques in the absence or presence of smear layer. *J Endod*; **19**: 599-603.
- Gençoğlu, N., Garip, Y., Baş, M. and Samani, S. (2002). Comparison of different gutta-percha root canal filling techniques: Thermafil, Quick-fill, System B, and lateral condensation. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **93**: 333-336.
- Gesi, A., Raffaelli, O., Goracci, C., Pashley, D. H., Tay, F. R. and Ferrari, M. (2005). Interfacial strength of Resilon and gutta-percha to intraradicular dentin. *J Endod*; **31**:809-13.
- Geurtsen, W., Leinenbach, F., Krage, T. and Leyhausen, G. (1998). Cytotoxicity of four root canal sealers in permanent 3T3 cells and primary human periodontal ligament fibroblast cultures. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **85**: 592-597.
- Gilhooly, R. M. P., Hayes, S. J., Bryant, S. T. and Dummer, P. M. H. (2000). Comparison of cold lateral condensation and a warm multiphase gutta-percha technique for obturaing curved canals. *Int Endod J*; **33**: 415-420.
- Glickman, G. N. and Gutmann, J. L. (1992). Contemporary perspectives on canal obturation. *Dent Clin North Am*; **36**: 327-341.
- Glosson, C. R., Haller, R. H., Dove, S. B. and Del Rio, C. E. (1995). A comparison of root canal preparations using Ni-Ti hand, Ni-Ti engine-driven, and K-Flex endodontic instruments. *J Endod*; **21**: 146-151.
- Goerig, A. C., Michelich, R. J. and Schult, H. H. (1982). Instrumentation of root canals in molars using the step-down technique. *J Endod*; **8**: 550-554.
- Going, R. E. (1964). Cavity liners and dentin treatment. *J Am Dent Assoc*; **69**: 415-422.

- Goldberg, F., Massone, E. J., Esmoris, M. and Alfie, D. (2000). Comparison of different techniques for obturating experimental internal resorptive cavities. *Endod Dent Traumatol*; **16**: 116-121.
- Goldberg, F., Artaza, L. P. and Silvio, A. D. (2001). Effectiveness of different obturation techniques in filling of simulated lateral canals. *J Endod*; **27**: 362-364.
- Goldman, M., Pearson, A. H. and Darzenta, N. (1972). Endodontic success—who's reading the radiograph? *Oral Surg, Oral Med, Oral Pathol*; **33**: 423-437.
- Goldman, M., Pearson, A. H. and Darzenta, N. (1974). Reliability of radiographic interpretations. *Oral Surg, Oral Med, Oral Pathol*; **38**: 287-293.
- Goldman, L. B., Goldman, M., Kronman, J. H. and Lin, P. S. (1981). The efficacy of several irrigating solutions for endodontics: a scanning electron microscopic study. *Oral Surg, Oral Med, Oral Pathol*; **52**: 197-204.
- Goldman, M., DeVitre, R. and Pier, M. (1984). The effect of the dentine-smear layer on the tensile strength of cemented posts. *J Prosthet Dent*; **52**: 485-488.
- Goldman, M., White, R. R., Moser, C. R. and Tenca, J. I. (1988). A comparison of three methods of cleaning and shaping the root canal *in vitro*. *J Endod*; **14**: 7-12.
- Gopikrishna, V. and Parameswaren, A. (2006). Coronal sealing ability of three sectional obturation techniques SimpliFill, Thermafil and warm vertical compaction compared with cold lateral compaction and post space preparation. *Aust Endod J*; **32**: 95-100.
- Gordon, M. P. J., Love, R. M. and Chandler, N. P. (2005). An evaluation of .06 tapered gutta-percha cones for filling of .06 taper prepared curved root canals. *Int Endod J*; **38**: 87-96.
- Gound, T. G., Riehm, R. J., Makkawy, H. A. and Odgaard, E. C. (2000). A description of an alternative method of lateral condensation and a comparison of the ability to obturate canals using mechanical or traditional lateral condensation. *J Endod*; **26**: 756-759.
- Greene, H. A., Wong, M. and Ingram, T. A. (1990). Comparison of the sealing ability of four obturation techniques. *J Endod*; **16**: 423-428.
- Grossman, L. I. (1981a). Rationale of endodontic treatment. In: *Endodontic Practice*, 10th edn. 139-146. Philadelphia: Lea and Febiger.
- Grossman, L. I. (1981b). Obturation of the canal. In: *Endodontic Practice*, 10th edn. 277-325. Philadelphia: Lea and Febiger.
- Guigand, M., Pellen-Mussi, P., Le Goff, A., Vulcain, J.-M. and Bonnaure-Mallet, M. (1999). Evaluation of the cytocompatibility of three endodontic materials. *J Endod*; **25**: 419-423.
- Guigand, M., Glez, D., Sibayan, E., Cathelineau, G. and Vulcain, J.-M. (2005). Comparative study of two canal obturation techniques by image analysis and EDS microanalysis. *Br Dent J*; **198**: 707-711.

- Gulabivala, K. and Leung, S. F. (1994). Review of a new root canal filling technique. *Dent Update*; **21**: 73-83.
- Gulabivala, K., Holt, R. and Long, B. (1998). An *in vitro* comparison of thermoplasticized gutta-percha obturation techniques with cold lateral condensation. *Endod Dent Traumatol*; **14**: 262-269.
- Gulabivala, K., Aung, T. H., Alavi, A. and Mg, Y.-L. (2001). Root and canal morphology of Burmese mandibular molars. *Int Endod J*; **34**: 359-370.
- Gulabivala, K. (2004). Biological and clinical rationale for root canal treatment. In: *endodontics*, 3 rd edn. (Stock, C., Walker, R. and Gulabivala, K. eds.), p. 25-66. Elsevier: UK.
- Gurney, B. F., Best, E. J. and Gervasio, G. (1971). Physical measurements of gutta-percha. *Oral Surg, Oral Med, Oral Pathol*; **32**: 260-270.
- Gutmann, J. L., Rakusin, H., Powe, R. and Bowles, W. H. (1987). Evaluation of heat transfer during root canal obturation with thermoplasticized gutta-percha. Part II. *In vivo* response to heat levels generated. *J Endod*; **13**: 441-448.
- Gutmann, J. L. and Witherspoon, D. E. (2002). Obturation of the cleaned and shaped root canal system. In: *Pathways of the pulp*, 8th edn. (Cohen, S., Burns, R. C. eds.), p. 293-364. St. Louis: Mosby Inc.
- Haddix, J. E., Jarrell, M., Mattison, G. D. and Pink, F. E. (1991). An *in vitro* investigation of the apical seal produced by a new thermoplasticized gutta-percha obturation technique. *Quint Int*; **22**: 159-163.
- Hall, M. C., Clement, D. J., Dove, S. B. and Walker, W. A. III. (1996). A comparison of sealer placement techniques in curved canals. *J Endod*; **22**: 638-642.
- Hand, R. E., Smith, M. L. and Harrison, J. W. (1978). Analysis of the effect of dilution on the necrotic tissue dissolution property of sodium hypochlorite. *J Endod*; **4**: 60-5.
- Harris, G. Z., Dickey, D. J., Lemon, R. R. and Luebke, R. G. (1982). Apical seal: McSpaden vs lateral condensation. *J Endod*; **8**: 273-276.
- Hartwell, G. R., Barbieri, S. J., Gerard, S. E. and Gunsolley, J. C. (1991). Evaluation of size variation between endodontic finger spreaders and accessory gutta-percha cones. *J Endod*; **17**: 8-11.
- Harvey, T. E., White, J. T. and Leeb, I. J. (1981). Lateral condensation stress in root canals. *J Endod*; **7**: 151-155.
- Hata, G., Kawazoe, S., Toda, T. and Weine, F. S. (1992). Sealing ability of Thermafil with and without sealer. *J Endod*; **18**: 322-326.
- Hata, G., Uemura, M., Kato, A. S., Imura, N., Novo, N. F. and Toda, T. (2002). A comparison of shaping ability using ProFile, GT file, and Flex-R endodontic instruments in simulated canals. *J Endod*; **28**: 316-321.

- Hatton, J. F., Ferrillo, P. J. Jr., Wagner, G. and Stewart, G. P. (1988). The effect of condensation pressure on the apical seal. *J Endod*; **14**: 305-308.
- Hilton, T. J. (2002). Can modern restorative procedures and materials reliably seal cavities? *In vitro* investigations. Part 2. *Am J Dent*; **15**: 279-289.
- Himel, V. T. and Cain, C. W. (1993). An evaluation of the number of condenser insertions needed with warm lateral condensation of gutta-percha. *J Endod*; **19**: 79-82.
- Hiraishi, N., Papacchini, F., Loushine, R. J., Weller, R. N., Ferrari, M., Pashley, D. H. and Tay, F. R. Shear bond strength of Resilon to a methacrylate-based root canal sealer. (2005). *Int Endod J*; **38**: 753-763.
- Holcomb, J. Q., Pitts, D. L. and Nicholls, J. I. (1987). Further investigation of spreader loads required to cause vertical root fractures during lateral condensation. *J Endod*; **13**: 277-284.
- Holland, R., Desouza, V., Nery, M. J., De Mello, W., Bernabé, P. F. E. and Otoboni Filho, J. A. (1982). Reaction of rat connective tissue to gutta-percha and silver points. A long-term histological study. *Aust Dent J*; **27**: 224-226.
- Holland, R. and de Souza, V. (1985). Ability of a new calcium hydroxide root canal filling material to induce hard tissue formation. *J Endod*; **11**: 535-543.
- Holland, R., Murata, S. S., Dezan, E. and Garlipp, O. (1996). Apical leakage after root canal filling with an experimental calcium hydroxide gutta-percha point. *J Endod*; **22**: 71-73.
- Hovland, E. J. and Dumsha, T. C. (1985). Leakage evaluation *in vitro* of the root canal cement Sealapex. *Int Endod J*; **18**: 179-182.
- Huang, F. M., Tai, K.-W., Chou, M.-Y. and Chang, Y.-C. (2002). Cytotoxicity of resin, zinc oxide eugenol, and calcium hydroxide-based root canal sealers on human periodontal ligament cells and permanent V79 cells. *Int Endod J*; **35**: 153-158.
- Hülsmann, M. and Stryga, F. (1993). Comparison of root canal preparation using different automated devices and hand instrumentation. *J Endod*; **19**: 141-145.
- Hülsmann, M., Rummelin, C. and Schäfers, F. (1997). Root canal cleanliness after preparation with different endodontic handpieces and hand instruments: a comparative SEM investigation. *J Endod*; **23**: 301-306.
- Hülsmann, M., Herbst, U. and Schäfers, F. (2003a). A comparative study of root canal preparation using Lightspeed and Quantec SC rotary Ni-Ti instruments. *Int Endod J*; **36**: 748-756.
- Hülsmann, M., Gressmann, G. and Schäfers, F. (2003b). A comparative study of root canal preparation using FlexMaster and HERO 642 rotary Ni-Ti instruments. *Int Endod J*; **36**: 358-366.
- Hülsmann, M., Peters, O. A. and Dummer, P. M. H. (2005). Mechanical preparation of root canals: shaping goals, techniques and means. *Endod Topics*; **10**: 30-76.

Huumonen, S., Lenander-Lumikari, M., Sigurdsson, A. and Ørstavik, D. (2003). Healing of apical periodontitis after endodontic treatment: a comparison between a silicone-based and a zinc oxide-eugenol-based sealer. *Int Endod J*; **36**: 296-301.

Ibarrola, J. L., Knowles, K. I. and Ludlow, M. O. (1993). Retrieval of Thermafil plastic cores using organic solvents. *J Endod*; **19**: 417-8.

Ibarrola, J. L., Knowles, K. I., Ludlow, M. O. and McKinley, I. B. Jr. (1997). Factors affecting the negotiability of second mesiobuccal canals in maxillary molars. *J Endod*; **23**: 236-238.

Imai, Y. and Komabayashi, T. (2003). Properties of a new injectable type of root canal filling resin with adhesiveness to dentine. *J Endod*; **29**: 20-23.

Ingle, J. I. (1961). A standardized endodontic technique using newly designed instruments and filling materials. *Oral Surg, Oral Med, Oral Pathol*; **14**: 83-91.

Ingle, J. I., Beveridge, E. E., Glick, D. H. and Weichman, J. A. (1994a). Endodontic success and failure. In: *Endodontics*, 4th edn. (Ingle, J. I., Bakland, L. K. eds.), p. 21-52. Philadelphia: Lea and Febiger.

Ingle, J. I., Bakland, L. K., Peters, D. L., Buchanan, L. S. and Mullaney, T. P. (1994b). Endodontic cavity preparation. In: *Endodontics*, 4th edn. (Ingle, J. I., Bakland, L. K. eds.), p. 92-227. Philadelphia: Lea and Febiger.

Ingle, J. I. and West, J. D. (1994). Obturation of the radicular space. In: *Endodontics*, 4th edn. (Ingle, J. I., Bakland, L. K. eds.), p. 228-319. Philadelphia: Lea and Febiger.

ISO standards (2003). ISO/TS11405. *Dental materials*: testing of adhesion to tooth structure.

Jacobsen, E. L. and BeGole, E. A. (1992). A comparison of four root canal obturation methods employing gutta-percha: a computerized analysis of the internal structure. *Endod Dent Traumatol*; **8**: 206-212.

Jacobson, H. L. J., Baumgartner, J. C., Marshall, J. G. and Beeler, W. J. (2002). Microbial leakage evaluation of the continuous wave of condensation. *J Endod*; **28**: 269-271.

Jarrett, I. S., Marx, D., Covey, D., Karmazin, M., Lavin, M. and Gound, T. (2004). Percentage of canals filled in apical cross sections an *in vitro* study of seven obturation techniques. *Int Endod J*; **37**: 392-398.

Johansson, B. I. (1980). A methodological study of the mechanical properties of endodontic gutta-percha points. *J Endod*; **6**: 781-783.

Johnson, W. B. (1978). A new gutta-percha technique. *J Endod*; **4**: 184-8.

Johnson, B. T. and Bond, M. S. (1999). Leakage associated with single or multiple increment backfill with the Obtura II gutta-percha system. *J Endod*; **25**: 613-614.

- Johnson, M. E., Stewart, G. P., Nielsen, C. J. and Hatton, J. F. (2000). Evaluation of root reinforcement of endodontically treated teeth. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **90**: 360-364.
- Takehashi, S., Stanley, H. R. and Fitzgerald, R. J. (1965). The effects of surgical exposures of dental pulps in germ-free and conventional laboratory rats. *Oral Surg, Oral Med, Oral Pathol*; **20**: 340-349.
- Kaplan, A. E., Ormaechea, M. F., Picca, M., Canzobre, M. C. and Ubios, A. M. (2003). Rheological properties and biocompatibility of endodontic sealers. *Int Endod J*; **36**: 527-532.
- Karagenc, B., Gençoğlu, N., Ersoy, M., Cansever, G., Engr and Külekçi, G. (2006). A comparison of four different microleakage tests for assessment of leakage of root canal fillings. *Oral Surg, Oral Med, Oral Pathol, Oral Radial, Endod*; **102**: 110-113.
- Kardon, B. P., Kuttler, S., Hardigan, P. and Dorn, S. O. (2003). An *in vitro* evaluation of the sealing ability of a new root-canal-obturation system. *J Endod*; **29**: 658-661.
- Kasahara, E., Yasuda, E., Yamamoto, A. and Anzai, M. (1990). Root canal system of the maxillary central incisor. *J Endod*; **16**: 158-161.
- Keçeci, A. D., Çelik Ünal, G. and Şen, B. H. (2005). Comparison of cold lateral compaction and continuous wave of obturation techniques following manual or rotary instrumentation. *Int Endod J*; **38**: 381-388.
- Kersten, H. W., Fransman, R. and Thoden van Velzen, S. K. (1986). Thermomechanical compaction of gutta-percha. II. A comparison with lateral condensation in curved root canals. *Int Endod J*; **19**: 134-140.
- Kersten, H. W., Wesselink, P. R. and Thoden van Velzen, S. K. (1987). The diagnostic reliability of the buccal radiograph after root canal filling. *Int Endod J*; **20**: 20-24.
- Kersten, H. W. and Moorer, W. R. (1989). Particles and molecules in endodontic leakage. *Int Endod J*; **22**: 118-124.
- Kidd, E. A. M. (1976). Microleakage: a review. *J Dent*; **4**: 199-206.
- Kim, S. (1985). Microcirculation of the dental pulp in health and disease. *J Endod*; **11**: 465-71.
- Kirkevang, L.-L., Ørstavik, D., Hörsted-Bindsly, P. and Wenzel, A. (2000). Periapical status and quality of root fillings and coronal restorations in a Danish population. *Int Endod J*; **33**: 509-515.
- Kochis, K. A., Walton, R. E., Lilly, J. P., Ricks, L. and Rivera, E. M. (1998). A histologic comparison of hand and Ni-Ti rotary instrumentation techniques. *J Endod*; **24**: 286 (AAE-abstract).
- Kontakiotis, E. G., Wu, M.-K. and Wesselink, P. R. (1997). Effect of sealer thickness on long-term sealing ability: a 2-year follow-up study. *Int Endod J*; **30**: 307-312.

- Koulaouzidou, E. A., Papazisis, K. T., Beltes, P., Geromichalos, G. D. and Kortsaris, A. H. (1998). Cytotoxicity of three resin-based root canal sealers: an *in vitro* evaluation. *Endod Dent Traumatol*; **14**: 182-5.
- Kouvas, V., Liolios, E., Vassiliadis, L., Parissis-Messimeris, S. and Boutsoukis, A. (1998). Influence of smear layer on depth of penetration of three endodontic sealers: an SEM study. *Endod Dent Traumatol*; **14**: 191-195.
- Kuttler, Y. (1955). Microscopic investigation of root apexes. *J Am Dent Assoc*; **50**: 544-552.
- Kwan, E. H. and Harrington, G. W. (1981). The effect of immediate post preparation on apical seal. *J Endod*; **7**: 325-329.
- Kytridou, V., Gutmann, J. L. and Nunn, M. H. (1999). Adaptation and sealability of two contemporary obturation techniques in the absence of the dentinal smear layer. *Int Endod J*; **32**: 464-474.
- LaCombe, J. S., Compbell, A. D., Hicks, M. L. and Pelleu, G. B. (1988). A comparison of the apical seal produced by two thermoplasticized injectable gutta-percha technique. *J Endod*; **14**: 445-450.
- Langeland, K. (1974). Root canal sealants and pastes. *Dent Clin North Am*; **18**: 309-327.
- Langeland, K., Liao, K. and Pascon, A. (1986). Working-saving devices in endodontics: efficacy of sonic and ultrasonic techniques. *J Endod*; **11**: 499-510.
- Lee, C. Q., Chang, Y., Cobb, C. M., Robinson, S. and Hellemuth, E. M. (1997). Dimensional stability of thermosensitive gutta-percha. *J Endod*; **23**: 579-582.
- Lee, F. S., Van Cura, J. E. and BeGole, E. (1998). A comparison of root surface temperatures using different obturation heat sources. *J Endod*; **24**: 617-620.
- Leonard, J. E., Gutmann, J. L. and Guo, I. Y. (1996). Apical and coronal seal of roots obturated with a dentine bonding agent and resin. *Int Endod J*; **29**: 76-83.
- Leonardo, M. R., Silva, L. A., Utrilla, L. S., Assed, S. and Ether, S. S. (1997). Calcium hydroxide root canal sealers-histopathologic evaluation of apical and periapical repair after endodontic treatment. *J Endod*; **23**: 428-432.
- Leonardo, M. R., da Silva, L. A. B., Filho, M. T. and da Silva, R. S. (1999). Release of formaldehyde by 4 endodontic sealers. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **88**: 221-225.
- Leonardo, M. R., Salgado, A. A., da Silva, L. A. and Tanomaru-Filho, M. (2003). Apical and periapical repair of dog's teeth with periapical lesions after endodontic treatment with different root canal sealers. *Braz Oral Res*; **17**: 69-74.
- Lertchirakarn, V., Palamara, J. E. A. and Messer, H. H. (1999). Load and strain during lateral condensation and vertical root fracture. *J Endod*; **25**: 99-104.

- Lertchirakarn, V., Timyam, A. and Messer, H. H. (2002). Effects of root canal sealers on vertical root fracture resistance of endodontically treated teeth. *J Endod*; **28**: 217-219.
- Li, Y., Zhang, W. and Onyago, O. (2005). Antimicrobial potential of Epiphany™ RCS system. IADR/AADR/CADR 83rd General Session.
- Lim, K. C., McCabe, J. G. and Johnson, M. R. (1987). SEM evaluation of sonic and ultrasonic devices for root canal preparation. *Quint Int*; **18**: 793-797.
- Limkangwalmongkol, S., Burtscher, P., Abbott, P. V., Sandler, A. B. and Bishop, B. M. (1991). A comparative study of the apical leakage of four root canal sealers and laterally-condensed gutta-percha. *J Endod*; **17**: 495-9.
- Limkangwalmongkol, S., Abbott, P. V. and Sandler, A. B. (1992). Apical dye penetration with four root canal sealers and gutta-percha using longitudinal sectioning. *J Endod*; **18**: 535-9.
- Lipski, M. (2005). Root surface temperature rises during root canal obturation, *in vitro*, by the continuous wave of condensation technique using System B Heatsource. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **99**: 505-510.
- Littman, S. H. (1977). Evaluation of root canal debridement by use of a radiopaque medium. *J Endod*; **3**: 135-138.
- Lloyd, A., Thompson, J., Gutmann, J. L. and Dummer, P. M. (1995). Sealability of the Trifecta technique in the presence or absence of the smear layer. *Int Endod J*; **28**: 35-40.
- Luccy, C. T., Weller, R. N. and Kulild, J. C. (1990). An evaluation of the apical seal produced by lateral and warm lateral condensation techniques. *J Endod*; **16**: 170-172.
- Lucena-Martín, C., Ferrer-Luque, C. M., González-Rodríguez, M. P., Robles-Gijón, V. and Navajas-Rodríguez de Mondelo, J. M. (2002). A comparative study of apical leakage of Endomethasone, Top Seal, and Roeko Seal sealer cements. *J Endod*; **28**: 423-6.
- Lugassy, A. A. and Yee, F. (1982). Root canal obturation with gutta-percha: a scanning electron microscope comparison of vertical compaction and automated thematic condensation. *J Endod*; **8**: 120-125.
- Lumley, P. J., Walmsley, A. D., Walton, R. E. and Rippin, J. W. (1993). Cleaning of oval canals using ultrasonic or sonic instrumentation. *J Endod*; **19**: 453-457.
- Lussi, A., Nussbächer, U. and Grosrey, J. (1993). A novel noninstrumental technique for cleansing the root-canal system. *J Endod*; **19**: 549-553.
- Lussi, A., Messerli, L., Hotz, P. and Grosrey, J. (1995). A new non-instrumental technique for cleaning and filling root canals. *Int Endod J*; **28**: 1-6.
- Lussi, A., Imwinkelried, S. and Stich, H. (1999). Obturation of root canal with different sealers using noninstrumentation technology. *Int Endod J*; **32**: 17-23.

- Madison, S., Swanson, K. and Chiles, S. A. (1987). An evaluation of coronal microleakage in endodontically treated teeth. Part II. Sealer types. *J Endod*; **13**: 109-112.
- Madison, S. and Wilcox, L. R. (1988). An evaluation of coronal microleakage in endodontically treated teeth. Part III. *In vivo* study. *J Endod*; **14**: 455-8.
- Magnusson, B. and Kligman, A. M. (1969). The identification of contact allergens by animal assay. The guinea pig maximization test. *J Invest Dermatol*; **52**: 268-276.
- Mandel, E., Machtou, P. and Friedman, S. (1990). Scanning electron microscope observation of canal cleanliness. *J Endod*; **16**: 279-283.
- Mann, S. R. and McWalter, G. M. (1987). Evaluation of apical seal and placement control in straight and curved canals obturated by laterally condensed and thermoplasticized gutta-percha. *J Endod*; **13**: 10-17.
- Mannocci, F., Innocenti, M. and Ferrari, M. (1998). Stereomicroscopic and scanning electron microscopic of roots obturated with vertically condensed gutta-percha, epoxy resin cement, and dentin bonding agent. *J Endod*; **24**: 397-400.
- Manogue, M., Youngson, C. C. and Martin, D. M. (1994). Influence of age on the extent of voids in root canals sealed using a cold lateral condensation. *Int Endod J*; **27**: 11-15.
- Marlin, J., Krakow, A. A., Desilets, R. P. and Grøn, P. (1981). Clinical use of injection-molded thermoplasticized gutta-percha for obturation of the root canal system: a preliminary report. *J Endod*; **7**: 277-281.
- Martin, H. and Fischer, E. (1990). Photoelastic stress comparison of warm (Endotec) versus cold lateral condensation techniques. *Oral Surg, Oral Med, Oral Pathol*; **70**: 325-327.
- Martin, H. and Martin, T. R. (1999). Iodoform gutta-percha: MGP, a new endodontic paradigm. *Dent Today*; **18** (4): 76-81.
- Matloff, I. R., Jensen, J. R., Singer, L. and Tabibi, A. (1982). A comparison of methods used in root canal sealability studies. *Oral Surg, Oral Med, Oral Pathol*; **53**: 203-208.
- Matsumoto, T., Nagai, T., Ida, K., Ito, M., Kawai, Y., Horiba, N., Sato, R. and Nakamura, H. (1987). Factors affecting successful prognosis of root canal treatment. *J Endod*; **13**: 239-242.
- Mattison, G. D. and von Fraunhofer, J. A. (1983). Electrochemical microleakage study of endodontic sealer/cements. *Oral Surg, Oral Med, Oral Pathol*; **55**: 402-407.
- McMichen, F. R., Pearson, G., Rahbaran, S. and Gulabivala, K. (2003). A comparative study of selected physical properties of five root-canal sealers. *Int Endod J*; **36**: 629-635.
- McRobert, A. S. and Lumley, P. J. (1997). An *in vitro* investigation of coronal leakage with three gutta-percha backfilling techniques. *Int Endod J*; **30**: 413-417.

- Meister, F. Jr., Lommel, T. J. and Gerstin, H. (1980). Diagnosis and possible causes of vertical root fracture. *Oral Surg, Oral Med, Oral Pathol*; **49**: 243-253.
- Mendoza, K. A., Marretta, S. M., Siegel, A. M., Stapleton, B. L., Wiggs, R. B. and Klippert, L. S. (2000). Comparison of two heated gutta-percha and sealer obturation techniques in canine teeth dogs. *J Vet Dent*; **17**: 69 (abstract).
- Michanowicz, A. and Czonstkowsky, M. (1984). Sealing properties of an injection-thermoplasticized low-temperature (70°C) gutta-percha: a preliminary study. *J Endod*; **10**: 563-566.
- Miletić, I., Jukić, S., Anić, I., Eljezić, D., Garaj-Vrhovac, V. and Osmak, M. (2003). Examination of cytotoxicity and mutagenicity of AH26 and AH Plus sealers. *Int Endod J*; **36**: 330-335.
- Miletić, I., Devcic, N., Anić, I., Borcic, J., Karlovic, Z. and Osmak, M. (2005). The cytotoxicity of RoekoSeal and AH Plus compared during different setting periods. *J Endod*; **31**: 307-309.
- Mjör, I. A., Smith, M. R., Ferrari, M. and Mannocci, F. (2001). The structure of dentine in the apical region of human teeth. *Int Endod J*; **34**: 346-353.
- Molander, A., Reit, C., Dahlen, G. and Kvist, T. (1998). Microbiological status of root-filled teeth with apical periodontitis. *Int Endod J*; **31**: 1-7.
- Möller, B., Schröder, U. and Granath, L. (1983). Effect of IRM on human dental pulp. *Scand J Dent Res*; **91**: 281-287.
- Moreno, A. (1977). Thermomechanically softened gutta-percha root canal filling. *J Endod*; **3**: 186-188.
- Morgan, L. F. and Montgomery, S. (1984). An evaluation of the crown-down pressureless technique. *J Endod*; **10**: 491-498.
- Mullaney, T. P. (1979). Instrumentation of finely curved canals. *Dent Clin North Am*; **23**: 575-592.
- Munaco, F. S., Miller, W. A. and Everett, M. M. (1978). A study of long-term toxicity of endodontic materials with use of an *in vitro* model. *J Endod*; **4**: 151-157.
- Nair, P. N., Henry, S., Cano, V. and Vera, J. (2005). Microbial status of apical root canal system of human mandibular first molars with primary apical periodontitis after "one visit" endodontic treatment. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **99**: 231-252.
- Nguyen, N. T. (1991). Obturation of the root canal system. In: *Pathways of the pulp*, 5th edn. (Cohen, S., Burns, R. C. eds.), p. 193-282. St. Louis: Mosby Inc.
- Nielsen, B. A. and Baumgartner, J. C. (2006). Spreader penetration during lateral compaction of Resilon and gutta-percha. *J Endod*; **32**: 52-54.

- Nixon, C. E., Lin, L. and Jandinski, J. (1991). Evaluation of three silicone-based materials as potential retrograde fillings in surgical endodontics. *J Endod*; **17**: 479-482.
- O'Connell, M. S., Morgan, L. A., Beeler, W. J. and Baumgartner, J. C. (2000). A comparative study of smear layer removal using different salts of EDTA. *J Endod*; **26**: 739-43.
- Oliet, S. and Sorin, S. M. (1977). Effect of aging on the mechanical properties of handrolled gutta-percha endodontic cones. *Oral Surg, Oral Med, Oral Pathol*; **43**: 954-962.
- Oliver, C. M. and Abbott, P. V. (2001). Correlation between clinical success and apical dye penetration. *Int Endod J*; **34**: 637-644.
- Olsson, B., Sliwowski, A. and Langeland, K. (1981). Subcutaneous implantation for the biologic evaluation of endodontic materials. *J Endod*; **7**: 355-369.
- O'Neill, K. J., Pitts, D. L. and Harrington, G. W. (1983). Evaluation of the apical seal produced by the McSpadden compactor and by lateral condensation with a chloroform softened primary cone. *J Endod*; **9**: 190-197.
- Ørstavik, D. and Mjör, I. A. (1988). Histopathology and X-ray microanalysis of the subcutaneous tissue response to endodontic sealers. *J Endod*; **14**: 13-23.
- Ørstavik, D. and Horsted-Bindslev, P. (1993). A comparison of endodontic treatment results at two dental schools. *Int Endod J*; **26**: 348-354.
- Ørstavik, D., Nordahl, I. and Tibballs, J. E. (2001). Dimensional change following setting of root canal sealer materials. *Dent Mater*; **17**: 512-519.
- Ørstavik, D. (2005). Materials used for root canal obturation: technical, biological and clinical testing. *Endod Topics*; **12**: 25-38.
- Osorio, R. M., Hefti, A., Vertucci, F. J. and Shawley, A. L. (1998). Cytotoxicity of endodontic materials. *J Endod*; **24**: 91-96.
- Ozturk, B. and Özer, F. (2004) Effect of NaOCl on bond strengths of bonding agents to pulp chamber lateral walls. *J Endod*; **30**: 362-365.
- Pallarés, A., Faus, V. and Glickman, G. N. (1995). The adaptation of mechanically softened gutta-percha to the canal walls in the presence or absence of smear layer: a scanning electron microscopy study. *Int Endod J*; **28**: 266-269.
- Paqué, F., Musch, U. and Hülsmann, M. (2005). Comparison of root canal preparation using RaCe and ProTaper rotary Ni-Ti instruments. *Int Endod J*; **38**: 8-16.
- Pascon, E. A. and Spångberg, L. S. W. (1990). *In vitro* cytotoxicity of root canal filling materials. Part 1. Gutta-percha. *J Endod*; **16**: 429-433.

- Pascon, E. A., Leonardo, M. R., Safavi, K. and Langeland, K. (1991). Tissue reaction to endodontic materials: methods, criteria, assessment, and observations. *Oral Surg, Oral Med, Oral Pathol*; **72**: 222-237.
- Pathomvanich, S. and Edmunds, D. H. (1996). The sealing ability of Thermafil obturators assessed by four different microleakage techniques. *Int Endod J*; **29**: 327-334.
- Peters, D. D. (1986). Two-year *in vitro* solubility evaluation of four gutta-percha sealer obturation techniques. *J Endod*; **12**: 139-145.
- Peters, L. B., Wesselink, P. R. and Moorer, W. R. (1995). The fate and the role of bacteria left in root dentinal tubules. *Int Endod J*; **28**: 95-99.
- Peters, O. A. and Barbakow, F. (2000). Effects of irrigation on debris and smear layer on canal walls prepared by two rotary techniques: a scanning electron microscopic study. *J Endod*; **26**: 6-10.
- Peters, O. A., Schönenberger, K. and Laib, A. (2001a). Effects of four Ni-Ti preparation techniques on root canal geometry assessed by micro computed tomography. *Int Endod J*; **34**: 221-230.
- Peters, L. B., Wesselink, P. R., Buys, J. F. and vanWinkelhoff, A. J. (2001b). Viable bacteria in root dentinal tubules of teeth with apical periodontitis. *J Endod*; **27**: 76-81.
- Pissiotis, E., Sapounas, G. and Spångberg, L. S. (1991). Silver glass ionomer cement as a retrograde filling material: a study *in vitro*. *J Endod*; **17**: 225-229.
- Pitout, E., Oberholzer, T. G., Blignaut, E. and Molepo, J. (2006). Coronal leakage of teeth root-filled with gutta-percha or Resilon root canal filling material. *J Endod*; **32**: 879-881.
- Pitt Ford, T. R. (1983). Relation between seal of root fillings and tissue response. *Oral Surg, Oral Med, Oral Pathol*; **55**: 291-294.
- Pitt Ford, T. R., Rhodes, J. S. and Pitt Ford, H. E. (2002). Obturation techniques. In: *Endodontics. Problem-solving in clinical practice*, 1st edn. 121-135. United Kingdom: Martin Duniz Ltd.
- Pitts, D. L., Matheny, H. E. and Nicholls, J. I. (1983). An *in vitro* study of spreader loads required to cause vertical root fracture during lateral condensation. *J Endod*; **9**: 544-550.
- Podbielski, A., Boeckh, C. and Haller, B. (2000). Growth inhibitory activity of gutta-percha points containing root canal medications on common endodontic bacterial pathogens as determined by an optimized quantitative *in vitro* assay. *J Endod*; **26**: 398-403.
- Pommel, L. and Camps, J. (2001a). Effects of pressure and measurement time on the fluid filtration method in endodontics. *J Endod*; **27**: 256-258.

- Pommel, L. and Camps, J. (2001b). *In vitro* apical leakage of system B compared with other filling techniques. *J Endod*; **27**: 449-451.
- Pommel, L., Jacquot, B. and Camps, J. (2001). Lack of correlation among three methods for evaluation of apical leakage. *J Endod*; **27**: 347-350.
- Poulsen, W. B., Dove, S. B. and del Rio, C. E. (1995). Effect of nickel-titanium engine-driven instrument rotational speed on root canal morphology. *J Endod*; **21**: 609-612.
- Pumarola, J., Berastegui, E., Brau, E., Canalda, C. and de Anta, M. T. J. (1992). Antimicrobial activity of seven root canal sealers. *Oral Surg, Oral Med, Oral Pathol*; **74**: 216-220.
- Qualtrough, A. J., Whitworth, J. M. and Dummer, P. M. (1999). Preclinical endodontology: an international comparison. *Int Endod J*; **32**: 406-414.
- Rappaport, H. M., Lilly, G. E. and Kapsimalis, P. (1964). Toxicity of endodontic filling materials. *Oral Surg, Oral Med, Oral Pathol*; **18**: 785-802.
- Rawlinson, A. (1989). Sealing root canals with low-viscosity resins *in vitro*: scanning electron microscopy study of canal cleansing and resin adaptation. *Oral Surg, Oral Med, Oral Pathol*; **68**: 330-338.
- Ray, H. A. and Trope, M. (1995). Periapical status of endodontically treated teeth in relation to the technical quality of the root canal filling and the coronal restoration. *Int Endod J*; **28**: 12-18.
- Reader, C. M., Himel, V. T., Germain, L. P. and Hoen, M. M. (1993). Effect of three obturation techniques on the filling of lateral canals and the main canal. *J Endod*; **19**: 404-408.
- Richman, M. J. (1957). The use of ultrasonics in root canal therapy and root resection. *J Dent Med*; **12**: 12-18.
- Ricci, E. R. and Kessler, J. R. (1994). Apical seal of teeth obturated by the laterally condensed gutta-percha, the Thermafil plastic and Thermafil metal obturator techniques after post space preparation. *J Endod*; **20**: 123-6.
- Ricucci, D. and Langeland, K. (1998). Apical limit of root canal instrumentation and obturation, part2. A histological study. *Int Endod*; **31**: 394-409.
- Roane, J. B., Sabala, C. L. and Duncanson, M. G. (1985). The 'balanced force' concept for instrumentation of curved canals. *J Endod*; **11**: 203-211.
- Robertson, D. C. and Leeb, I. J. (1982). The evaluation of a transparent tooth model system for the evaluation of endodontically filled teeth. *J Endod*; **8**: 317-321.
- Robertson, D. C., Leeb, I. J., McKee, M. and Brewer, E. (1980). A clearing technique for the study of root canal systems. *J Endod*; **6**: 421-424.

- Rödig, T., Hülsmann, M., Mühge, M. and Schäfers, F. (2002). Quality of preparation of oval distal root canals in mandibular molars using nickel-titanium instruments. *Int Endod J*; **35**: 919-928.
- Rubach, W. C. and Mitchell, D. F. (1965). Periodontal disease, accessory canals and pulp pathosis. *J Periodontol*; **36**: 34-38.
- Ruddle, C. J. (2002). Cleaning and shaping the root canal system. In: *Pathways of the pulp*, 8th edn. (Cohen, S., Burns, R. C. eds.), p. 231-291. St Louis: Mosby Inc.
- Ruiz-Hubard, E. E., Gutmann, J. L. and Wagner, M. J. (1987). A quantitative assessment of canal debris forced periapically during root canal instrumentation using two different techniques. *J Endod*; **13**: 554-558.
- Sabins, R. A., Johnson, J. D. and Hellstein, J. W. (2003). A comparison of the cleaning efficacy of short-term sonic and ultrasonic passive irrigation after hand instrumentation in molar root canals. *J Endod*; **29**: 674-678.
- Sakkal, S., Weine, F. S. and Lemian, L. (1991). Lateral condensation inside view. *Compend Contin Educ Dent*; **12**: 796-802.
- Saleh, I. M., Ruyter, I. E., Haapasalo, M. and Ørstavik, D. (2004). Survival of *Enterococcus faecalis* in infected dentinal tubules after root canal filling with different root canal sealers *in vitro*. *Int Endod J*; **37**: 193-198.
- Santos, M. D., Walker, W. A. and Carnes, D. L. (1999). Evaluation of apical seal in straight canals after obturation using the Lightspeed sectional method. *J Endod*; **25**: 609-612.
- Saunders, E. M. (1990). *In vivo* findings associated with heat generation during thermomechanical compaction of gutta-percha. Part I. Temperature levels at the external surface of the root. *Int Endod J*; **23**: 263-267.
- Saunders, W. P., Saunders, E. M., Sadiq, J. and Cruickshank, E. (1997). Technical standard of root canal treatment in an adult Scottish sub-population. *Br Dent J*; **182**: 382-386.
- Schäfer, E. and Zandbiglari, T. (2003). Solubility of root-canal sealers in water and artificial saliva. *Int Endod J*; **36**: 660-669.
- Schäfer, E. and Zapke, K. (2000). A comparative scanning electron microscopic investigation of the efficacy of manual and automated instrumentation of root canals. *J Endod*; **26**: 660-664.
- Schilder, H. (1967) Filling the root canal in three dimensions. *Dent Clin North Am*; **11**: 723-744.
- Schilder, H. (1974). Cleaning and shaping the root canal. *Dent Clin North Am*; **18**: 269-296.

Schilder, H., Goodman, A. and Aldrich, W. (1974a). The thermomechanical properties of gutta-percha III. Determination of phase transition temperatures for gutta-percha. *Oral Surg, Oral Med, Oral Pathol*; **38**: 109-114.

Schilder, H., Goodman, A. and Aldrich, W. (1974b). The thermomechanical properties of gutta-percha I. The compressibility of gutta-percha. *Oral Surg, Oral Med, Oral Pathol*; **37**: 946-953.

Schneider, S. W. (1971). A comparison of canal preparations in straight and curved canals. *Oral Surg, Oral Med, Oral Pathol*; **32**: 271-275.

Seltzer, S., Bender, I. B. and Turkenkopf, S. (1963). Factors affecting successful repair after root canal therapy. *J Am Dent Assoc*; **67**: 651-662.

Seltzer, S., Soltanoff, W. and Smith, J. (1973). Biological aspects of endodontics. V. Periapical tissue reactions to root canal instrumentation beyond the apex to root canal fillings short of and beyond the apex. *Oral Surg, Oral Med, Oral Pathol*; **36**: 725-737.

Seltzer, S. (1988a). Root canal filling materials. In: *Endodontology. Biologic consideration in endodontic procedures*, 2nd edn. 281-325. Philadelphia: Lea and Febiger.

Seltzer, S. (1988b). Root canal fillings. In: *Endodontology. Biological consideration in endodontic procedures*, 2nd edn. 365-366. Philadelphia: Lea and Febiger.

Sequra-Egea, J. J., Jimènez-Pinzón, A., Poyato-Ferrera, M., Velasco-Ortega, E. and Ríos-Santos, J. V. (2004). Periapical status and quality of root fillings and coronal restorations in an adult Spanish population. *Int Endod J*; **37**: 525-530.

Serene, T. P., Vesely, J. and Boackle, R. J. (1988). Complement activation as a possible *in vitro* indication of the inflammatory potential of endodontic materials. *Oral Surg, Oral Med, Oral Pathol*; **65**: 354-357.

Serota, K. S., Nahmias, Y., Barnett, F., Brock, M. and Senia, E. S. (2003). Predictable endodontic success: the apical control zone. *Dent Today*; **22**: 90-97.

Seux, D., Couble, M. L., Hartmann, D. J., Gauthier, J. P. and Magloire, H. (1991). Odontoblast-like cytodifferentiation of human dental pulp cells *in vitro* in the presence of a calcium hydroxide-containing cement. *Arch Oral Biol*; **36**: 117-128.

Sevimay, S. and Dalat, D. (2003). Evaluation of penetration and adaptation of three different sealers: a SEM study. *J Oral Rehabil*; **30**: 951-955.

Sevimay, S. and Kalayci, A. (2005). Evaluation of apical sealing ability and adaptation to dentine of two resin-based sealers. *J Oral Rehabil*; **32**: 105-110.

Shipper, G., Grossman, E. S., Botha, A. J. and Cleaton-Jones, P. E. (2004a). Marginal adaptation of mineral trioxide aggregate (MTA) compared with amalgam as a root-end filling material: a low-vacuum (LV) versus high-vacuum (HV) SEM study. *Int Endod J*; **37**: 325-336.

- Shipper, G., Ørstavik, D., Teixeira, F. B. and Trope, M. (2004b). An evaluation of microbial leakage in roots filled with a thermoplastic synthetic polymer-based root canal filling material (Resilon™). *J Endod*; **30**: 342-347.
- Shipper, G., Teixeira, F. B., Arnold, R. R. and Trope, M. (2005). Periapical inflammation after coronal microbial inoculation of dog roots filled with gutta-percha or Resilon™. *J Endod*; **31**: 91-96.
- Short, J. A., Morgan, L. A. and Baumgartner, J. C. (1997). A comparison of canal centering ability of four instrumentation techniques. *J Endod*; **23**: 503-507.
- Silver, G. K., Love, R. M. and Purton, D. G. (1999). Comparison of two vertical condensation obturation techniques: Touch 'n Heat modified and System B. *Int Endod J*; **32**: 287-295.
- Silver, G. K., Taylor, T. L. and Simon, J. H. S. (2000). Antimicrobial effect of iodoform gutta-percha cones on *Streptococcus sanguis* and *Enterococcus faecalis*. *New Zealand Endod J*; **26**: 1-3.
- Sjögren, U., Sundqvist, G. and Nair, P. N. R. (1995). Tissue reaction to gutta-percha particles of various sizes when implanted subcutaneously in guinea pigs. *Eur J Oral Sci*; **103**: 313-321.
- Sjögren, U., Figdor, D., Persson, S. and Sundqvist, G. (1997). Influence of infection at the time of root filling on the outcome of endodontic treatment of teeth with apical periodontitis. *Int Endod J*; **30**: 297-306.
- Sleder, F. S., Ludlow, M. O. and Bohacek, J. R. (1991). Long-term sealing ability of a calcium hydroxide sealer. *J Endod*; **17**: 541-543.
- Smith, C. S., Setchell, D. J. and Harty, F. J. (1993). Factors influencing the success of conventional root canal therapy – a five years retrospective study. *Int Endod J*; **26**: 321-333.
- Smith, M. A. and Steiman, H. R. (1994). An *in vitro* evaluation of microleakage of two new and two old root canal sealers. *J Endod*; **20**: 18-21.
- Smith, R. S., Weller, R. N., Loushine, R. J. and Kimbrough, W. F. (2000). Effect of varying the depth of heat application on the adaptability of gutta-percha during warm vertical compaction. *J Endod*; **26**: 668-672.
- Soares, I., Goldberg, F., Massone, E. J. and Soares, I. M. (1990). Periapical tissue response to two calcium hydroxide-containing endodontic sealers. *J Endod*; **16**: 166-169.
- Sorin, S. M., Oliet, S. and Pearlstein, F. (1979). Rejuvenation of aged (brittle) endodontic gutta-percha cones. *J Endod*; **5**: 233-8.
- Spångberg, L. (1969). Biological effects of root canal filling materials. Part 2. Effect *in vitro* of water-soluble components of root canal filling materials on HeLa cells. *Odontol Revy*; **20**: 133-145.

- Spångberg, L. S. W., Barbosa, S. V. and Lavigne, G. D. (1993). AH26 releases formaldehyde. *J Endod*; **19**: 596-598.
- Spångberg, L. S. W. (2002). Instruments, materials, and devices. In: *Pathways of the pulp*, 7th edn, (Cohen, S., Burns, R.C. eds.), p. 521-572. St. Louis: Mosby Inc.
- Spoleti, P., Siragusa, M. and Spoleti, M. J. (2003). Bacteriological evaluation of passive ultrasonic activation. *J Endod*; **29**: 12-14.
- Stabholz, A. and Sela, M. N. (1983). The role of oral microorganisms in the pathogenesis of periapical pathosis. I. Effect of *Streptococcus mutans* and its cellular constituents on the dental pulp and periapical tissue of the cats. *J Endod*; **9**: 171-175.
- Stratton, R. K., Apicella, M. J. and Mines, P. (2006). A fluid filtration comparison of gutta-percha versus Resilon, a new soft resin endodontic obturation system. *J Endod*; **32**: 642-645.
- Storms, J. L. (1968). Factors that influence the success of endodontic treatment. *J Can Dent Assoc*; **35**: 83-97.
- Sundqvist, G. and Figdor, D. (1998). Endodontic treatment of apical periodontitis. In: *Essential endontology. Prevention and treatment of apical periodontitis*, (Ørstavik, D., Pitt Ford, T. R., eds.), p. 242-277. Oxford: Blackwell Science Ltd.
- Swanson, K. and Madison, S. (1987). An evaluation of coronal microleakage in endodontically treated teeth. Part I. Time periods. *J Endod*; **13**: 56-59.
- Swindle, R. B., Neaverth, E. J., Pantera, E. A. and Ringle, R. D. (1991). Effect of coronal-radicular flaring on apical transportation. *J Endod*; **17**: 147-149.
- Syrjänen, S., Moller, B. and Hensten-Pettersen, A. (1985). Macrophage response and hemolytic activity caused by the powder component of endodontic sealers. *J Endod*; **11**: 294-300.
- Tagger, M., Katz, A. and Tamse, A. (1994). Apical seal using the GPII method in straight canals compared with lateral condensation, with or without sealer. *Oral Surg, Oral Med, Oral Pathol*; **78**: 225-231.
- Tamse, A. (1988). Iatrogenic vertical root fractures in endodontically treated teeth. *Endod Dent Traumatol*; **4**: 190-196.
- Tay, F. R., Loushine, R. J., Weller, R. N., Kimbrough, W. F., Pashley, D. H., Mak, Y.-F., Lai, C.-N. S., Raina, R. and Williams, M. C. (2005a). Ultrastructural evaluation of the apical seal in roots filled with a polycaprolactone-based root canal filling material. *J Endod*; **31**: 514-519.
- Tay, F. R., Loushine, R. J., Monticelli, F., Weller, R. N. and Breschi, L. (2005b). Effectiveness of resin-coated gutta-percha cones and dual-cured, hydrophilic methacrylate-resin-based sealer in obturating root canals. *J Endod*; **31**: 659-664.

- Tay, F. R., Pashley, D. H., Williams, M. C., Raina, R., Loushine, R. J., Weller, R. N., Kimbrough, W. F. and King, N. M. (2005c). Susceptibility of a polycaprolactone-based root canal filling material to degradation. I. Alkaline Hydrolysis. *J Endod*; **31**:593-8.
- Tay, F. R., Pashley, D. H., Yiu, C. K., Yau, J. Y., Mak, Y. F., Loushine, R. J., Weller, R. N., Kimbrough, W. F. and King, N. M. (2005d). Susceptibility of a polycaprolactone-based root canal filling material to degradation. II. Gravimetric Evaluation of Enzymatic Hydrolysis. *J Endod*; **31**:737-41.
- Tay, F. R., Hiraishi, N., Pashley, D. H., Loushine, R. J., Weller, R. N., Gillespie, W. T. and Doyle, M. D. (2006). Bondability of Resilon to a methacrylate-based root canal sealer. *J Endod*; **32**: 133-137.
- Taylor, G. N. (1984). Advanced techniques for intracanal preparation and filling in routine endodontic therapy. *Dent Clin North Am*; **28**: 819-832.
- Taylor, M. J. and Lynch, E. L. (1992). Microleakage. *J Dent*; **20**: 3-10.
- Teixeira, F. B., Teixeira, E. C. N., Thompson, J., Leinfelder, K. F. and Trope, M. (2004a). Dentinal bonding reaches the root canal system. *J Esthet Restor Dent*; **16**: 348-354.
- Teixeira, F. B., Teixeira, E. C. N., Thompson, J. Y. and Trope, M. (2004b). Fracture resistance of endodontically treated roots using a new type of resin filling material. *J Am Dent Assoc*; **135**: 646-52.
- Teixeira, F. B. and Trope, M. (2004). Gutta-percha – the end of an era? *Alpha Omegan*; **97**: 66-72.
- Teixeira, C. S., Felipe, M. C. S. and Felipe, W. T. (2005). The effect of application time of EDTA and NaOCl on intracanal smear layer removal: an SEM analysis. *Int Endod J*; **38**: 285-290.
- Telli, C., Serper, A., Dogan, A. L. and Guc, D. (1999). Evaluation of the cytotoxicity of calcium phosphate root canal sealers by MTT assay. *J Endod*; **25**: 811-813.
- Thompson, S. A. and Dummer, P. M. H. (1997a). Shaping ability of Lightspeed rotary nickel-titanium instruments in simulated root canals. Part 2. *J Endod*; **23**: 742-747.
- Thompson, S. A. and Dummer, P. M. H. (1997b). Shaping ability of NT Engine and McXim rotary nickel-titanium instruments in simulated root canals. Part 2. *Int Endod J*; **30**: 270-278.
- Tidmarsh, B. G. (1978). Acid-cleansed and resin-sealed root canals. *J Endod*; **4**: 117-121.
- Torabinejad, M., Skobe, Z., Trombly, P. L., Krakow, A. A., Grøn, P. and Marlin, J. (1978). Scanning electron microscopic study of root canal obturation using thermoplasticized gutta-percha. *J Endod*; **4**: 245-250.

- Torabinejad, M., Ung, B. and Kettering, J. D. (1990). *In vitro* bacterial penetration of coronally unsealed endodontically treated teeth. *J Endod*; **16**: 566-569.
- Tronstad, L., Barnett, F. and Flax, M. (1988). Solubility and biocompatibility of calcium hydroxide-containing root canal sealers. *Endod Dent Traumatol*; **4**: 152-159.
- Trope, M., Elfenbein, L. and Tronstad, L. (1986). Mandibular premolars with more than one root canal in different race groups. *J Endod*; **12**: 343-345.
- Trope, M. and Ray, H. L. (1992). Resistance to fracture of endodontically treated roots. *Oral Surg, Oral Med, Oral Pathol*; **73**: 99-102.
- Trowbridge, H. O. (2002). Preventive endodontics: Protecting the pulp, In: *Principles and practice of endodontics*, 3rd edn. (Walton, R. E., Torabinejad, M. eds.), p. 369-387. Philadelphia: W. B., Saunders Co.
- Tunga, U. and Bodrumlu, E. (2006). Assessment of the sealing ability of a new root canal obturation material. *J Endod*; **32**: 876-878.
- Ungor, M., Onay, E. O. and Orucoglu, H. (2006). Push-out bond strengths: the Epiphany-Resilon endodontic obturation system compared with different pairings of Epiphany, Resilon, AH Plus and gutta-percha. *Int Endod J*; **39**: 643-7.
- van Zyl, S. P., Gulabivala, K. and Ng, Y. L. (2005). Effect of customization of master gutta-percha cone on apical control of root filling using different techniques: an *ex vivo* study. *Int Endod J*; **38**: 658-666.
- Veis, A. A., Molyvdas, I. A., Lambrianidis, T. P. and Beltes, P. G. (1994). *In vitro* evaluation of apical leakage of root canal filling after in situ obturation with thermoplasticized and laterally condensed gutta-percha. *Int Endod J*; **27**: 213-217.
- Versiani, M. A., Carvalho-Junior, J. R., Padilha, M. I. A. F., Lacey, S., Pascon, E. A. and Sousa-Neto, M. D. (2006). A comparative study of physicochemical properties of AH PlusTM and EpiphanyTM root canal sealants. *Int Endod J*; **39**: 464-471.
- Vertucci, F. J. (1974). Root canal anatomy of the mandibular anterior teeth. *J Am Dent Assoc*; **89**: 369-371.
- Vertucci, F. J. (1978). Root canal morphology of mandibular premolars. *J Am Dent Assoc*; **97**: 47-50.
- Vertucci, F. J. (1984). Root canal anatomy of the human permanent teeth. *Oral Surg, Oral Med, Oral Pathol*; **58**: 589-599.
- Walia, H. M., Brantley, W. A. and Gerstein, H. (1988). An initial investigation of bending and torsional properties of Nitinol root canal files. *J Endod*; **14**: 346-351.
- Walton, R. E. (1976). Histologic evaluation of different methods of enlarging the pulp space. *J Endod*; **2**: 304-311.
- Walton, R. E. (1992). Current concepts of canal preparation. *Dent Clin North Am*; **36**: 309-326.

- Walton, R. E. and Rivera, E. M. (2002). Cleaning and shaping. In: *Principles and practice of endodontics*, 3rd edn. (Walton, R. E., Torabinejad, M. eds.), p. 206-238. Philadelphia: W. B., Saunders Co.
- Weiger, R., ElAyouti, A. and Löst, C. (2002). Efficiency of hand and rotary instruments in shaping oval root canals. *J Endod*; **28**: 580-583.
- Weine, F. S., Kelly, R. F. and Lio, P. (1975). The effect of preparation procedures on the original canal shape and on apical foramen shape. *J Endod*; **1**: 255-262.
- Weine, F. S., Kelly, R. F. and Bray, K. E. (1976). Effect of preparation with endodontic handpieces on original canal shape. *J Endod*; **2**: 298-303.
- Weine, F. S. (1996a). Intracanal treatment procedures, basic and advanced topics. In: *Endodontic therapy*, 5th edn. 305-394. St. Louis: Mosby Inc.
- Weine, F. S. (1996b). Canal filling with semisolid materials. In: *Endodontic therapy*, 5th edn. 423-477. St. Louis: Mosby Inc.
- Weine, F. S. and Buchanan, L. S. (1996). Controversies in clinical endodontics: part I. The significance and filling of lateral canals. *Compend Contin Educ Dent*; **17**: 1028-1038.
- Weller, R. N., Kimbrough, W. F. and Anderson, R. W. (1997). A comparison of thermoplastic obturation techniques: adaptation to the canal walls. *J Endod*; **23**: 703-706.
- Wennberg, A. (1980). Biological evaluation of root canal sealers using *in vitro* and *in vivo* methods. *J Endod*; **6**: 784-787.
- White, M. (2002). Endodontic system conserves canal anatomy with minimally invasive techniques. *Dent Town Mag*; **3**: 26-30.
- Whitworth, J. (2005). Methods of filling root canals: principles and practices; *Endod Topics*; **12**: 2-24.
- Wight, S. A. and Zeissler, C. J. (1993). Environmental scanning electron microscope imaging examples related to particle analysis. *Microsc Res Tech*; **25**: 393-7.
- Wilkinson, K. L., Beeson, T. J. and Kirkpatrick, T. C. (2007). Fracture resistance of simulated immature teeth filled with Resilon, gutta-percha, or composite. *J Endod*; **33**: 480-483.
- Wilson, B. L. and Baumgartner, J. C. (2003). Comparison of spreader penetration during lateral compaction of .04 and .02 tapered gutta-percha. *J Endod*; **29**: 828-831.
- Wolcott, J., Himel, V. T., Powell, W., Ficed, F. and Penney, J. (1997). Effect of two obturation techniques on the filling of lateral canals and the main canal. *J Endod*; **23**: 632-635.
- Wolfson, E. M. and Seltzer, S. (1975). Reaction of rat connective tissue to some gutta-percha formulations. *J Endod*; **1**: 395-402.

- Wu, W., Cobb, E., Dermann, K. and Rupp, N. W. (1983). Detecting margin leakage of dental composite restorations. *J Bio Mat Res*; **17**: 37-43.
- Wu, M.-K. and Wesselink, P. R. (1993). Endodontic leakage studies reconsidered. Part 1. Methodology, application and relevance. *Int Endod J*; **26**: 37-43.
- Wu, M.-K., De Gee, A. J., Wesselink, P. R. and Moorer, W. R. (1993). Fluid transport and bacterial penetration along root canal fillings. *Int Endod J*; **26**: 203-208.
- Wu, M.-K., De Gee, A. J. and Wesselink, P. R. (1994a). Fluid transport and dye penetration along root canal filling. *Int Endod J*; **27**: 233-238.
- Wu, M.-K., De Gee, A. J. and Wesselink, P. R. (1994b). Leakage of four root canal sealers at different thicknesses. *Int Endod J*; **27**: 304-308.
- Wu, M.-K. and Wesselink, P. R. (1995). Efficacy of three techniques for cleaning the apical portion of curved root canals. *Oral Surg, Oral Med, Oral Pathol*; **79**: 492-496.
- Wu, M.-K., Wesselink, P. R. and Boersma, J. (1995). A 1-year follow-up study on leakage of four root canal sealers at different thicknesses. *Int Endod J*; **28**: 185-189.
- Wu, M.-K., De Gee, A. J. and Wesselink, P. R. (1997). Leakage of AH26 and Ketac-Endo used with injected warm GP. *J Endod*; **23**: 331-336.
- Wu, M.-K., Fan, B. and Wesselink, P. R. (2000a). Diminished leakage along root canal filled with gutta-percha without sealer over time: a laboratory study. *Int Endod J*; **33**: 121-125.
- Wu, M.-K., Fan, B. and Wesselink, P. R. (2000b). Leakage along apical root fillings in curved root canals. Parts 1: effects of apical transportation on seal of root fillings. *J Endod*; **26**: 210-216.
- Wu, M.-K., Özok, A. R. and Wesselink, P. R. (2000c). Sealer distribution in root canals obturated by three techniques. *Int Endod J*; **33**: 340-345.
- Wu, M.-K., R'oris, A., Barkis, D. and Wesselink, P. R. (2000d). Prevalence and extent of long oval canals in the apical third. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **89**: 739-743.
- Wu, M.-K., de Schwartz, F. B., van der Sluis, L. W. and Wesselink, P. R. (2001a). The quality of root fillings remaining in mandibular incisors after root-end cavity preparation. *Int Endod J*; **34**: 613-619.
- Wu, M.-K., Kaš'áková, A. and Wesselink, P. R. (2001b). Quality of cold and warm gutta-percha filling in oval canals in mandibular premolars. *Int Endod J*; **34**: 485-491.
- Wu, M.-K. and Wesselink, P. R. (2001). A primary observation on the preparation and obturation in oval canals. *Int Endod J*; **34**: 137-141.
- Wu, M.-K., Barkis, D., R'oris, A. and Wesselink, P. R. (2002a). Does the first file to bind correspond to the diameter of the canal in the apical region? *Int Endod J*; **35**: 264-267.

- Wu, M.-K., van der Sluis, L. W. and Wesselink, P. R. (2002b). A preliminary study of the percentage of gutta-percha filled area in the apical canal filled with vertically compacted warm gutta-percha. *Int Endod J*; **35**: 527-535.
- Wu, M.-K., de Groot, S. D., van der Sluis, L. W. M. and Wesselink, P. R. (2003a). The effect of using an inverted master cone in a lateral compaction technique on the density of the gutta-percha fill. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **96**: 345-350.
- Wu, M.-K., van der Sluis, L. W. M. and Wesselink, P. R. (2003b). The capability of two hand instrumentation techniques to remove the inner layer of dentine in oval canals. *Int Endod J*; **36**: 218-224.
- Xu, Q., Fan, M.-w., Fan, B., Cheung, G. S. P. and Hu, H.-l. (2005). A new-quantitative method using glucose for analysis of endodontic leakage. *Oral Surg, Oral Med, Oral Pathol Oral Radiol, Endod*; **99**: 107-111.
- Yared, G. M. and Bou Dagher, F. E. (1994). Apical enlargement: influence on the sealing ability of the vertical compaction technique. *J Endod*; **20**: 313-314.
- Yee, F. S., Marlin, J., Krakow, A. A. and Gron, P. (1977). Three-dimensional obturation of the root canal using injection-molded, thermoplasticized dental gutta-percha. *J Endod*; **3**: 168-74.
- Young Jung, I., Lee, S.-B., Kim, E.-S., Lee, C.-Y. and Lee, S.-J. (2003). Effect of different temperatures and penetration depths of a System B plugger in the filling of artificially created oval canals. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*; **96**: 453-457.
- Zakariassen, K. L., Scott, D. A. and Jensen, J. R. (1984). Endodontic recall radiographs: how reliable is our interpretation of endodontic success or failure and what factors affect our reliability? *Oral Surg, Oral Med, Oral Pathol*; **57**: 343-347.
- Zetterqvist, L., Anneroth, G. and Nordenram, A. (1987). Glass-ionomer cement as retrograde filling material: an experimental investigation in monkeys. *Int J Oral Maxillofac Surg*; **16**: 459-464.
- Zetterqvist, L., Anneroth, G., Danin, J. and Roding, K. (1988). Microleakage of retrograde fillings – a comparative investigation between amalgam and glass ionomer cement *in vitro*. *Int Endod J*; **21**: 1-8.
- Zidan, O. and ElDeeb, M. E. (1985). The use of a dentinal bonding agent as a root canal sealer. *J Endod*; **11**: 176-178.
- Zmener, O. and Banegas, G. (1999). Clinical experience of canal filling by ultrasonic condensation of gutta-percha. *Endod Dent Traumatol*; **15**: 57-59.
- Zmener, O. (2004). Tissue response to a new methacrylate-based root canal sealer: preliminary observations in the subcutaneous connective tissue of rats. *J Endod*; **30**: 348-351.

Zmener, O., Banegas, G. and Pameijer, C. H. (2005a). Bone tissue response to a methacrylate-based endodontic sealer: a histological and histometric study. *J Endod*; **31**: 457-459.

Zmener, O., Pameijer, C. H. and Banegas, G. (2005b). Effectiveness in cleaning oval-shaped root canals using Anatomic Endodontic Technology, ProFile and manual instrumentation: a scanning electron microscopic study. *Int Endod J*; **38**: 356-363.