

REFERENCE

- Abas F., Lajis N. H., Israf D. A., Khozirah S., & Kalsom Y. U. (2006). Antioxidant and nitric oxide inhibition activities of selected Malay traditional vegetables. *Food Chemistry*, 95, 566-573.
- Agarwal, B., Swaroop, P., Protiva, P., Raj, S. V., Shirin, H., & Holt, P. R. (2003). Cox-2 is needed but not sufficient for apoptosis induced by Cox-2 selective inhibitors in colon cancer cells. *Apoptosis*, 8, 649-654.
- Ajaya, K. R., Sridevi, K., Vijaya, K. N., Nanduri, S., & Rajagopal, S. (2004). Anticancer and immunostimulatory compounds from *Andrographis paniculata*. *Journal of Ethnopharmacology*, 92 (2-3), 291-295.
- Ames, B. N. (1983). Dietary carcinogens and anticarcinogens. *Science*, 22 (1), 1256-1264.
- Aquino, R., De Feo, V., De Simone, F., De Tommasi, N., Piacente, S., Rastelli, L., et al. (1998). In Calis, I., Ersoz, T. & Basaran, A. A. (Eds.), *The Scientific and Technical Research Council of Turkey (Tubitak)*, (pp 77-115). Ankara: Turkey.
- Arffmann, E., & Glavind, K. (1974). Carcinogenicity in mice of some fatty acid methyl esters. *Acta Pathological Microbiologica Scandinavica Section A Pathology*, 82, 127-136.
- Aruoma, O. I. (1994). Nutrition and Health Aspects of Free Radicals and Antioxidants. *Food Chemical Toxicology*, 32, 671-683.
- Asia, N. R., Fatma, U. A., Mayadeh, S., & Mutasem, O. T. (2004). Investigation of the active constituents of *Portulaca Oleracea* L. (Portulacaceae) growing in Jordan. *Pakistan Journal of Pharmaceutical Sciences*, 17(1), 37-45.
- Auddy, B., Ferreira, M., Blasina, F., Lafon, L., Arredondo, F., & Dajas, F. (2002). Screening of antioxidant activity of three Indian medicinal plants, traditionally used for the management of neurodegenerative diseases. *Journal of Ethnopharmacology*, 84, 131-138.

Awad, A. B., Downie, A. C., & Fink, C. S. (2000). Inhibition of growth and stimulation of apoptosis by β -sitosterol treatment of MDA-MB-231 human breast cancer cells in culture. *International Journal of Molecular Medicine*, 5, 541-545.

Benzie, I. F., & Strain, J. J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of “antioxidant power”: The FRAP Assay. *Analytical Biochemistry*, 239, 70–76.

Berridge, V. M., & Tan, S. A. (1992). Characterization of the cellular reduction of 3-(4,5-dimethylthiazol-2-yl)-2,5 diphenyltetrazolium bromide (MTT): Subcellular localization, substrate dependence, and involvement of mitochondria electron transport in MTT reduction. *Archives of Biochemistry and Biophysics*, 303, 474–482.

Bertram, J. S., Kolonel, L. N., & Meyskens, F. L. (1987). Rationale and strategies for chemoprevention of cancer in humans. *Cancer Research*, 47, 3012- 303 I.

Block, S., Baccelli, C., Tinant, B., Meervelt, L. V., Rozenberg, R., Jiwan, J. L., et al. (2004). Diterpenes from the leaves of *Croton zambesicus*. *Phytochemistry*, 65, 1165-1171.

Blois, M. S. (1958). Antioxidant determinations by the use of a stable free radical. *Nature*, 181, 1199–1200.

Blot, W. J., Li, J. Y., Taylor, P. R., Guo, W., Dawsey, S., Wang, G. Q., et al. (1993). Nutrition intervention trials in Linxian, China: Supplementation with specific vitamin/mineral combinations, cancer incidence, and disease-specific mortality in the general population. *Journal of the National Cancer Institute*, 85, 1483–1492.

Boik, J. (2001). Natural compounds in Cancer Therapy. *Oregano Medical Press: Princeton, Minnesota, USA*, (pp 25.).

Borenfreund, E., & Puerner, J. A. (1985). Toxicity determined *in vitro* by morphological alterations and neutral red absorption. *Toxicol. Letters*, 24, 119–124.

Borenfreund, E., & Puerner, J. A. (1986). Cytotoxicity of metals, metal–metal and metal–chelator combinations assayed *in vitro*. *Toxicology*, 39, 121–134.

Botterweck, A. A. M., Verhagen, H., Goldbohm, R. A., Kleinjans, J., & Brandt, P. A. V. D. (2000). Intake of butylated hydroxyanisole and butylated hydroxytoluene and stomach cancer risk: Results from analyses in the Netherlands cohort study. *Food and Chemical Toxicology*, 38, 599–605.

Buss, A. D., Cox, B., & Waigh, R. D. (2003). *Drug Discovery*. In D. J. Abraham, Wiley & Hoboken (eds.), *Burger's Medicinal Chemistry and Drug Discovery (6th ed.)*, Volume 1, (pp. 847–900). New Jersey.

Briviba, K., Klotz, L. O., & Sies, H. (1997). Toxic and signaling effects of photochemically or chemically generated singlet oxygen in biological systems. *Biological Chemistry*, 378(11), 1259–1265.

Cai, Y., Luo, Q., Sun, M., & Corke, H. (2004). Antioxidant activity and phenolic compounds of 112 traditional Chinese medicinal plants associated with cancer. *Life Sciences*, 74, 2157–2184.

Cao, G., Alessio, H. M., & Cutler, R. G. (1993). Oxygen-radical absorbance capacity assay for antioxidants. *Free Radical Biology and Medicine*, 14, 303–311.

Chan, K., Islam, M. W., Kamil, M., Radhakrishnan, R., Zakaria, M. N. M., & Habibullah, M. (2000). The analgesic and anti-inflammatory effects of *Portulaca oleracea* L. subsp. *Sativa* (Haw.) Celak. *Journal of Ethnopharmacology*, 73, 445–451.

Chapius, J. C., Sordat, B., & Hostettman, K. (1988). Screening for cytotoxic activities of plants used in traditional medicine. *Journal of Ethnopharmacology*, 2322 (2/3), 273–284.

Chapman, J., Stewart, R. B., & Yarnell, R. A. (1974). Archaeological evidence for precolumbian introduction of *Portulaca oleracea* and *Mollugo verticillata* into eastern North America. *Economic Botany*, 28 (4), 411–412.

Chaturvedula, V. S. P., Schilling, J. K., Miller, J. S., Andriantsiferana, R., Rasamison, V. E., & Kingston, D. G. I. (2002). Two new triterpene esters from the twigs of *Brachylaena ramiflora* from the Madagascar rainforest. *Journal of Natural Product*, 65, 1222–1224.

Chaudhary, A. K., Nokubo, M., Marnett, L. J., & Blair, I. A. (1994). Analysis of the malondialdehyde-2'-deoxyguanosine adduct in rat liver DNA by gas chromatography/electron capture negative chemical ionization mass spectrometry. *Biological Mass Spectrometry*, 23, 457-464.

Cheeseman, K. H., & Slater, T. F. (1993). An introduction to free radical biochemistry. *British Medicine Bulletin*, 49, 481-493.

Chen, J., Shi, Y. P., & Liu, J. Y. (2003). Determination of noradrenaline and dopamine in Chinese herbal extracts from *Portulaca oleracea* L. by high-performance liquid chromatography. *Journal of Chromatography A*, 1003, 127-132.

Chen, Y. G., Shen, Z. J., & Chen, X. P. (2009). Evaluation of free radicals scavenging and immunity-modulatory activities of Purslane polysaccharides. *International Journal of Biological Macromolecules*, 45, 448-452

Chen, T. , Wang, J., Li, Y. Y., Shen, J. M., Zhao, T., & Zhang, H. X. (2010). Sulfated modification and cytotoxicity of *Portulaca oleracea* L. polysaccharides. *Glycoconjugate Journal*, 27, 635-642.

Cheung, L. M., Cheung, P. C. K., & Ooi, V. E. C. (2003). Antioxidant activity and total phenolics of edible mushroom extracts. *Food Chemistry*, 81, 249-255.

Choi, C. W., Kim, S. C., Hwang, S. S., Choi, B. K., Ahn, H. J., & Lee, M. Y. (2002). Antioxidant activity and free radical scavenging capacity between Korean medicinal plants and flavonoids by assay guided comparison. *Plant Science*, 163, 1161-1168.

Clemedson, C., & Ekwall, B., (1999). Overview of the final MEIC results. I. The *in vitro-in vitro* evaluation. *Toxicology in Vitro*, 13, 657-663.

Cook, J. A., & Mitchell, J. B., (1989). Viability measurements in mammalian cell systems. *Analytical Biochemistry*, 179, 1-7.

Cragg, G. M., Newman, D. J., & Snader, K. M. (1997). Natural products in drug discovery and development. *Journal of Natural Product* , 60, 52-60.

Cragg, G. M., & Newman, D. J. (2005). Plants as source of anticancer agents. *Journal of Ethnopharmacology*, 100, 72-79.

Crouch, S. (2000). Biocompatibility testing ATP bioluminescence. *Medical Device Technology*, 11, 12-15.

Crouch, S., & Slater, K. (2001, June 1). High-throughput cytotoxicity screening: Hit and miss. *Drug Discovery Today*, 6, pp. 48-53.

Crouch, S. P., Kozlowski, R., Slater, K. J., & Fletcher, J. (1993). The use of ATP bioluminescence as a measure of cell proliferation and cytotoxicity. *Journal of Immunology Methods*, 160, 81-88.

Dawson V. L., & Dawson, T. M. (1996). Free radical and neuronal cel death. *Cell Death and Differentiation*, 3, 71-78.

Decker, T., & Lohmann-Matthes, M. (1988). A quick and simple method for the quantitation of lactate dehydrogenase release in measurements of cellular cytotoxicity and tumor necrosis factor (TNF) activity. *Journal of Immunological Methods*, 15, 61-69.

Denizot, F., & Lang, R. (1986). Rapid colorimetric assay for cell growth and survival. *Journal of Immunology Methods*, 89, 271-277.

DeRenzi, F. A., & Schechtman, A. (1973). Staining by neutral red and trypan blue in sequence for assaying vital and nonvital cultured cells. *Stain Technology*, 48, 135-136.

Diaz, M. N., Frei, B., & Keaney, J. F. (1997). Antioxidants and atherosclerotic heart disease. *The New Engand Journal of Medicine*, 337, 408- 416.

Derelanko, M. J. (1995). Carcinogenesis. In Michael. J. Derelanko and Mannfred A-Hollinger (eds.), *Handbook of toxicology* (pp. 357-377). Bocca Raton: CRC Press.

Dong, Y., Yang, M. M., & Kwan, C. Y. (1997). *In vitro* inhibition of proliferation of HL-60 cells by tetrandrine and Coriolus versicolor peptide derived from Chinese medicinal herbs. *Life Sciences*, 60, 135-140.

Dominique R. , Maria de L.D.N. & Daniel S.(2010). Adsorption of complex phenolic compounds on active charcoal: Breakthrough curves. *Journal of chemical engineering*, 158, 213-219.

Dong, L. W., Wang, W. Y., & Yue, Y. T. (2005). Effects of flavones extracted from *Portulaca oleracea* on ability of hypoxia tolerance in mice and its mechanism. *Journal of Chinese Integrative Medicine*, 3(6), 450-454.

Dweck, A. C. (2001). Purslane – *Portulaca oleracea* The global panacea. *Personal Care Magazine* 2, 4, pp. 7-15.

D'agostino, P. A., Provost, L. R., & Visentini, J. (1987). Analysis of o-ethyl S-[2-(diisopropylamino)ethyl] methyl-phosphonothiolate (VX) by capillary column gas chromatography-mass spectrometry. *Journal of Chromatography*, 402, 221-232.

Ercisli, S., Coruh, I., Gormez, A., & Sengul, M. (2008). Antioxidant and antibacterial activities of *Portulaca oleracea* grown wild in Turkey. *Italian Journal of Food Science* , 4 (20), 20-28.

Ehab, S. E., Sabrin, R. M., Ibrahim, & Mohamed, A. A. (2008). Portulene, a new diterpene from *Portulaca oleracea* L. *Journal of Asian Natural Products Research*, 10 (11), 1039–1043.

Ezekwe, M. O., Omara-Alwala, T. R., & Membrahtu, T. (1999). Nutritive characterization of purslane accessions as influenced by planting date. *Plant Foods. Human Nutrition*, 54(3), 183-191.

Faridah H. I., Ahmed Z. I., Shamsul K., Nazre M., Lepun P., Rusea G., et al. (2001a). An annotated checklist of higher plants in Ayer Hitam Forest Reserve, Puchong, Selangor. *Pertanika Journal Tropical Agricultural Science*, 24(1), 62-75.

Faridah Hanum, I., Rahim A., Lepun P., Edham I., & Nazre M. (2001b). Tree taxa inventory at Ayer Hitam Forest Base-Camp. *Pertanika Journal Tropical Agricultural Science*, 24(1), 29-34.

Fenton, H. J. H. (1894). Oxidation of tartaric acid in the presence of iron. *Journal of the Chemical Society*, 65, 899.

Fenton, H. J. H. (1899). Oxidation of certain organic acids in the presence of ferrous salts. *Proceedings of the Chemical Society*, 25, 224.

Finkel T., & Holbrook, N. J. (2000). Oxidants, oxidative stress and the biology of ageing. *Nature*, 408, 239–247.

Finn S., & Desmond C. (2001). Natural Remedies, their origin and uses. London and New York: Taylor & Francis.

Fotakis G., & Timbrell J. A. (2006). *In vitro* cytotoxicity assays: Comparison of LDH, neutral red, MTT and protein assay in hepatoma cell lines following exposure to cadmium chloride. *Toxicology Letters*, 160, 171–177.

Foti, M. C., Daquino, C., & Geraci C. (2004). Electron-Transfer Reaction of Cinnamic Acids and Their Methyl Esters with the DPPH[•] Radical in Alcoholic Solutions. *The Journal of Organic Chemistry*, 69(7), 2309–2314.

Frankel, E. N., Huang, S. W., Kanner, J., & German, J. B. (1994). Interfacial phenomena in the evaluation of antioxidants: Bulk oils versus emulsions. *Journal of Agriculture and Food Chemistry*, 42, 1054–1059.

Frankel, E., & Meyer, A. S. (2000). The problems of using one-dimensional methods to evaluate multifunctional food and biological antioxidants. *Journal of the Science of Food and Agriculture*, 80, 1925–1941.

Garti, N., Slavin, Y., & Aserin, A. (1999). Surface and emulsification properties of a new gum extracted from *Portulaca oleracea* L. *Food Hydrocolloids*, 13, 145–155.

Gazzani, G., Papetti, A., Massolini, G., & Daglia, M. (1998). Anti- and prooxidant activity of water soluble components of so common diet vegetables and the effect of thermal treatment. *Journal of Agricultural and Food Chemistry*, 46, 4112–4118.

Geran, R. I., Greenberg, N. H., McDonald, M. M., Schumacher, A. M., & Abbott, B. J. (1972). Protocols for screening chemical agents and natural products against animal tumor and other biological systems. *Cancer Chemotherapy Reports*, 3(2), 17-19.

Geran, R. I., Greenberg, N. H., McDonald, M. M., Schumacher, A.M., & Abbott, B. J. (1997). Modified protocol for the testing of new synthetics in the L1210 lymphoid leukemia murine model in the DR&D programme, DCT, NCI. *National Cancer Institute Monographs*, 45,151-153.

Gholamreza K., Alireza K., Abbas O., Mahmudreza K., Javad B., Elahe T., et al. (2009). Protective Effect of Aqueous and Ethanolic Extracts of *Portulaca Oleracea* Against Cisplatin Induced Nephrotoxicity. *Iranian Journal of Basic Medical Sciences*, 13(2), 31-35.

Grabley, S. & Thiericke, R. (Eds.). (2000). *Drug Discovery from Nature*, (pp 3–37). Springer: Berlin.

Grice, H. C. (1986). Safety evaluation of butylated hydroxytoluene (BHT) in the liver, lung and gastrointestinal tract. *Food and Chemical Toxicology*, 24, 1127–1130.

Guyton, K. Z., & Kensler, T. W. (1993). Oxidative mechanisms in carcinogenesis. *British Medicine Bulletin*, 49(3), 523-544.

Haber, F., & Weiss, J. (1934). The catalytic decomposition of hydrogen peroxide by iron salts. *Proceedings of the Royal Society A*, 147, 332.

Halliwell, B., & Gutteridge, J. M. C. (1990). *Methods in Enzymology*, In Packer L. & Glazer A. N. (Eds.). *Academic Press Inc. California*, 186, 1-50.

Halliwell, B. (1994). Free radicals, antioxidants, and human disease: Curiosity, cause, or consequence. *Lancet*, 344 (8924),721–724.

Halliwell, B. (2000) .The antioxidant paradox. *Lancet*, 355, 1179-1180.

Hamburger, M., & Hostettmann, K. (1991). Bioactivity in plants: The link between phytochemistry and medicine. *Phytochemistry*, 30 (12), 3864–3874.

Hamed, E. M. (1996). Chemical Constituents of Flora of Jordan (X), Constituents of *Inula viscosa* (dittrichia). *MSc Thesis, Jordan University, Amman, Jordan*.

Hansen, B. M., Nielsen, E. S., & Berg, K. (1989). Re-examination and further development of a precise and rapid dye method for measuring cell growth/cell kill. *Journal of Immunology Methods*, 119, 203–210.

Heinecke, J. W. (2003). Oxidative stress: new approaches to diagnosis and prognosis in atherosclerosis. *American Journal of Cardiology*, 91,12A-16A.

Hennekens, C.H., Buring, J.E., Manson, J.E., Stampfer, M., Rosner, B., Cook, N.R., et al. (1996). Lack of effect of long-term supplementation with beta carotene on the incidence of malignant neoplasms and cardiovascular disease. *New England Journal of Medicine*, 334, 1145– 1149.

Hibasami, H. K., Masaki, O., Shinnji, K. H., Imai, K. Ohnishi, K. I. & Takashi, K. K. (2002). Diol-and triol-types of phytol induce apoptosis in lymphoid leukemia molt 4B cells. *International Journal of Molecular Medicine*, 10, 555-559.

Horie N., Hirabayashi N., Takahashi Y., Miyauchi Y., Taguchi H., & Takeishi K. (2005). Synergistic effect of green tea catechins on cell growth and apoptosis induction in gastric carcinoma cells. *Biological & Pharmaceutical Bulletin*, 28, 574–579.

Houghton, P. J., & Raman. (1998). *A Laboratory Handbook for the Fractionation of Natural Extracts* (pp. 1-13). London, UK: Chapman & Hall.

Hsi, L. C., Angerman-Stewart, J., & Eling, T. E. (1999). Introduction of full length APC modulates cyclooxygenase-2 expression in HT-29 human colorectal carcinoma cells at translational level. *Carcinogenesis*, 20, 2045–2049.

Huang, D., Ou, B. & Prior, R. L. (2005). The chemistry behind antioxidant capacity assays. *Journal of Agricultural and Food Chemistry*, 53, 1841–1856.

Hussein, F. K. (1985). Medicinal Plants in Libya. *Arab Encyclopedia House*, (pp. 686). Tripoli: Libya.

Imperato, F. (1975). Acylated betacyanins of *Portulaca oleracea*. *Phytochemistry*,14 (9), 2091–2092.

Ivashkevich, S. P., Apukhovskaia, L. I., & Vendt, V. P. (1981). Effects of sterols having different chemical structure and squalene on osmotic resistance of erythrocytes. *Biokhimii*, 46, 1420-1425.

Jabbar, S. A. B., Twentyman, P. R., & Watson, J. V. (1989). The MTT assay underestimates the growth inhibitory effects of interferons. *British Journal of Cancer*, 60, 523-528.

Jackson, S. J., Houghton, P. J., Retsas, S., & Photiou, A. (2000). *In vitro* cytotoxicity of norviburtinal and isopinnatal from *Kigelia pinnata* against cancer cell lines. *Planta Medica*, 66, 687-689.

Jacob, R. (1995). The integrated antioxidant system. *Nutrition Research*, 15, 755-766.

Jayaprakasha, G. K., Singh, R. P., & Sakariah. (2001). Antioxidant activity of grape seed (*Vitis vinifera*) extracts on peroxidation models *in vitro*. *Food Chemistry*, 73, 285-290.

Kahkonen, M. P., Hopia, A. I., & Heinonen, M. (2001). Berry phenolics and their antioxidant activity. *Journal of Agricultural and Food Chemistry*, 49, 4076-4082.

Keys, D. (1976). Chinese Herbs - Their botany, chemistry and pharmacodynamics. (1990 in paperback) Charles E. Tuttle. ISBN No.0-8048-1667-0.

Khafif A., Schantz, S. P. , Chou, T. C., Edelstein, D., & Sacks, P. G. (1998). Quantitation of chemopreventive synergism between epigallocatechin-3-gallate and curcumin in normal, premalignant and malignant oral epithelial cells. *Carcinogenesis*, 19, 419-424.

Ko, T. F., Weng, T. M., & Chiou, R. Y. (2002). Squalene content and anti oxidant activity of *Terminalia catappa* leaves and seeds. *Journal of Agricultural and Food Chemistry*, 50, 5343-5348.

Koleva, J. J., Niederlander, H. A. G., & van Beek, T. A. (2000). An on-line HPLC method for detection of radical scavenging compounds in complex mixtures, *Analytical Chemistry*, 72, 2323-2328.

Koleva, I. I., van Beek, T. A., Linssen, J. P. H., de Groot, A., & Evstatieva, L. N. (2002). Screening of plant extracts for antioxidant activity: A comparative study on three testing methods. *Phytochemical Analysis*, 13, 8–17.

Koch, K., & Kennedy, R. A. (1982). Characteristics of Crassulacean acid metabolism in the succulent C4 [carbon pathway] dicot, *Portulaca oleracea* L. Plant-Physiol. Bethesda, Md., *American Society of Plant Physiologists*, 65 (2) , 193-197.

Komiya, T., Kyohkon, M., Ohwaki, S., Eto, J., & Katsuzaki, H. (1999). Phytol induces programmed cell death in human lymphoid leukemia Molt 4B cells. *International Journal of Molecular Medicine*, 4, 377-380.

Korzeniewski, C., & Callewaert, D. M. (1983). An enzyme-release assay for natural cytotoxicity. *Journal of Immunological Methods*, 64, 313–320.

Kusano, G., Beisler, J., & Sato, Y. (1973). Steroidal constituents of *Solanum xanthocarpum*. *Phytochemistry*, 12, 397-401.

Lang, A. E., & Lozano, A. M. (1998). Parkinson's disease. First of two parts. *International Journal of Cosmetic Science*, 339, 111-114.

Lappalainen, K., Jaaskelainen, I., Syrjanen, K., Urtti, A., & Syrjanen, S. (1994). Comparison of cell proliferation and toxicity assays using two cationic liposomes. *Pharmaceutical Research*, 11, 1127– 1131.

Lee, K., Sook-Hee, R., & Kun-Young, P. (1999). Anticancer activity of phytol and eicosatrienoic acid identified from *Perilla* leaves. Han'guk Sikp'um Yongyang Kwahak Hoechi, (J. written in Korean). *Abstract Science Finder*, 28, 1107-1112.

Lee, C. C., & Houghton, P. (2005). Cytotoxicity of plants from Malaysia and Thailand used traditionally to treat cancer. *Journal of Ethnopharmacology*, 100, 237-243.

Leibovitz, B., & Siegel, B. (1980). "Aspects of free radical reactions in biological systems: aging". *The Journal of Gerontology*, 35, 45-56.

Leyel, C. F. (1987). *Herbal Delights*. Faber and Faber. ISBN 0-571-14850-6.

Liebsch, M., & Spielmann, H. (1995). BALB/c 3T3 Cytotoxicity Test. In S. O'Hare, C.K. & Atterwill (eds.), *Methods in Molecular Biology, Vol. 43: In Vitro Toxicity Testing Protocols* (pp. 177-187). Totowa, NJ: Humana Press Inc.

Lim, Y. Y., & Quah E. P. L. (2007). Antioxidant properties of different cultivars of *Portulaca oleracea*. *Food Chemistry*, 103, 734–740.

Ling, C. (2004). Effects of purslane herb on stress ability of aging mice induced by D-galactose. *Journal of Chinese Integrative Medicine*, 2(5), 361-363.

Liu, L. X., Howe, P., Zhou, Y. F., Xu, Zh. Q., Hocart, C., & Zhang, R. (2000). Fatty acids and b-carotene in Australian purslane (*Portulaca oleracea*) varieties. *Journal of Chromatography A*, 893, 207–213.

Lu Dequan & Michael G. Gilbert. (2003). *Flora of China* 5 ,442 – 444.

Luna-Herrera J., Costa M. C., Gonza ´lez H. G., Rodrigues A. I., & PCastilho. C. (2007). Synergistic antimycobacterial activities of sesquiterpene lactones from *Laurus* spp. *Journal of Antimicrobial Chemotherapy*, 59, 548–552.

Malek, F., Boskabady, M. H., Borushaki, M. T., & Tohidi, M. (2004). Bronchodilatory effect of *Portulaca oleracea* in airways of asthmatic patients. *Journal of Ethnopharmacology*, 93, 57–62.

Mann, J., & Murder (2000). *Magic and Medicine* (2nd Ed.). Oxford: Oxford University Press.

Machlin, L. J., & Bendich, A. (1987). Free Raducal tissue damage: protective role of antioxidant nutrients. *The FASEB Journal*, 441-445.

Mantle, D., Eddeb, F., & Pickering, A. T. (2000). Comparison of relative antioxidant activities of British medicinal plant species *in vitro*. *Journal of Ethnopharmacology*, 72, 47–51.

Mathams, R. H., & Sutherland, A. K. (1952). The oxalate content of some Queensland pasture plants. *Queensland Journal of Agricultural and Science*, 9, 317–334.

Metodiewa, D., & Koska, C. (2000). Reactive oxygen species and reactive nitrogen species: relevance to cyto(neuro)toxic events and neurologic disorders. An overview. *Neurotoxicity Research*, 1, 197-233.

McCord, J. M. (2000). The evolution of free radicals and oxidative stress. *American Journal of Medicine*, 108, 652–659.

Michiels, C., Raes, M., Toussant, O., & Remacle, J. (1994). Importance of Se glutathione peroxidase, catalase and Cu/Zn-SOD for cell survival against oxidative stress. *Free Radical Biology & Medicine*, 17, 235-248.

Misra, A. N., & Tiwari, H. P. (1973). Mass spectral studies of phytosterolins and a ketone from *Trianthema pentandra*. *Phytochemistry*, 12, 393-395.

Mitscher, L. A., Telikepalli, H., McGhee, E., & Shankel, D. M. (1996). Natural antimutagenic agents. *Mutation Research*, 350 (1), 142–143.

Mizutani, M., Hashidoko, Y., & Tahara, S. (1998). Factors responsible for inhibiting the motility of zoospores of the phytopathogenic fungus *Aphanomyces cochlioides* isolated from the non-host plant *Portulaca oleracea*. *FEBS Letters*, 438 (3), 236–240.

Moghadasian, M. H. (2000). Pharmacological properties of plant sterols: *In vivo* and *in vitro* observations. *Life Science*, 67, 605-615.

Mohamed A. I., & Hussein A.S. (1994). Chemical composition of purslane (*Portulaca oleracea*). *Plant Foods. Human Nutrition*, 45 (1), 1-9.

Monks, N. R., Bordignon, S. A. L., Ferraz, A., Machado, K. R., Faria, D. H., Lopes, R. M., et al. (2002). Anti-tumor screening of Brazilian plants. *Pharmaceutical Biology*, 40 (8), 603–616.

Mossmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assays. *Journal of Immunology Methods*, 65, 55–63.

Nachlas, M. M., Margulies, S. I., Goldberg, J. D., & Seligman, A. M., (1960). The determination of lactic dehydrogenase with a tetrazolium salt. *Analytical Biochemistry*, 1, 317–326.

Newman, D. J., Cragg, G. M., & Snader, K. M. (2000). The influence of natural products upon drug discovery. *Natural Product Reports*, 17, 215–234.

NIST 05 MS Library; Agilent Technologies: Palo Alto, CA, USA, 2002.

Okwuasaba, F., Ejike, C., & Parry, O. (1987). Skeletal muscle relaxant properties of the aqueous extract of *Portulaca oleracea*. *Journal of Ethnopharmacology*, 18, 103–107.

Omenn, G. S., Goodman, G. E., Thornquist, M. D., Balmes, J., Cullen, M. R., Glass, A., Keogh, J. P., et al. (1996). Effects of a combination of beta carotene and vitamin A on lung cancer and cardiovascular disease. *New England Journal of Medicine*, 334, 1150–1155.

Oliveira Ivo, Patrícia Valentão Rosário Lopes, Paula B. Andrade, Albino Bento & José Alberto Pereira. (2009). Phytochemical characterization and radical scavenging activity of *Portulaca oleraceae* L. leaves and stems. *Microchemical Journal*, 92, 129–134.

Owen, R.W., Giacosa, A., Hull, W. E., Haubner, R., Spiegelhalder, B., & Bartsch, H. (2000). The antioxidant/anticancer potential of phenolic compounds isolated from olive oil. *European Journal of Cancer*, 36 (10), 1235–1247.

Oyaizu, M. (1986). Studies on products of browning reactions: antioxidative activities of products of browning reaction prepared from glucosamine. *Japanese Journal of Nutrition*, 44, 307–315.

Panasenko, M. O., Evgina, S. A., Driomina, E. S., Sharov, V. S., Sergienko, V. I., & Vladimirov, Y. A. (1995). Hypochlorite induces lipid peroxidation in blood lipoproteins and phospholipids liposomes. *Free Radical Biology & Medicine*, 19, 133–140.

Parry, O., Marks, J. A., & Okwuasaba, F. K. (1993). The skeletal muscle relaxant action of *Portulaca oleracea*. *Journal of Ethnopharmacology*, 40, 187–194.

Phutdhawong, W., Arworn, D., John, K., Stephen, P., Picha, G., Ngamkham, P., et al. (2004). The components and anticancer activity of the volatile oil from *Streblus asper*. *Flavour Fragrance Journal Abstract Science Finder*, 19, 445-447.

Pin-Der-Duh, X. (1998). Antioxidant activity of burdock (*Arctium lappa* Linne): its scavenging effect on free radical and active oxygen. *Journal of the American Oil Chemists Society*, 75, 455–461.

Pokorny, J. (1991). Natural antioxidants for food use. *Trends in Food Science & Technology*, 2, 223–227.

Porter, W. L. (1993). Paradoxal behaviour of antioxidants in food and biological systems. In Williams G. M. (Ed.), *Antioxidants, chemical, physiological, nutritional and toxicological aspects* (pp 93–121). Princeton: Princeton Scientific.

Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, 53, 4290–4302.

Puri, A., Saxena, R., Saxena, R. P., Saxena, K. C., Srivastava, V., & Tandon, J. S. (1993). Immunostimulant agents from *Andrographis paniculata*. *Journal of Natural Products*, 56, 995–999.

Qureshi, A. A, Lehmann, J. W., & Peterson, D.M (1996). Amaranth and its oil inhibit cholesterol biosynthesis in six-week-old female chickens. *Journal of Nutrition*, 126, 1972-1978.

Raffaella, R., Marzia, B. G., Laura, P., & Elena. M. (2004). Role of the p53/p21 system in the response of human colon carcinoma cells to Doxorubicin . *BM Cancer*, 4(92), 1-10.

Rao, C. V., Newmark, H. L., & Reddy, B. S. (1998). Chemopreventive effect of squalene on colon cancer. *Carcinogenesis*, 19, 287-290.

Rashed, A. N., Afifi F., & Disi A. M. (2003). Simple evaluation of the wound healing activity of a crude extract of *Portulaca oleracea* L. (growing in Jordan) in *Mus musculus* JVI-1. *Journal of Ethnopharmacology*, 88, 131-136.

Rates, S. M. K. (2001). Plants as source of drugs. *Toxicon*, 39, 603-613.

Reid, Daniel P. (1993). Chinese Herbal Medicine. Boston: Shambhala.

Reddy, V. G., Khanna, N., & Singh, N. (2001). Vitamin C augments chemotherapeutic response of cervical carcinoma HeLa cells by stabilizing p53. *Biochemical and Biophysical Research Communication*, 282, 409–415.

Reddy, L., Odhav, B., & Bhoobla, K. D. (2003). Natural Products for cancer prevention: A global perspective. *Pharmacology and therapeutics*, 99, 1-13.

Reiter, R. J. (1995). Oxidative processes and antioxidative defense mechanisms in the aging brain. *FASEB Journal*, 9, 526-533.

Reiter, R. J., Melchiorri, D., Sewerynek, E., Poeggeler, B., Barlow-Walden, L., Chuang, J., et al. (1995). A review for the evidence supporting melatonin's role as an antioxidant. *Journal of Pineal Research*, 18, 1-11.

Rekka, E., & Kourounakis, P. N. (1991). Effect of hydroxyethyl rutosides and related compounds on lipid peroxidation and free radical scavenging activity. Some structural aspects. *The Journal of Pharmacy and Pharmacology*, 43, 486–491.

Ringbom, T., Huss, U., Stenholm, Flock, S., Skatteboel, P., Perera P. et al. (2001). COX-2-inhibitory effects on naturally occurring and modified fatty acids. *Journal Natural Product*, 64, 745-749.

Sakai, N., Inada, K., Okamoto, M., Shizuri, Y., & Fukuyama, Y. (1996). Portuloside A, a monoterpene glucoside from *Portulaca oleracea*. *Phytochemistry*, 42 (6), 1625–1628.

Sala, A., Recio, M. D., Giner, R. M., Manez, S., Tournier, H., Schinella, G., et al. (2002). Anti-inflammatory and antioxidant properties of *Helichrysum italicum*. *Journal of Pharmacy and Pharmacology*, 54 (3), 365–371.

Sanja, S. D., Sheth, N. R., Patel, N. K., Dhaval Patel & Biraju Patel. (2009). Characterization and Evaluation Of Antioxidant Activity of *Portulaca oleracea*. *International Journal of Pharmacy and Pharmaceutical Sciences*, 1(1), 163-168.

Sarkar, S., Khan M. F., Kaphalia, B. S., & Ansari G. A. S. (2006). Methyl palmitate inhibits lipopolysaccharide-stimulated phagocytic activity of rat peritoneal macrophages. *Journal of Biochemical and Molecular Toxicology*, 20, 302-308.

Schafer, F. Q., & Buettner, G. R. (2001). Redox state of the cell as viewed through the glutathione disulfide/glutathione couple. *Free Radical Biology & Medicine*, 30, 1191-1212.

Scheers, M. E., Ekwall, B. A., & Dierickx, J. P. (2001). *In vitro* long-term cytotoxicity testing of 27 MEIC chemicals on HepG2 cells and comparison with acute human toxicity data. *Toxicology in vitro*, 15, 153–161.

Sherwin, E. R. (1990). Antioxidants. In Branen R. (ed.). *Food Additives*. (pp. 139–193). New York: Marcel Dekker.

Simopoulos, A. P., Norman, H. A., Gillasp, J. E., & Duke, J. A. (1992). Common purslane: A source of omega-3-fatty acids and antioxidants. *Journal of the American College of Nutrition*, 11(4), 374-82.

Singh, R., Singh, S., Kumar, S., & Arora, S. (2007). Free radical-scavenging activity of acetone extract/fractions of *Acacia auriculiformis* A. Cunn. *Food Chemistry*, 103, 1403–1410.

Slater, K., (2001). Cytotoxicity tests for high-throughput drug discovery. *Curr. Opin. Biotechnology*, 12, 70–74.

Smith, F. E. (1951). Tetrazolium Salt. *Science*, 113, 751–754.

Smith, T. J., Yang, G. Y., Seril, D. N., Liao, J., & Kim, S. (1998). Inhibition of 4-(methylnitrosamino)-1-(3-pyridyl)-1butanone-induced lung tumorigenesis by dietary olive oil and squalene. *Carcinogenesis*, 19, 703-706.

Sneader, W. (1996). *Drug Prototypes and their Exploitation* (pp. 362-366). Wiley: Chichester.

Soares, J. R., Dins, T. C. P., Cunha, A. P., & Almeida, L. M., (1997). Antioxidant activity of some extracts of *Thymus zygis*. *Free Radical Research*, 26, 469–478.

Sporn, M. B., & Newton, D. L. (1979). Chemoprevention of cancer with retinoids. *Fed Proc*, 38, 2528-2534.

Tabart, J., Kevers, C., Pincemail, J., Defraigne, J., & Dommese, J. (2009). Comparative antioxidant capacities of phenolic compounds measured by various tests. *Food Chemistry*, 113, 1226–1233.

Takeara, R., Jimenez, P. C., Wilke, D. V., Odorico de Moraes M., Pessoa C., Peoporine Lopes N. et al. (2008). Antileukemic effects of *Didemnum psammotodes* (Tunicata: Ascidiacea) constituents. *Comparative Biochemistry and Physiology- Part A*, 151, 363-369.

Tasi, L. L., Fang, S. C., Ishikawa, T., Chang, C. T., & Chen, I. S. (1997). N-cyclohexyl amides and a dimeric coumarin from Formosan *Toddalia asiatica*. *Phytochemistry*, 44(7), 1383-1386.

The Alpha-Tocopherol, Beta Carotene Cancer Prevention Study Group. (1994). The effect of vitamin E and beta carotene on the incidence of lung cancer and other cancers in male smokers. *New England Journal of Medicine*, 330, 1029–1035.

The Second Report of National Cancer Registry. (2003). Cancer Incidence in Malaysia 2003, 13th September 2004.

Timbrell, J. A. (2000). Toxic responses to foreign compounds. In J.A. Timbrell (Ed.), *Principles of Biochemicals Toxicology* (3rd ed.), (Chapter 6) (pp. 272-273). London: Taylor & Francis.

Tsuji, M., & DuBois, R.N. (1995). Alteration in cellular adhesion and apoptosis in epithelial cells overexpressing prostaglandin endoperoxide synthase 2. *Cell*, 83, 493–501.

Velioglu, Y. S., Mazza, G., Gao, L., & Oomah, B. D. (1998). Antioxidant activity and total phenolics in selected fruits and vegetables, and grain products. *Journal of Agricultural and Food Chemistry*, 46, 4113–4117.

Vengris, J., Dunn, S., & Stacewiczapuncakis, M. (1972). Life history studies as related to weed control in the Northeast, 7- Common purslane. Research Bulletin, 598, Northern Regional Publication.

Vian, L., Vincent, J., Maurin, J., Fabre, I., Giroux, J. A., & Cano, J. P., (1995). Comparison of three *in vitro* cytotoxicity assays for estimating surfactant ocular irritation. *Toxicology in vitro*, 9, 185–190.

Vistica, D., Skehan, P., Scudiero, D., Monks, A., Pittman, A., & Boyd, R. (1991). Tetrazolium-based assays for cellular viability: A critical examination of selected parameters affecting formazan production. *Cancer Research* 51, 2515–2520.

Wang, C. Q., & Yang, G. Q. (2010). Betacyanins from *Portulaca oleracea* L. Ameliorate cognition deficits and attenuate oxidative damage induced by D-galactose in the brains of senescent mice. *Phytomedicine*, 17, 527–532.

Wattenberg, L. W. (1983). Inhibition of neoplasia by minor dietary constituents. *Cancer Research*, 43, 2448-2453.

Weatherall, M. (1990). *In Search of a Cure: A History of the Pharmaceutical Industry*. Oxford: Oxford University Press.

Weyermann, J., Lochmann, D., & Zimmer, A. (2005). A practical note on the use of cytotoxicity assays. *International Journal of Pharmaceutics*, 288, 369–376.

White, A. A., & Crawford, K. M. (1976). Activation of soluble guanylate cyclase from rat lung by incubation or by hydrogen peroxide. *The Journal of Biological Chemistry*, 251, 7304-7312.

Wichi, H. P. (1988). Enhanced tumor development by butylated hydroxyanisole (BHA) from the prospective of effect on forestomach and oesophageal squamous epithelium. *Food and Chemical Toxicology*, 26, 717–723.

Wills, R. B. H., Kerry, B., & Michelle, M. (2000). Herbal Products: Active constituents, modes of action and quality control. *Nutrition Research Reviews*, 13, 44-77.

Witzell, J., Gref, R., & Nasholm, T. (2003). Plant – Part specific and temporal variation in phenolic compounds of boreal bilberry (*Vaccinium myrtillus*) plants. *Biochemical Systematics and Ecology*, 31, 115–127.

Woldemichael, G. M., & Wink, M., (2001). Identification and biological activities of triterpenoid saponins from *Chenopodium quinoa*. *Journal of Agricultural and Food Chemistry*, 49, 2327–2332.

Xiang, L., Xing, D., Wang, W., Wang, R., Ding, Y., & Du, L. (2005). Alkaloids from *Portulaca oleracea* L. *Phytochemistry*, 66, 2595–2601.

Xin, H. L., Hou, Y. H., Xu, Y. F., Yue, X. Q., Lin, Lu, J. C. & Ling, C. Q. (2008). Portulacocerebroside A: New Cerebroside from *Portulaca oleracea* L. *Chinese Journal of Natural Medicines*, 6(6), 401-403.

Xu, X., Yu, L., & Chen, G. (2006). Determination of flavonoids in *Portulaca oleracea* L. by capillary electrophoresis with electrochemical detection, *Journal of Pharmaceutical and Biomedical Analysis*, 41, 493–499.

Yen, G. C., & Chen, H. Y. (1995). Antioxidant activity of various tea extracts in relation to their antimutagenicity. *Journal of Agricultural and Food Chemistry*, 43, 27–32.

Yildirim, A., Mavi, A., Oktay, M., Kara, A. A., Algur, O. F., & Bilaloglu, V. (2000). Comparison of antioxidant and antimicrobial activities of tilia (*Tilia argentea* Desf ex DC), sage (*Salvia triloba* L.), and black tea (*Camellia sinensis*) extracts. *Journal of Agricultural and Food Chemistry*, 48, 5030–5034.

Young, I. S., & Woodside, J. V. (2001). Antioxidants in health and disease. *Journal of Clinical Pathology*, 54, 176-186.

Yoon, J. W., Ham, S. S., & Jun, H. S. (1999). *U.S. Patent 5869060*.

Youngwan, S., Jongheon, S., Burm-Jong, L., & Dong S. L. (2003). Two Biophenolic Glycosides from *Portulaca oleracea*. *Journal of the Korean Chemical Society*. 47(1), 43-46.

Youngwan, S., Jongheon, S., Hyo Jun Cha, You-Ah Kim, Jong-Woong Ahn, Burm-Jong L. et al. (2003). A New Monoterpene Glucoside from *Portulaca oleracea*. *Bulletin of the Korean Chemical Society*, 24(10), 1475-1477.

Yue, Y. T., Dong, L. W., & Li, M. (2005). Study of Purslane herb on anti-hypoxia and its probable mechanism. *China Public Health*, 21(12), 1434-1436.

Zhang, X. J., Ji, Y. B., Qu, Z. H. Y., Xia, J. C. H., & Wang, L. (2002). Experimental studies on antibiotic functions of *Portulaca oleracea* L. *in vitro*. *Chinese Journal of Microcol*, 14, 277-280.

Zheng, S., Yang, H., Zhang, S., Wang, X., Yu, L., Lu, J., et al. (1997). Initial study on naturally occurring products from traditional Chinese herbs and vegetables for chemoprevention. *Journal of Cellular Biochem Supplement*, 27, 106– 112.

Zhou, J .R, Yu, L., Mai, Z., & Blackburn, G. L. (2004). Combined inhibition of estrogen- dependent human breast carcinoma by soy and tea bioactive components in mice. *International Journal of Cancer*, 108, 8–14.

http://www.wikipedia.org/wiki/Liquid_chromatography_mass_spectrometry. accessed 20.12.10.

http://www.dweckdata.com/Published_papers/Portulaca_oleracea.pdf accessed 20.06.09.

<http://www.chemvironcarbon.com/en/activated-carbon/adsorption> accessed 20.06.11