

REFERENCES

- Adams, J.A. (2003). Activation loop phosphorylation and catalysis in protein kinases: Is there functional evidence for the auto inhibitor model? *Biochemistry* 42, 601-607.
- Afzal, J.A., and Lightfoot, D.A. (2007) Expression of the LRR domain of RHG1 in *E. coli*: Preparation for functional analyses. *Protein Expr. Purif.* 53, 346-355.
- Afzal, A.J., Wood, A.J., Lightfoot, D.A. (2008) Plant receptor-like serine threonine kinases: Roles in signaling and plant defense. *MPMI* 21, 507–517.
- Agrawal, S., Zhang, X., Lu, Z., Zhao, H., Tamburin, J., Yan, J., Cai, H., Diasio, R., Habus, I. and Jiang, Z. (1995). Absorption, tissue distribution and in vivo stability in rats of a hybrid antisense oligonucleotide following oral administration. *Biochem. Pharmacol.* 50, 571-576.
- Agrawal, G.K., Yamazaki, M., Kobayashi, M., Hirochika, R., Miyao, A. and Hirochika, H. (2001) Screening of the rice viviparous mutants generated by endogenous retrotransposon Tos17 insertion. Tagging of a zeaxanthin epoxidase gene and a novel *OsTATC* gene. *Plant Physiol.* 125, 1248–1257.
- Allen, E., Xie, Z., Gustafson, A.M. and Carrington, J.C. (2005) microRNA-directed phasing during trans-acting siRNA biogenesis in plants. *Cell* 121, 207–221.
- An C.I., Sawada, A., Fukusaki, E. and Kobayashi, A. (2003) A transient RNA interference assay system using *Arabidopsis* protoplasts. *Biosci. Biotech. Biochem.* 67, 2674–2677.
- An, C.I., Sawada, A., Kawaguchi, Y., Fukusaki, E. and Kobayashi, A. (2005) Transient RNAi induction against endogenous genes in *Arabidopsis* protoplasts using in vitro-prepared double-stranded RNA. *Biosci. Biotech. Biochem.* 69, 415–418.
- Ashikari, M., Sakakibara, H., Lin, S.Y., Yamamoto, T., Takashi, T., Nishimura, A., Angeles, E.R., Qian, Q., Kitano, H. and Matsuoka, M. (2005) Cytokinin oxidase regulates rice grain production. *Science* 309, 741–745.
- Bartel, D.P. (2004) MicroRNAs: Genomics, biogenesis, mechanism, and function. *Cell* 116, 281–297.
- Bateman, A., Coin, L., Durbin, R., Finn, R.D., Hollich, V., Griffiths-Jones, S., Khanna, A., Marshall, M., Moxon, S., Sonnhammer, E.L.L., *et al.* (2004) The Pfam protein families database. *Nucleic Acids Res.* 32, D138–D141.

- Baulcombe, D. (2004) RNA silencing in plants. *Nature* 431, 356–363.
- Baulcombe, D. (2007) Molecular biology. Amplified silencing. *Science* 315, 199–200.
- Baumberger, N. and Baulcombe, D.C. (2005) *Arabidopsis* ARGONAUTE1 is an RNA Slicer that selectively recruits microRNAs and short interfering RNAs. *Proc. Natl. Acad. Sci. U.S.A.* 102, 11928–11933.
- Bendtsen, J.D., Nielsen, H., Heijne, G. and Brunak, S. (2004) Improved prediction of signal peptides: SignalP 3.0. *J. Mol. Biol.* 340, 783-795.
- Benfey, P.N. and Mitchell-Olds, T. (2008) From genotype to phenotype: Systems biology meets natural variation. *Science* 320, 495-497.
- Bennetzen, J.L., Coleman, C., Liu, R., Ma, J. and Ramakrishna, W. (2004) Consistent over-estimation of gene number in complex plant genomes. *Curr. Opin. Plant Biol.* 7, 732-736.
- Bernstein, E., Caudy, A.A., Hammond, S.A. and Hannon G.J. (2001) Role for a bidentate ribonuclease in the initiation step of RNA interference. *Nature* 409, 363-366.
- Borsani, O., Zhu, J., Verslues, P.E., Sunkar, R. and Zhu, J.K. (2005) Endogenous siRNAs derived from a pair of natural cis-antisense transcripts regulate salt tolerance in *Arabidopsis*. *Cell* 123, 1279–1291.
- Bouché, N., Laressergues, D., Gascioli, V. and Vaucheret, H. (2006) An antagonistic function for *Arabidopsis* DCL2 in development and a new function for DCL4 in generating viral siRNAs. *EMBO J.* 25, 3347–3356.
- Brodersen, P. and Voinnet, O. (2006) The diversity of RNA silencing pathways in plants. *Trends Genet.* 22, 268-280.
- Brondani, C., Rangel, N., Brondani, V. and Ferreira, E. (2002) QTL mapping and introgression of yield-related traits from *Oryza glumaepatula* to cultivated rice (*Oryza sativa*) using microsatellite markers. *Theor. Appl. Genet.* 104, 1192–1203.
- Buell, C.R. (2002) Update on Genomics: Current Status of the Sequence of the Rice Genome and Prospects for Finishing the First Monocot Genome. *Plant Physiol.* 130, 1585-1586.

- Castells, E. and Casacuberta, J.M. (2007) Signalling through kinase-defective domains: The prevalence of atypical receptor-like kinases in plants. *J. Exp. Bot.* 58, 3503-3511.
- Castresana, J. (2000) Selection of conserved blocks from multiple alignments for their use in phylogenetic analysis. *Mol. Biol. Evol.* 4, 540-552.
- Chapman, E.J. and Carrington, J.C. (2007) Specialization and evolution of endogenous small RNA pathways. *Nat. Rev. Genet.* 8, 884–896.
- Chen, F., Mackey, A.J., Stoeckert, J., Christian, J. and Roos D.S. (2006) OrthoMCL-DB: Querying a comprehensive multi-species collection of ortholog groups. *Nucl. Acids Res.* 34, D363-368.
- Cheng CY, Motohashi R, Tsuchimoto S, Fukuta Y, Ohtsubo H, Ohtsubo E. (2003) Polyphyletic origin of cultivated rice based on the interspersed pattern of SINEs. *Molecular Biology and Evolution* 20, 67–75.
- Cheng, K.S. and Lu, Y.X., (1984) Reflection of *Oryza sativa* L. classification. *Acta Agronomica Sinica* 10, 271–280.
- Chevalier, D. and Walker, J.C. (2005) Functional genomics of protein kinases in plants. *Brief Funct. Genomic Proteomic* 3, 362–371.
- Chinchilla, D., Zipfel, C., Robatzek, S., Kemmerling, B., Nürnberger, T., Jones, J.D., Felix, G., and Boller, T. (2007) A flagellin-induced complex of the receptor FLS2 and BAK1 initiates plant defence. *Nature* 448, 497-500.
- Chuck, G. and Hake, S. (2005) Regulation of developmental transitions. *Curr. Opin. Plant Biol.* 8, 67–70.
- Clark, S.E., Williams, R.W. and Meyerowitz, E.M. (1997) The *CLAVATA1* gene encodes a putative receptor kinase that controls shoot and floral meristem size in *Arabidopsis*. *Cell* 89, 575-585.
- Collard, B.C.Y., Jahufer, M.Z.Z., Brouwer, J.B. and Pang E.C.K. (2005) An introduction to markers, quantitative trait loci (QTL) mapping and marker-assisted selection for crop improvement: The basic concepts. *Euphytica* 142, 169–196.
- Cock, J.M., Vanoosthuyse, V. and Gaude, T. (2002) Receptor kinase signaling in plants and animals: Distinct molecular systems with mechanistic similarities. *Curr. Opin. Cell Biol.* 14, 230–236.

- Dardick, C. and Ronald, P. (2006) Plant and Animal Pathogen Recognition Receptors Signal through Non-RD Kinases. *PLoS Pathog.* 2, e2.
- Dardick, C. Chen, J., Richter, T., Ouyang, S. and Ronald, P. (2007) The rice kinase database. A phylogenomic database for the rice kinome. *Plant Physiol.* 143, 579-586.
- Dawe, D., Dobermann, A., Moya, P., Abdulrachman, S., Singh, B., Lal, P., Li, S.Y., Lin, B., Panaullah, G., Sariam, O., Singh, Y., Swarup, A., Tan, P.S. and Zhen, Q.X. (2000) How widespread are yield declines in long-term rice experiments in Asia?. *Field Crops Res.* 66, 175-193.
- Dereeper, A., Guignon, V., Blanc, G., Audic, S., Buffet, S., Chevenet, F., Dufayard, J.F., Guindon, S., Lefort, V., Lescot, M., Claverie, J. M. and Gascuel, O. (2008) Phylogeny.fr: Robust phylogenetic analysis for the non-specialist. *Nucleic Acids Res.* 36, W465-9. *: joint first authors
- Diévert, A. and Clark, S.E. (2004) LRR-containing receptors regulating plant development and defense. *Development* 131, 251-261.
- Ding, S.W. and Voinnet, O. (2007) Antiviral immunity directed by small RNAs. *Cell* 130, 413–426.
- Ding, X., Richter, T., Chen, M., Fujii, H., Seo, Y.S., *et al.* (2009) A rice kinase-protein interaction map. *Plant Physiol.* 149, 1478–1492.
- Dubouzet, J.G., Morishige, T., Fujii, N., An, C.I., Fukusaki, E. and Sato, F. (2005) Transient RNA silencing of scoulerine 9-Omethyltransferase expression by double-stranded RNA in *Coptis japonica* protoplasts. *Biosci. Biotechnol. Biochem.* 69, 63–70.
- Dwivedi, S., Perotti, E., and Ortiz, R. (2008) Towards molecular breeding of reproductive traits in cereal crops. *Plant Biotechnol. J.* 6, 529–559.
- Eckardt, N.A. (2005) Brassinosteroid perception and signaling: Heterodimerization and phosphorylation of receptor-like kinases BRI1 and BAK1. *Plant Cell* 17, 1638-1640.
- Eisenhaber, F., Eisenhaber, B., Kubina, W., Maurer-Stroh, S., Neuberger, G., Schneider, G. and Wildpaner, M. (2003) Prediction of lipid posttranslational modifications and localization signals from protein sequences: Big-Pi, NMT and PTS1. *Nucleic Acids Res.* 31, 3631-3634.
- Elbashir, S.M., Lendeckel, W. and Tuschl, T. (2001) RNA interference is mediated by 21- and 22-nucleotide RNAs. *Genes Dev.* 15, 188-200.

- Emanuelsson, O., Brunak, S., Heijne, G. and Nielsen, H. (2007) Locating proteins in the cell using TargetP, SignalP, and related tools. *Nature Protocols* 2, 953-971.
- Finn, R.D., Tate, J., Mistry, J., Coghill, P.C., Sammut SJ, *et al.* (2008) The Pfam protein families database. *Nucleic Acids Res.* 36, D281–288.
- Finkelstein, R.F. (2006) Studies of abscisic acid perception finally flower. *The Plant Cell* 18, 786-791.
- Fire, A., Xu, S., Montgomery, M.K., Kostas, S.A., Driver, S.E. and Mello C.C. (1998) Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature* 391, 806-811.
- Fletcher, J.C., Brand, U., Running, M.P., Simon, R. and Meyerowitz, E.M. (1999) Signaling of cell fate decisions by *CLAVATA3* in *Arabidopsis* shoot meristems. *Science* 283, 1911-1914.
- Fukusaki, E., Kawasaki, K., Kajiyama, S., An, C-I., Suzuki, K., Tanaka, Y. and Kobayashi, A. (2004) Flower color modulations of *Torenia hybrida* by downregulation of *chalcone synthase* genes with RNA interference. *J. Biotechnol.* 111, 229–240.
- Gao, J., Liu, J., Li, B. and Li, Z. (2004) Isolation and purification of functional total RNA from blue-grained wheat endosperm tissues containing high level of starches and flavonoids. *Plant Molecular Biology Reporter* 19, 185a-185i.
- Gao, L.Z. and Innan, H. (2008) Non-independent domestication of the two rice subspecies, *Oryza sativa* subsp. *indica* and subsp. *japonica*, demonstrated by multilocus microsatellites. *Genetics* 179, 965-976.
- Gascioli, V., Mallory, A.C., Bartel, D.P. and Vaucheret, H. (2005) Partially redundant functions of *Arabidopsis* DICER-like enzymes and a role for *DCL4* in producing *trans*-acting siRNAs. *Curr. Biol.* 15, 1494–1500.
- Ge, S., Sang, T., Lu, B.R. and Hong, D.Y. (1999) Phylogeny of rice genomes with emphasis on origins of allotetraploid species. *Proc. Natl. Acad. Sci. U.S.A.* 96, 14400–14405.
- Godiard, L., Sauviac, L., Torii, K.U., Grenon, O., Mangin, B., Grimsley, N.H. and Marco, Y. (2003) *ERECTA*, an LRR receptor-like kinase protein controlling development pleiotropically affects resistance to bacterial wilt. *Plant J.* 36, 353-365.

- Goff, S.A., Ricke, D., Lan, T.H., Presting, G., Wang R, Dunn, M., Glazebrook, J., Sessions, A., Oeller, P. and Varma, H. (2002) A draft sequence of the rice genome (*Oryza sativa* L. ssp. *japonica*). *Science* 296, 92–100.
- Gomez-Gomez, L. and Boller, T. (2000) FLS2: An LRR receptor-like kinase involved in the perception of bacterial elicitor flagellin in *Arabidopsis*. *Mol. Cell* 5, 1003–1011.
- Gray-Mitsumune, Madoka, Houde, Josée, Matton, Daniel P. (2008) Involvement of the AtORK1 receptor kinase in gametophyte development. Poster session presented at 19TH International Conference on *Arabidopsis* Research, Hyatt Regency Hotel Montreal, Canada (pp.73-74). Retrieved from <http://arabidopsis.org/servlets/TairObject?type=publication&id=501727848>.
- Gridley, H.E., Jones, M.P. and Wopereis-Pura, M. (2002) Development of new rice for Africa (NERICA) and participatory varietal selection. *Bouake', Co'te d'Ivoire: West Africa Rice Development Association (WARDA)*, 1–6.
- Großhans, H. and Filipowicz, W. (2008) Microbiology: The expanding world of small RNAs. *Nature* 451, 414-416.
- Han, B. and Zhang, Q. (2008) Rice genome research: Current status and future perspectives. *The Plant Genome* 1, 71–76.
- Hannon, G.J. (2002). RNA interference. *Nature* 418, 244–251.
- He, G., Luo, X., Tian, F., Li, K., Zhu, Z., Su, W., Qian, X., Fu, Y., Wang, X., Sun, C., Yang, J. (2006) Haplotype variation in structure and expression of a gene cluster associated with a quantitative trait locus for improved yield in rice. *Genome Research* 16, 618-626.
- Henderson, I.R., Zhang, X., Lu, C., Johnson, L., Meyers, B.C., Green, P.J. and Jacobsen, S.E. (2006) Dissecting *Arabidopsis thaliana* DICER function in small RNA processing, gene silencing and DNA methylation patterning. *Nat. Genet.* 38, 721-725.
- Himber, C., Dunoyer, P., Moissiard, G., Ritzenthaler, C. and Voinnet, O. (2003) Transitivity-dependent and independent cell-to-cell movement of RNA silencing. *Embo J.* 22, 4523–4533.
- Himmelbach, A., Yang, Y. and Grill, E. (2003) Relay and control of abscisic acid signaling. *Curr. Opin. Plant Biol.* 6, 470-479.

- Himmelbach, A., Zierold, U., Hensel, G., Riechen, J., Douchkov, D., Schweizer, P. and Kumlehn, J. (2007) A set of modular binary vectors for transformation of cereals. *Plant Physiol.* 145, 1192-C1200.
- Hirochika, H., Guiderdoni, E., An, G., Hsing, Y.I., Eun, M.Y., Han, C.D., Upadhyaya, N., Ramachandran, S., Zhang, Q., Pereira, A., Sundaresan, V. and Leung, H. (2004) Rice mutant resources for gene discovery. *Plant Mol. Biol.* 54, 325–334.
- Hofmann, K. and Stoffel, W. (1993) TMbase - A database of membrane spanning proteins segments. *Biol. Chem. Hoppe-Seyler* 374, 166.
- Ifuku, K., Yamamoto, Y. and Sato, F. (2003) Specific RNA interference in *psbP* genes encoded by a multigene family in *Nicotiana tabacum* with a short 3'-untranslated sequence. *Biosci. Biotechnol. Biochem.* 67, 107–113.
- Iida, K. and Go, M. (2006) Survey of conserved alternative splicing events of mRNAs encoding SR proteins in land plants. *Mol. Biol. Evol.* 23, 1085–1094.
- IRGSP. (2005) International Rice Genome Sequencing Project. The map based sequence of the rice genome. *Nature* 436, 793–800.
- IRRI. (2008) World Rice Statistics 2008. International Rice Research Institute (IRRI), Manila, Philippines.
- Isshiki, M. and Kodama, H. (2010) Plant RNAi and Crop improvement. In Jain S.M. and Brar D.S. (eds.), *Molecular techniques in crop improvement* (2nd edition), pp. 653-673. Springer Netherlands.
- Itoh, T., Tanaka, T., Barrero, R.A., Yamasaki, C., Fujii, Y., Hilton, P.B., *et al.* (2007) Curated genome annotation of *Oryza sativa* ssp. *japonica* and comparative genome analysis with *Arabidopsis thaliana*. *Genome Res.* 17, 175–183.
- Jain, M., Nijhawan, A., Tyagi, A.K. and Khurana, J. P. (2006) Validation of housekeeping genes as internal control for studying gene expression in rice by quantitative real time PCR. *Biochemical and Biophysical Research Communications* 345, 646-651.
- Jeon, J.S., Lee, S., Jung, K.H., Jun, S.H., Jeong, D.H., Lee, J., Kim, C., Jang, S., Yang, K., Nam, J., An, K., Han, M.J., Sung, R.J., Choi, H.S., Yu, J.H., Choi, J.H., Cho, S.Y., Cha, S.S., Kim, S.I. and G., An. (2000) T-DNA insertional mutagenesis for functional genomics in rice. *Plant J.* 22, 561–570.

- Jeong, S., Trotochaud, A.E. and Clark, S.E. (1999) The *Arabidopsis CLAVATA2* gene encodes a receptor-like protein required for the stability of the *CLAVATA1* receptor-like kinase. *Plant Cell* 11, 1925-1934.
- Johnson, L.N., Nobel, M.E.M. and Owen, D.J. (1996) Active and inactive protein kinases: Structural basis for regulation. *Cell* 85, 149-158.
- Jones, M.P., Dingkuhn, M., Aluko, G.K. and Semon, M. (1997) Interspecific *Oryza sativa* L. x *O. glaberrima* Steud. progenies in upland rice improvement. *Euphytica* 92, 237-246.
- Jones-Rhoades, M.W., Bartel, D.P. and Bartel, B. (2006) MicroRNAs and their regulatory roles in plants. *Annu. Rev. Plant Biol.* 57, 19-53.
- Jyothiswaran, G., Kotresha, D., Selvaraj, T., Srideshikan, S.M., Rajvanshi, P.K. and Jayabaskaran, C. (2007) A modified freeze-thaw method for efficient transformation of *Agrobacterium tumefaciens*. *Current Science* 93, 770-772.
- Kachroo, A., Nasrallah, M.E., Nasrallah, J.B. (2002) Self-incompatibility in the Brassicaceae: Receptor–ligand signaling and cell-to-cell communication. *Plant Cell* 14, S227-S238.
- Kapoor, M., Arora, R., Lama, T., Nijhawan, A., Khurana, J.P., Tyagi, A.K., and Kapoor, S. (2008) Genome-wide identification, organization and phylogenetic analysis of Dicer-like, Argonaute and RNA-dependent RNA polymerase gene families and their expression analysis during reproductive development and stress in rice. *BMC Genomics* 9, 451.
- Karimi, M., Depicker, A. and Hilson, P. (2007) Recombinational cloning with plant gateway vectors. *Plant Physiol.* 145, 1144–1154.
- Karlin, S. and Altschul, S.F. (1993). Applications and statistics for multiple high-scoring segments in molecular sequences. *Proc. Natl. Acad. Sci. U.S.A.* 90, 5873–5877.
- Katiyar-Agarwal, S., Morgan, R., Dahlbeck, D., Borsani, O., Villegas, A.Jr., Zhu, J.K., Staskawicz, B.J. and Jin, H. (2006) A pathogen-inducible endogenous siRNA in plant immunity. *Proc. Natl. Acad. Sci. U.S.A.* 103, 18002–18007.
- Kawai-Toyooka, H., Kuramoto, C., Orui, K., Motoyama, K., Kikuchi, K., Kanegae, T. and Wada, M. (2004) DNA interference: A simple and efficient gene-silencing system for high-throughput functional analysis in the fern *Adiantum*. *Plant Cell Physiol.* 45, 1648–1657.

- Khush, G.S. (1997) Origin, dispersal, cultivation and variation of rice. *Plant Mol. Biol.* 35, 25–34.
- Kim, C., Jeong, D.H. and An, G. (2000) Molecular cloning and characterization of *OsLRK1* encoding a putative receptor-like protein kinase from *Oryza sativa*. *Plant Sci.* 152, 17–26.
- Krishnan, A., Guiderdoni, E., An, G., Hsing, Y.I., Han, C.D., Lee, M.C., Yu, S.M., Upadhyaya, N., Ramachandran, S., Zhang, Q., Sundaresan, V., Hirochika, H., Leung, H., Pereira, A. (2009) Mutant resources in rice for functional genomics of the grasses. *Plant Physiol.* 149, 165-170.
- Krogh, A., Larsson, B., von Heijne, G. and Sonnhammer, E.L.L. (2001) Predicting transmembrane protein topology with a hidden Markov model: Application to complete genomes. *J. Mol. Biol.* 305, 567–580.
- Krupa, A., Abhinandan, K.R. and Srinivasan, N. (2004) KinG: A database of protein kinases in genomes. *Nucleic Acids Res.* 32, 153–155.
- Kumar, S., Dudley, J., Nei, M. and Tamura, K. (2008) MEGA: A biologist-centric software for evolutionary analysis of DNA and protein sequences. *Briefings in Bioinformatics* 9, 299-306.
- Landry, J.R., Mager, D.L. and Wilhelm, B.T. (2003) Complex controls: The role of alternative promoters in mammalian genomes. *Trends Genet.* 19, 640–648.
- Lee, R.C., Feinbaum, R.L. and Ambros, V. (1993) The *C. elegans* heterochronic gene *lin-4* encodes small RNAs with antisense complementarity to *lin-14*. *Cell* 75, 843–854.
- Lehti-Shiu, M.D., Zou, C., Hanada, K. and Shiu, S.H. (2009) Evolutionary history and stress regulation of plant receptor-like kinase/*pelle* genes. *Plant Physiol.* 150, 12-26.
- Liang, C., Jaiswal, P., Hebbard, C., Avraham, S., Buckler, E.S., Casstevens, T., Hurwitz, B., McCouch, S., Ni, J., Pujar, A., Ravenscroft, D., Ren, L., Spooner, W., Teclé, I., Thomason, J., Tung, C.W., Wei, X., Yap, I., Youens-Clark, K., Ware, D. and Stein, L. (2008) Gramene: A growing plant comparative genomics resource. *Nucleic Acids Res.* 36, D947–D953.
- Liu, X.H., Lu, T.T., Yu, S.L., Li, Y., Huang, Y.C., Huang, T., Zhang, L., Zhu, J.J., Zhao, Q., Fan, D.L., Mu, J., Shangguan, Y.Y., Feng, Q., Guan, J.P., Ying, K., Zhang, Y., Lin, Z.X., Sun, Z.X., Qian, Q., Lu, Y.P. and Han, B. (2007) A collection of 10,096 *indica* rice full-length cDNAs reveals highly

expressed sequence divergence between *Oryza sativa indica* and *japonica* subspecies. *Plant Mol. Biol.* 65, 403-415.

- Londo, J.P., Chiang, Y.C., Hung, K.H., Chiang, T.Y. and Schaal, B.A. (2006) Phylogeography of Asian wild rice, *Oryza rufipogon*, reveals multiple independent domestications of cultivated rice, *Oryza sativa*. *Proc. Natl. Acad. Sci. U.S.A.* 103, 9578–9583.
- Lu, B.R. (1999) Taxonomy of the genus *Oryza* (Poaceae): Historical perspective and current status. *IRRI Minireview*, 4-8.
- Lu, T.T., Yu, S.L., Fan, D.L., Mu, J., Shangguan, Y.Y., Wang, Z.X., Minobe, Y., Lin, Z.X. and Han, B. (2008) Collection and comparative analysis of 1888 full-length cDNAs from wild rice *Oryza rufipogon* Griff. W1943. *DNA Research* 15, 285-295.
- MARDI. (2002) High Yielding Rice Varieties: MR219, Teknologi. Retrieved 1 May 2010, from MARDI official site website: <http://www.mardi.my/html/Upload/padi/MR%20219.pdf>.
- MARDI. (2010) Scope of Research. Retrieved 1 May 2010, from MARDI official site website: <http://www.mardi.my/web/guest/aktiviti8>.
- Marri, P.R., Sarla, N., Reddy, V.L.N. and Siddiq, E.A. (2005) Identification and mapping of yield and yield related QTLs from an Indian accession of *Oryza rufipogon*. *BMC Genetics* 6, 33.
- Martinez, J., Patkaniowska, A., Urlaub, H., Luhrmann, R. and Tuschl, T. (2002) Single-stranded antisense siRNAs guide target RNA cleavage in RNAi. *Cell* 110, 563–574.
- Martinez-Perez, E. and Moore, G. (2008) To check or not to check? The application of meiotic studies to plant breeding. *Curr. Opin. Plant Biol.* 11, 222-227.
- McCouch, S.R. and Doerge, R.W. (1995) QTL mapping in rice. *Trends Genet.* 11, 482-487.
- McCouch, S.R., Sweeney, M., Li, J., Jiang, H., Thomson, M., Septinginsih, E., Edwards, J., Moncada, P., Xiao, J., Garris, A., Tai, T., Martinez, C., Tohme, J., Sugiono, M., McClung, A., Yuan, L.P. and Ahn, S.N. (2007) Through the genetic bottleneck: *O. rufipogon* as a source of trait-enhancing alleles for *O. sativa*. *Euphytica* 154, 317-339.

- Miki, D. and Shimamoto, K. (2004) Simple RNAi vector for stable and transient suppression of gene function in rice. *Plant Cell Physiology* 45, 490-495.
- Miki, D., Itoh, R. and Shimamoto, K. (2005) RNA silencing of single and multiple members in a gene family of rice. *Plant Physiology* 138, 1903-1913.
- Miyao, A., Iwasaki, Y., Kitano, H., Itoh, J-I., Maekawa, M., Murata, K., Yatou, O., Nagato, Y. and Hirochika, H. (2007) A large-scale collection of phenotypic data describing an insertional mutant population to facilitate functional analysis of rice genes. *Plant Mol. Biol.* 63, 625-635.
- Miwa, H., Tamaki, T., Fukuda, H. and Sawa, S. (2009) Evolution of CLE signaling: Origins of the CLV1 and SOL2/CRN receptor diversity. *Plant Signal Behav.* 6, 477-481.
- Mlotshwa, S., Pruss, G.J., Peragine, A., Endres, M.W., Li J., Chen, X., Poethig, S., Bowman, L.H. and Vance, V. (2008) DICER-LIKE2 plays a primary role in transitive silencing of transgenes in *Arabidopsis*. *PLoS ONE* 3, e1755.
- Mlotshwa, S., Pruss, G.J. and Vance, V. (2008b) Small RNAs in viral infection and host defense. *Trends Plant Sci.* 13, 375-382.
- Mohan, M., Nair, S., Bhagwat, A., Krisna, T.G., Yano, M., Bhatia, C.R. and Sasaki, T. (1997) Genome mapping, molecular markers and marker-assisted selection in crop plants. *Mol. Breed.* 3, 87-103.
- Moissiard, G., Parizotto, E.A., Himber, C. and Voinnet, O. (2007) Transitivity in *Arabidopsis* can be primed, requires the redundant action of the antiviral Dicer-like 4 and Dicer-like 2, and is compromised by viral-encoded suppressor proteins. *RNA* 13, 1268-1278.
- Moncada, P., Martinez, C.P., Borrero, J., Chatel, M., Gauch, H.J., Guimaraes, E., Tohme, J., McCouch, S.R. (2001) Quantitative trait loci for yield and yield components in an *Oryza sativa* × *Oryza rufipogon* BC₂F₂ population evaluated in an upland environment. *Theor. Appl. Genet.* 102, 41-52.
- Moon, S., Jung, K.H., Lee, D.E., Lee, D.Y., Lee, J., An, K., Kang, K. and G. (2005) The rice *FONI* gene controls vegetative and reproductive development by regulating shoot apical meristem size. *Molecules and Cells* 21, 147-152.
- Morel, J.B., Godon, C., Mourrain, P., Beclin, C., Boutet, S., Feuerbach, F., Proux, F. and Vaucheret, H. (2002) Fertile hypomorphic ARGONAUTE (*ago1*) mutants impaired in post-transcriptional gene silencing and virus resistance. *The Plant Cell* 14, 629-639.

- Morillo, S.A. and Tax, F.E. (2006) Functional analysis of receptor-like kinase in monocots and dicots. *Curr. Opin. Plant Biol.* 9, 460-469.
- Morishima, H. (2001) Evolution and domestication of rice. In: Khush GS, Brar DS, Hardy B, eds. *Rice Genetics IV. Proceedings of the Fourth International Rice Genetics Symposium*. International Rice Research Institute, Los Banos. pp. 63–77.
- Muschietti, J., Eyal, Y., and McCormick, S. (1998) Pollen tube localization implies a role in pollen-pistil interactions for the tomato receptor-like protein kinases LePRK1 and LePRK2. *Plant Cell* 10, 319-330.
- Napoli, C., Lemieux, C. and Jorgensen, R. (1990) Introduction of a *chalcone synthase* gene into *Petunia* results in reversible co-suppression of homologous genes in trans. *Plant Cell* 2, 279-289.
- Nielsen, H., Engelbrecht, J., Brunak S. and Heijne, G. (1997) Identification of prokaryotic and eukaryotic signal peptides and prediction of their cleavage sites. *Protein Engineering*, 10, 1-6.
- Nishiyama, T., Fujita, T., Shin, I.T., Seki, M., Nishide, H., Uchiyama, I., Kamiya, A., Carninci, P., Hayashizaki, Y., Shinozaki, K., Kohara, Y. and Hasebe, M. (2003) Comparative genomics of *Physcomitrella patens* gametophytic transcriptome and *Arabidopsis thaliana*: Implication for land plant evolution. *Proc. Natl. Acad. Sci. U.S.A.* 100, 8007-8012.
- Nolen, B., Taylor, S. and Ghosh, G. (2004) Regulation of protein kinases: Controlling activity through activation segment conformation. *Mol. Cell* 15, 661–675.
- Nonomura, K.I., Nakano, M., Fukuda, T., Eguchi, M., Miyao, A., Hirochika, H. and Kurata, N. (2004) The novel gene HOMOLOGOUS PAIRING ABERRATION IN RICE MEIOSIS 1 of rice encodes a putative coiledcoil protein required for homologous chromosome pairing in meiosis. *Plant Cell* 16, 1008-1020.
- Novina, C.D. and Sharp, P.A. (2004) The RNAi revolution. *Nature* 430, 161-164.
- Nguyen, B.D., Brar, D.S., Bui, B.C., Nguyen, T.V., Pham, L.N. and Nguyen, H.T. (2003) Identification and mapping of the QTL for aluminum tolerance introgressed from the new source, *Oryza rufipogon* Griff, into *indica* rice (*Oryza sativa* L.). *Theor. Appl. Genet.* 106, 583–593.

- Nodine, M.D., Yadegari, R., and Tax, F.E. (2007) *RPK1* and *TOAD2* are two receptor-like kinases redundantly required for *Arabidopsis* embryonic pattern formation. *Developmental Cell* 12, 943-956.
- Oka, H.I. and Chang, W.T. (1962) Rice varieties intermediate between wild and cultivated forms and the origin of the *japonica* type. *Botany Bulletin Academia Sinica (Taiwan)* 3, 109–131.
- Onishi, K., Horiuchi, Y., Ishigo-oka, N., Takagi, K., Ichikawa, N., Maruoka, M. and Sano, Y. (2007) A QTL cluster for plant architecture and its ecological significance in Asian wild rice. *Breeding Sciences* 57, 7–16.
- Osakabe, Y., Maruyama, K., Seki, M., Satou, M., Shinozaki, K. and Yamaguchi-Shinozaki, K. (2005) Leucine-rich repeat receptor-like kinase1 is a key membrane-bound regulator of abscisic acid early signaling in *Arabidopsis*. *Plant Cell* 17, 1105–1119.
- Ouyang, S., Zhu, W., Hamilton, J., Lin, H., Campbell, M., Childs, K., Thibaud-Nissen, F., Malek, R.L., Lee, Y., Zheng, L., Orvis, J., Haas, B., Wortman, J. and Buell, C.R. (2007) The TIGR rice genome annotation resource: Improvements and new features. *Nucleic Acids Res.* 35, D883–D887.
- Park, W., Li, J., Song, R., Messing, J. and Chen, X. (2002) CARPEL FACTORY, a Dicer Homolog, and HEN1, a novel protein, act in microRNA metabolism in *Arabidopsis thaliana*. *Curr. Biol.* 12, 1484.
- Paterson, A.H., Freeling, M. and Sasaki, T. (2005) Grains of knowledge: Genomics of model cereals. *Genome Res.* 15, 1643–1650.
- Peragine, A., Yoshikawa, M., Wu, G., Albrecht, H.L. and Poethig, R.S. (2004) *SGS3* and *SGS2/SDE1/RDR6* are required for juvenile development and the production of trans-acting siRNAs in *Arabidopsis*. *Genes Dev.* 18, 2368–2379.
- Piffanelli, P., Droc, G., Mieulet, D., Lanau, N., Bès, M., Bourgeois, E., Rouvière, C., Gavory, F., Cruaud, C., Ghesquière, A. and Guiderdoni, E. (2007) Large-scale characterization of Tos17 insertion sites in a rice T-DNA mutant library. *Plant Mol. Biol.* 65, 587–601.
- Pillitteri, L.J., Bemis, S.M., Shpak, E.D., and Torii, K.U. (2007) Haploinsufficiency after successive loss of signaling reveals a role for ERECTA-family genes in *Arabidopsis* ovule development. *Development* 17, 3099-3109.

- Qi, X., Bao, F.S. and Xie, Z. (2009) Small RNA deep sequencing reveals role for *Arabidopsis thaliana* RNA-dependent RNA polymerases in viral siRNA biogenesis. *PLoS ONE* 4, e4971.
- Qi, Y., Denli, A.M. and Hannon, G.J. (2005) Biochemical specialization within *Arabidopsis* RNA silencing pathways. *Mol. Cell* 19, 421–428.
- Ouyang, S., Zhu, W., Hamilton, J., Lin, H., Campbell, M., Childs, K., Thibaud-Nissen, F., Malek, R.L., Lee, Y., Zheng, L., Orvis, J., Haas, B., Wortman, J. and Buell, C.R. (2007) The TIGR Rice Genome Annotation Resource: Improvements and new features. *Nucleic Acids Res.* 35, D883–D887.
- Raghuvanshi, S., Kapoor, M., Tyagi, S., Kapoor, S., Khurana, P., Khurana J. and Tyagi A. (2009) Rice genomics moves ahead. *Mol. Breeding* DOI 10.1007/s11032-009-9367-7.
- Rajagopalan, R., Vaucheret, H., Trejo, J. and Bartel, D.P. (2006) A diverse and evolutionarily fluid set of microRNAs in *Arabidopsis thaliana*. *Genes Dev.* 20, 3407–3425.
- Ribaut, J.M., Hoisington, D. (1998) Marker-assisted selection: New tools and strategies. *Trends in Plant Science* 3, 236-239.
- Rinhart, B.J., Slack, F.J., Basson, M., Pasquinelli, A.E., Bettinger, J.C., Rougvie, A.E., Horvitz, H.R. and Ruvkun, G. (2000) The 21-nucleotide let-7 RNA regulates developmental timing in *Caenorhabditis elegans*. *Nature* 403, 901–906.
- Reinhart, B.J., Weinstein, E.G., Rhoades, M.W., Bartel, B. and Bartel, D.P. (2002) MicroRNAs in plants. *Genes Dev.* 16, 1616–1626.
- Rice Annotation Project (2008) The Rice Annotation Project Database (RAP-DB): 2008 update. *Nucleic Acids Res.* 36, D1028–D1033.
- Sabu, K.K., Abdullah, M.Z., Lim, L.S. and Wickneswari, R. (2006) Development and evaluation of advanced backcross families of rice for agronomically important traits. *Commun. Biometry Crop Science* 1, 111-123.
- Sakamoto, T., Miura, K., Itoh, H., Tatsumi, T., Ueguchi-Tanaka, M., Ishiyama, K., Kobayashi, M., Agrawal, G.K., Takeda, S., Abe, K., Miyao, A., Hirochika, H., Kitano, H., Ashikari, M. and Matsuoka, M. (2004) An overview of gibberellin metabolism enzyme genes and their related mutants in rice. *Plant Physiol.* 134, 1642–1653.

- Sang, T. and Ge, S. (2007) The Puzzle of Rice Domestication. *Journal of Integrative Plant Biology* 49, 760–768.
- Sasaki, T. and Sederof, R.R. (2003) Genome studies and molecular genetics: The rice genome and comparative genomics of higher plants. Editorial Overview. *Curr. Opin. Plant Biol.* 6, 97–100.
- Sasaki, T., Matsumoto, T., Yamamoto, K., Sakata, K., Baba, T., Katayose, Y., Wu, J., Niimura, Y., Cheng, Z., Nagamura, Y., et al (2002) The genome sequence and structure of rice chromosome 1. *Nature* 420, 312–316.
- Sato, F. (2005) RNAi and functional genomics. *Plant Biotechnology* 22, 431–442.
- Schauer, S.E., Jacobsen, S.E., Meinke, D.W., and Ray, A. (2002) DICER-LIKE1: Blind men and elephants in *Arabidopsis* development. *Trends Plant Sci.* 7, 487–491.
- Scheer, J.M. and Ryan, C.A. (2002) The systemin receptor SR160 from *Lycopersicon peruvianum* is a member of the LRR receptor kinase family. *Proc. Natl. Acad. Sci. U.S.A.* 99, 9585–9590.
- Schwach, F., Vaistij, F.E., Jones, L. and Baulcombe, D.C. (2005) An RNA-dependent RNA polymerase prevents meristem invasion by potato virus X and is required for the activity but not the production of a systemic silencing signal. *Plant Physiol.* 138, 1842–1852.
- Second, G. (1982) Origin of the genic diversity of cultivated rice (*Oryza* spp.): Study of the polymorphism scored at 40 isozyme loci. *Japanese Journal of Genetics* 57, 25–57.
- Semon, M., Nielsen, R., Jones, M. and McCouch, S.R. (2005) The population structure of African cultivated rice *Oryza glaberrima* (Steud.): Evidence for elevated levels of LD caused by admixture with *O. sativa* and ecological adaptation. *Genetics* 169, 1639–1647.
- Septiningsih, E.M., Prasetyono, J., Lubis, E., Tai, T.H., Tjubaryat, T., Moeljopawiro, S. and McCouch, S.R. (2003a) Identification of quantitative trait loci for yield and yield components in an advanced backcross population derived from the *Oryza sativa* variety IR64 and the wild relative *O. rufipogon*. *Theor. Appl. Genet.* 107, 1419–1432.
- Septiningsih, E.M., Trijatmiko, K.R., Moeljopawiro, S. and McCouch, S.R. (2003b) Identification of quantitative trait loci for grain quality in an advance

backcross population derived from the *Oryza sativa* variety IR64 and the wild relative *O. rufipogon*. *Theor. Appl. Genet.* 107, 1433–1411.

- Sharma, S.D. and Shastri, S.V.S. (1965). Taxonomic studies in genus *Oryza* L. III. *O. rufipogon* Griff. *sensu stricto* and *O. nivara* Sharma et Shastri *nom. nov.* *Indian J. Genet. Plant Breed.* 25, 157–167.
- Sharma, S.D., Tripathy, S., Biswal, J. (2000) Origin of *O. sativa* and its ecotypes. In: Nanda JS, ed. *Rice Breeding and Genetics: Research Priorities and Challenges*. Science Publications, Enfield, NH. pp. 349–369.
- Sheth, N., Roca, X., Hastings, M.L., Roeder, T., Krainer, A.R. and Sachidanandam, R. (2006) Comprehensive splice-site analysis using comparative genomics. *Nucleic Acids Res.* 34, 3955-3967.
- Shiu, S.H. and Bleecker, A.B. (2001a) Plant receptor-like kinase gene family: Diversity, function, and signaling. *Sci. Sig. Trans. Knowl. Environ.* 113, re22.
- Shiu, S.H. and Bleecker, A.B. (2001b) Receptor-like kinases from *Arabidopsis* form a monophyletic gene family related to animal receptor kinases. *Proc. Natl. Acad. Sci. U.S.A.* 98, 10763–10768.
- Shiu, S.H. and Bleecker, A.B. (2003) Expansion of the receptor-like kinase/*Pelle* gene family and receptor-like proteins in *Arabidopsis*. *Plant Physiol.* 132, 530-543.
- Shiu, S.H., and Li, W.H. (2004) Origins, lineage-specific expansions, and multiple losses of tyrosine kinases in eukaryotes. *Mol. Biol. Evol.* 21, 828-840.
- Shiu, S.H., Kariowski, W.M., Pan, R., Tzeng, Y.H., Mayer, K.F.X. and Li, W.H. (2004) Comparative analysis of the receptor-like kinase family in *Arabidopsis* and Rice. *The Plant Cell* 16, 1220-1234.
- Sijen, T., Fleenor, J., Simmer, F., Thijssen, K.L., Parrish, S., Timmons, L., Plasterk, R.H. and Fire, A. (2001) On the role of RNA amplification in dsRNA-triggered gene silencing. *Cell* 107, 465–476.
- Sivakumar, P., Law, Y.S., Ho, C.L. and Harikrishna, J.A. (2010) High frequency plant regeneration from mature seed of elite, recalcitrant Malaysian indica rice (*Oryza sativa* L.) Cv. MR219. *Acta Biologica Hungarica* 61, 313-321.
- Song, B.K., Hein, I., Druka, A., Waugh, R., Marshall, D., Nadarajah, K., Yap, S.J. and Ratnam, W. (2009) The 172-kb genomic DNA region of the *Oryza*

rufipogon yld1.1 locus: Comparative sequence analysis with *Oryza sativa* spp. *japonica* and *Oryza sativa* spp. *Indica*. *Functional and Integrative Genomics* 9, 97-108.

Song, W.Y., Wang, G.L., Chen, L.L., Kim, H.S., Holsten, T., Gadner, J., Wang, B., Zhai, W.X., Zhu, L.H., Fauquet, C. and Ronald, P.C. (1995) A receptor kinase-like protein encoded by the rice disease resistance gene Xa21. *Science* 270, 1804-1805.

Song, X.J., Huang, W., Shi, M., Zhu, M.Z. and Lin, H.X. (2007) A QTL for rice grain width and weight encodes a previously unknown RING-type E3 ubiquitin ligase. *Nature Genetics* 39, 623–630.

Stewart, C.N., Jr., and Via, L.E. (1993) A rapid CTAB DNA isolation technique useful for RAPD fingerprinting and other PCR applications. *BioTechniques* 14, 748-751.

Suzaki, T., Sato, M., Ashikari, M., Miyoshi, M., Nagato, Y., *et al.* (2004) The gene FLORAL ORGAN NUMBER1 regulates floral meristem size in rice and encodes a leucine-rich repeat receptor kinase orthologous to *Arabidopsis* CLAVATA1. *Development* 131, 5649–5657.

Sun, Q., Wu, L., Ni, Z., Meng, F., Wang, Z. and Lin, Z. (2004) Differential gene expression patterns in leaves between hybrids and their parental inbreds are correlated with heterosis in a wheat diallel cross. *Plant Science* 166, 651-657.

Swamy, B.P.M and Sarla, N. (2008) Yield-enhancing quantitative trait loci (QTLs) from wild species. *Biotechnology Advances* 26, 106–120.

Swanson-Wagner, R.A., Jia, Y., DeCook, R., Borsuk, L.A., Nettleton, D. and Schnable, P.S. (2006) All possible modes of gene action are observed in a global comparison of gene expression in a maize F1 hybrid and its inbred parents. *Proc. Natl. Acad. Sci. U.S.A* 103, 6805-6810.

Sweeney, M. and McCouch, M. (2007) The Complex History of the Domestication of Rice. *Annals of Botany* 100, 951-957.

Sweeney, M.T., Thomson, M.J., Cho, Y.G., Park, Y.J., Williamson, S.H., *et al.* (2007) Global dissemination of a single mutation conferring white pericarp in rice. *PLoS Genet.* 3, e133. doi:10.1371/journal.pgen.0030133.

Tanaka, T., Antonio, B.A., Kikuchi, S., Matsumoto, T., Nagamura, Y., Numa, H., Sakai, H., Wu, J., Itoh, T., Sasaki, T., *et al.* (2008) The Rice Annotation

- Project Database (RAP-DB): 2008 update. *Nucleic Acids Res.* 36, D1028–D1033.
- Tanaka, T., Koyanagi, K.O. and Itoh, T. (2009) Highly diversified molecular evolution of downstream transcription start sites in rice and *Arabidopsis*. *Plant Physiol.* 149, 1316-1324.
- Tang, J., Xia, H., Li, D., Cao, M., Tao, Y., Tong, W., Zhang, X., Hu, S., Wang, J., Yu, J., Yang, H., and Zhu, L. (2005) Gene expression profiling in rice young panicle and vegetative organs and identification of panicle-specific genes through known gene function. *Molecular Genetics and Genomics* 274, 467-476.
- Tanksley, S.D., and Nelson, J.C. (1996) Advanced backcross QTL analysis: A method for the simultaneous discovery and transfer of valuable QTLs from unadapted germplasm into elite breeding lines. *Theor. Appl. Genet.* 92, 191-203.
- The Rice Full-Length cDNA Consortium. (2003) Collection, mapping, and annotation of over 28,000 cDNA clones from *japonica* rice. *Science* 301, 376–379.
- Thompson J.D., Higgins D.G., Gibson T.J. (1994) CLUSTAL W: Improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res.* 22, 4673-80.
- Thomson, M.J., Tai, T.H., McClung, A.M., Lai, X-H, Hinga, ME., Lobos, K.B., *et al.* (2003) Mapping quantitative trait loci for yield, yield components and morphological traits in an advanced backcross population between *Oryza rufipogon* and the *Oryza sativa* cultivar *Jefferson*. *Theor. Appl. Genet.* 107, 479–493.
- Till, B.J., Cooper, J., Tai, T.H., Colowit, P., Greene, E.A., Henikoff, S., Comai, L. (2007) Discovery of chemically induced mutations in rice by TILLING. *BMC Plant Biol.* 7, 19.
- Toki, S. (1997) Rapid and efficient *Agrobacterium*-mediated transformation in rice. *Plant Mol. Biol. Rep.* 15, 16–21.
- Tolia, N.H. and Joshua-Tor, L. (2007) Slicer and the Argonauts. *Nat. Chem. Biol.* 3, 36–43.
- Tomari, Y. and Zamore, P.D. (2005) Perspective: Machines for RNAi. *Genes Dev.* 19, 517–529.

- Torii, K.U., Mitsukawa, N., Oosumi, T., Matsuura, Y., Yokoyama, R., *et al.* (1996) The *Arabidopsis* ERECTA gene encodes a putative receptor protein kinase with extracellular leucine-rich repeats. *Plant Cell* 8, 735–746.
- Tuschl, T., Zamore, P.D., Lehmann, R., Bartel, D.P. and Sharp, P.A. (1999) Targeted mRNA degradation by double-stranded RNA in vitro. *Genes. Dev.* 13, 3191–3197.
- Ulukan, K. (2009) The evolution of cultivated plant species: Classical plant breeding versus genetic engineering. *Plant Systematics and Evolution* 280, 3-4.
- Utami, D.W., Moeljopawiro, S., Septiningsih, E.M., Aswidinnoor, H. and Sujiprihati, S. (2001) Introgression of blast resistance characters from the wild rice *Oryza rufipogon* into IR64 variety. (in Indonesian). *J Biotek Pertan* 6, 51–58.
- Vaistij, F.E., Jones, L. and Baulcombe, D.C. (2002) Spreading of RNA targeting and DNA methylation in RNA silencing requires transcription of the target gene and a putative RNA-dependent RNA polymerase. *Plant Cell* 14, 857–867.
- Valon, C., Smalle, J., Goodman, H.M. and Giraudat, J. (1993) Characterization of an *Arabidopsis thaliana* gene (TMKL1) encoding a putative transmembrane protein with an unusual kinase-like domain. *Plant Mol. Biol.* 23, 415–421.
- van der Krol, A.R., Mur, L.A., Beld, M., Mol, J.N. and Stuitje, A.R. (1990) Flavonoid genes in petunia: Addition of a limited number of gene copies may lead to a suppression of gene expression. *Plant Cell* 2, 291–299.
- Vandesompele, J., De Preter, K., Pattyn, F., Poppe, B., Van Roy, N., De Paepe, A. and Speleman, F. (2002) Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes. *Genome Biol* 3, RESEARCH0034.
- Vaughan, D.A., Morishima, H. and Kadowaki, K. (2003) Diversity in the *Oryza* genus. *Curr. Opin. Plant Biol.* 6, 139–146.
- Vaucheret, H. (2006) Post-transcriptional small RNA pathways in plants: Mechanisms and regulations. *Genes Dev.* 20, 759–771.
- Vazquez, F., Vaucheret, H., Rajagopalan, R., Lepers, C., Gascioli, V., Mallory, A.C., Hilbert, J.L., Bartel, D.P. and Crete, P. (2004) Endogenous *trans*-acting siRNAs regulate the accumulation of *Arabidopsis* mRNAs. *Mol. Cell.* 16, 69–79.

- Walker, J.C. and Zhang, R. (1990) Relationship of a putative receptor protein kinase from *maize* to S-locus glycoproteins of *Brassica*. *Nature* 345, 743-746.
- Wang, Y.H. and Li, J.Y. (2005) The plant architecture of rice (*Oryza sativa*). *Plant Mol. Biol.* 59, 75–84.
- Wang, Z., Second, G. and Tanksley, S. (1992) Polymorphism and phylogenetic relationship among species in the genus *Oryza* as determined by analysis of nuclear RFLPs. *Theor. Appl. Genet.* 83, 565–581.
- Wassenegger, M., Heimes, S., Riedel, L. and Sanger, H.L. (1994) RNA-directed de novo methylation of genomic sequences in plants. *Cell* 3, 567–576.
- Waterhouse, P.M. and Helliwell, C.A. (2003) Exploring plant genomes by RNA-induced gene silencing. *Nat. Rev. Genet.* 4, 29–38.
- Wicker, T., Schlagenhauf, E., Graner, A., Close, T.J., Keller, B. and Stein, N. (2006) 454 sequencing put to the test using the complex genome of barley. *BMC Genomics* 7, 275.
- Wu, C., Li, X., Yua, W., Chen, G., Kilian, A., Li, J., Xu, C., Li, X., Zhou, D-X., Wang, S. and Zhang, Q. (2003) Development of enhancer trap lines for functional analysis of the rice genome. *Plant J.* 35, 418-427.
- Wu, J.L., Wu, C., Lei, C., Baraoidan, M., Bordeos, A., Madamba, M.R., Ramos-Pamplona, M., Mauleon, R., Portugal, A., Ulat, V.J., Bruskiwich, R., Wang, G., Leach, J., Khush, G., Leung, H. (2005) Chemical and irradiation-induced mutants of *indica* rice IR64 for forward and reverse genetics. *Plant Mol. Biol.* 59, 85–97.
- Xiao, J., Li, J., Grandillo, S., Ahn, S.N., Yuan, L., Tanksley, S.D. and McCouch, S.R. (1998) Identification of trait-improving quantitative trait loci alleles from a wild rice relatives, *O. rufipogon*. *Genetics* 150, 899-909.
- Xie, K., Zhang, J., Xiang, Y., Feng, Q., Han, B., Chu, Z., Wang, S., Zhang, Q. and Xiong, L. (2005) Isolation and annotation of 10,828 putative full length cDNAs from *indica* rice. *Science in China* 35, 6–12 (ser C).
- Xie, Z., Johansen, L.K., Gustafson, A.M., Kasschau, K.D., Lellis, A.D., Zilberman, D., Jacobsen, S.E. and Carrington, J.C. (2004) Genetic and functional diversification of small RNA pathways in plants. *PLoS Biol* 2, E104.
- Xie, Z. and Qi, X. (2008) Diverse small RNA-directed silencing pathways in plants. *Biochimica et Biophysica Acta* 1779, 720–724.

- Xiong, L.Z., Liu, K.D., Dai, X.K., Xu, C.G. and Zhang, Q. (1999) Identification of genetic factors controlling domestication-related traits of rice using an F2 population of a cross between *Oryza sativa* and *O. rufipogon*. *Theor. Appl. Genet.* 98, 243–251.
- Vaucheret, H. (2006) Post-transcriptional small RNA pathways in plants: Mechanisms and regulations. *Genes Dev.* 20, 759–771.
- Vaucheret, H. (2008) Plant ARGONAUTES. *Trends Plant Sci* 13, 350–358.
- Yamanaka, S., Nakamura, I., Nakai, H. and Sato, Y. (2003) Dual origin of the cultivated rice based on molecular markers of newly collected annual and perennial strains of wild rice species, *Oryza nivara* and *O. rufipogon*. *Genet. Resour. Crop Evol.* 50, 529–538.
- Yoon, D.B., Kang, K.H., Kim, H.J., Ju, H.G., Kwon, S.J., Suh, J.P., *et al.* (2006) Mapping quantitative trait loci for yield components and morphological traits in an advanced backcross population between *Oryza grandiglumis* and the *O. sativa japonica* cultivar Hwaseongbyeon. *Theor. Appl. Genet.* 112, 1052–1062.
- Yoshikawa, M., Peragine, A., Park, M.Y. and Poethig, R.S. (2005) A pathway for the biogenesis of *trans*-acting siRNAs in *Arabidopsis*. *Genes Dev.* 19, 2164–2175.
- Yu, D.Q., Fan, B.F., MacFarlane, S.A. and Chen, Z.X. (2003) Analysis of the involvement of an inducible *Arabidopsis* RNA-dependent RNA polymerase in antiviral defence. *Molecular Plant–Microbe Interactions* 16, 206–216.
- Yu, J., Wang, J., Lin, W., Li, S., Li, H., Zhou, J., Ni, P., Dong, W., Hu, S., Zeng, C., Zhang, J., Zhang, Y., Li, R., Xu, Z., Li, S., Li, X., Zheng, H., Cong, L., Lin, L., Yin, J., Geng, J., Li, G., Shi, J., Liu, J., Lv, H., Li, J., Wang, J., Deng, Y., Ran, L., Shi, X., Wang, X., Wu, Q., Li, C., Ren, X., Wang, J., Wang, X., Li, D., Liu, D., Zhang, X., Ji, Z., Zhao, W., Sun, Y., Zhang, Z., Bao, J., Han, Y., Dong, L., Ji, J., Chen, P., Wu, S., Liu, J., Xiao, Y., Bu, D., Tan, J., Yang, L., Ye, C., Zhang, J., Xu, J., Zhou, Y., Yu, Y., Zhang, B., Zhuang, S., Wei, H., Liu, B., Lei, M., Yu, H., Li, Y., Xu, H., Wei, S., He, X., Fang, L., Zhang, Z., Zhang, Y., Huang, X., Su, Z., Tong, W., Li, J., Tong, Z., Li, S., Ye, J., Wang, L., Fang, L., Lei, T., Chen, C., Chen, H., Xu, Z., Li, H., Huang, H., Zhang, F., Xu, H., Li, N., Zhao, C., Li, S., Dong, L., Huang, Y., Li, L., Xi, Y., Qi, Q., Li, W., Zhang, B., Hu, W., Zhang, Y., Tian, X., Jiao, Y., Liang, X., Jin, J., Gao, L., Zheng, W., Hao, B., Liu, S., Wang, W., Yuan, L., Cao, M., McDermott, J., Samudrala, R., Wang, J., Wong, G.K. and Yang, H.

(2005) The genomes of *Oryza sativa*: A history of duplications. *PLoS Biology* 3, e38.

Yu, J., Hu, S., Wang, J., Wong, G.K., Li, S., Liu, B., Deng, Y., Dai, L., Zhou, Y., Zhang, X., Cao, M., Liu, J., Sun, J., Tang, J., Chen, Y., Huang, X., Lin, W., Ye, C., Tong, W., Cong, L., Geng, J., Han, Y., Li, L., Li, W., Hu, G., Huang, X., Li, W., Li, J., Liu, Z., Li, L., Liu, J., Qi, Q., Liu, J., Li, L., Li, T., Wang, X., Lu, H., Wu, T., Zhu, M., Ni, P., Han, H., Dong, W., Ren, X., Feng, X., Cui, P., Li, X., Wang, H., Xu, X., Zhai, W., Xu, Z., Zhang, J., He, S., Zhang, J., Xu, J., Zhang, K., Zheng, X., Dong, J., Zeng, W., Tao, L., Ye, J., Tan, J., Ren, X., Chen, X., He, J., Liu, D., Tian, W., Tian, C., Xia, H., Bao, Q., Li, G., Gao, H., Cao, T., Wang, J., Zhao, W., Li, P., Chen, W., Wang, X., Zhang, Y., Hu, J., Wang, J., Liu, S., Yang, J., Zhang, G., Xiong, Y., Li, Z., Mao, L., Zhou, C., Zhu, Z., Chen, R., Hao, B., Zheng, W., Chen, S., Guo, W., Li, G., Liu, S., Tao, M., Wang, J., Zhu, L., Yuan, L., Yang, H. (2002) A draft sequence of the rice genome (*Oryza sativa* L. ssp. *indica*). *Science* 296, 79–92.

Zamore, P.D., Tuschl, T., Sharp, P.A. and Bartel D.P. (2000) RNAi: Double-stranded RNA directs the ATP-dependent cleavage of mRNA at 21 to 23 nucleotide intervals. *Cell* 101, 25-33.

Zha, X., Luo, X., Qian, X., He, G., Yang, M., Li, Y. and Yang J. (2009) Over-expression of the rice LRK1 gene improves quantitative yield components. *Plant Biotechnol. J.* 7, 611-620.

Zhang, J., Guo, D., Chang, Y., You, C., Li, X., Dai, X., Weng, Q., Zhang, J., Chen, G., Li, X., Liu, H., Han, B., Zhang, Q. and Wu C. (2007) Nonrandom distribution of T-DNA insertions at various levels of the genome hierarchy as revealed by analyzing 13 804 T-DNA flanking sequences from an enhancer-trap mutant library. *Plant J.* 49, 947–959.

Zhang, X. (1998) Leucine-rich repeat receptor-like kinases in plants. *Plant Molecular Biology Reporter* 16, 301–311.

Zhao, W., Wang, J., He, X., Huang, X., Jiao, Y., Dai, M., Wei, S., Fu, J., Chen, Y., Ren, X., Zhang, Y., Ni, P., Zhang, J., Li, S., Wang, J., Wong, G.K., Zhao, H., Yu, J., Yang, H. and Wang, J. (2004) BGI-RIS: An integrated information resource and comparative analysis workbench for rice genomics. *Nucleic Acids Res.* 32, D377–D382.

Zheng, X., Zhu, J., Kapoor, A. and Zhu, J.K. (2007) Role of *Arabidopsis* AGO6 in siRNA accumulation, DNA methylation and transcriptional gene silencing. *Embo J.* 26, 1691–1701.

- Zhong, J., Zhu, Q. and Lamb C.J. (2000) Receptor-like protein kinase, RKN, and methods of use for increasing growth and yield in plants. World Patent System (WO/2000/004761). 2 Feb. 2000.
- Zhu, Q., Zheng, X., Luo, J., Gaut, B.S. and Ge, S. (2007) Multilocus analysis of nucleotide variation of *Oryza sativa* and its wild relatives: Severe bottleneck during domestication of rice. *Mol. Biol. Evol.* 24, 875–882.
- Zilberman, D., Cao, X. and Jacobsen, S.E. (2003) *ARGONAUTE4* control of locus specific siRNA accumulation and DNA and histone methylation. *Science* 299, 716–719.