

HAL-9614

FEASIBILITY STUDIES
OF UTILISING OIL PALM
(*Elaeis guineensis* Jacquin)
LEAVES FOR PAPER PULP

Faridah Abdul Majid

A dissertation submitted in partial fulfilment
of the requirements for the
degree of Master of Philosophy

9614

Institute of Advanced Studies,
University of Malaya,
Kuala Lumpur
MALAYSIA
1990

CONTENTS

	PAGE
ABSTRACT	i
ACKNOWLEDGEMENTS	iii
ABBREVIATIONS	iv
LIST OF PLATES	vi
LIST OF TABLES	vii
LIST OF FIGURES	ix
1. INTRODUCTION	1
INTRODUCTION TO THE OIL PALM	1
1.1 The oil palm	1
1.2 Availability of oil palm trunks and fronds	3
1.2.1 Physical properties of the trunks and fronds	6
1.2.2 Morphology of the trunks and fronds	6
1.2.3 Chemical properties of the trunks and fronds	9
1.3 Potential uses of oil palm trunks	9
1.3.1 Oil palm trunk as lumber and veneer	9
1.3.2 Oil palm trunk as a potential source of energy	11
1.3.3 Oil palm trunks in the production of panel products	12
1.3.4 Oil palm trunks in pulp and paper ...	13
1.4 Potential uses of oil palm fronds	16
1.4.1 Potential uses of oil palm petiole	16
1.4.2 Potential uses of oil palm leaflets	18

	PAGE
INTRODUCTION TO PULP AND PAPER	19
1.5 The nature of paper	19
1.6 Cellulose and its properties	21
1.6.1 Hemicellulose	22
1.7 Lignin	22
1.7.1 Delignification: separation from woody tissues and fibres	23
1.8 Pulping	23
1.8.1 Alkaline pulping	24
1.8.2 Sulphite pulping	26
1.8.3 Modified sulphite process	26
1.8.4 Bleaching of chemical pulps	27
1.8.5 Mechanical pulp	28
1.8.6 Other processes	29
1.8.7 Variables in pulping	29
1.9 Pulps from non-wood fibres	30
1.9.1 Agricultural and agro industrial	31
1.9.2 Natural growing plants	32
1.9.3 Cultivated fibre crops	34
1.10 Reclaimed papers	36
1.11 Non-cellulosic fibres	37
1.12 Fibre morphology	37
1.12.1 Fibre length	38
1.12.2 Fibre coarseness	39
1.13 Outline of papermaking process	41
1.13.1 Pulp cleaning	41

1.13.2 Defibring	43
1.13.3 The papermaking operation	44
1.13.4 Calendering	45
1.13.5 Sizing, loading and colouring	45
1.14 Properties of the paper sheet	47
1.15 Objective	49
2. MATERIALS AND METHODS	53
2.1 Raw material and sample preparation	55
2.2 Determination of apparent density	55
2.3 Moisture content	55
2.4 Morphological study	55
2.5 Proximate chemical analyses	56
2.5.1 Determination of moisture content ...	57
2.5.2 Ash content	57
2.5.3 1% alkali solubility	58
2.5.4 Alcohol-benzene solubility	58
2.5.5 Hot water solubility	58
2.5.6 Lignin	59
2.5.7 Pentosans	60
2.5.8 Holocellulose	60
2.5.9 Alpha-cellulose	61
2.6 Pulping trials	61
2.6.1 Chemical soda process	62
2.6.2 Chemical sulphate process	63
2.6.3 NSSC pulping process	64
2.7 Analysis of pulping liquor	65

	PAGE
2.7.1 Analysis of pH	65
2.7.2 Chemical consumed in a sulphate digestion	65
2.7.3 Estimation of total alkali	65
2.7.4 Estimation of active alkali remaining	65
2.7.5 Yield of pulp	66
2.7.6 Screenings	66
2.7.7 Kappa number of pulp	66
2.8 Bleaching	67
2.9 Preparation of handsheets	68
2.10 Physical properties of handsheets	68
2.10.1 Thickness	69
2.10.2 Tearing index	70
2.10.3 Basis weight	70
2.10.4 Bursting strength	70
2.10.5 Folding endurance	71
2.10.6 Tensile strength	71
2.11 Brightness	71
3. RESULTS	72
4. DISCUSSION	125
5. CONCLUSION	142
APPENDIX	144
BIBLIOGRAPHY	169

ACKNOWLEDGEMENTS

I wish to thank my first supervisor, Prof. Madya Muhamad B. Zakaria for his invaluable guidance, encouragement and patience throughout my study. Thanks are also due to my second and third supervisors, Prof. Madya John B. Sutanto and Prof. Madya Masitah Bte. Hassan for their help and encouragement.

I would also like to convey my gratitude to Y.Bhg. Datuk Dr. Salleh B. Mohd. Nor, the Director General of the Forest Research Institute of Malaysia (FRIM) for allowing me to carry out my research at the Pulp and Paper Laboratory. Thanks are also due to Dr. Abdul Razak B. Mohd. Ali (Director of Chemistry, FRIM), En. Mohd. Nor Mohd. Yusof, Mr. Lee Tack Wan, Mrs. Yeo Moi Wah, Mr. Yong Fook Onn and the staff of the Pulp and Paper Division (FRIM). Special thanks go to Mr. Khoo Khean Choon for his invaluable help and guidance. In addition, I would like to thank Mr. Lai of Effingham Estate, Damansara, for the supply of plant material during the course of this study. I would also like to thank the University of Malaya for providing me with Fellowship and Research Grants (Vote F 250/85).

Thanks also go to my dear parents for their constant support. Last but not least, I wish to sincerely thank my loving husband, Nik Zamri, for his patience, encouragement and moral support.

ABBREVIATIONS

A.A.	=	Active Alkali
Air res.	=	Air resistance
Basis wt.	=	Basis weight
Beat. time	=	Beating time
Break. length	=	Breaking length
Burst ind.	=	Burst index
c.o.s.	=	coefficient of suppleness
cc/g	=	cubic centimetre/gram
EFB	=	Empty Fruit Bunches
El	=	Elongation
μm	=	micron metre
FRIM	=	Forest Research Institute of Malaysia
g	=	gram
g/m^2	=	gram/(metre) ²
J/m^2	=	Joule/(metre) ²
$\text{kg.f}/\text{cm}^2$	=	kilogram force/(centimetre) ²
km	=	kilometre
$\text{kPa.m}^2/\text{g}$	=	kilo Pascal (metre) ² /gram
L/d	=	length/diameter
MC	=	Moisture Content
min.	=	minute
mJ/g	=	milli Joule/gram
ml Csf	=	millilitre Canadian standard freeness
$\text{mN.m}^2/\text{g}$	=	milli Newton (metre) ² /gram
N.m/g	=	Newton metre/gram

- NSSC = Neutral Sulphite Semichemical
- OD = Oven Dry
- PORIM = Palm Oil Research Institute of Malaysia
- sec. = second
- SIRIM = Standards and Industrial Research Institute
- TEA ind. = Tensile Energy Absorption index
- Tear ind. = Tear index
- Tens. ind. = Tensile index
- Thick. = Thickness

LIST OF PLATES

	PAGE
[1] The oil palm (<i>Elaeis guineensis</i> Jacquin) tree	54
[2] A close-up view of the oil palm leaf	54
[3] Photomicrograph (160x) of the fibre from oil palm midrib (stained with safranin-o)	74
[4] Photomicrograph (160x) of the fibre from oil palm leaf blade (stained with safranin-o)	74
[5] Photomicrograph (200x) of the NSSC pulp (treatment: unbeaten)	87
[6] Photomicrograph (200x) of the NSSC pulp (treatment: 30-minute beating)	87
[7] Photomicrograph (200x) of the NSSC pulp (treatment: 45-minute beating)	88
[8] Photomicrograph (200x) of the NSCC pulp (treatment: 60-minute beating)	88
[9] Photomicrograph (200x) of the NSSC pulp (treatment: 75-minute beating)	89

LIST OF TABLES

	PAGE
[1] Expected replanting area of oil palm plantation from year 1985 to 2000 (hectare)	2
[2] Estimated total annual availability of trunks and fronds from year 1985 to 2000 (million dry tonnes)	5
[3] Morphology of the trunk and frond of the oil palm	7
[4] Fibre dimensions of the oil palm in comparison with some agricultural residues and woody plants	8
[5] Analytical comparison of the proximate chemical composition of the trunk and frond of the oil palm to some Malaysian hardwood species (in percentage based on OD material)	10
[6] Analytical comparison of the oil palm with some monocotyledons species (in percentage based on OD material)	11
[7] The apparent density of oil palm midrib and leaf blades	72
[8] Morphology of the midrib, leaf blade and petiole of the oil palm	73
[9] Fibre dimensions of the oil palm in comparison with some agricultural residues and woody plants	75
[10] Analytical comparison of the oil palm with some monocotyledon species (in percentage based on OD material)	77
[11] Analytical comparison of the proximate chemical composition of the oil palm to some Malaysian hardwood species (in percentage based on OD material)	78
[12] Pulping condition and properties of the soda pulps from oil palm leaflets	79
[13] Pulping conditions and properties of the soda pulps from oil palm leaf blades	80
[14] Pulping conditions and properties of the soda pulps from oil palm midrib	81

	PAGE
[15] Pulping conditions and properties of the sulphate pulps from oil palm midrib	83
[16] Pulping conditions and properties of the sulphate pulps from oil palm leaf blades	84
[17] Details of bleaching conditions for oil palm midrib	85
[18] Pulping conditions and properties of the NSSC pulps from oil palm midrib	86
[19] Sulphate pulp evaluation of the oil palm:	
(a) midrib	91
(b) leaf blade	91
[20] Soda pulp evaluation of the oil palm midrib	103
[21] NSSC pulp evaluation of the oil palm midrib	114

LIST OF FIGURES

	PAGE
[1] Tear index of sulphate pulp from oil palm midrib at different freeness	92
[2] Burst index of sulphate from oil palm midrib at different freeness	93
[3] Tensile index of sulphate from oil palm midrib at different freeness	94
[4] TEA index of sulphate from oil palm midrib at different freeness	95
[5] Breaking length of sulphate from oil palm midrib at different freeness	96
[6] Double folds of sulphate from oil palm midrib at different freeness	97
[7] Stretch of sulphate from oil palm midrib at different freeness	98
[8] Air resistance of sulphate from oil palm midrib at different freeness	99
[9] Beating versus freeness of sulphate pulp from oil palm midrib at different freeness	100
[10] Tear index versus tensile index of sulphate pulp from oil palm midrib at different freeness	101
[11] Tear index of soda pulp from oil palm midrib at different freeness	104
[12] Burst index of soda pulp from oil palm midrib at different freeness	105
[13] Tensile index of soda pulp from oil palm midrib at different freeness	106
[14] TEA index of soda pulp from oil palm midrib at different freeness	107
[15] Breaking length of soda pulp from oil palm midrib at different freeness	108
[16] Double folds of soda pulp from oil palm midrib at different freeness	109

	PAGE
[17] Stretch of soda pulp from oil palm midrib at different freeness	110
[18] Air resistance of soda pulp from oil palm midrib at different freeness	111
[19] Beating versus freeness of soda pulp from oil palm midrib at different freeness	112
[20] Tear index of NSSC pulp from oil palm midrib at different freeness	115
[21] Burst index of NSSC pulp from oil palm midrib at different freeness	116
[22] Tensile index of NSSC pulp from oil palm midrib at different freeness	117
[23] Breaking length of NSSC pulp from oil palm midrib at different freeness	118
[24] Stretch of NSSC pulp from oil palm midrib at different freeness	119
[25] TEA index of NSSC pulp from oil palm midrib at different freeness	120
[26] Double folds of NSSC pulp from oil palm midrib at different freeness	121
[27] Air resistance of NSSC pulp from oil palm midrib at different freeness	122
[28] Tear index versus tensile index of NSSC pulp from oil palm midrib at different freeness	123
[29] Yield of NSSC pulp versus sodium sulphite added at different freeness	124