

References

- 1) A. Kelly, in T.Hayashi, K. Kawata & S. Umekawa (Editors), *Composites in Engineering; Progress in Science and Engineering of Composites*, ICCM-IV, Tokyo, 1982
- 2) D. Hull, in R. W. Cahn, M. W. Thompson and I. M. Ward (Editors), *An Introduction to Composite Materials*, Cambridge University Press, Cambridge, 1981
- 3) P. Ghosh, *Polymer Science and Technology Plastics, Rubbers, Blends and Composites*, Second edition, Tata McGraw-Hill Publishing Company Limited, New Delhi, 2002
- 4) W.D. Callister, *Material Science and Engineering: An Introduction*, Sixth edition, John Wiley & Sons, Inc., USA, 2003
- 5) H.D. Wagner, Reinforcement, in H.F. Mark (Editor) *Encyclopedia of Polymer Science and Technology*, Third edition, Volume 4, John Wiley & Sons, Inc., New York, 2003, pp.94-114
- 6) J. B. Lawrence and H. K. Richard in P. E. Plueddmann (Editor), *Composite Materials; Interfaces in Polymer Matrix Composites*, Volume 6, Academic Press, New York and London, 1974
- 7) S. Mukhopadhyay, B. L. Deopura and R. Alagiruswamy, Interface behaviour in polypropylene composites, *Journal of Thermoplastic Composite Materials*, **16**(2003)479
- 8) B.K. Fink and R.L. McCullough, Interphase research issues, *Composites Part A* **30**(1999)1-2
- 9) N. Lopattananon, A.P. Kettle, D. Tripathi, A.J. Beck, F. Duval, R.M. France, R.D. Short, and F.R. Jones, Interface molecular engineering of carbon fibre composites, *Composites*, **30A**(1999)49-57
- 10) N.E. Zafeiropoulos, C.A. Baillie and J.M. Hodgkinson, Engineering and characterisation of the interface in flax fibre/polypropylene composite materials

Part II: the effect of surface treatments on the interface, *Composites*, **33A**(2002)1183-1188

- 11) A. Lustiger, F.S. Uralil and G.M. Newaz, Processing and structural optimization of PEEK, *Polymer Composites*, **11**(1990)65–75
- 12) S. Saiello, J. Kenny and L. Nicolais, Interface morphology of carbon fibre/PEEK composites, *Journal of Materials Science*, **25**(1990)3493–3496
- 13) N.L. Hancox, *Fibre Composite Hybrid Materials*, Applied Science Publishers Ltd., London, 1981
- 14) H. Fukuda, and T.W. Chou in T. Hayashi, K. Kawata & S. Umekawa (Editors), *A Statistical Approach to the Strength of Hybrid Composites : Progress in Science and Engineering of Composites*, ICCM-IV, Tokyo, 1982
- 15) G. Kretsis, A review of the tensile, compressive, flexural and shear properties of hybrid fibre-reinforced plastics, *Composites*, **18**(1987)13–23
- 16) A. Hassan, R. Yahya, M. T. A. Rahman and A.H. Yahya , Extrusion and pultrusion compounded carbon fibre reinforced PA 6,6 composites : impact properties of injection moulded specimens, *Malaysian Journal of Science*, **22**(2003)105-110
- 17) K.J. Nangarani, *SPE ANTEC Papers*, **31**(1985)1142
- 18) J. W. Bozzelli, Injection moulding, in H.F. Mark (Editor), *Encyclopedia of Polymer Science and Technology*, Third Ed., Volume 3, John Wiley and Sons, New York, 2003, pp. 1-28.
- 19) H.R. Clauser, *Industrial and Engineering Materials*, McGraw–Hill, New York, 1975
- 20) N.E. Dowling, *Mechanical Behaviour of Materials*, 2nd Ed., Prentice Hall, New Jersey, 1999.
- 21) H. L. Cox, The elasticity and strength of paper and other fibrous materials, *British Journal Application Physics*, **3**(1952)72-79

- 22) H. Krenchel, *Fibre Reinforcement*, Akademisk Forlag, Copenhagen, 1964
- 23) A. Kelly and W. R. Tyson, Tensile properties of fibre reinforced metals, *Journal of the Mechanics and Physics of Solids*, **13**(1965)329
- 24) A. Kelly, The strengthening of metals by dispersed particles, *Proceedings of the Royal Society*, **282**(1964)63
- 25) G.S. Holister and C. Thomas, *Fibre Reinforced Materials*, Elsevier Publishing Co. Ltd., New York, 1966
- 26) A. Hassan, P.R. Hornsby, M.J Folkes, Structure-property relationship of injection moulded carbon fibre reinforced polyamide 6,6 composites : The effect of compounding routes, *Polymer Testing* **22**(2003)185-189
- 27) M. G. Bader and W. H. Bowyer, The mechanical properties of thermoplastics strengthened by short discontinuous fibres, *Journal of Physics D: Applied Physics*, **5**(1972)2215-2225
- 28) R.A. Pike and R.C. Novak, NASA CR134 763, 1975
- 29) D.A.G. Marshall, Msc. Thesis, Lancaster Univ., UK, 1974 (Through reference 13)
- 30) H. Miyairi, M. Nagai and A. Marumatsu, *Journal of the Society of Material Science Japan*, **25**(1976)450-456
- 31) H. Miyairi, M. Nagai and A. Marumatsu, *Physics Abstract*, No.76812, **79**(1976)
- 32) ASTM Designation, E 23, Standard Test Methods for *Notched Bar Impact Testing of Metallic Materials*, West Conshohocken, PA, Vol. 03.01
- 33) J. Marin, *Mechanical Behaviour of Engineering Materials*, Prentice-Hall, New Jersey, 1962.
- 34) M. J. Carling and J. G. Williams, Fibre length distribution effects on the fracture of short-fibre composites, *Polymer Composites*, **11**(1990)307-313

- 35) D. M. Laura, H. Keskkula, J. W. Barlow, & D. R. Paul, Effect of glass fibre and maleated ethylene–propylene rubber content for tensile and impact properties of Nylon 6, *Polymer*, **41**(2000)7165–7174
- 36) D.C. Leach, and D.R. Moore, Failure and fracture of short glass fibre reinforced nylon composites, *Composites*, **16**(1985)113
- 37) S. Hashemi and J. Mugan, Fracture mechanics of short glass fibre reinforced nylon composites, *Journal of Materials Science*, **28**(1993)3983-3990
- 38) D.F. Adams, *Journal of Materials Science*, **10**(1975)1591-1602
- 39) D.F. Adams and A.K Miller, *Journal of Materials Science*, **11**(1976)1697-1710
- 40) G.Dorey, G. R. Sidey and J. Hutchins, *Composites*, **9**(1978)25-32
- 41) B. Harris and A. R. Bunsell, Impact properties of glass fibre/carbon fibre hybrid composites, *Composites*, **6**(1975)197-202
- 42) P. K. Mallick and L.J. Broutman, Static and impact properties of laminated hybrid composites, *Journal of Testing and Evaluation*, **5**(1977)190-200
- 43) E. Rybicki and M. Kanninen in W.J. Renton (Editor), *Hybrid and Select Metal matrix Composites - A State of the Art Review*, American Institute of Aeronautics and Astronautics, New York, 1977, pp. 53-65
- 44) D. Aitken, S.M. Burkinshaw, R. Cox, J. Catherall, R.E. Litchfield, D.M. Price and N.G. Todd, Determination of the T_g of wet acrylic fibres using DMA, *Journal of Applied Polymer Science : Applied Polymer Symposium*, **47**(1991)263-269
- 45) ISO 6721-1 (E) *Plastics-Determination of Dynamic Mechanical Properties*, Part 1, 1994
- 46) D.M. Price, Thermal analysis of fibres and films in solvents and vapours, *Thermochimica Acta*, **294**(1997)127-131
- 47) K. Meldrum and J.S. Ward, *Journal of the Society of Dyers and Colourists*, **74**(1958)140

- 48) T. Murayama and A.A. Armstrong, Jr., New apparatus for the immersion of test sample in a liquid medium on rheovibron viscoelastometer, *Journal of Polymer Science : Polymer Physics Edition*, **12**(1974)1211
- 49) A. B. Desai and G.L. Wilkes, A method for evaluating the dynamic mechanical properties of a polymer fibre or film immersed in a liquid environment, *Textile Research Journal*, **45**(1975)173
- 50) W. C. Ingamells and N. Yanumet, *B. Polymer Journal*, **12**(1980)12
- 51) ASTM Standard, D638-80, Standard Test Method for *Tensile properties of Plastics*, Part 35, pp.228-244
- 52) G. M. Wu and J.M. Schultz, *Polymer Composites*, **11**(1990) pp.126-132
- 53) ASTM Standard, E104, Standard Recommended Practice for *Maintaining Constant Relative Humidity by Means of Aqueous Solutions*, Part 41, 1981, pp. 108-111
- 54) S. Senthilvelan, R. Gnanamoorthy, Damping characteristics of unreinforced, glass and carbon fibre reinforced nylon 6/6 spur gears, *Polymer Testing*, **25**(2006)56–62
- 55) ASTM Standard, D790-03, Standard Test Method for *Flexural properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials*, Part 35, pp.149-159
- 56) J.L. Thomason, Micromechanical parameters from macro mechanical measurements on glass reinforced polyamide 6,6, *Composites Science & Technology*, **61**(2001)2007-2016
- 57) A. Hassan, R. Yahaya, A.H. Yahaya, & A.R.M. Tahir, Tensile, impact and fibre length properties of injection-moulded short and long glass fibre-reinforced

polyamide 6,6 composites, *Journal of Reinforced Plastics And Composites*, **23**(2004)969-984

- 58) F. Garbassi and R. Po, Engineering Thermoplastics-Overview, in H.F. Mark (Editor), *Encyclopedia of Polymer Science and Technology*, Third Edition, Volume 2, John Wiley and Sons, New York, 2003, pp. 307-328
- 59) Z.A. Mohd Ishak, A. Ariffin, R. Senawi, Effects of hygrothermal aging and a silane coupling agent on the tensile properties of injection moulded short glass fibre reinforced poly(butylenes terephthalate) composites, *European Polymer Journal*, **37**(2001)1635-1647
- 60) E. Klata, K. Van de Velde, I. Krucin'ska, DSC investigations of polyamide 6 in hybrid GF/PA 6 yarns and composites, *Polymer Testing*, **22**(2003)929-937
- 61) S.Y. Lee, I.A. Kang, G.H. Doh, W.J. Kim, J.S. Kim, H.G. Yoon, Q. Wu, Thermal, mechanical and morphological properties of polypropylene/clay/wood flour nanocomposites, *eXPRESS Polymer Letters*, **2**(2008)78-87
- 62) R.D. Adams and M. M. Singh, The dynamic properties of fibre reinforced polymers exposed to hot, wet conditions, *Composites Sciences and Technology*, **56**(1996)977-997
- 63) L.E. Nielsen, *Mechanical Properties of Polymers and Composites*, Volume 2, Marcel Dekker, Inc., New York, 1974
- 64) J.L. Thomason, The influence of fibre properties of the performance of glass fibre reinforced polyamide 6,6, *Composites Science and Technology*, **59**(1999)2315-2328
- 65) S.Y. Fu, B. Lauke, E. Mader, X. Hu, C.Y. Yue, Fracture resistance of short glass fibre reinforced and short carbon fibre reinforced polypropylene under Charpy impact load and its dependence on processing, *Journal of Materials Processing*, **89-90**(1999)501-507

- 66) A. Hassan, R. Yahya and P.R. Hornsby, Short and long glass fibre reinforced polyamide 6,6 composites : fibre length characteristics of injection moulded specimens, *Malaysian Journal of Science*, **20**(2001)57-63
- 67) J.L. Thomason, The influence of fibre length and concentration on the properties of glass fibre reinforced polypropylene: 5. Injection moulded long and short fibre PP, *Composites A*, **33**(2002)1641–1652
- 68) J. L. Thomason and M.A. Vlugs, The influence of fibre length and concentration on the properties of glass fibre reinforced polypropylene: 1. Tensile and flexural modulus, *Composites A*, **27**(1996)477–84
- 69) S.Y. Fu, B. Lauke, Y.H. Zhang, Y.W. Mai, On the post-mortem fracture surface morphology of short fibre reinforced thermoplastics, *Composites A*, **36**(2005)987-994
- 70) E.M. Wouterson, F.Y.C. Boey, X. Hu, S.C. Wong, Effect of fibre reinforcement on tensile, fracture and thermal properties of synthetic foam, *Polymer*, **48**(2007)3183-3191
- 71) M.G. Bader and J.F. Collins, The effect of fibre-interface and processing variables on the mechanical properties of glass fibre filled nylon 6, *Fibre Science and Technologist*, **18**(1983)217-231
- 72) J.L. Thomason, The influence of fibre properties of the performance of glass-fibre-reinforced polyamide 6,6, *Composites Science and Technology*, **59**(1999)2315-2328
- 73) P.T. Curtis, M.G. Bader, J.E. Bailey, The stiffness and strength of a polyamide thermoplastic reinforced with glass and carbon fibres, *Journal of Materials Science*, **13**(1978)377–90
- 74) J. Denault, T. Vu-Khanh, B. Foster, Tensile properties of injection moulded long fibre thermoplastic composites, *Polymer Composite*, **10**(1989)313–21

- 75) M.L. Shiao, S.V. Nair, P.D. Garrett, R.E. Pollard, Effect of glass fibre reinforcement and annealing on microstructure and mechanical behaviour of nylon 6,6. Part II. Mechanical behaviour, *Journal of Materials Science*, **29**(1994)1739–52
- 76) B. Mouhmid, A. Imad, N. Benseddiq, S. Benmedakhene, A. Maazouz, A study of mechanical behaviour of a glass fibre reinforced polyamide 6,6 : Experimental investigation, *Polymer Testing*, **25**(2006)544-552
- 77) K. Takahashi, N.S. Choi, Influence of fibre weight fraction on the failure mechanisms of poly(ethylene terephthalate) reinforced by short glass fibres, *Journal of Materials Science*, **26**(1991)4648–56
- 78) A. Hassan, A. Hamid Yahya, Z. Abidin Ibrahim and Peter R. Hornsby, Short- and long glass fibre reinforced polyamide 6,6 composites: Tensile properties of injection moulded specimens, *Malaysian Journal of Science*, **20**(2001)51-55
- 79) S.V. Nair, A. Subramaniam, L.A. Goettler. Fracture resistance of polyblends and polyblend matrix composites. Part III. Role of rubber type and location in nylon 6,6/SAN composites, *Journal Materials Science*, **33**(1998)3455-641
- 80) E.C. Botelho, L.C. Pardini and M.C. Rezende, Hygrothermal effects on damping behaviour of metal/glass fiber/epoxy hybrid composites, *Materials Science and Engineering A*, **399**(2005)190–198
- 81) M. Kohan, *Nylon Plastics Handbook*, Hanser-Gardner Publications, Inc., New York, p.631 (1995)
- 82) G. Huang and H. Sun, Effect of water absorption on the mechanical properties of glass/polyester composites, *Materials and Design*, **28**(2007)1647–1650
- 83) J.L Thomason, The influence of fibre length, diameter and concentration on the impact performance of long glass-fibre reinforced polyamide 6,6, *Composites A*, **40**(2009)114-124

- 84) Beckry Abdel-Magid, Saeed Ziaee, Katrina Gass, Marcus Schneider, The combined effects of load, moisture and temperature on the properties of E-glass/epoxy composites, *Composite Structures*, **71**(2005)320-326
- 85) N. Sombatsompop and K. Chaochanchaikul, Effect of moisture content on mechanical properties, thermal and structural stability and extrudate texture of poly(vinyl chloride)/wood sawdust composites, *Polymer International*, **53**(2004)1210–1218
- 86) A. Bergeret, I. Pires, M.P. Foulc, B. Abadie, L. Ferry and A. Crespy, The hygrothermal behaviour of glass fibre reinforced thermoplastic composites: a prediction of the composite lifetime, *Polymer Testing*, **20**(2001)753-763
- 87) S. Hashemi, Effect of temperature on tensile properties of injection moulded short glass fibre and glass bead filled ABS hybrids, *eXPRESS Polymer Letters*, **7**(2008)474-484
- 88) J.L Thomason, The influence of fibre length, diameter and concentration on the strength and strain to failure of glass fibre-reinforced polyamide 6,6, *Composites A*, **39**(2008)1618–1624
- 89) H.N. Dhakal, Z.Y. Zhang, M.O.W. Richardson, Effect of water absorption on the mechanical properties of hemp fibre reinforced unsaturated polyester composites, *Composites Science and Technology*, **67**(2007)1674–1683
- 90) A. Stamboulis, C.A. Baillie, T. Peijs, Effects of environmental conditions on mechanical and physical properties of flax fibres, *Composite Part A Applied Science Manufacturer*, **32**(2001)1105–15
- 91) R. Park and J. Jang, The effects of hybridization on the mechanical performance of aramid/polyethylene intraply fibric composites, *Composites Science and Technology*, **58**(1998)1621-1628
- 92) Abdulkadir Gullu, Ahmmet Ozdemir and Emir Ozdemir, Experimental investigation of the effect of glass fibres on the mechanical properties of

polypropylene (PP) and polyamide 6 (PA6) plastics, *Materials and Design*, **27** (2006)316-323

- 93) K. Ishore, K. Bijoysri and B. Viswanath, Effect of water absorption on the impact response of carbon-epoxy system containing buffer strips, *Journal of Reinforced Plastics and Composites*, **20**(2001)1430-1445
- 94) T. A. Siewert, D. P. Vigliotti, L. B. Dirling, and C. N. McCowan, Performance verification of impact machines for testing plastics, *Journal of Research of the National Institute of Standards and Technology*, **104**(1999)557-565
- 95) N. Stark, Influence of moisture absorption on mechanical properties of wood flour-polypropylene composites, *Journal of Thermoplastic Composites Materials*, **14**(2001)422-432
- 96) J.L. Thomason, M.A. Vlug, The influence of fibre length and concentration on the properties of glass reinforced polypropylene : 4. Impact properties, *Composites A*, **28**(1996)277-288
- 97) H. Bijsterbosch and R.J. Gaymans, Polyamide 6-long glass fibre injection mouldings, *Polymer composites*, **16**(1995)363–369
- 98) M.P. Foulc, A. Bergeret, L. Ferry, P. Ienny, A. Crespy, Study of hygrothermal ageing of glass fibre reinforced composites, *Polymer Degradation and Stability*, **89**(2005)461-470
- 99) M. G. Bader and R.M. Ellis, The Effect of Notches and Specimen Geometry on the Pendulum Impact Strength of Uni-axial CFRP, *Composites*, **6**(1974)253–258
- 100) H.T. Thorat and C. L. Subhash, Fracture toughness of unidirectional glass/carbon hybrid composites, *Journal of Composite Materials*, **17**(1983)2-14
- 101) E.C. Botelho, L. Figiel, M.C. Rezende and B. Lauke, Mechanical behaviour of carbon fibre reinforced polyamide, *Composites Science and Technology*, **63**(2003)1843–1855

- 102) B.C. Ray, Temperature effect during humid ageing on interfaces of glass and carbon fibres reinforced epoxy composites, *Journal of Colloid and Interface Science*, **298** (2006)111-117
- 103) S. Solomon, A. Abu Bakar, Z.A. Mohd Ishak, Y.W. Leong, U.S. Ishiaku and H. Hamada, Drop weight impact properties of (CO) injection Moulded Short glass fibre/short carbon fibre/polyamide 6 hybrid composites, *Journal of Reinforced Plastics and Composites*, **26**(2007)405-418
- 104) S.C. Tjong, S.A. Xu and Y.W. Mai, Impact fracture toughness of short glass fibre reinforced polyamide 6,6 hybrid composites containing elastomer particles using essential work of fracture concept, *Materials Science and Engineering A*, **347**(2003) 338-345