

CHAPTER 7: REFERENCES

Abdul Jalil A. (2003). *Comparison of expression of Ki-67 and PCNA at the tumour invasive front of oral squamous cell carcinoma*. P 1-104. Kuala Lumpur, Malaysia: Faculty of Dentistry, University of Malaya

Agarwal S, Mathur M, Srivastava A and Ralhan R (1999). MDM2/p53 co-expression in oral premalignant and malignant lesions: potential prognostic implications. *Oral Oncol* **35**: 209-216

Alevizos I, Mahadevappa M, Zhang X, Ohyama H, Kohno Y, Posner M, Gallagher GT, Varvares M, Cohen D, Kim D, Kent R, Donoff RB, Todd R, Yung CM, Warrington JA and Wong DTW (2001). Oral cancer in vivo gene expression profiling assisted by laser capture microdissection and microarray analysis. *Oncogene* **20**: 6196-6204

Allison P, Locker D and Feine J.S. (1998). The role of diagnostic delays in the prognosis of oral cancer: a review of the literature. *Oral Oncol* **34**:161-170

Allison RT and Best T (1998). P53, PCNA and Ki-67 expression in oral squamous cell carcinoma: the vagaries of fixation and microwave enhancement of immunocytochemistry. *J Oral Pathol Med* **27**: 434-440

Alizadeh AA, Eisen MB, Davis RE, Ma C, Lossos IS, Rosenwald A, Boldrick JC, Sabet H, Tran T, Yu X, Powell JI, Yang L, Marti GE, Moore T, Hudson Jr J, Lu LS, Lewis DB, Tibshirani R, Sherlock G, Chan WC, Greiner TC, Weisenburger DD, Armitage JO, Warnke R, Levy R, Wilson W, Grever MR, Byrd JC, Botstein D, Brown PO and Staudt LM. (2002). Distinct types of diffuse large B-cell lymphoma identified by gene expression profiling. *Nature* **403**: 503-511

Altieri A, Bosetti C, Gallus S, Franceschi S, Dal Maso L, Talamini R, Levi F, Negri E, Rodriguez T and Vecchia CL. (2004) Wine, beer and spirits and risk of oral and pharyngeal cancer: a case-control study from Italy and Switzerland. *Oral Oncol* **40**: 904-909

Anneroth G and Hansen LS (1984). A methodologic study of histologic classification and grading of malignancy in oral squamous cell carcinoma. *Scand J Dent Res* **92**: 448-468

Anneroth G, Batsakis J and Luna M (1987). Review of the literature and a recommended system of malignancy grading in oral squamous cell carcinoma. *Scand J Dent Res* **95**: 229-49

Anneroth G, Batsakis JG and Luna M (1986). Malignancy grading of squamous cell carcinoma in the floor of the mouth related to clinical evaluation. *Scand J Dent Res* **94**: 347-358

Anthony DD, Wentz WB, Reagan JW and Heggie AD (1989). Induction of cervical neoplasia in the mouse by herpes simplex virus type 2 DNA. *Proc Natl Acad Sci USA* **86**: 4520-4524

Arai N, Nomura D, Yokota K, Wolf D, Brill E, Shohat O and Rotter V (1986). Immunologically distinct p53 molecules generated by alternative splicing. *Mol Cell Bio* **6**: 3232-3239

Ard PG, Chatterjee C, Kunjibettu S, Adside LR, Gralinski LE and McMahon SB (2002). Transcriptional regulation of the mdm2 oncogene by p53 requires TRRAP acetylttransferase complexes. *Mol Cell Biol* **22**: 5650-5661

Atula S, Kurvinen K, Grenman R and Syrjanen S (1996). SSCP pattern indicative for p53 mutation in related to advanced stage and high grade of tongue cancer. *Oral Oncol, Eur J Cancer* **4**: 222-229

Ayo-Yusuf OA, Swart TJP and Pickworth WB (2004). Nicotine delivery capabilities of smokeless tobacco products and implications for control of tobacco dependence in South Africa. *Tob Control* **13**; 186-189

Baas IO, Mulder JWR, Offerhaus JA, Vogelstein B and Hamilton SR (1994). An evaluation of six antibodies for immunohistochemistry of mutant p53 gene product in archival colorectal neoplasms. *J Pathol* **172**: 5-12

Badaracco G, Venuti A, Bartolazzi A, Morello R, Marzetti F and Marcante ML (2000) Overexpression of p53 and bcl-2 proteins and the presence of HPV infection are independent events in head and neck cancer. *J Oral Pathol Med* **29**: 173-179

Balaram P, Sridhar H, Rajkumar T, Vaccarella S, Herrero R, Nandakumar A, Ravichandran K, Ramdas K, Sankaranarayanan R, Gajalakshmi V, Munoz N and Fransceschi S. (2002) Oral cancer in southern India: the influence of smoking, drinking, paan-chewing and oral hygiene. *Int J Cancer* **98**: 440-445

Band V, Zajchowski D, Kulesa V and Sager R (1990) Human papilloma virus DNAs immortalize normal human mammary epithelial cells and reduce their growth factor requirements. *Proc Natl Acad Sci USA* **87**: 463-467

Bedi GC, Westra WH, Gabrielson E, Koch W and Sidransky D (1996). Multiple head and neck tumors: evidence of a common clonal origin. *Can Res* **56**: 2484-2487

Berns EMJJ, Foekens JA, Van Staveren IL, Van Putten WLJ, De Koning HYCM, Portengen H and Klijm JGM. (1995). Oncogene amplification and prognosis in breast cancer: relationship with systemic treatment. *Gene* **159**: 11-18

Bettendorf O, Piffko J and Bankflavi A (2004). Prognostic and predictive factors in oral squamous cell cancer: important tools for planning individual therapy? *Oral Oncol* **40**: 110-119

Bettendorf O and Herrmann G (2002). Prognostic relevance of Ki-67 antigen expression in 329 cases of oral squamous cell carcinoma. *ORL J Otorhinolaryngol Relat Spec* **64**: 200-205

Binnie WH, Rankin KV and Mackenzie IC (1983). Etiology of oral squamous cell carcinoma. *J Oral Pathol* **12**: 11-29

Birchall MA, Schock E, Harmon BV and Gobe G (1997). Apoptosis, mitosis, PCNA and bcl-2 in normal, leukoplakic and malignant epithelia of the human oral cavity: prospective, *in vivo* study. *Oral Oncol* **33**: 419-425

Bolt J, Vo QN, Kim WJ, McWhorter AJ, Thomson J, Hagensee ME, Friedlander P, Brown KD and Gilbert J (2005). The ATM/p53 pathway is commonly targeted for inactivation in squamous cell carcinoma of the head and neck (SCCHN) by multiple molecular mechanisms. *Oral Oncol* **41**: 1013-1020

Borner C (2003). The Bcl-2 protein family: sensors and checkpoints for life-or-death decisions. *Mol Imm* **39**: 615-647

Brennan P (2002). Gene-environment interaction and aetiology of cancer: what does it mean and how can we measure it? *Carcinogenesis* **23(3)**: 381-387

Brennan JA, Mao L, Hruban RH, Boyle JO, Eby YJ, Koch WM, Goodman SN and Sidransky D (1995). Molecular assessment of histopathological staging in squamous cell carcinoma of the head and neck. *N Engl J Med* **332**: 429-435

Bryne M, Nielsen K, Koppang HS, Dabelstenn E. (1991). Reproducibility of two malignancy grading systems with reportedly prognostic value for oral cancer patients. *J. Oral Pathol Med* **20**:369-72

Bryne M, Koppang HS, Lillenf R and Kjaerheim A. (1992). Malignancy grading of the deep invasive margins of oral squamous cell carcinomas has high prognostic value. *J Pathol* **166**: 375-381

Bryne M, Jenssen N, Boysen M. (1995). Histological grading in the deep invasive front of T1 and T2 glottic squamous cell carcinomas has high prognostic value. *Virchows Arch* **427**: 277-281.

- Bryne M, Koppang HS, Lilleng R, Stene T, Bang G and Dabelsteen E (1989). New malignancy grading is a better prognostic indicator than Broders' grading in oral squamous cell carcinoma. *J Oral Pathol Med* **18**: 432-437
- Bryne M (1998). Is the invasive front of an oral carcinoma the most important area for prognostication? *Oral Dis* **4**: 70-77
- Bryne M, Boysen M, Alfsen CG, Abeler VM, Sudbo J, Nesland JM, Kristensen GB, Piffko J and Bankfalvi A (1998). The invasive front of carcinomas. The most important area for tumour prognosis? *Anticancer Res* **18**: 4757-4764
- Bundgaard T, Wildt J and Elbrond O (1994). Oral squamous cell cancer in non-users of tobacco and alcohol. *Clin Otolaryngol Allied Sci* **19**(4):320-326
- Burim RV, Canalle R, Takahashi CS, Tavares DC, Martinelli ALC and Sakamoto-Hojo ET. (2004) Clastogenic effect of ethanol in chronic and abstinent alcoholics. *Mut Res* **560**: 187-198
- Buzek J, Latonen L, Kurki S, Peltonen K and Laiho M (2002). Redox state of tumor suppressor p53 regulates its sequence-specific DNA binding in DNA-damaged cells by cysteine 277. *Nuc Acid Res* **30**: 2340-2348
- Clifano J, van Der Riet P, Westra W, Nawroz H, Clayman G, Piantadosi S, Corio R, Lee D, Greenberg B, Koch W and Sidransky D (1996). Genetic progression model for head and neck cancer: implication for field cancerization. *Can Res* **56**: 2488-2492
- Castonguay A, Stoner GD, Schut HAJ and Hecht SS (1983) Metabolism of tobacco-specific N-nitrosamines by the cultured human tissues. *Proc Natl Acad Sci USA* **80**: 6694-6697
- Catena F, Nardo B, Liviano d'Arcangelo G, Stefoni S, Aspesella G, Faenza A and Cavallari A (2001) De Novo malignancies after organ transplantation. *Transp Proc* **33**: 1858-1859
- Center for Disease Control and Prevention (CDC), USA (2005) Cigarette smoking among adults – United States, 2004. *MMWR* **54**(44): 1121-1124
- Campbell JAH, Corrigall AV, Guy A and Kirsch RE (1991). Immunohistologic localization of alpha, mu and pi class glutathione S-transferases in human tissues. *Cancer* **67**: 1608-1613
- Carretero-Pelaez MA, Esparza-Gomez GC, Figuero-Ruiz E and Cerero-Lapiedra R. (2004). Alcohol-containing mouthwashes and oral cancer. Critical analysis of literature. *Med Oral* **9**: 116-123
- Carvalho AL, Ikeda MK, Magrin J and Kowalski LP (2004). Trends of oral and oropharyngeal cancer survival over five decades in 3267 patients treated in a single institution. *Oral Oncol* **40**: 71-76

Castelletto R, Castellsague X, Munoz N, Iscovich J, Chopita N and Jmelnitsky A (1994). Alcohol, tobacco, diet, mate drinking, and esophageal cancer in Argentina. *Cancer Epidemio Biomark & Prev* **3**: 557-564

Castellsague X, Munoz N, De Stefani E, Victoria CG, Castelletto R and Rolon PA (2000). Influence of mate drinking, hot beverages and diet on esophageal cancer risk in South America. *Int J Cancer* **88**: 658-664

Cattoretti G, Becker MHG, Key G, Duchrow M, Schluter C, Galle J and Gerdes J (1992). Monoclonal antibodies against recombinant parts of the Ki-67 antigen (MIB 1 and MIB 3) detect proliferating cells in microwave-processed formalin-fixed paraffin sections. *J Pathol* **168**: 357-363

Cattoretti G, Rilke F, Andreola S, D'Amato L and Delia D (1988). P53 expression in breast cancer. *Int J Cancer* **41**: 178-183

Chan WK, Mole MM, Levison DA, Ball RY, Lu QL, Patel K and Hanby AM (1995). Nuclear and cytoplasmic bcl-2 expression in endometrial hyperplasia and adenocarcinoma. *J Pathol* **177**: 241-246

Chandu A, Sun KCV, DeSilva RN, Smith ACH. (2005). The assessment of quality of life in patients who have undergone surgery for oral cancer: a preliminary report. *J Oral Maxillofac Surg* **63**: 1606-1612

Chen CL, Chi CW, Chang KW and Liu TY. (1999) Safrole-like DNA adducts in oral tissue from oral cancer patients with a betel quid chewing history. *Carcinogenesis* **20(12)**: 2331-2334

Chen J, Marechal V and Levine AJ (1993). Mapping of the p53 and mdm-2 interaction domains. *Mol Cell Biol* **13**: 4107-4114

Chen J, Wu X, Lin J and Levine AJ (1996). Mdm-2 inhibits the G1 arrest and apoptosis functions of the p53 tumor suppressor protein. *Mol Cell Biol* **16**: 2445-2452

Chen-Levy Z, Nourse J and Cleary ML (1989). The bcl-2 candidate proto-oncogene is a 24-kilodalton integral-membrane protein highly expressed in lymphoid cell lines and lymphomas carrying the t(14;18) translocation. *Mol Cell Biol* **9**: 701-710

Chen YK, Huang HC, Lin LM and Lin CC(1999). Primary oral squamous cell carcinoma: an analysis of 703 cases in southern Taiwan. *Oral Oncol* **35**:173-179

Chidzonga MM (2005). Lip cancer in Zimbabwe. Report of 14 cases. *Int J Oral Maxillofac Surg* **34**: 149-151

Chitapanarux I, Lorvidhaya V, Sittitrai P, Pattarasakulchai T, Tharavichitkul E, Sriuthaisirirong P, Kamnerdsupaphon P and Sukthomya V. (2005.) Oral cavity

cancers at a young age: analysis of patient, tumor and treatment characteristics in Chaing Mai University Hospital. *Oral Oncol* **42**: 82-87

Cleary ML, Smith SD and Sklar J (1986). Cloning and structural analysis of cDNAs for bcl-2 and a hybrid bcl-2/immunoglobulin transcript resulting from t(14;18) translocation. *Cell* **47**: 19-28

Cohen SM and Ellwein LB. (1991). Genetics errors, cell proliferation, and carcinogenesis. *Cancer Res* **51**: 6493-6505

Cole P, Rodu B and Mathisen A (2003) Alcohol-containing mouthwash and oropharyngeal cancer. A review of the epidemiology. *JADA* **134**: 1079-1087

Crawford LV, Pim DC, Gurney EG, Goodfellow P and Taylor-Papadimitriou J (1981). Detection of a common feature in several human tumor cell lines – a 53,000-dalton protein. *PNAS* **78**: 41-45

Crissman JD, Liu WY, Gluckman JL and Cummings G (1984). Prognostic value of histopathologic parameters in squamous cell carcinoma of the oropharynx. *Cancer* **54**: 2995-3001

Cruz IB, Meijer CJLM, Snijders PJF, Snow GB, Walboomers JMM and van de Waal I (2000). P53 immunoexpression in non-malignant oral mucosa adjacent to oral squamous cell carcinoma: potential consequences for clinical management. *J Pathol* **191**: 132-137

Cruz IB, Snijders PJF, Meijer CJ, Braakhuis BJ, Snow GB, Walboomers JM and van der Waal I (1998). P53 expression above the basal cell layer in oral mucosa is an early event of malignant transformation and has predictive value for developing oral squamous cell carcinoma. *J Pathol* **184**: 360-368

Dave BJ, Trivedi AH and Adhvaryu SG. (1992) Role of areca nut consumption in the cause of oral cancers. *Cancer* **70**: 1017-1023

Davidoff AM, Kerns BJM, Iglehart JD and Marks JR (1991). Maintenance of p53 alterations throughout breast cancer progression. *Can Res* **51**: 2605-2610

Dazard JE, Augias D, Neel H, Mils V, Marechal V, Basset-Seguin N and Piette (1997). MDM-2 protein is expressed in different layers of normal human skin. *Oncogene* **14**: 1123-1128

Delahunt B, Nethwaite PB, Thornton A and Ribas JL (1995). Proliferation of renal cell carcinoma assessed by fixation-resistant polyclonal Ki-67 antibody labeling. Correlation with clinical outcome. *Cancer* **75**: 2714-2719

DeLeo AB, Jay G, Appella E, Dubois GC, Law LW and Old LJ (1979). Detection of a transformation-related antigen in chemically induced sarcomas and other transformed cells of the mouse. *PNAS* **76**: 2420-2424

DeMarini DM (2004). Genotoxicity of tobacco smoke and tobacco smoke condensate: a review. *Mut Res* **567**: 447-474

Dental division, Ministry of Health, Malaysia. *Dental epidemiological survey of adults in Peninsular Malaysia 1974/75*. Dental Division, Ministry of Health Malaysia 36-37; 98-99

de Stefani E, Boffetta P, Ronco AL, Correa P, Oreggia F, Deneo-Pellegrini H, Mendilaharsu M and Leiva J (2005) Dietary patterns and risk of cancer of the oral cavity and pharynx in Uruguay. *Nutrition and Cancer* **51(2)**:132-139 (abstract)

de Visscher JGAM, Bouwes Bavinck JN and van der Waal I (1997). Squamous cell carcinoma of the lower lip in renal-transplant recipients. *Int J Oral Maxillofac Surg* **26**: 120-123

de Visscher JGAM and van de Waal I (1998). Etiological of cancer of the lip. A review. *Int J Oral Maxillofac Surg* **27**: 199-203

Dickenson AJ, Currier WJR and Avery BS (1995). Screening for syphilis in patients with carcinoma of the tongue. *Br J Oral Maxillofac Surg* **33**: 319-320

Dippold WG, Jay G, DeLeo AB, Khoury G and Old LJ (1981). p53 transformation-related protein: detection by monoclonal antibody in mouse and human cells. *PNAS* **78**: 1695-1699

Dowell SP and Ogden GR (1996). The use of antigen retrieval for immunohistochemical detection of p53 overexpression in malignant and benign oral mucosa: a cautionary note. *J Oral Pathol Med* **25**: 60-64

Druker BJ, Talpaz M, Resta DJ, Peng B, Buchdunger E, Ford JM, Lydon NB, Kantarjian H, Carpdeville R, Ohno-Jones S and Sawyers CL. (2001). Efficacy and safety of a specific inhibitor of BCR-ABL tyrosine kinase in chronic myeloid leukemia. *New Engl J Med* **344(14)**: 1031-1037

Duchrow M, Schluter C, Wohlenberg C, Flad HD and Gerdes J (1996). Molecular characterization of the gene locus of the human cell proliferation-associated nuclear protein defined by monoclonal antibody Ki-67. *Cell Prolif* **29**: 1-12 (abstract)

Elihayu D, Ram A, Gruss P, Givol D and Oren M (1984). Participation of p53 cellular tumour antigen in transformation of normal embryonic cells. *Nature* **312**: 646-649

Elmore JG and Horwitz RI (1995). Oral cancer and mouthwash use: evaluation of the epidemiologic evidence. *Otolaryngol Head Neck Surg* **113**: 253-261

Eskinazi DP and Cantin EM (1988) Monoclonal antibodies to HSV-infection-related antigens cross-react with tumor cell lines and tumor tissue sections. *Oral Surg Oral Med Oral Pathol* **65**: 308-315

Epstein JB, Zhang L and Rosin M (2002). Advances in the diagnosis of oral premalignant and malignant lesions. *J Can Dent Assoc* **68(10)**: 617-621

Franceschi S, Levi F, Dal Maso L, Talamini R, Conti E, Negri E and Vecchia CL. (2000) Cessation of alcohol drinking and risk of cancer of the oral cavity and pharynx. *Int J Cancer* **85**: 787-790

Fearon ER and Vogelstein B. (1990). A genetic model for colorectal tumorigenesis. *Cell* **61**:759-767

Finlay CA, Hinds PW, Tan TH, Elihayu D, Oren M and Levine AJ (1988). Activating mutations for transformation by p53 produce a gene product that forms an hsc70-p53 complex with an altered half-life. *Mol Cell Biol* **8**: 531-539

Finlay CA, Hinds PW and Levine AJ (1989). The p53 proto-oncogene can act as a suppressor of transformation. *Cell* **57**: 1083-1093

Firozi PF, Bondy ML, Sahin AA, Chang P, Lukmanji F, Singletary ES, Hassan MM and Li DH. (2002) Aromatic DNA adducts and polymorphism of CYP1A1, NAT2 and GSTM1 in breast cancer. *Carcinogenesis* **23(2)**: 301-306

Fisher CJ, Gillet CE, Vojtesek B, Barnes DM and Millis RR (1994). Problems with p53 immunohistochemical staining: the effect of fixation and variation in the methods of evaluation. *Br J Cancer* **69**: 26-31

Freedman DA and Levine AJ (1998). Nuclear export is required for degradation of endogenous p53 by MDM2 and human papillomavirus E6. *Mol Cel Biol* **18**: 7288-7293

Fukuhara S, Rowley JD, Variakojis D, Golomb HM. (1979). Chromosome abnormalities in poorly differentiated lymphocytic lymphoma. *Cancer Res* **39**: 3119-3128

Gabriel HE, Liu Z, Crott JW, Choi SW, Song BC, Mason JB and Johnson EJ (2006). A comparison of carotenoids, retinoids and tocopherols in the serum and buccal mucosa of chronic cigarette smokers versus nonsmokers. *Cancer Epi Bio Prev* **15**: 993-999 (abstract)

Gallagher RP and Lee TK (2006) Adverse effects of ultraviolet radiation: a brief review. *Prog Biophy Mol Bio* **92**: 119-131

Garcia-Garcia A, Somoza-Martin M and Gandara-Rey JM (2005). Cancer: undifferentiation or specialization? *Oral Oncol* **41**:655-656

Gariel HE, Crott JW, Ghandour H, Dallal GE, Choi SW, Keyes MK, Jang H, Liu Z, Nadeau M, Johnston A, Mager D and Mason JB (2006). Chronic cigarette smoking is associated with diminished folate status, altered folate form distribution, and increased genetic damage in the buccal mucosa of health adults. *Am J Clin Nutr* **83(4)**: 835-841(abstract)

George BTF. (2002). *Expression of p53 and PCNA at the tumour invasive front of oral squamous cell carcinomas in buccal mucosa*. P 1-117. Kuala Lumpur, Malaysia: Faculty of Dentistry, University of Malaya

Gerdes J, Schwab U, Lemke H and Stein H (1983). Production of a mouse monoclonal antibody reactive with a human nuclear antigen associated with cell proliferation. *Int J Cancer* **31**: 13-20

Gerdes J, Lemke H, Baisch H, Wacker HH, Schwab U and Stein H (1984). Cell cycle analysis of a cell proliferation-associated human nuclear antigen defined by the monoclonal antibody Ki-67. *J. Immunol* **133 (4)**: 1710-1715.

Gerdes J, Li L, Schlueter C, Duchrow M, Wohlenberg C, Gerlach C, Stahmer I, Kloth S, Brandt E and Flad HD (1991). Immunobiochemical and molecular biologic characterization of the cell proliferation-associated nuclear antigen that is defined by monoclonal antibody Ki-67. *Am J Pathol* **138**: 867-873

Giaccia AJ and Kastan MB (1998). The complexity of p53 modulation: emerging patterns from divergent signals. *Gen Dev* **12**: 2973-2983

Goodsell DS (2004) The molecular perspective: nicotine and nitrosamines. *The Oncologist* **94**: 353-354

Gorgoulis VG, Zoumpourlis V, Rassidakis GZ, Karameris A, Rassidakis AN, Spandidos DA and Kittas C (1996). A molecular and immunohistochemical study of the MDM2 protein isoforms and p53 gene product in bronchogenic carcinoma. *J Pathol* **180**: 129-137

Greenblatt MS, Bennett WP, Hollstein M and Harris CC. (1994). Mutations in the p53 tumor suppressor gene: clues to cancer etiology and molecular pathogenesis. *Can Res* **54**: 4855-4878

Greer RO and poulson TC (1983) Oral tissue alterations associated with the use of smokelss tobacco by teenagers. Part 1. Clinical findings. *Oral Surg* **56(3)**: 275-284

Gu J, Nie L, Wiederschain D and Yuan ZM (2001). Identification of p53 sequence elements that are required for MDM-2 mediated nuclear export. *Mol Cel Biol* **21**: 8533-8546

Guadet MM, Olshan AF, Poole C, Weissler MC, Watson M and Bell DA (2004). Diet, GSTM1 and GSTT1 and head and neck cancer. *Carcinogenesis* **25(5)**: 735-740

Guneri P, Cankaya H, Yavizer A, Guneri EA, Erisen L, Ozkul D, El SN, Karakaya S, Arican A and Boyacioglu H (2005). Primary oral cancer in a Turkish population sample: association with sociodemographic features, smoking, alcohol, diet and dentition. *Oral Oncol* **41**: 1005-1012

Gunther T, Schneider-Stock R, Hackel C, Kasper HU, Pross M, Hackelberger A, Lippert H and Roessner A. (2000). Mdm2 gene amplification in gastric cancer correlation with expression of mdm2 protein and p53 alteration. *Mod Pathol* **13(6)**: 621-626.

Haagsma EB, Hagens VE, Schaapveld M, van den Berg AP, de Vries EGE, Klompmaker IJ, Slooff MJH and Jansen PLM (2001). Increased cancer risk after liver transplantation: a population-based study. *J Hep* **34**: 84-91

Hamdan M, Shanmuhasuntharam P, Ismail SM, Rahman ZAA, Raja Latifah RJ, Zain RB, Nurshalene K, Rusdi R, Abd Hamid L, Abu Hasan MS (2003). Oral cancer incidence in 4 states in Malaysia. *Malaysian Dent J* **24**: 114.

Hamelin R, Laurent-Puig P, Olschwang S, Jeco N, Asselain B, Remvikos Y, Girodet J, Salmon RJ and Thomas G (1994). Association of p53 mutations with short survival in colorectal cancer. *Gastroenterology* **106**: 42-48

Hainaut P and Pfeifer GP (2001). Patterns of p53 G→T transversions in lung cancers reflect the primary mutagenic signature of DNA-damage by tobacco smoke. *Carcinogenesis* **22(3)**: 367-374

Haines DS, Landers JE, Engle LJ and George DL (1994). Physical and functional interaction between wild-type p53 and mdm2 proteins. *Mol Cell Biol* **14**: 1171-1178

Hall SF, Groome PA, Rothwell D and Dixon PF (1998). Using TNM staging to predict survival in patients with squamous cell carcinoma of head and neck. *Head Neck* **21**: 30-38

Hall PA and Levison DA (1990). Assessment of cell proliferation in histological material. *J Clin Pathol* **43**: 184-192

Hall PA, Levison DA, Woods AL, Yu CCW, Kellock DB, Watkins JA, Barnes DM, Gillett CE, Camplejohn R, Dover R, Waseem NH and Lane DP (1990). Proliferating cell nuclear antigen (PCNA) immunolocalization in paraffin sections: an index of cell proliferation with evidence of deregulated expression in some neoplasms. *J Pathol* **162**: 285-294

Hall PA, Meek D and Lane DP (1996). P53 – integrating the complexity. *J Pathol* **180**: 1-5

Hall PA and Lane DP (1994). P53 in tumour pathology: can we trust immunohistochemistry? – revisited! *J Pathol* **172**: 1-4

Hamelin R, Laurent-Puig P, Olschwang S, Jego N, Asselain B, Remvikos Y, Girodet J, Salmon RJ and Thomas G. (1994). Association of p53 mutations with short survival in colorectal cancer. *Gastroenterology* **106**: 42-48

Hammerlid E, Bjordal K, Ahlner-Elmqvist M, Jannert M, Kaasa S, Sullivan M and Westin T. (1997) Prospective, longitudinal quality-of-life study of patients with head and neck cancer: a feasibility study including the EORTC QLQ-C30. *Otolaryngol Head Neck Surg* **116**: 666-673

Harlow ED, Williamson NM, Ralston R, Helfman DM and Adams TE (1985). Molecular cloning and in vitro expression of a cDNA clone for human cellular tumor antigen p53. *Mol Cell Bio* **5**: 1601-1610

Harper JW (1997). *Cyclin dependent kinase inhibitors. Cancer Surveys Vol 29: Checkpoint controls and cancer* pg 91-107. Cold Spring Harbor Laboratory Press.

Hassanein KAAM, Musgrove BT, Bradbury E. (2005) Psychological outcome of patients following treatment of oral cancer and its relation to functional status and coping mechanisms. *J of Cranio-Maxillofac Surg* **33**: 404-409

Hecht SS and Hoffmann D (1988) Tobacco-specific nitrosamines, an important group of carcinogens in tobacco and tobacco smoke. *Carcinogenesis* **9(6)**: 875-884

Hecht SS (1998) Biochemistry, biology and carcinogenicity of tobacco specific N-nitrosamines. *Chem Res Toxicol* **11(6)**: 560-590

Heppner GH (1984). Tumour heterogeneity. *Can Res* **44**: 2259-2265

Hickman ES and Helin K (2000). The p53 tumour suppressor protein. *Biotech Gene Eng Rev* **17**: 179-211

Hindle I, Downer MC, Moles DR and Speight PM (2000) Is alcohol responsible for more intra-oral cancer? *Oral Oncol* **36**: 328-333

Hindle I, Downer MC and Speight PM. (1996) The epidemiology of oral cancer. *Br J of Oral Max Surg* **34**: 471-476

Hirsch JM, Johansson SL and Vahlne A (1984). Effect of snuff and herpes simplex virus-1 on rat oral mucosa: possible associations with the development of squamous cell carcinoma. *J Oral Pathol* **13**: 52-62

Hirvikoski P, Kumpulainen E, Virtaniemi J, Pirinen R, Salmi L, Halonen P, Johansson R and Kosma VM (1999). Enhanced apoptosis correlates with poor survival in patients with laryngeal cancer but not with cell proliferation, bcl-2 or p53 expression. *Eur J Cancer* **35**: 231-237

Hitchcock CL (1991). Ki-67 staining as a means to simplify analysis of tumor cell proliferation. *Am J Clin Pathol* **96(4)**: 444-446

- Hsia CC, Sun TT, Wang YY, Anderson LM, Armstrong D and Good RA (1981). Enhancement of formation of the esophageal carcinogen benzylnitrosamine from its precursors by *Candida albicans*. *Proc Natl Acad Sci USA* **78**(3): 1878-1881
- Hsieh LL, Wang PF, Chen IH, Liao CT, Wang HM, Chen MC, Chang JTC and Cheng AJ (2001) Characteristics of mutations in the p53 gene in oral squamous cell carcinoma associated with betel chewing and cigarette smoking in Taiwanese. *Carcinogenesis* **22**(9): 1497-1503
- Hockenbery DM, Zutter M, Hickey W, Nahm M and Korsmeyer SJ. (1991). Bcl2 protein is topographically restricted in tissues characterized by apoptotic cell death. *Proc Natl Acad Sci USA* **88**: 6961-6965
- Hoffman M, Lohrey C, Hunziker A, Kahn T and Schwarz E (2004). Human papillomavirus type 16 E6 and E7 genotypes in head-and-neck carcinomas. *Oral Oncol* **40**: 520-524
- Honda R and Yasuda H (2000), Activity of MDM2, a ubiquitin ligase, toward p53 or itself is dependent on the RING finger domain of the ligase. *Oncogene* **19**: 1473-1476
- Hoque MO, Kawamata H, Nakashiro KI, Omotehara F, Hino S, Uchida D, Harada K, Begum NM, Yoshida H, Sato M and Fujimori T (2002). Dysfunction of the p53 tumor suppressor pathway in head and neck cancer. *Int J Oncol* **21**: 119-126
- Huang JS, Ho TJ, Chiang CP, Kok SH, Kuo YS and Kuo MYP. (2001). Mdm2 expression in areca quid chewing-associated oral squamous cell carcinomas in Taiwan. *J Oral Pathol Med* **30**: 53-58.
- International Agency for Research on Cancer (IARC) (1998) *Tobacco products, smokeless - summaries and evaluations*. Suppl 7, pg 357
- Irish JC and Berstein A (1993). Oncogenes in head and neck cancer. *Laryngoscope*.**103**: 42-52
- Jackel MC, Sellman L, Dorudian MA, Youssef S and Fuzesi L. (2000). Prognostic significance of p53/bcl-2 co-expression in patients with laryngeal squamous cell carcinoma. *Laryngoscope* **110**: 1339-1345
- Jakobsson PA, Eneroth CM, Killander D, Moberger G and Martensson B (1973). Histologic classification and grading of malignancy in carcinoma of the larynx. *Acta Radiol Ther Phys Biol* **12**: 1-8
- Jenkins JR, Rudge K and Currie GA (1984). Cellular immortalization by a cDNA clone encoding the transformation-associated phosphoprotein p53. *Nature* **312**: 651-654
- Johnson NW (1991). Orofacial neoplasms: global epidemiology, risk factors and recommendations for research. *Int Dent Journal* **41**: 365-375

- Jones C (1995). Cervical cancer: is herpes simplex virus type 2 a cofactor? *Clin Microbio Rev* **8(4)**: 549-556
- Jones GW, Brownman G, Goodyear M, Marcellus D and Hodson DI (1993). Comparison of the addition of T and N integer scores with TNM stage groups in head and neck cancer. *Head & Neck* **15**: 497-503
- Jordan RCK, Daniels TE, Greenspan JS and Regezi JA (2002). Advanced diagnostic methods in oral and maxillofacial pathology. Part II: Immunohistochemical and immunofluorescent methods. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* **93**: 56-74
- Jordan RCK, Catzavelos GC, Barrett AW and Speight PM (1996). Differential expression of bcl-2 and bax in squamous cell carcinomas of the oral cavity. *Oral Oncol, Eur J Cancer* **32B**: 394-400
- Juven T, Barak Y, Zauberman A, Goerge DL and Oran Moshe. (1993). Wild type p53 can mediate sequence-specific transactivation of an internal promoter within the mdm2 gene. *Oncogene* **8**: 3411-3416
- Kaklamanis L, Gatter KC, Mortensen N, Baigrie RJ, Heryet A, Lane DP and Harris AL (1993). P53 expression in colorectal adenomas. *Am J Pathol* **142**: 87-93
- Kannan K, Latha Lakshmi PN and Shanmugam G. (1998). Expression of bcl-2 oncoprotein in Indian oral squamous cell carcinomas. *Oral Oncol* **34**: 373-377
- Kassim KH and Daley TD (1988). Herpes simplex virus type 1 proteins in human oral squamous cell carcinoma. *Oral Surg Oral Med Oral Pathol* **65**: 445-448
- Kastan MB (1997). *Molecular biology of cancer: the cell cycle. Cancer: Principles & Practices of Oncology*, Lippincott-Raven Publishers, Philadelphia pg 121-133
- Kasperts N, Slotman B, Leemans CR and Langendijk JA. (2005). A review of re-irradiation for recurrent and second primary head and neck cancer. *Oral Oncol* **41**: 225-243
- Kawai H, Wiederschain D and Yuan ZM (2003). Critical contribution of the MDM2 acidic domain to p53 ubiquitination. *Mol Cell Biol* **23**: 4939-4947
- Kearsley JH, Furlong KL, Cooke RA and Waters MJ (1990). An immunohistochemical assessment of cellular proliferation markers in head and neck squamous cell cancers. *Br J Cancer* **61**: 821-827

Kerdpon D, Sriplung H and Kietthubthew S. (2001). Expression of p53 in oral squamous cell carcinoma and its associated risks habits in southern Thailand. *Oral Oncol* **37**: 553-557

Kerdpon D and Sriplung H (2001). Factors related to delay in diagnosis of oral squamous cell carcinoma in southern Thailand. *Oral Oncol* **37**: 127-131

Key G, Petersen JL, Becker MHG, Duchrow M, Schluter C, Askaa J and Gerdes J (1993). New antiserum against Ki-67 antigen suitable for double immunostaining of paraffin wax sections. *J Clin Pathol* **46**: 1080-1084

Khoo SP, Shanmuhasuntharam P, Mahadzir WM, Tay KK, Latif A and Nair S (1998). Factors involved in the diagnosis of oral squamous cell carcinoma in Malaysia. *J Public Health* **10**: 49-51

Kingsley K, Johnson D and O'Malley S (2006). Transfection of oral squamous cell carcinoma with human papillomavirus-16 induces proliferation and morphological changes in vitro. *Cancer Cell International* **6(14)**: 1-11

Klein G, Giovanella BC, Lindahl T, Fialkow PJ, Singh S and Stehlin JS (1974) Direct evidence for the presence of Epstein-Barr virus DNA and nuclear antigen in malignant epithelial cells from patients with poorly differentiated carcinoma of nasopharynx. *Proc Natl Acad Sci USA* **71**: 4737-4741

Klug C, Neuburg J, Glaser C, Schwarz B, Kermer C, Millesi W. (2002). Quality of life 2-10 years after combined treatment for advanced oral and oropharyngeal cancer. *Int J Oral Maxillofac Surg* **31**:664-669

Knudson AG (1971). Mutation and cancer: Statistical study of retinoblastoma. *PNAS* **68**: 820-823

Kobayashi I, Shima K, Saito I, Kiyashima T, Matsuo K, Ozeki S, Ohishi M and Sakai H (1999). Prevalence of Epstein-Barr Virus in oral squamous cell carcinoma. *J Pathol* **189**: 34-39

Ko YC, Huang YL, Lee CH, Chen MJ, Lin LM and Tsai CC (1995) Betel quid chewing, cigarette smoking and alcohol consumption related to oral cancer in Taiwan. *J Oral Pathol Med* **24**: 450-453

Krajewski S, Krajewska M, Shabiak A, Miyashita T, Wang HG and Reed JC. (1994). Immunohistochemical determination of in vivo distribution of Bax, a dominant inhibitor of Bcl-2. *Am J Pathol* **145**:1323-1336

Krecicki T, Jelen M, Zalesska-Krecicka, Rak J, Szkudlarek T and Jelen-Kreszewska J (1999). Epidermal growth factor receptor (EGFR), proliferating cell nuclear antigen (PCNA) and Ki-67 antigen in laryngeal epithelial lesions. *Oral Oncol* **35**: 180-186

Krogh P, hald B and Holmstrup P (1987). Possible mycological etiology of oral mucosal cancer: catalytic potential of infection *Candida albicans* and other yeasts in production on *N*-nitrosobenzylmethylamine. *Carcinogenesis* **8(10)**: 1543-1548 (Abstract)

Lane DP and Crawford LV (1979). T antigen is bound to a host protein in SV40-transformed cells. *Nature* **278**: 261-263

LaRue H, Allard P, Simoneau M, Normand C, Pfister C, Moore L, Meyer F, Tetu B and Fradet Y (2000) p53 point mutations in initial superficial bladder cancer occur only in tumors from current or recent cigarette smokers. *Carcinogenesis* **21(1)**: 101-106

Lee CN. (2004). *Immunohistochemical study of proliferative and apoptotic activity at the tumour invasive front in oral squamous cell carcinoma*. P 1-170. Kuala Lumpur, Malaysia: Faculty of Dentistry, University of Malaya

Leite ICG and Koifman S (1998). Survival analysis in a sample of oral cancer patients at a reference hospital in Rio de Janeiro, Brazil. *Oral Oncol* **34**: 347-352

Levine AJ (1992). *The p53 tumour suppressor gene and product*. Vol 12 pg 59-79. Cold Spring Harbor Laboratory Press.

Levy DT, Mumford EA, Cummings KM, Giplin EA, Giovino G, Hyland A, Sweanor D and Warner KE. (2004) The relative risks of low-nitrosamine smokeless tobacco product compared with smoking cigarettes: estimates of a panel of experts. *Cancer Epidemiol Biomarkers Prev* **13(12)**: 2035-2042

Lewin B (2000). *Genes VII*. Oxford Uni Press pg 877

Lim GC, Yahaya H, Lim TO. (2002) *The first report of the National Cancer Registry – Cancer incidence in Malaysia*. National Cancer Registry, Ministry of Health, Malaysia, pg 94.

Lim KP, Sharifah H, Lau SH, Teo SH and Cheong SC (2005). Alterations of the p14^{ARF}-p53-MDM2 pathway in oral squamous cell carcinoma: MDM2 overexpression is a common event. *Oncol Rep* **14**: 963-968

Lindboe CF and Torp SH (2002). Comparison of Ki-67 equivalent antibodies. *J Clin Pathol* **55**: 464-471

Lissowska J, Pilarska A, Pilarski P, Samolczyk-Wanyura D, Piekarczyk J, Bardin-Mikollajczak A, Zatonski W, Herrero R, Munoz N and Franceschi S (2003) Smoking, alcohol, diet, dentition and sexual practices in the epidemiology of oral cancer in Poland. *Eur J Cancer Prev* **12(1)**: 25-33

Llewellyn CD, Linklater K, Bell J, Johnson NW, Warnakulasuriya KAAS. (2003). Squamous cell carcinoma of the oral cavity in patients aged 45 years and under: a descriptive analysis of 116 cases diagnosed in the South East of England from 1990 to 1997. *Oral Oncol* **39**: 106-114.

Lo Muzio L, Mignogna MD, Pannone G, Rubini C, Grassi R, Nocini PF, Ferrari F, Serpico R, Favia G, De Rosa G and Maiorano E (2003). Expression of bcl-2 in oral squamous cell carcinoma: an immunohistochemical study of 90 cases with clinico-pathological correlations. *Oncol Rep* **10**: 285-291 (Abstract).

Loro LL, Vintermyr OK, Liavaag PG, Jonsson R and Johannessen AC (1999). Oral squamous cell carcinoma is associated with decreased bcl-2/bax expression ratio and increased apoptosis. *Hum Pathol* **30**: 1097-1105

Luna-Ortiz K, Guemes-Meza A, Villavicencio-Valencia V and Mosqueda-Taylor A (2004). Lip cancer experience in Mexico. An 11-year retrospective study. *Oral Oncol* **40**: 992-999

Lu QL, Hanby AM, Hajibagheri MAN, Gscheissner SE, Lu PJ, Papadimitriou JT, Krajewski S, Reed JC and Wright NA (1994). Bcl-2 protein localizes to the chromosomes of mitotic nuclei and is correlated with the cell cycle in cultured epithelial cell lines. *J Cell Sc* **107**: 363-371

Lu QL, Abel P, Foster CS and Lalani EN (1996). Bcl-2: role in epithelial differentiation and oncogenesis. *Hum Pathol* **27**: 102-110

Maden C, Beckmann AM, Thomas DB, McKnight B, Sherman KJ, Ashley RL, Corel L and Daling JR (1992). Human papillomaviruses, herpes simplex viruses, and the risk in oral cancer in men. *Am J Epidemiol* **135**: 1093-1102

Maier H, Weidauer H, Zoller J, Seitz HK, Flentje M, Mall G and Born IA. (1994) Effect of chronic alcohol consumption on the morphology of the oral mucosa. Alcoholism: *Clinical and Experimental Research* **18(2)**: 387-391 (Abstract)

Maki CG, Huibregtse JM and Howley PM (1996). *In Vivo* ubiquitination and proteasome-mediated degradation of p53. *Can Res* **56**: 2649-2654

Marshall JR, Graham S, Haughey BP, Shedd D, O'Shea R, Brasure J, Wilkinson GS and West D (1992). Smoking, alcohol, dentition and diet in the epidemiology of oral cancer. *Eur J Cancer B Oral Oncol* **28B(1)**: 9-15

Martin-Granizo R, Rodriguez-Campo F, Naval L and Gonzalez FJD (1997). Squamous cell carcinoma of the oral cavity in patients younger than 40 years. *Otolaryngol Head Neck Surg* **117**: 268-75

Mathew lype E, Pandey M, Mathew A, Thomas G and Krishnan Nair M. (2004). Squamous cell cancer of the buccal mucosa in young adults. *Br J Oral Max Surg* **42**: 186-189

Mashberg A, Boffetta P, Winkelman R and Garginkel L (1993) Tobacco smoking, alcohol drinking, and cancer of the oral cavity and oropharynx among US veterans. *Cancer* **72(4)**: 1369-1375

Mayo LD and Donner DB (2001). A phosphatidylinositol 3-kinase/Akt pathway promotes translocation of mdm2 from the cytoplasm to the nucleus. *PNAS* **98**: 11598-11603

Mazahir S, Malik R, Maqsood M, Merchant KA, Malik F, Majeed A, Fatmi Z, Khawaja MR and Ghaffar S. (2006) Socio-demographic correlates of betel, areca and smokeless tobacco use as a high risk behavior for head and neck cancers in a squatter settlement of Karachi, Pakistan. *Subs Abuse Treat Prev Policy* **1**: 1-6

McCartan BE, Cowan CG and Healy CM. (2005) Regional variations in oral cancer incidence in Ireland. *Oral Oncol* **41**: 677-686

McCormick F and Harlow E (1980). Association of a murine 53,000-dalton phosphoprotein with Simian Virus 40 large T-antigen in transformed cells. *J Virol* **34**: 213-224

McCullough M, Jaber M, Barrett AW, Bain L, Speight PM and Porter SR (2002). Oral yeast carriage correlates with presence of oral epithelial dysplasia. *Oral Oncol* **38**: 391-393

McLaughlin JK, Gridley G, Block G, Winn DM, Preston-Martin S, Schoenberg JB, Greenberg RS, Stemhagen A, Austin DF, Ershow AG, Blot WJ and Fraumeni Jr, JF (1988). Dietary factors in oral and pharyngeal cancer. *J Natl Can Inst* **80(15)**: 1237-1243

Merlo GR, Bernardi A, Diella F, Venesio T, Cappa APM, Callahan R and Liscia DS (1993). In primary human breast carcinomas mutations in exons 5 and 6 of the p53 gene are associated with a high S-phase index. *Int J Cancer* **54**: 531-535

Meyer I and Abbey LM (1970). The relationship of syphilis to primary carcinoma of the tongue. *Oral Surg* **30(5)**: 678-681

Michalek AM, Mahoney MC, Mclaughlin CC, Murphy D and Metzger BB (1994). Historical and contemporary correlates of syphilis and cancer. *Int J Epidemio* **23(2)**: 381-385

Miller CS and Jonhstone BM (2001). Human papillomavirus as a risk factor for oral squamous cell carcinoma: a meta-analysis, 1982-1997. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* **91**:622-635

Momand J, Zambetti GP, Olson DC, George D and Levin AJ. 1992. The mdm-2 oncogene product forms a complex with the p53 protein and inhibits p53-mediated transactivation. *Cell* **69**: 1237-1245.

Momand J, Jung D, Wilczynski S and Niland J (1998). The MDM2 gene amplification database. *Nucl Acids Res* **26**: 3453-3459

Moore SR, Johnson NW, Pierce AM and Wilson DF. (2000). The epidemiology of mouth cancer: a review of global incidence. *Oral Dis* **6**: 65-74.

- Morris JA (1994). Information and observer disagreement in histopathology. *Histopathology* **25**: 123-128
- Nagakawa K, Yamamura K, Maeda S and Ichihashi M (1994). Bcl-2 expression in epidermal keratinocytic diseases. *Cancer* **74**: 1720-1724
- Nahta R and Esteva FJ. (2005). Herceptin: mechanisms of action and resistance. *Cancer Letter* **X**: 1-16
- Negri E, Franceschi S, Bosetti C, Levi F, Conti E, Parpinel M and La Vecchia C (2000). Selected micronutrients and oral and pharyngeal cancer. *Int J Cancer* **86**: 122-127
- Ng KH, Siar CH, Ramanathan K Murugasu P and Chelvanayagam PI (1985) Squamous cell carcinoma of the oral mucosa in Malaysia – any change? *Southeast Asian J. Trop. Med. Pub. Hlth* **16(4)**: 602-606
- Nicolson GL (1987). Tumor cell instability, diversification, and progression to the metastatic phenotype: from oncogene to oncofetal expression. *Can Res* **47**: 1473-1487
- Nigro JM, Baker SJ, Preisinger Ac, Jessup JM, Hostetter R, Cleary K, Bigner SH, Davidson N, Baylin S, Devilee P, Glover T, Collins FS, Weston A, Modali R, Harris CC and Vogelstein B (1989). Mutations in the p53 gene occur in diverse human tumour types. *Nature* **342**: 705-708
- Nonoyama M, Huang CH, Pagano JS, Klien G and Singh S (1973). DNA of Epstein-Barr Virus detected in tissue of Burkitt's Lymphoma and nasopharyngeal carcinoma. *Proc Natl Acad Sci USA* **70**: 3265-3268
- Nowell PC (1986). Mechanisms of tumour progression. *Can Res* **46**: 2203-2207
- Nylander K, Dabelsteen E and Hall PA. (2000). The p53 molecule and its prognostic role in squamous cell carcinoma of the head and neck. *J Oral Pathol Med* **29**: 413-425
- Park NH, Sapp JP and Herbosa EG (1986). Oral cancer induced in hamsters with herpes simplex infection and simulated snuff dipping. *Oral Surg Oral Med Oral Pathol* **62**: 164-168
- O-charoenrat P, Pillai G, Patel S, Fisher C, Archer D, Eccles S and Rhys-EvansP (2003). Tumour thickness predicts cervical nodal metastases and survival in early oral tongue cancer. *Oral Oncol* **39**: 386-390
- Odell EW, Jani P, Ahluwalia SM and Levison DA (1994). The prognostic value of individual histologic grading parameters in small lingual squamous cell carcinomas. The importance of pattern of invasion. *Cancer* **74**: 789-794

Ohbu M, Saegusa M, Koyabashi N, Tsukamoto H, Mieno H, Kakita A and Okayasu I. (1997). Expression of bcl-2 protein in esophageal squamous cell carcinomas and its association with lymph node metastasis. *Cancer* **79**: 1287-1293

Onizawa K, Nishihara K, Yamagata K, Yusa H, Yanagawa T and Yoshida H (2003). Factors associated with diagnostic delay of oral squamous cell carcinoma. *Oral Oncol* **39**: 781-788

Oreggia F, De Stefani E, Correa P and Fierro L (1991). Risk factors for cancer of tongue in Uruguay. *Cancer* **67**: 180-183

Ostrowski JL, Sawan A, Henry L, Wright C, Henry JA, Hennessy C, Lennard TJW, Angus B and Horne HW. (1991). p53 expression in human breast cancer related to survival and prognostic factors: an immunohistochemical study. *J of Pathol* **164**: 75-81

Pande P, Soni S, Kaur J, Agarwal S, Mathur M, Shukla NK and Ralhan R (2002). Prognostic factors in betel and tobacco related oral cancer. *Oral Oncol* **38**: 491-499

Parada LF, Land M, Weinberg RA, Wolf D and Rotter V (1984). Cooperation between gene coding p53 tumour antigen and *ras* in cellular transformation. *Nature* **312**: 649-651

Parkin DM, Whelan SL, Ferlay J, Raymond L and Young J (1997). *Cancer Incidence in Five Continents*, Volume VII. International Agency for Research on Cancer: Lyon. IARC Scientific Publication No. 143

Patel V, Leethanakul C and Gutkind JS (2001). New approaches to the understanding of the molecular basis of oral cancer. *Crit Rev Oral Bio Med* **12(1)**: 55-63

Paterson IC, Eveson JW and Prime SS (1996). Molecular changes in oral cancer may reflect aetiology and ethnic origin. *Oral Oncol* **32B**: 150-153

Patridge M, Emilion G, Pateromichelakis S, Philips E and Langdon J (1997). Field cancerisation of the oral cavity: comparison of the spectrum of molecular alterations in cases presenting with both dysplastic and malignant lesions. *Oral Oncol* **33**: 332-337

Patridge M, Kiguwa S, Emilion G, Pateromichelakis S, A'Hern R and Langdon JD. (1999). New insights into p53 protein stabilization in oral squamous cell carcinoma. *Oral Oncol* **35**: 45-55

Partridge M. (2000). Oral cancer: I. The genetic basis of the Disease. *Dent Update* **27**: 242-248

Patrikidou A, Bennett J, Abou-Sleiman P and Delhanty JDA (2001). Comment on: S.S.Prime et al." A review of inherited cancer syndromes and their relevance to oral squamous cell carcinoma" *Oral Oncol* **38**: 216-217

- Pelucchi C, Talamini R, Negri E, Levi F, Conti E, Franceschi S and La Vecchia C (2003). Folate intake and risk of oral and pharyngeal cancer. *Ann Oncol* **14**: 1677-1681
- Petti S and Scully C. (2005). Oral cancer: the association between nation-based alcohol-drinking profiles and oral cancer mortality. *Oral Oncol* **41**: 828-834
- Petruzzelli GJ, Knight FK, Vandevender D, Clark JI and Emami B. (2003). Posterior marginal mandibulectomy in the management of cancer of the oral cavity and oropharynx. *Otolaryngol Head Neck Surg* **129**: 713-719
- Pezzella F, Turley H, Kuzu I, Tungekar MF, Dunnill M, Pierce CB, Harris A, Gatter KC and Mason DY. (1993). Bcl-2 protein in non small cell lung carcinoma. *N Engl J Med* **329**:690-694
- Pezzella F and Gatter K (1995). What is the value of bcl-2 protein detection for histopathologists? *Histopathol* **26**: 89-93
- Pickwell, SM, Schimelpfening S and Palinkas LA. (1994) "Betelmania" Betel quid chewing by Cambodian women in the United States and its potential health effects. *West J Med* **160**: 326-330
- Popovic B, Jekic B, Novakovic I, Lukovic LJ, Tepavcevic Z, Jurisic V, Vukadinovic M and Milasin J (2007). BCL-2 expression in oral squamous cell carcinoma. *Ann N.Y. Acad Sci.* **1095**: 19-25 (Abstract)
- Presentin MM, Konsinska W and Guttenplan JB (1999) Mutagenesis induced by oral carcinogens in *lacZ* mouse (MutaTMMouse) tongue and other oral tissues. *Carcinogenesis* **20(11)**: 2167-2170
- Price BD, Park SJ. (1994). DNA damage increases the levels of MDM-2 messenger DNA in wt p53 human cells. *Can Res* **54**: 896-899
- Prime SS, Thakker NS, Pring M, Guest PG and Paterson IC (2001). A review of inherited cancer syndromes and their relevance to oral squamous cell carcinoma. *Oral Oncol* **37**: 1-16
- Pulling LC, Klinge DM and Belinsky SA (2001) p16^{INK4a} and β -catenin alterations in rat liver tumors induced by NNK. *Carcinogenesis* **22(3)**: 461-466
- Ralhan R, Sandhya A, Meera M, Bohdan W and Nootan SK (2000). Induction of MDM2-P2 transcript correlates with stabilized wild-type p53 in betel- and tobacco-related human oral cancer. *Am J Pathol* **157**: 587-596
- Ramanathan K and Lakshimi S (1976). Oral carcinoma in Peninsular Malaysia: Racial variation in the Indians, Malays, Chinese and Caucasians. *Gann Monograph on Cancer Research*, 18.

Raybaud-Diogene H, Tetu B, Morency R, Fortin A and Monteil RA. (1996). p53 overexpression in head and neck squamous cell carcinoma: review of literature. *Oral Oncol, Eur J Cancer* **32B(3)**: 143-149

Regezi JA, Zarbo Rj, Regev E, Pisanty S, Silverman S and Gazit D (1995). P53 protein expression in sequential biopsies of oral dysplasias and *in situ* carcinomas. *J Oral Pathol Med* **24**: 18-22

Regezi JA, Dekker NP, McMillan A, Ramirez-Amador V, Meneses-Gracia A, Ruiz-Godoy Rivera LM, Chrysomali E and Ng IOL (1999). P53, p21, Rb and MDM2 proteins in tongue carcinoma from patients < 35 versus > 75 years. *Oral Oncol* **35**: 379-383

Reichart P, Noning W, Srisuwan S, Theetranont C and Mohr U. (1984) Ultrastructural findings in the oral mucosa of betel chewers. *J of Oral Pathol* **13**: 166-177

Reynolds Gm, Rowlands DC and Mead GP (1995). Detection of Ki67 antigen by a new sheep polyclonal antiserum. *J Clin Pathol* **48**: 1138-1140

Riparbelli MG, Callaini G, Tripodi SA, Cintonino M, Tosi P and Dallai R. (1995). Localization of the BCL-2 protein to the outer mitochondria membrane by electron microscopy. *Exp Cell Res* **221**; 363-369

Rodriguez MS, Desterro JMP, Lain S, Lane DP and Hay RT (2000). Multiple C-terminal lysine residues target p53 for ubiquitin-proteasome-mediated degradation. *Mol Cel Biol* **20**: 8458-8467

Rodu B and Jansson C (2004) Smokeless tobacco and oral cancer: a review of the risks and determinants. *Crit Rev Oral Biol Med* **15(5)**: 252-263

Roland NJ, Casin AW, Bowie GL and Jones AS (1994). Has the cellular proliferation marker Ki67 any clinical relevance in squamous cell carcinoma of the head and neck? *Clin Otolaryngol* **19**: 13-18

Rose DSC, Maddox PH and Brown DC (1994). Which proliferation markers for routine immunohistology? A comparison of five antibodies. *J Clin Pathol* **47**: 1010-1014

Rosenquist K, Wennerberg J, Schildt EB, Baldstrom A, Goran Hansson B and Andersson G (2005). Oral status, oral infections and some lifestyle factors as risk factors for oral and oropharyngeal squamous cell carcinoma. A population-based case-control study in southern Sweden. *Acta Otolaryngol* **125(12)**: 1327-1336

Rubinstein I and Pedersen GW (2002). Bacillus species are present in chewing tobacco sold in the United States and evoke plasma exudation from the oral mucosa. *Clin Diagn Lab Immunol* **9(5)**: 1057-1060

- Sancar A. (1996). DNA excision repair. *Annu. Rev. Biochem* **65**:43-81
- Sand LP, Jalouli J, Larsson PA and Hirsch JM (2002). Prevalence of Epstein-Barr Virus in oral squamous cell carcinoma, oral lichen planus, and normal oral mucosa. *Oral Surg Oral Med Pathol Oral Radiol Endod* **93**: 586-592.
- Saranath D (1999). Letters. *Oral Oncol* **35**: 349-350
- Sasaki K, matsumura K, Tsuji T, Shinozaki F and Takahashi M (1988). Relationship between labeling indices of Ki-67 and BrdUrd in human malignant tumors. *Cancer* **62**: 989-993
- Sato M, Sato T, Izumo T and Amagasa T (2000). Genetically high susceptibility to oral squamous cell carcinoma in terms of combined genotyping of CYP1A1 and GSTM1 genes. *Oral Oncol* **36**: 267-271
- Save V, Nylander K and Hall PA (1998). Why is p53 protein stabilized in neoplasia? Some answers but many more questions! *J Pathol* **184**: 348-350
- Schildt EB, Eriksson M, Hardell L and Magnuson A (1998) Oral snuff, smoking habits and alcohol consumption in relation to oral cancer in a Swedish case-control study. *Int J Cancer* **77**: 341-346
- Schneider PM, Praeuer HW, Stoeltzing O, Boehm J, Manning J, Metzger R, Fink U, Wegerer S, Hoelscher AH and Roth JA. (2000). Multiple molecule marker testing p53, C-Ki-ras, c-erbB-2) improves estimation of prognosis in potentially curative resected non-small cell lung cancer. *Br J Can* **83(4)**: 473-479
- Schonk DM, Kujipers HJH, van Drunen E, van Dalen CH, Geurts van Kessel AHM, Verheijen R and Ramaekers FCS (1989). Assignment of the gene(s) involved in the expression of the proliferation-related Ki-67 antigen to human chromosome 10. *Hum Genet* **83**: 297-299
- Schwartz SM, Daling JR, Doody DR, Wipf GC, Carter JJ, Madeleine MM, Mao EJ, Fitzgibbons ED, Huang S, Beckmann AM, McDougall JK and Galloway DA (1998). Oral cancer risk in relation to sexual history and evidence of human papillomavirus infection. *J Natl Cancer Inst* **90**: 1626-1636
- Scully C (1992). Oncogenes, oncosuppressors, carcinogenesis and oral cancer. *Br Dent J* **173**:53-59
- Scully C and Bedi R. (2000). Ethnicity and oral cancer. *Lancet Oncol* **1**: 37-42
- Scully C, Field JK and Tanzawa H. (2000) Genetic aberrations in oral or head and neck squamous cell carcinoma (SCCHN): 1. Carcinogen metabolism, DNA repair and cell cycle control. *Oral Oncol* **36**: 256-263
- Scully C (1993). Oral cancer: New insights into pathogenesis. *Dent Update* **20**: 95-100

Sewram V, De Stefani E, Brennan P and Boffetta P (2003). Mate consumption and the risk of squamous cell esophageal cancer in Uruguay. *Can Epidemio Biomar & Prev* **12**: 508-513

Shahnavaz SA, Regezi JA, Bradley G, Dube D and Jordan RCK (2000). P53 gene mutations in sequential oral epithelial dysplasias and squamous cell carcinomas. *J Pathol* **190**: 417-422

Shanmugam G (1999) Reply. *Oral Oncol* **35**: 349-350

Shibagaki I, Tanaka H, Shimada Y, Wagata T, Ikenaga M, Imamura M and Ishizaki K (1995). P53 mutation, murine double minute 2 amplification, and human papillomavirus infection are frequently involved but not associated with each other in esophageal squamous cell carcinoma. *Clin Can Res* **1**: 769-773

Shiloh Y (2001). ATM and ATR: networking cellular response to DNA damage. *Curr Opin Genet Dev* **11**: 71-77

Shillitoe EJ, Greenspan D, Greenspan JS, Hansen LS and Silverman S (1982). Neutralizing antibody to herpes simplex virus type 1 in patients with oral cancer. *Cancer* **49**: 2315-2320

Shillitoe EJ, Greenspan D, Greenspan JS and Silverman S (1983) Immunoglobulin class of antibody to herpes simplex virus in patients with oral cancer. *Cancer* **51**: 65-71

Shillitoe EJ (1998). Gene therapy for oral cancer: recent progress in research. *Oral Oncol* **34**: 157-160

Shi SR, Key ME and Kalra KL (1991). Antigen retrieval in formalin-fixed, paraffin-embedded tissues: an enhancement method for immunohistochemical staining based on microwave oven heating of tissue sections. *J Histochem Cytochem* **39**: 741-748

Singh BB, Chandler FW, Whitaker SB and Forbes-Nelson AE (1998). Immunohistochemical evaluation of bcl-2 protein in oral dysplasia and carcinoma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* **85**: 692-698

Siar CH, Ng KH, Mah CF, Ling CC. (1990) Oral squamous cell carcinoma in Penisular Malaysisa. *Asian Med J.* **33(12)**: 697-703.

Sittel C, Ruiz S, Volling P, Kvasnicka HM, Jungehulsing M and Eckel HE (1999). Prognostic significance of Ki-67 (MIB1), PCNA and p53 in cancer of the oropharynx and oral cavity. *Oral Oncol* **35**: 583-589.

Slaughter DP, Southwick HW and Smejkal W (1953). "Field cancerization" in ora; stratified squamous epithelium: clinical implications of multicentric origin. *Cancer* **6**: 963-968

- Smith EM, Hoffman HT, Summersgill KS, Kirchner HL, Turek LP and Haugen TH (1998). Human papillomavirus and risk of oral cancer. *Laryngoscope* 108: 1098-1103
- Uobe K, Masuno K, Fang YR, Li LJ, Wen YM, Ueda Y and Tanaka A. (2001). Detection of HPV in Japanese and Chinese oral carcinomas by in situ PCR. *Oral Oncol* 37: 146-152
- Sreelekha TT, Ramadas K, Pandey M, Thomas G, Nalinakumari KR and Pillai MR. (2001). Genetic polymorphism of CYP1A1, GSTM1 and GSTT1 genes in Indian oral cancer. *Oral Oncol* 37: 593-598
- Stahl W and Sies H (2005). Bioactivity and protective effects of natural carotenoids. *Biochimica et Biophys Acta* 1740: 101-107
- Steele C and Shillitoe EJ (1991) Viruses and oral cancer. *Crit Rev Oral Bio Med* 2(2): 153-175
- Sundqvist K and Grafstrom RC. (1992) Effects of areca nut on growth, differentiation and formation of DNA damage in cultured human buccal epithelial cells. *Int J Cancer* 52: 305-301
- Swinson B, Jerjes W, El-Maaytah M, Norris P and Hopper C (2005). Optical techniques in diagnosis of head and neck malignancy. *Int J Cancer*. 52: 305-310
- Syrjänen K, Syrjänen S, Lamberg M, Pyrhönen S and Nuutinen J (1983). Morphological and immunohistochemical evidence suggesting human papillomavirus (HPV) involvement in oral squamous cell carcinogenesis. *Int J Oral Surg* 12: 418-424. (Abstract)
- Szekely L, Selivanova G, Magnusson KP, Klein G and Wiman KG (1993). ENBA-5, an Epstein-Barr virus-encoded nuclear antigen, binds to the retinoblastoma and p53 proteins. *Proc Natl Acad Sci USA* 90: 5455-5459
- Takes RP (2004). Staging of the neck in patients with head and neck squamous cell cancer: Imaging techniques and biomarkers. *Oral Oncol* 40: 656-667
- Talami R, Vaccarella S, Barbone F, Tavani A, La Vacchia C, Herrero R, Munoz N, Franceschi S (2000). Oral hygiene, dentition, sexual habits and risk of oral cancer. *Br J Cancer* 83(9): 1238-1242
- Thomas SJ and MacLennan R. (1992) Slaked lime and betel nut cancer in Papua New Guinea. *Lancet* 340: 577-578
- Tromp DM, Brouha XDR, Hordijk GJ, Winnubst JAM and de Leeuw RJ (2005). Patient and tumour factors associated with advanced carcinomas of the head and neck. *Oral Oncol* 41: 313-319

Trushin N, Rivnson A and Hecht SS (1994) Evidence supporting the role of DNA pyridloxobutylation in rat nasal carcinogenesis by tobacco-specific nitrosamines. *Cancer Res* **54**: 1205-1211

Tsuhako K, Nakazato I, Miyagi J, Iwamasa T, Arasaki A, Hiratsuka H, Sunakawa H, Kohama G and Abo T (2000) Comparative study of oral squamous cell carcinoma in Okinawa, Southern Japan and Sapporo in Hokkaido, Northern Japan; with special reference to human papillomavirus and Epstein-Barr virus infection. *J Oral Pathol Med* **29**: 70-79

Tumuluri V, Thomas GA and Fraser IS (2002). Analysis of the Ki-67 antigen at the invasive tumour front of human oral squamous cell carcinoma. *J Oral Path Med* **31**: 598-604

Van Den Berg FM, Tigges AJ, Schipper MEI, Den hartog-jager FCA, Kroes WGM and Walboomers JMM (1989). Expression of the nuclear oncogene p53 in colon tumours. *J Pathol* **157**: 193-199

Van Diest PJ, van Dam P, Hensen-Logmans SC, Berns E, van der Burg MEL, Green J and Vergote I (1997). A scoring system for immunohistochemical staining: consensus report of the task force for basic research of the EORTC-GCCG. *J Clin Pathol* **50**: 801-804

van Oijen MGCT, Gilsing MMA, Rijksen G, Hordijk GJ and Slootweg PJ (1998) Increased number of proliferating cells in oral epithelium from smokers and ex-smokers. *Oral Oncol* **34**: 297-303

van Oijen MGCT and Slootweg PJ (2000). Oral field cancerization: carcinogen-induced independent events or micrometastatic deposits? *Can Epi Bio Prev* **9**: 249-256

von Knebel Doeberitz M, Rittmuller C, Aengeneyndt F, Jansen-Durr P and Spitovsky D (1994). Reversible repression of papillomavirus oncogene expression in cervical carcinoma cells: consequences for the phenotype and E6-p53 and E7-pRB interactions. *J Virol* **68(5)**: 2811-2821

Voravud N, Shin DM, Ro JY, Lee JS, Hong WK and Hittelman WN (1993). Increased polysomies of chromosomes 7 and 17 during head and neck multistage tumorigenesis. *Can Res* **53**: 2874-2883

Vecchia CL, Tavani A, Franceschi S, Levi F, Corrao G and Negri E. (1997). Epidemiology and prevention of oral cancer. *Oral Oncol* **33(5)**: 302-312

Vecchia CL, Lucchini F, Negri E and Levi F. (2004) Trends in oral cancer mortality in Europe. *Oral Oncol* **40**: 433-439

Velly AM, Franco EL, Schlecht N, Pintos J, Kowalski LP, Oliveira BV and Curado MP (1998). Relationship between dental factors and risk of upper aerodigestive tract cancer. *Oral Oncol* **34**: 284-291

Verheijen R, Kuijpers HJH, Schlingmann RO, Boehmer ALM, van Driel R, Brakenhoff GJ and Ramaekers FCS (1989). Ki-67 detects nuclear matrix-associated proliferation-related antigen. 1. Intracellular localization during interphase. *J Cell Sc* **92**: 123-130

Verheijen R, Kuijpers HJH, van Driel R, Beck JLM, van Dierendonck JH, Brakenhoff GJ and Ramaekers FCS (1989). Ki-67 detects a nuclear matrix-associated proliferation-related antigen. II. Localization in mitotic cells and association with chromosomes. *J Cell Sc* **92**: 531-540

Veronese Sm, Gambacorta M, Gottardi O, Scanzi F, Ferrari M and lampertico P (1993). Prolifration index as a prognostic marker in breast cancer. *Cancer* **71**: 3926-3931

Warnakulasuriya KAAS and Johnson NW (1992). Expression of p53 mutant nuclear phosphoprotein in oral carcinoma and potentially malignant oral lesions. *J Oral Pathol Med* **21**: 404-408

Warnakulasuriya S, Sutherland G and Scully C. (2005). Tobacco, oral cancer, and treatment of dependence. *Oral Oncol* **41**: 244-260

Warnakulasuriya S. (1997) Oral lesions associated with betel quid and tobacco chewing habits. *Oral Dis* **3**: 204-205

Weber RG, Scheer M, Born IA, Joos S, Ludwig Cobbers JMJ, Hofele C, Reifenberger G, Zoller JE and Lichter P (1998). Recurrent chromosomal imbalances detected in biopsy material from oral premalignant and malignant lesions by combined tissue microdissection, universal DNA amplification, and comparative genomic hybridization. *Am J Pathol* **153**: 295-303.

Wen CP, Tsai SP, Cheng TY, Chen CJ, Levy DT, Yang HJ and Eriksen MP. (2005) Uncovering the relation between betel quid chewing and cigarette smoking in Taiwan. *Tob Control*. **1**: 16-22 (abstract)

Willen R, Nathanson A, Moberger G and Anneroth G. (1975) Squamous cell carcinoma of the gingival. Histological classification and grading of malignancy. *Acta Otolaryngol* **79**: 146-154

Winberg RA (1992). *The retinoblastoma gene and gene product. Cancer Surveys: Tumour suppressor genes, the cell cycle and cancer* Vol 12 pg 43-57. Cold Spring Harbor Laboratory Press.

Winn DM, Diehl SR, Brown LM, Harty LC, Bravo-Otero E, Fraumeni Jr JF, Kleinman DV and Hayes RB (2001). Mouthwashes in the etiology of oral cancer in Puerto Rico. *Cancer Cause Control* **12(5)**: 419-429 (abstract)

Winn DM, Blot WJ, McLaughlin JK, Austin DF, Greenberg RS, Preston-Martin S, Schoenberg JB and Fraumeni Jr JF. (1991). Mouthwash use and oral conditions in the risk of oral and pharyngeal cancer. *Can Res* **51**: 3044-3047

- Winkelhorst JT, Brokelman WJ, Tiggeler RG and Wobbes Th (2001). Incidence and clinical course of de-novo malignancies in renal allograft recipients. *EJSO* **27**: 409-413
- Wiesmuller L. (2001). Genetic stabilization by p53 involves growth regulatory and repair pathways. *J of Biomed and Biotech.* **1**: 7-10
- Witt J, Ramji N, Gibb R, Dunavent J, Flood J and Barnes J (2005). Antibacterial and antiplaque effects of a novel, alcohol-free oral rinse with cetylpyridinium chloride. *J Contemp Dent Pract* **1(6)**: 001-009
- Wolf D, Laver-Rudich Z and Rotter V (1985). In vitro expression of human p53 cDNA clones and characterization of the cloned human p53 gene. *Mol Cel Bio* **5**: 1887-1893
- World Health Organization (WHO) (2005) *The tobacco health toll*. Pg 1-25.
- World Health Organization (WHO) (2004) *The millennium goal and tobacco control*. Pg 1-122
- Wan Othman WMN (2006) *Oral cancer screening in Malaysia*. Proceedings of the Oral Cancer in the Asia Pacific- A regional update and networking; pg 13-15
- Woods KV, Shillitoe EJ, Apitz MR, Schantz SP and Adler-Storthz K (1993) Analysis of human papillomavirus DNA in oral squamous cell carcinomas. *J Oral Pathol Med* **22**: 101-108
- Woolgar JA, Rogers S, West CR, Errington RD, Brown JS and Vaughan ED (1999). Survival and patterns of recurrence in 200 oral cancer patients treated by radical surgery and neck dissection. *Oral Oncol* **35**: 257-265
- Woolgar JA and Scott J (1995). Prediction of cervical lymph node metastasis in squamous cell carcinoma of the tongue/floor of mouth. *Head & Neck* **17**: 463-472
- Wright N and Allison M (1984). *The biology of epithelial cell populations*. Vol 1. London : Clarendon Press pg 10
- Wright AJ and Ogden GR. (1998) Possible mechanism by which alcohol may influence the development of oral cancer – a review. *Oral Oncol* **34**: 441-447
- Wu X, Bayle JH, Olson D and Levine AJ (1993). The p53-mdm-2 autoregulatory feedback loop. *Gen Dev* **7**: 1126-1132
- Xie X, De Abgelis P, Clausen OPF and Boysen M (1999). Prognostic significance of proliferative and apoptotic markers in oral tongue squamous cell carcinoma. *Oral Oncol* **35**: 502-509
- Yamazaki Y, Chiba I, Hirai A, Sugiura C, Notani K, Kashiwazaki H, Tei K, Totsuka Y and Fukuda H (2003). Specific p53 mutations predict poor prognosis in oral squamous cell carcinoma. *Oral Oncol* **39**: 163-169

Yao M, Dornfeld KJ, Buatti JM, Skwarchuk M, Tan H, Nguyen T, Wacha J, Bayouth JE, Funk GF, Smith RB, Graham SM, Chang K and Hoffman HT.(200)5. Intensity-modulated radiation treatment for head-and-neck squamous cell carcinoma-the University of Iowa experience. *Int J Radiation Oncology Biol Phys.* **63(2)**: 410-421

Yao L, Iwai M and Furuta I (1999). Correlations of bcl-2 and p53 expression with clinicopathological features in tongue squamous cell carcinomas. *Oral Oncol* **35**: 56-62

Yoshida K, Tanaka T, Hirose Y, Yamaguchi F, Kohno H, Toida M, Hara A, Sugie S, Shibata T and More H (2005). Dietary garcinol inhibits 4-nitroquinoline 1-oxide-induced tongue carcinogenesis in rat. *Cancer Letters* **221**: 29-39

Youssef EM, Matsuda T, Takada N, Osugi H, Higashino M, Kinoshita H, Watanabe T, Katsura Y, Wanibuchi H and Fukushima S (1995). Prognostic significance of the MIB-1 proliferation index for patients with squamous cell carcinoma of the esophagus. *Cancer* **76**: 358-366

Zain RB and Ghazali N. (2001). A review of epidemiological studies of oral cancer and precancer in Malaysia. 2001. *Annal Dent Univ Malaya* **8**: 50-56

Zain RB, Ikeda N, Gupta PC, Warnakulasuriya KAAS, van Wyk CW, Shresta P and Axell T. (1999). Oral mucosal lesions associated with betel quid, areca nut and tobacco chewing habits: consensus from a workshop held in Kuala Lumpur, Malaysia, November 25-27, 1996. *J Oral Pathol* **28**: 1-4

Zain RB, Rahman ZAA, Fukano H, Raman RA, Yano M, Magao T, Samsuddin AR, Razak IA, Miyazaki H and Ito Y. (1999) *Nutritional and habitual factors for oral cancer and precancer among selected Malaysians (Indians, Malays and the Indigenous people of Sarawak.* Pg 1-80, Kuala Lumpur, Malaysia: Faculty of Dentistry, University of Malaya.

Zain RB, Ikeda N, Razak IA, Axell T, Majid ZA, Gupta PC and Yaacob M (1997) A national epidemiological survey of oral mucosal lesions in Malaysia. *Community Dent Oral Epidemiol* **25**:377-383

Zariwala M, Schmid S, Pfaltz M, Ohgaki H, Kleihues P, Schafer R (1994). p53 gene mutations in oropharyngeal carcinomas: a comparison of solitary and multiple primary tumour and lymph node metastases. *Int J Cancer* **56**: 807-811

Zheng TZ, Boyle P, Hu HF, Duan J, Jian PJ, Ma DQ, Shui LP, Niu SR, Scully C and MacMahon B (1990). *Cancer Causes Control* **1(3)**: 235-241

Zornig M, Hueber AO, Baum W and Evan G (2001). Apoptosis regulators and their role in tumorigenesis. *Biochimica et Biophysica Acta* **1551**: F1-F37

zur Hausen H (2002) Papillomaviruses and cancer: from basic studies to clinical application. *Nature Rev Cancer* **2**:342-350