

CHAPTER SEVEN: REFERENCES

- Al-Hebshi, N., Nilsen, Ø. and Skaug, N. (2005). *In vitro* effects of crude khat extracts on the growth, colonization and glucosyltransferases of *Streptococcus mutans*. *Acta Odontol Scand*; **63**: 136- 142.
- Al-Hebshi, N. and Skaug, N. (2005a). Effect of khat-chewing on selected periodontal bacteria in sub- and supragingival plaque of a young male population. *Oral Microb Immun*; **20**: 141- 146.
- Al-Hebshi, N. and Skaug, N. (2005b). Khat (*Catha edulis*) an updated review. *Add Biol*; **10**: 299-307.
- Al-Hebshi, N. (2006). Personal communication.
- Ali, A.A., Al-Sharabi, A.K., Aguirre, J.M. and Nahas, R. (2004). A study of 342 oral keratotic white lesions induced by qat chewing among 2500 Yemeni. *J Oral Path Med*; **33**: 368–372 .
- Al-Meshal, I.A., Ageel, A.M., Parmar, N.S. and Tariq, M. (1985). Cath edulis: use, abuse and current status of scientific knowledge. *Fitoterapia*; **17** : 131-150.
- Almqvist, H., Wefel, J.S., Lagerlof, F., Ekstrand, F. and Hendrikson, C.O. (1988). *In-vitro* root caries progression measured by absorptiometry: comparison with chemical analysis. *J Dent Res*; **67**: 1217-1220.
- Al-Sharabi, A.K. (2002). Oral and paraoral lesion caused by qat chewing. *PhD Thesis University Khartoum, Sudan*.
- Applebaum, E. (1940). The radiopaque surface layer of enamel and caries. *J Dent Res*; **19**:41-46.
- Arends, J., Schuthof, J. and Jongebloed, W.L. (1980). lesion depth and microhardness indentations on artificial white spot lesions. *Caries Res*; **14**:190-195.
- Arends, J. and Ten Bosch, J.J. (1992). Demineralization and remineralization evaluation techniques. *J Dent Res*; **71**(spec Iss): 924-928.
- Bakhos, Y.,Brudevold, F. and Aasenden, R. (1977). *In-vitro* estimation of permeability of surface human enamel. *Arch Oral Biol*; **22**:599-603.
- Barron, R.P., Carmichael, R.P., Marcon M.A. and Sandor, G.K. (2003). Dental erosion in gastroesophageal reflux disease. *J Can Dent Assoc*; **69** :84-89.
- Besic, F.C. (1953). Caries-like enamel changes by chemical means. *J Dent Res*; **32**:830-839.
- Brown, L.J., Winn, D.M. and White, B.A. (1988). Dental caries, restorations and tooth conditions in U.S. adults. *J Am Dent Assoc*; **127**: 1315-1325.
- Bowen, W.H., Amsbaugh, S.M., Monell-Torrens, S. and Brunelle, J. (1983). Effects of varying intervals between meals on dental caries in rats. *Caries Res*; **17**: 466-471.

- Boyle E.I., Higham, S. M. and Edgar, W.M. (1998). The production of subsurface artificial caries lesion on third molar teeth. *Caries Res*; **32**: 154-158.
- Burke, F.J.T. and Cheung, S.W. (1999). Restoration longevity and analysis of reasons for the placement and replacement of restorations provided by vocational dental practitioners and their trainees in the United Kingdom. *Quintessence Int*; **30**: 234-242.
- Clark-Carter, D. (1997). Doing quantitative psychological research: from design to report. *East Sussex, UK: Psychology Press*.
- Clarkson, B.H., Wefel, J.S. and Miller, I. (1984). A model for producing caries-like lesions in enamel and dentin using oral bacteria *in vitro*. *J Dent Res*; **63**: 1186-1189.
- Coolidge, T.B., Besic, F.C. and Jacop, M.H. (1955). A microscopic comparison of clinically and artificially produced changes in enamel. *J Oral Surg*; **8**: 1204-1221.
- Daculsi, G., Le Geros, R.Z., Jean, A. and Kerebel, B. (1987). Possible physico-chemical processes in human dentine caries. *J Dent Res*; **66**: 1356-1359.
- Daniela, T.C., Michelle, A.C., Renata, P.R. and Regina, G.P.D. (2002). *In vitro* evaluation of microleakage of a flowable composite in Class V restoration. *Braz Dent J*; **13**(3): 184-187.
- Darling, A.I. (1956). Studies on the early lesion of enamel caries with transmitted light, polarized light and radiography. *Br Dent J*; **101**: 289-297 and 329-341.
- Darling, A.I. (1958). Studies of the early lesion of enamel caries with transmitted light, polarized light and microradiography: its nature, mode of spread, and points of entry, and its relation to enamel structure. *Br Dent J*; **105**: 119-135.
- Dawes, C. (2003). What is the critical pH and why does a tooth dissolve in acid? *J Can Dent Assoc*; **69**: 722-724.
- De Soet, J.J., Nyvad, B. and Kilian, M. (2000). Strain-related acid production by oral *streptococci*. *Caries Res*; **34**: 486-490
- Dhaifalah, I. and Santavy, J. (2004). Khat habit and its health effect. A natural amphetamine. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*; **148**: 11-15.
- Dijkman, G.E.H.M. and Arends, J. (1992). Secondary caries *in situ* around fluoride-releasing light-curing composites: a quantitative model investigation on four materials with fluoride content between 0 and 26 volume %. *Caries Res*; **26**: 351-357.
- Dionysopoulos, P., Kotsanos, N., Koliniotou-Koubia, E. and Papadoainnis., Y. (1994). Secondary caries formation *in vitro* around fluoride-releasing restorations. *Oper Dent* **19**: 183-188.
- Dionysopoulos, P. and Kotsanos, N. (1998). Artificial secondary caries around two new F-containing restoratives. *Oper Dent* **23**: 81-86.

- Erickson, Y. (1949). Enamel-apatite solubility. Investigations into the calcium phosphate equilibrium between enamel and saliva and its relation to dental caries. *Acta Odontol Scand*; **8** (suppl 3): 1-139.
- Featherstone, J.D.B. and Mellberg, J.R. (1981). Relative rates of progress of artificial carious lesions in bovine, ovine and human enamel. *Caries Res*; **15** : 109-114.
- Featherstone, J.D.B. (2000). The science and practice of caries prevention. *J Am Dent Assoc*; **131**: 887-899.
- Featherstone, J.D.B. (2004). The Continuum of Dental Caries Evidence for a Dynamic Disease Process. *J Dent Res*; **83**(Spec Iss C):C39-C42.
- Fontana, M. (1995). Secondary caries: relation with current criteria used to replace restorations. *General Dent*; **43**: 143-154.
- Garg, A.K. and Malo, M.M. (1997). Manifestations and treatment of xerostomia and associated oral effects secondary to head and neck radiation therapy. *J Am Dent Assoc*; **128**: 1128-1133.
- Geissshusler, S. and Brenneisen, R. (1987). The content of psychoactive phenylpropyl and phenylpentenyl khatamines in *Catha edulis* forsk of different origin. *J. Ethnopharmacol*; **19**: 269-277.
- Gibbs, C.D., Aetheron, S.E., Huntington, E., Lynch, R.J. and Duckworth, R.M. (1995). Effect of low levels of fluoride on calcium uptake by demineralized human enamel. *Arch Oral Biol*; **40**: 879-881.
- Gilbert, P., Maira-Litran, T., McBain, A.J., Rickard, A.H. and Whyte, F.W. (2002). The physiology and collective recalcitrance of microbial biofilm communities. *Adv Microb Physiol*; **46**: 203-255.
- Gilmour, A.S.M., Edmunds, D.H. and Dummer, P.M.H. (1990). The production of secondary caries like lesion on cavity walls and the assessment of microleakage using *in-vitro* microbial caries system. *J Oral Rehabil*; **17**: 573-578.
- Gilmour, A.S.M., Edmunds, D.H., and Newcombe, R.G. and Clark, M.F. (1993). An *in vitro* study into the effect of bacterial artificial caries system on the enamel adjacent to composite and amalgam restoration. *Caries Res*; **27**: 169-175.
- Gilmour, A.S.M., Edmunds, D.H. and Newcombe, R.G. (1997). Prevalence and depth of artificial caries-like lesion adjacent to cavities prepared in roots and restored with a glass ionomer or a dentin-bonded composite material. *J Dent Res*; **76**(12): 1854-1861.
- Gilmour, A.S.M. and Edmunds, D.H. (1998). The polarized light microscopic appearance of caries-like lesion adjacent to restored cavities in the crowns and roots of extracted human teeth. *J Oral Rehabil*; **25**: 929-939.
- Giunta, J.L. (1983). Dental erosion resulting from chewable vitamin C tablets. *J Am Dent Assoc*; **107**: 253-256.

- Göhring, T.N., Zehnder, M., Sener, B. and Schmidlin, B.R. (2004). *In vitro* microleakage of adhesive-sealed dentin with lactic acid and saliva exposure: a radioisotope analysis. *J Dent*; **32**: 235-240.
- Grieve, A.R. and Glyn, J.C. (1980). *An in vitro* study of marginal leakage associated with composite restoration using an acidified agar technique. *J Oral Rehabil*; **7**: 215-223.
- Groeneveld, A., Purdell-lewis, D.J. and Arends, J. (1975). Influence of pH and demineralization period in mineral content, thickness of surface layer and depth of artificial caries lesions. *Caries Res*; **9**: 36-44.
- Halbach, H. (1972). Medical aspect of the chewing of khat leaves. *Bull. W.H.O* **47**: 21-29.
- Hals, E. and Narnaes, A. (1971). Histopathology of *in-vitro* caries developing around silver amalgam fillings. *Caries Res*; **5**: 58-77.
- Hals, E. and Simonsen, L.T. (1972). Histopathology of experimental *in vivo* caries around silver amalgam fillings. *Caries Res*; **6**: 16-33.
- Hals, E. and Laegreid, O. (1974). Structure of experimental *in vitro* and *in vivo* lesions around composite (Addent XV) filling. *Scan J Dent Res*; **82**: 517-526.
- Haikel, Y., Frank, R.M. and Voegel, J.C. (1983). Scanning electron microscopy of the human enamel surface layer of incipient carious lesion. *Caries Res*; **17**: 1-13.
- Hannig, M., Fiefiger, M. and Guntzer, M. (2004). Protective effect of the *in situ* formed short-term salivary pellicle. *Arch Oral Biol*; **49**: 903-910.
- Hartles, R.L. and Wagg, B.J. (1962). Erosive effect of drinking fluids on the molar teeth of the rat. *Arch Oral Biol*; **7**: 307-315.
- Hattab, N. (1999). Fluoride content in khat (*catha edulis*) chewing leaves. *Arch oral Biol*; **45**: 253-255.
- Hill, C.M. and Gibson, A. (1987). The oral and dental effects of qat chewing. *Oral Surg Oral Med Oral Pathol*; **63**: 433-436.
- Holmen, L., Thylstrup, A.B., Øgaard, B. and Kargh. F. (1985a). Polarized light microscopic study of progressive stages of enamel caries. *Caries Res*; **19**: 348-354.
- Hoppenbrouwers, P.M., Driessens, F.C. and Borggreven, J.M. (1986). The vulnerability of unexposed human dental roots to demineralization. *J Dent Res*; **65**: 955-958.
- Hughes, J.A., West, N.X., Parker, D.M., van den Braak, M.H. and Addy, M. (2000). Effects of pH and concentration of citric, malic and lactic acids on enamel, *in vitro*. *J Dent*; **28**: 147-152.
- Ingram, G.S. and Silverstone, L.M. (1981). A Chemical and histological study of artificial caries in human dental enamel *in vitro*. *Caries Res*; **15**: 393-398.

- Ingram, G.C. and Fejerskov, O. (1986). A scanning electron microscope study of artificial caries lesion formation. *Caries Res*; **20**: 32-39.
- Jensen, M.E. (1986). Responses of interproximal plaque pH to snack foods and effect of chewing sorbitol-containing gum. *J Am Dent Assoc*; **113**: 262-266.
- Jorgensen, E. and Kaimenyi, J.T. (1990). The status of periodontal health and oral hygiene of Miraa (*Catha edulis*) chewers. *East Afr Med J*; **67**: 585-590.
- Kalix, P. (1987). Khat: Scientific knowledge and policy issues. *Brit J Add*; **82**: 47-52.
- Kalix, P. (1988). Khat: a plant with amphetamine effects. *J Subst Abuse Treat*; **5**: 163-169.
- Kassie, F., Darroudi, F., Kundi, M., Schulte-Hermann, R. and Knasmuller, S. (2001). Khat (*Catha edulis*) consumption causes genotoxic effects in humans. *Int J Cancer*; **92**: 329-332.
- Kautsky, M.B. and Featherstone, J.D.B (1993). Effect of salivary components on dissolution rates of carbonated apatites. *Caries Res*; **27**: 373-377.
- Kelleher, M. and Bishop, K. (1999). Tooth surface loss: an overview. *Brit Dent J*; **186**: 61-66.
- Kempler, D., Anaise, J. and Westreich, V. (1977). Caries rate in hamsters given acidulated and nonacidulated tea. *J Dent Res*; **56**: 89.
- Kennedy, J.G. (1987). A short history of qat and its use. In: Ibid, The flower of paradise: the institutionalized use of the drug qat in North Yemen. *Dordrecht: D. Reidel*; 60 -78.
- Kidd, E.A.M. (1977). The histopathology of artificial lesion created *in vitro* in relation to unfilled and filled cavities. *Caries Res* **11**: 173-177.
- Kidd, E.M.A. (1983). The histopathology of enamel caries in young and old permanent teeth. *Br Dent J*; **155**: 196-198.
- Kidd, E.M.A., Richards, A., Thylsurp, A. and Fejerskov, O. (1984). The Susceptibility of Young and Old Human Enamel to Artificial Caries *in vitro*. *Caries Res*; **18**: 226-230.
- Kidd, E.A.M. (1990.) Caries diagnosis within restored teeth. *Adv Dent Res* **4**: 10-13.
- Kidd, E.A.M., Toffenetti, F., and Mjör, I.A. (1992). Secondary caries. *Int J Dent* **42**: 127-38.
- Kidd, E.A.M., Joyston-Bechal, S. and Beighton, D. (1994). Diagnosis of secondary caries: a laboratory study. *Br Dent J*; **176**: 135-139.
- Kidd, E.M.A. and Joyston-Bechal, S. (1997). Essential of dental caries. 2nd edition *Oxford University press Inc. New York*

- Kinnear, P.R. and Gray, C.D. (2005). *SPSS 12 Made Simple. East Sussex, UK: Psychology Press*
- Klasser, G.D. and Epstein, J. (2005). Methamphetamine and Its Impact on Dental Care. *J Can Dent Assoc*; **71**: 759-562.
- Kotsanos, N., Darling, A.I., Levers, B.G. and Tyler, J.E. (1989). Simulation of natural enamel caries *in vitro* with methylcellulose acid gels: effect of addition of calcium and phosphate ions. *J de Biologie Buccale*; **17**: 159-165.
- Litkowski, L.J., Swierzewski., M. and Stassler, H.E. (1991). Effect of to cavity designs on root surface marginal leakage. *J Esthet Dent*; **3**: 20-22.
- Luqman, W. and Danowski, T. S. (1976). The use of khat (*Catha edulis*) in Yemen. Social and medical observations. *Ann Intern Med*; **85**: 246-249.
- Lussi, A. J. T., Jaeggi, T. and Schaffner, M. (2004). Prevention and minimally invasive treatment erosions. *Oral Health Prev Dent*; 2 (Suppl 1): 321-325.
- Macigo, F.G., Mwaniki, D.L. and Guthua, S.W. (1995). The association between oral leukoplakia and use of tobacco, alcohol and khat based on relative risks assessment in Kenya. *Eur J Oral Sci*; **103**: 268-273.
- Manhart, J., Yan, C.H., Mehl., A., Karin, W. and Hickel, R.(2001). Marginal quality and microleakage of adhesive Class V restoration. *J Dent*; **29**: 123-30.
- Marsh, P.D. (2004). Dental plaque as a microbial biofilm. *Caries Res*; **38**: 204-211.
- Meir, G., Joel, B., Epstein, Harel, L. and Noam, Y. (2004). Oral White Lesions Associated with Chewing Khat. *Tobacco Induced Diseases*; **3**: 145-150.
- Mengel, R., Eigenbrodt, M., Schunemann T. and Flores-de-Jacoby, L. (1996). Periodontal status of a subject sample of Yemen. *J Clin Periodontol*; **23**: 437-443.
- Meurman, J.H. and Frank, R.M. (1991). Scanning electron microscopic study of the effect of salivary pellicle on enamel erosion. *Caries Res*; **25**: 1-6.
- Mitra, S.B.A., Dong, W.U. and Brian, N. H. (2003). An application of nanotechnology in advanced dental materials. *J Am Dent Assoc*; **134**: 1383-1390.
- Mjör, I.A. (1997). The reasons for replacement and the age of failed restorations in general dental practice. *Acta Odontol Scand* **55**: 58-63.
- Mjör, I.A. (1998). The location of clinically diagnosed secondary caries. *Quintessence Int* **29**: 313-317.
- Mjör, IA. and Toffenetti, F. (2000). Secondary caries: a literature review with case reports. *Quintessence Int*; **31**: 165-169.
- Mjör, I.A. (2005). Clinical diagnosis of recurrent caries. *J Am Dent Assoc*; **136**: 1426-1433.

- Mok, T.B., McIntyre, J. and Hunt, D. (2001). Dental erosion: *in vitro* model of wine assessor's erosion. *Aust Dent J*; **46**:263-268.
- Munksgaard E.C. and Irie M. (1988). Effect of load cycling on bond and various between composite filling and dentine established by Gluma and various resins. *Scand J Dent Res*; **96**: 579-583.
- Mustard, M.J. (1952). Ascorbic acid content of some miscellaneous tropical and subtropical plant and plant products. *Food Res*; **17**: 31.
- Nagamine, M., Itota, T., Torii, Y., Irie, M., Staninec, M. and Inoue, K. (1997). Effect of resin-modified glass ionomer cement on secondary caries. *Am J Dent*; **10**: 173-178.
- Nury, A. and Alev, O. (2002). Artificial formed caries-like lesions around esthetic restorative materials. *J Clin Pediatr Dent*; **26**: 289-296.
- Nyvad, B., Machiulskiene, V. and Baelum, V. (1999). Reliability of a new caries diagnostic system differentiating between active and inactive caries lesions. *Caries Res* **33**: 252-260.
- Palamara, D., Palamara, J.E.A., Tyas, M. J., Pintado, M. and Messer, H.H. (2001). Effect of stress on acid dissolution of enamel. *Dent Mater*; **17**: 109-115.
- Pereira, P.N.R., Inokoshi, S. and Tagami, J. (1998). *In vitro* secondary caries inhibition around fluoride releasing materials. *J Dent*; **26**: 505-510.
- Purdell-Lewis, D.J., Groeved, A. and Arends, J. (1976). Hardness test on sound enamel and artificially demineralized white spot lesion. *Caries Res*; **10**: 201-215.
- Purton, D.G. and Rodda, J.C. (1988). Artificial caries around restoration in roots. *J Dent Res*; **67**: 817-821.
- Riva, T.D. and Van Loveren, C. (2003). Sugars and dental caries. *Am J Clin Nutr*; **78** (suppl): 881S-92S.
- Rosenzweig, K.A. and Smith, P. (1966). Periodontal health in various ethnic groups in Israel. *J Periodontal Res*; **1**: 250-259.
- Rosen, S., Elvin-Lewis, M. and Beck, F.M. (1984). Anticariogenic effects of tea in rats. *J Dent Res*; **63**: 658-660.
- Santini, A., Ivanovic, V., Ibbetson, R. and Milia, E. (2004). Influence of marginal bevels on microleakage around Class V cavities bonded seven self-etching agents. *Am J Dent*; **17**: 257-261.
- Shellis, R.P. and Poole, D.F.G. (1986). Modified process for the Quantitative estimation of pore volume in carious dental enamel by polarising. *Arch Oral Biol*; **30**: 865-868.
- Socransky, S.S. and Haffajee, A.D. (2002). Dental biofilms: difficult therapeutic targets *periodontology*; **28**: 12-55.
- Swift, E.J. (1989). Effect of glass ionomer on recurrent careis. *Oper Dent*; **14**: 40-43.

- Tabachnick, B.G. and Fidell, L.S. (2001). Using multivariate statistics. *Needham Heights MA: Allyn and Bacon*
- Tantbirojn, D., Douglas, W.H. and Versluis, A. (1997). Inhibitive effect of a resin-modified glass ionomer cement on remote enamel artificial caries. *Caries Res*; **31**: 275-280.
- Tantbirojn, D. (2006). Personal communication.
- Ten Cate, J.M. and Van Duinen, R.N.B.(1995). Hypermineralization of dentinal lesions adjacent to glass-ionomer cement restorations. *J Dent Res*; **74**: 1266-1271.
- Thylstrup, A. and Fejerskov, O. (1994). Text book of clinical cariology. 2nd edition. *Munksgaard (Copenhagen)*.
- Tjan, A.H., Bergh, B.H. and Linder, C. (1992). Effect of various incremental techniques on the marginal adaptation of Class II composite resin restoration. *J prosth Dent*; **67**: 62-66.
- Touyz, L.Z. (1994). The acidity (pH) and buffering capacity of Canadian fruit juice and dental implications. *J Can Dent Assoc*; **60**: 454-458.
- Van der Hoeven, J.S. and Schaeken, M.J. (1995). *Streptococci* and *actinomyces* inhibit regrowth of *Streptococcus mutans* on gnotobiotic rat molar teeth after chlorhexidine varnish treatment. *Caries Res*; **29**: 159-162.
- Von Bartheld, F. (1961). Membrane Phenomena in Carious Dissolution of the Teeth, *Arch Oral Biol*; **6**:284-303.
- Vorhies, A.B., Donly, K.J., Staley, R.N. and Wefel J.S. (1998). Enamel demineralization adjacent to orthodontic brackets bonded with hybrid glass cement: An *in vitro* study. *Am J Orthod Dentofacial Orthop*; **114**: 668-674.
- Wandera, A. (1998). *In-vitro* enamel effects of a resin modified glass ionomer:fluoride uptake and resistance to demineralization. *Pediat Dent*; **20**: 411-417.
- Wefel, J.S. and Harless, J.D. (1984). Comparison of artificial white spots by Microradiography and Polarized light microscopy. *J Dent Res*; **11**: 1271-1275.
- Wefel, J.S. (2006). Personal communication.
- Westerman, G.H., Hicks, M.J. and Flaitz, C. (2004). *In vitro* enamel caries formation: Argon laser, light-emitting diode and APF treatment effect. *Am J Dent*; **17**:383-387.
- Winston, A. E. and Bhaskar, S.N. (1998). Caries prevention in the 21st century. *J Am Dent Assoc*; **129**: 1579-1587.
- Yu, H., Oho, T. and Xu, L.X. (1995). Effects of several tea components on acid resistance of human tooth enamel. *J Dent*; **23**: 101-105.

Zahradnik, R.T., Propas, D. and Moreno, E.C. (1978). Effect of salivary pellicle formation time on in vitro attachment and demineralization by *Streptococcus mutans*. *J Dent Res*; **57**: 1036-1042.

Zero, D.T. (1996). Etiology of dental erosion-extrinsic factors. *Eur J Oral Sci*; **104**: 162-177.

Zero, D.T. and Adrian, L. (2005). Erosion-chemical and biological factors of importance to the dental practitioner. *Int Dent J*; **55**: 285-290.