

## **REFERENCES**

## REFERENCES

Al Mulla M.A.S., Huggett R., Brooks S.C., Murphy W.M. (1988). Some physical and mechanical properties of a visible light-activated material. *Dent Mater*; **4**:197-200.

Alsawaf M.M., Segal R., Tabatabai A. and McKinstry R.E. (1991). The use of visible light-cured resin system in maxillofacial prosthetics and neuro-orthopedic surgery. *J Prosthet Dent*; **66**: 369-376).

Asad T., Watkinson A.C., and Hugget R. (1993). The effects of various disinfectant solutions on the surface hardness of an acrylic resin denture base material. *Int J Prosthodont*; **6**: 9-12.

Austin A.T. and Basker R.M. (1982). Residual monomer level in denture bases. *Br Dent J*; **153**: 424.

Barron D.J., Rueggeberg F.A and Schuster G.S. (1992). A comparison of monomer conversion and inorganic filler content in visible light-cured denture resins. *Dent Mater*; **8** : 274-277.

Barron D.J., Schuster G.S., Caughman G.B., Lefebvre C.A. (1993). Biocompatibility of visible light-polymerized denture base resins. *Int J Prosthodont*; **6**: 495-501.

Blaukenau R.J., Kelsey W.P., Cavel W.T. and Blankenau P. (1983). Wavelength and intensity of seven systems for visible light-curing composite resins: a comparison study. *JADA*; **106**: 471-474.

Caycik S. and Jagger R.G. (1992). The effect of cross-linking chain length on mechanical properties of a dough-molded poly(methylmethacrylate) resin. *Dent Mater*; **8**: 153-157

Combe E.C., (1992). Notes on dental materials. Churchill Livingstone. Sixth Edition Chapter 3. Pg 7-12.

Cook W.D., (1980). Factors affecting the depth of cure of UV-polymerized composites. *J Dent Res*; **59** : 800-808.

Craig R.G. and Powers J.M. (1997). Restorative Dental Materials. Mosby Company. Eleventh edition. Chapter 10. Pg 255.

Dixon D.L., Ekstrand K.G. and Breeding L.C. (1991). The transverse strengths of three denture base resins. *J Prosthet Dent*; **66**: 510-513.

Dogan A., Bek B., Cevik N.N., Usanmaz A. (1995). The effect of preparation conditions of acrylic denture base materials on the level of residual monomer, mechanical properties and water absorption. *J Dent*; **23**:313-318.

Fellman S. (1989). Visible light-cured denture base resin used in making dentures with conventional teeth. *J Prosthet Dent*; **62**:356-359.

Foo S.H., Lindquist T.J., Aquilino S.A., Schneider R.L., Williamson D.L. and Boyer D.B. (2001). Effect of polyaramid fiber reinforcement on the strength of three denture base polymethyl methacrylate resins. *J Prosthodont*; **10**: 48-153.

Fraunhofer J.A.V., Suchatlampong C. (1975). The surface characteristics of denture base polymers. *J Dent*; **3**: 105-109.

Grossman Y. And Savion I. (2005). The use of a light-polymerized resin-based obturator for the treatment of the maxillofacial patient. *J Prosthet Dent*; **94**: 289-292.

Harrison A. and Huggett R. (1992). Effect of the curing cycle on residual monomer levels of acrylic resin denture base polymers. *J Dent*; **20**: 370-374.

Harrison A., Huggett R. and Jagger R.C. (1978). The effect of a cross-linking agent on the abrasion resistance and impact strength of an acrylic resin denture base material. *J Dent*; **6**: 299-304.

Heath J.R. and Wilson (1977). The effect of water on the abrasion of restorative materials. *J Oral Rehabil*; **4**: 165-168.

Hill R.G. (1981). The cross-linking agent ethylene glycol dimethacrylate content of the currently available acrylic denture base resins. *J Dent Res*; **60**: 725-726.

Huggett R., Bates J.F. and Packham D.E. (1987). The effect of the curing cycle upon the molecular weight and properties of denture base materials. *Dent Mater*; **3**: 107-112.

Huggett R., Brooks S.C and Bates J.F. (1984). The effect of different curing cycles on levels of residual monomer in acrylic resin denture base materials. *Quintessence Dent tech*; **8**: 365-370.

International Standards Organization. ISO1567: 1999. Specification for denture base polymers. Geneva, Switzerland:ISO.

Jagger D.C and Harrison A. (1999). The effect of chopped poly(methyl methacrylate) fibers in some properties of acrylic resin denture base material. *Int J prosthodont*; **12** ; 542-546.

Jerilimov V., Hugget R., Brooks S.C., Bates J.F. (1985) . The effect of variations in the polymer/monomer mixing ratios on residual monomer levels and flexural properties of denture base materials. *Quintessence Dent Tech*; **7**: 431-434.

Jorge J.H., Giampaolo E.T., Machado A.L., Vergani C.E. (2003). cytotoxicity of denture base acrylic resins: A literature review. *J Prosthet Dent*; **90**:190-193.

Khan Z., Fraunhofer V. and Razari R. (1987). The staining characteristics, transverse strength, and microhardness of a visible light-cured denture base material. *J Prosthet Dent*; **57**: 384-386

Lamb D.J. (1983). The effects of process variables on levels of residual monomer in autopolymerizing dental acrylic resin. *J Dent*; **11**: 80-88.

Lefebvre C.A., Schuster G.S., Caughman G.B. and Caughman W.F. (1991). Effects of denture base resins on oral epithelial cells. *Int J Prosthodont*; **4**: 371-376.

Lewinstein I., Zeltser C., Mayer C.M. and Tal Y. (1995). Transverse bond strength of repaired acrylic resin strips and temperature rise of dentures relined with VLC relined resin. *J Prosthet Dent*; **4**: 392.

Memon M.S., Yunus N and Razak A.A.A., (2001). Some mechanical properties of a highly cross-linked, microwave-polymerized, injection-molded denture base polymer. *Int J Prosthodont*; **14** : 214-218.

McCabe J.F., Walls A.W.G. (1998). Applied Dental Materials, Eighth Edition. Blackwell Science. Chapter 2. Pg. 8.

Murray G.A., Yates J.L. and Newman S.M., (1981). Ultraviolet light and ultraviolet light-activated composite resins. *J Prosthet Dent*; **46**: 167-170.

Ogle R.E., Sorensen S.E., Lewis E.A. (1986). A new visible light-cured resin system applied to removable prosthodontics. *J Prosthet Dent*; **56**: 497-506.

Orsi I.A. and Andrade V.G. (2004). Effect of chemical disinfectants on the transverse strength of heat-polymerized acrylic resins submitted to mechanical and chemical polishing. *J Prosthet Dent*; **92**: 382-388.

Phillips R.W. and Moore BK. (1994). Elements of Dental Material. W.B Saunders Company. Fifth Edition. Chapter 9. Pg 106.

Phillips R.W. (1991). Skinner's Science of Dental materials. Saunders Company, Philadelphia. Ninth Edition. Chapter 11. Pg 190-191.

Phoenix R.D., Mansueto M.A., Ackerman N.A. and Jones R.E. (2004). Evaluation of mechanical and thermal properties of commonly used denture base resins. *J Prosthodont*; **13**: 17-27.

Polyzois G.L. (1990). Accuracy of visible light-curing denture bases: A comparative study. *Quintessence Dent Tech*; 142-146.

Rodford R. (1986). The development of high impact strength denture-base materials. *J Dent*; **14**: 214-217

Ruffino A.R. (1985). Effect of steel strengtheners on fracture resistance of the acrylic resin. *J Prosthet Dent*; **54**: 75-78.

Ruyter I.E., Ekstrand K. and Bjork N. (1986). Development of carbon/graphite fiber reinforced poly(methylmethacrylate) suitable for implant-fixed dental bridges. *Dent Mater*; **2**: 6-9.

Ruyter I.E. and Svendsen S.A. (1980). Flexural properties of denture base polymers. *J Prosthet Dent*; **43**(1): 95-104.

Ruyter I.E. and Øysaed H. (1982). Conversion in different depths of ultraviolet and visible light activated composite materials. *Acta Odontol Scand*; **40**: 179-192.

Segal E., Lehrman O., Dayan D. (1988). Adherence in vitro of various *Candida* species to acrylic surfaces. *Oral Surg Oral Med Oral Pathol*; **66**: 670-673.

Sobrinho L.C., Goes M.F.D., Consani S. and Sinhoreti M.A.C. (2000). Correlation between light intensity and exposure time on the hardness of composite resin. *J Mat. Science: Material in Medicine*; **11**: 261-364.

Stafford G.D. and Smith D.C. (1968). Some studies of the properties of denture base polymers. *Br Dent J*; **15**: 337-342.

Stafford G.D. and Huggett R. (1978). Creep and hardness testing of some denture base polymers. *J Prosthet Dent*; **39**: 682-687.

Sun B.J., Lichkus A.M. and Shaffer S.E. (2003). Mechanical properties of novel visible-light-curable (VLC) Eclipse™ resin systems. Annual meeting and exhibition of the AADR.

Szabo G., Stafford D. and Huggett R. (1986). Effect of an Ultraviolet Light-activated Coating on the indentation resistance of some denture base polymers. *Quintessence Dent Tech*; **10**(8): 523-527.

Takahashi Y., Chai J. and Kawaguchi M. (1999). Equilibrium strengths of denture polymers subjected to long-term water immersion. *Int J Prosthodont*; **12**: 348-352.

Vallittu P.K. (1995). The effect of void space and polymerization time on transverse strength of acrylic-glass fibre composite. *J Oral Rehabil*; **22**: 257-261.

Vallittu P.K., Ruyter I.E. and Buykuilmaz S. (1998). Effect of polymerization temperature and time on the residual monomer content of denture base polymers. *Eur J Oral Sci*; **106** : 588-593.

Vallittu P.K. (2000). Effect of 180-week water storage on the flexural properties of E-glass and silica fiber acrylic resin composite. *Int J Prosthodont*; **13**: 334-339.

Van Noort R. (2002). Introduction to Dental Materials. Mosby Company. Second Edition; pg. 211.

Virendra B.D. (2004). Contemporary Dental Materials.. Oxford University Press. Chapter 6 ; pg.50.

Yazdanie N. and Mahood M.(1985). Carbon fiber acrylic resin composite: An investigation of transverse strength. *J Prosthet Dent*; **54**: 543-554.