

BIBLIOGRAPHY

Achadi A, Soerojo W, Barber S. (2005). The relevance and prospects of advancing tobacco control in Indonesia. *Health Policy*.72:333-349.

Almadori G, Bussu F, Cadoni G, Galli J, Rigante M, Artuso A, Maurizi M. (2004). Multistep laryngeal carcinogenesis helps our understanding of the field cancerisation phenomenon: a review. *Eur J Cancer*.40:2383-8.

Altieri A, Bosseti C, Gallus S, Franceschi S, Dal Amso L, Talamini R, Levi F, Negri E, Rodriguez T, La Vecchia C. (2004). Wine, beer and spirits and risk of oral and pharyngeal cancer: a case-control study from Italy and Switzerland. *Oral Oncol*.40:904-909.

Astawan M. (2004). *Kandungan gizi aneka bahan makanan*.Gramedia.Jakarta.p.29-36.

Axéll T, Holmstrup P, Kramer IRH, Pindborg JJ, Shear M. (1984). International seminar on oral leukoplakia and associated lesions related to tobacco habits. *Com Dent Oral Epidemiol* 12:145-154

Balarajan R, Bulusu L, Adelstein AM et al. (1984). Patterns of mortality among migrants to England and Wales from the Indian sub-continent. *Br Med J*.289:1185-1187.

Barraclough S. (1999). Women and tobacco in Indonesia. *Tobacco Control* 8:327-332.

Bartsch H, Rojas M, Nair U, Nair J, Alexandrov K. (1999). Genetic cancer susceptibility and DNA adducts. Studies of smokers, tobacco chewers, and coke oven workers. *Cancer Detect Prevent*.23:445-53.

Batsakis JG. (2003). Clinical Pathology of Oral Cancer. In JP Shah, NW Johnson, JG Batsakis (eds), *Oral Cancer*, London: Martin Dunitz, an imprint of The Taylor & Francis Group. (p. 3-32).

Bennett WP, Alavanja MC, Blomeke B, Vähäkangas KH, Castrén K, Welsh JA, Bowman ED, Khan MA, Flieder DB, Harris CC. (1999). Environmental tobacco smoke, genetic susceptibility, and risk of lung cancer in never-smoking women. *J Natl Cancer Inst*.91(23):2009-14

Benowitz NL. (1992). Cigarette smoking and nicotine addiction. *Med Clin North Am.*76:415-37.

Bergen AW, Caporaso N. (1999). Cigarette smoking. *J Natl Cancer Inst.* 91:1365-75.

Bernida I, Yunus F, Wiyono WH, Dianiati KS, Giriputro S, Priyanti, Astowo P, Swidarmoko B, Mulawarman, Hidayat S, Mangunegoro H. (1990). Faal paru adan uji bronkodilator pada perokok, bekas perokok dan bukan perokok. *Majalah Paru.*10(4):5-11.

Black RJ, Bray F, Ferlay J, Parkin DM. (1997) Cancer incidence and mortality in the European Union. *Eur J Cancer.*33:1075-1107.

Blot WJ, McLaughlin JK, Winn DM et al. (1988). Smoking and drinking in relation to oral and pharyngeal cancer. *Cancer Res.*48: 3282-3287.

Blot WJ. (1992). Alcohol and cancer. *Cancer Res.*52(Suppl.):2119–2123

Blot WJ, McLaughlin JK, Devesa SS and Fraumeni Jr JF. (1996). Cancers of the oral cavity and pharynx In D Schottenfeld and JF Fraumeni Jr. Editors. *Cancer Epidemiology and prevention* (2nd ed). Oxford University Press. New York.

Board PG, Coggan M, Chelvanayagam G, Eastal S, Jermin LS. (2000). Identification, characterization and crystal structure of the omega class glutathione transferase. *J Biol Chem* 275:24798-24806.

Bouchardy C, Parkin DM, Khlat M (1994). Cancer mortality among Chinese and southeast Asian migrants in France. *Int J Cancer*; **58**: 638–43.

Bouchardy C, Parkin DM, Wanner P (1996). Cancer mortality among North African migrants in France. *Int J Epidemiol*; **25**: 5–13.

Brundtland GH. (2000). Achieving worldwide tobacco control. *JAMA.* 284:750–751.

Buch SC, Notani PN, Bhisey RA. (2002). Polymorphism at GSTM1, GSTM3 and GSTT gene loci and susceptibility to oral cancer in an Indian population. *Carcinogenesis.*23(5):803

Budhy TI, Soenarto SD, Yacoob HB, Ngeow WC. (2001). Changing incidence of oral and maxillofacial tumours in East Java, Indonesia 1987-1992. part 2: Malignant tumours. *Brish J Oral Maxillofac Surg.*39:460-464.

Bush LP, Cui M, Shi H, Burton HR, Fannin FF, Lei L. (2001). Formation of tobacco-specific nitrosamines in air-cured tobacco. *Rec Adv Tobacco Sci.* 27:23-46.

Califano J, van der Riet P, Westra W, Nawroz H, Clayman G, Piantadosi S, et al. (1996). Genetic progression model for head and neck cancer: implications for field cancerization. *Cancer Res.*56 (11):2488–92.

Canto MT and Devesa SS. (2002). Oral cavity and pharynx incidence rates in United States, 1975-1998. *Oral Oncol.*38:610-617.

Cappuccio FP, Rink E, Perkins-Porras L, McKay C, Hilton S, Steptoe A. (2003). Estimation of fruit and vegetable intake using a two-item dietary questionnaire: a potential tool for primary health care workers. *Nutr Metab Cardivasc Dis.*13:12-19.

Castellsague X, Quintana MJ, Martinez MC, Nieto A, Sanchez MJ, Juan A, et al. (2004). The role of type of tobacco and type of alcoholic beverage in oral carcinogenesis. *Int J Cancer.*08:741–9.

Cha In-Ho, Park JY, Chung WY, Choi MA, Kim HJ and Park KK. (2007). Polymorphisms of CYP1A1 and GSTM1 genes and susceptibility to oral cancer. *Yonsei Medical Journal.*48(2):233-239.

Chen JW, Katz RV, Krutchkof DJ. (1990). Intraoral squamous carcinoma: epidemiologic patterns in Connecticut from 1935-1985. *Cancer.*66:1288-1296.

Chen JW, Shaw JH. (1996). A study on betel quid chewing behavior among Kaohsiung residents aged 15 years and above. *J Oral Pathol Med.*25(3):140-3.

Chen YC and Hunter DJ. (2005). Molecular epidemiology of cancer. *CA Cancer J Clin.* 55(1):45-54.

Cruz I, Van Den Brule AJ, Brink AA, Snijders PJ, Walboomers JM, Van Der Waal I, Meijer CJ. (2000). No direct role for Epstein-Barr virus in oral carcinogenesis: a study at the DNA, RNA and protein levels. *Int J Cancer.*86(3):356-361.

D’Costa J, Saranath D, Sanghvi V, Mehta A. (1998). Epstein-Barr virus in tobacco-induced oral cancer and oral lesions in patients from India. *J Oral Pathol and Medicine.*27:72-82.

Daftari DK, Murti PR, Bhonsle RB. (1992). Oral Squamous Cell Carcinoma, In Prabhu SR. (Edtr). *Oral Diseases in the Tropics*. New York. Oxford Medical Publications. 429 -446.

Davis S and Severson RK. (1987). Increasing incidence of cancer of the tongue in The United States among young adults. *Lancet*.2:910-911.

Day, GL, Blot WJ, Austin DF, Bernstein L, Greenberg RS, Preston-Martin S, Schoenberg JB, Winn DM, McLaughlin JK, Fraumeni JF Jr. R. (1993). Racial differences in risk of oral and pharyngeal cancer: alcohol, tobacco, and other determinants. *J Natl Cancer Inst*. 85:465–473.

De Marini DM. (2004). Genotoxicity of tobacco smoke and tobacco smoke condensate: a review. *Mutat Res*.567:447-74.

De Stefani, Oreggia F, Ronco A, Fierro L, Rivero S. (1994). Salted meat consumption as a risk factor for cancer of the oral cavity and pharynx:a case-control study from Uruguay. *Cancer Epidemiol Biomark and Prev*.3:381-385.

De Stefani E, Ronco AL, Boffetta P, Deneo-Pellegrini H, Acosta G, Corea P, Mendilaharsu M. (2006). Nutrient intake and risk of squamous cell carcinoma of the esophagus: a case-control study in Uruguay. *Nutr Cancer*.56(2):149-57.

de Visscher JG, Bouwes Bavinck JN, van der Waal I.(1997). Squamous cell carcinoma of the lower lip in renal-transplant recipients. Report of six cases. *Int J Oral Maxillofac Surg*.26(2):120-123.

Deakin M, Elder J, Hendrickse C, Peckham D, Baldwin D, Pantin C, Wild N, Leopard P, Bell DA, Jones P, Duncan H, Brannigan K, Alldersea J, Fryer AA, Strange RC. (1996). Glutathione S-transferase GSTT1 genotypes and susceptibility to cancer: studies of interactions with GSTM1 in lung, oral, gastric and colorectal cancers. *Carcinogenesis*. 17(4):881-4

Departemen Kesehatan RI. (1999). *Kanker di Indonesia Tahun 1999, Data Histopatologik*. Rino Pattiata (edtr). Dir Jen Yan Medik DepKes RI, Badan Registrasi Kanker Perhimpunan Dokter Spesialis Patologi Indonesia, Yayasan kanker Indonesia. Jakarta.

Departemen Pertanian Indonesia (1995). Peran Ekonomi Tembakau dan Cengkeh Sebagai Bahan Baku Industri Rokok, kumpulan makalah panel diskusi Dampak Merokok Terhadap Ekonomi Negaradan Masyarakat, Forum LM3, Jakarta.

Doll R and Peto R (1981) The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *J Natl Cancer Inst.*66:1191-1308.

Doll R, Peto R, Boreham J, Sutherland I. (2005). Mortality in relation to smoking: 50years' observations on male British doctors. *Br J Cancer.* 92(3):426-429.

Drummond SN, De Marco L, Noronha JCM, Gomez RS. (2004) .GSTM1 polymorphism and oral squamous cell carcinoma. *Oral Oncol.*40; 52-55.

Du, X., Squier, C. A., Kremer, M. J., & Wertz, P. W. (2000). Penetration of N-nitrosornicotine (NNN) across oral mucosa in the presence of ethanol and nicotine. *J Oral Pathol Med.*29:80–85.

Filho VW. (2002). The epidemiology of oral and pharyngeal cancer in Brazil. *Oral Oncol.*38:737-746.

Flaitz CM, Hicks MJ.(1998). Molecular piracy: the viral link to carcinogenesis. *Oral Oncol.*34(6):448-53

Franceschi S, Talamini R, Barra S, Barón AE, Negri E, Bidoli E, Serraino D, La Vecchia C.(1990). Smoking and drinking in relation to cancers of the oral cavity, pharynx, larynx, and esophagus in northern Italy. *Cancer Res.*50(20):6502-7.

Franceschi S, Bidoli E, Barón AE, Barra S, Talamini R, Serraino D, La Vecchia C. (1991). Nutrition and cancer of the oral cavity and pharynx in north-east Italy. *Int J Cancer.*47(1):20-25.

Franceschi S, Barra S, La Vecchia C, Bidoli E, Negri E, Talamini R. (1992). Risk factors for cancer of the tongue and the mouth. *Cancer.*70(9):2227-33.

Franceschi S, Munoz N, Bosch XF, Snijders PJF, and Walboomers JMM. (1996). Human papillomavirus and cancers of the upper aerodigestive tract: a review epidemiological and experimental evidence. *Cancer Epidemiol Biomarkers and Prevent.*5:567-575.

Franceschi S, Favero A, Conti E, Talamini R, Volpe, R, Negri E, barzan L, La Vecchia C. (1999). Food groups, oils and butter and cancer of the oral cavity and pharynx. *Br J Cancer.*80(3/4):614-620.

Franceschi S, Levi F, Conti E, Talamini R, Negri E, Dal Maso L, Boyle P, Decarli A, La Vecchia C.(1999). Energy intake and dietary pattern in cancer of the oral cavity and pharynx. *Cancer Causes Control*.10(5):439-44.

Franceschi S, Bidoli E, Herrero R, Munoz N. (2000). Comparison of cancers of the oral cavity and pharynx worldwide: etiological clues. *Oral Oncol*.36:106–15.

Franco EL, Kowalski LP, Oliveira BV, Curado MP, Pereira RN, Silva ME, Fava AS and Torloni M. (1989). Risk factors for oral cancer in Brazil: a case-control study. *Int J Cancer*.43:992-100.

Geisler SA and Oshan AF. (2001). GSTM1, GSTT1, and the risk of squamous cell carcinoma of the head and neck: A mini-HuGE review. *Am J Epidemiol*. 154:95-105

Gerhauser C. (2005). Beer constituent as potential cancer chemopreventive agents. *European J Cancer*. 41:1941-1954.

Ghom AG. (2005). Neoplasm in *Textbook of Oral Medicine*. New Delhi. Jaypee Brothers.p.28-34.

Ginting R and Elbritha HOT (2003). Prevalence of oral lesions in laboratories of pathology anatomy Medan 1995-2002. Pathology Anatomy Department Report. Faculty of Dentistry University of Sumatera Utara, Medan, Indonesia.p.1-11.

Gonzales MV, Alvares V, Pello MF, Menendez MJ, Suarez C, Coto E. (1998). Genetic polymorphism of N-acetyltarnseferase-2, glutathione S-transferase-M1, and cytochromes P450IIE1 and P450IID6 in the susceptibility to head and neck cancer. *J Clin Pathol*.51;294-298.

Gordon T, Fisher M, Rifkind BM. (1984). Some difficulties inherent in the interpretation of dietary data from free-living populations. *Am J Clin Nutr*.39(1):152-6.

Govan DT, Macfarlane PS, Callander R (1995). Neoplasia. In *Pathology illustrated*. 4th ed. Churchill livingstone. Edinburgh. p.129

Graham S, Dayal H, Rohrer T. (1977). Diet, tobacco and alcohol in epidemiology of oral cancer. *J Natl Canc Inst*. 59:1611-1618.

Grinberg-Funes RA, Singh VN, Perera FP. (1994). Polycyclic aromatic hydrocarbon–DNA adducts in smokers and their relationship to micronutrient levels and the glutathione-S-transferase M1 genotype. *Carcinogenesis*.15: 2449–54.

Grizzi F and Internati MC. (2006). Cancer: looking for simplicity and finding complexity. *Cancer Cell Int*. 6(4):1-7

Gronbæk M, Becker U, Johansen D, Tønnesen H, Jensen G, Sørensen TI. (1998). Population based cohort study of the association between alcohol intake and cancer of the upper digestive tract. *Br Med J*. 317:844–7.

Grosvenor MB and Smolin LA. (2002). *Nutrition. From Science to Life*. Harcourt College. USA.p.664-725.

Gupta PC. (1999a). Mouth cancer in India: a new epidemic? *J Indian Med Assoc*.54:594-606.

Gupta PC and Nandakumar A. (1999b). Oral cancer scene in India. *Oral Dis*. 5:1-2.

Gupta PC and Ray CS. (2004). Epidemiology of Betel Quid Usage. *Ann Acad Med Singapore*.33(suppl):31S-36S.

Hahn M, Hagedorn G, Kuhlisch E, Schackert HK and Eckelt U. (2002). Genetic polymorphism for drug metabolizing enzymes and susceptibility to oral cavity cancer. *Oral Oncol*. 38(5): 486-490

Hamada GS, Bos AJ, Kasuga H et al n (1991). Comparative epidemiology of oral cancer in Brazil and India. *Tokai J Exp Clin Med* 16:63-72.

Hanusz M. (2000). *The history of kretek*. Jakarta, Indonesia: Equinox Publishing. p.140-143

Hanusz M. (2002). *Kretek: the culture and heritage of Indonesia's clove cigarettes*, Equinox Publishing.p.122-145.

Happner PP and Heppner MJ. (2004). Conducting quantitative analysis and presenting your results In *Writing and Publishing Your Thesis, Dissertation, and Research*. Australia. Thomson Brooks.p.231-302.

Hashibe M, Mathew B, Kuruvilla B, Thomas G, Sankaranarayanan R, Parkin DM, Zhang ZF. (2000). Chewing Tobacco, Alcohol, and the Risk of Erythroplakia. *Cancer Epidemiol Biomark Prevent*.9:639–645.

Hashibe M, Brennan P, Stange RC, Bhisey R, Cascorbi I, Lazarus P, Oude Ouphuis MB, Benhamou S. (2003). Meta and pooled analysis of GSTM1, GSTT1, GSTP1 and CYP1A1 genotypes and risk of head and neck cancer. *Cancer Epidemiol Biomark Prevent*.12:1509-1517.

Hasibuan S. (2005). Karakteristik penyirih di Kabupaten tanah Karo Sumatera Utara. *MI Kedokteran Gigi FKG Usakti*.20(60):53-57.

Hayes JD and Pulford DJ. (1995). The glutathione s-transferase supergene family: regulation of GST and the contribution of isoenzymes to cancer chemoprevention and drug resistance. *Crit Rev Biochem Mol Biol*.30(6):445-600.

Hecht SS and Hoffmann D (1988). Tobacco-specific nitrosamines, an important group of carcinogens in tobacco and tobacco smoke. *Carcinogenesis*.9:875–84.

Herrero R, Castellsagué X, Pawlita M, Lissowska J, Kee F, Balaram P, Rajkumar T, Sridhar H, Rose B, Pintos J, Fernández L, Idris A, Sánchez MJ, Nieto A, Talamini R, Tavani A, Bosch FX, Reidel U, Snijders PJ, Meijer CJ, Viscidi R, Muñoz N, Franceschi S. (2003). Human papillomavirus and oral cancer: the International Agency for Research on Cancer multicenter study. *J Natl Cancer Inst*.95(23):1772-1783

Hindle I and Nally F. (1991). Oral cancer: a comparative study between 1962-1967 and 1980-1984 in England and Wales. *Br Dent J*. 170:15-20

Hindle I, Downer M, Speight PM. The epidemiology of oral cancer. (1996). *Br J Oral Maxillofac Surg*.34:471-476.

Hindle I, Downer M, Speight PM. (2000a). The association between intra-oral cancer and surrogate markers of smoking and alcohol consumption. *Comm Dent Health*. 17:107–13.

Homann N. (2000). Alcohol and cancer (abstract). *Ther Umsch*.57(4):236-40

Howie NM, Cruchley AT, Williams DM. (1995). The effect of ethanol on the permeability of human oral mucosa to albumin and sucrose. *J Dent Res*. 74: 889.

Howie, N. M., Trigkas, T. K., Cruchley, A. T., Wertz, P. W., Squier, C. A., & Williams, D. M. (2001). Short-term exposure to alcohol increases the permeability of human oral mucosa. *Oral Dis.* 7:349–354.

Hung HC, Chuang J, Chien YC, Chern HD, Chiang CP, Kuo YS, Hildesheim A, Chen CJ. (1997). Genetic polymorphisms of CYP2E1, GSTM1, and GSTT1; environmental factors and risk of oral cancer. *Cancer Epidemiol Biomarkers Prev.* 6(11):901-5.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans (1985). *Tobacco habits other than smoking.* Vol 37.Lyon. IARC press.p.37

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans (1986). *Tobacco smoking.* Vol 38.Lyon. IARC press.

IARC Monographs on the evaluation of the carcinogenic risk of chemicals to humans. (1988) .vol. 44, *Alcohol drinking.* Lyon. IARC press.p.35

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. (2002). *Tobacco Smoke and Involuntary Smoking.* Vol. 83.Lyon. IARC press. p. 81

IARC Monographs on the evaluation of the carcinogenic risk of chemicals to humans. (2004). *Betel-Quid and Areca-Nut Chewing and Some Related Nitrosamines.* vol. 85.p.39

Jaber MA, Porter, SR, Scully C, Gilthorpe, MS and Bedi R. (1998). The role of alcohol in non-smokers and tobacco in non-drinkers in the aetiology of oral epithelial dysplasia. *Int J Cancer.*77, 333–336.

Jacob BJ, Straif K, Thomas G, Ramadas K, Mathew B, Zhang ZF, Sankanarayanan R, Hashibe M. (2004). Betel Quid without tobacco as a risk factors for oral precancers. *Oral Oncol.* 40:697-704.

Jemal A, Siegel R, Ward E, Murray T, Xu J, Smigal C, Thun MJ. (2006). Cancer Statistic, 2006. *CA A Cancer J for Clinicians.*56: 106-130

Jemal A, Siegel R, Ward E, Ward E, Murray T, Xu J, Thun MJ. (2007). Cancer Statistic, 2007. *CA A Cancer J for Clinicians.*57: 43-66

Johnson NW. (1991). Orofacial neoplasms: global alimentary and respiratory tracts in Bombay, India: A study of incidence over two decades. *Br J Cancer* 56:847-852.

Johnson NW and Warnakulasuriya KAAS. (1993a). Epidemiology and aetiology of oral cancer in the United Kingdom. *Comm Dent Health*.10 (Suppl1): 13-29.

Johnson NW, Ranasinghe AW, Warnakulasuriya KA (1993b). Potentially malignant lesions and conditions of the mouth and oropharynx: natural history--cellular and molecular markers of risk. *Eur J Cancer Prev* 2(supl 2):31-51

Johnson N. (2001). Tobacco use and oral cancer: a global perspective. *J Dent Educ*. 65: 328-339

Johnson NW (2003a). Global epidemiology. In JP Shah, NW Johnson, JG Batsakis eds. *Oral Cancer*, 2003. London: Martin Dunitz, an imprint of The Taylor & Francis Group. p.3-32

Johnson NW (2003b). Aetiology and risk factors for oral cancer. In JP Shah, NW Johnson, JG Batsakis eds. *Oral Cancer*, 2003. London: Martin Dunitz, an imprint of The Taylor & Francis Group. p.3-32

Johnson NW, Franceschi S, Ferlay J, Ramadas K et al. (2005). Squamous Cell Carcinoma. In Barnes L, Eveson JW, Reichart P, Sidransky D (eds). *WHO Classification of Tumours. Pathology and Genetics Head and Neck Tumours*. p.168-175.

Jourenkova-Mironova N, Voho A, Bouchardy C, Wikman H, Daye P, Benhamou S, and Hirvonen A. (1999). Glutathione S-transferase GSTM1, GSTM3, GSTP1 and GSTT1 genotypes and the risk of smoking-related oral and pharyngeal cancers. *Int. J. Cancer*.8:44-48,.

Kabat GC and Wynder EL. (1989). Type of alcoholic beverage and oral cancer, *Int J Cancer*. 43: 190-194.

Katoh T, Kaneko S, Kohshi K, Munaka M, Kitagawa K, Kunugita N, Ikemura K, Kawamoto T. (1999). Genetic polymorphisms of tobacco- and alcohol-related metabolizing enzymes and oral cavity cancer. *Int J Cancer*.83(5):606-9.

Kietthubthew S, Sriplung H, William W. Au. (2001). Genetic and Environmental interactions on Oral Cancer in Southern Thailand. *Environ Mol Mut*. 37:111-116.

Kietthubthew S, Sriplung H, Au WW, Ishida T (2006). Polymorphism in DNA repair genes and oral squamous cell carcinoma in Thailand. *Int J Hyg Environ Health*. 209(1):21-9.

Kihara M, Kihara M, Kubota A, Furukawa M, and Kimura H. (1997). GSTM1 gene polymorphism as a possible marker for susceptibility to head and neck cancers among Japanese smokers. *Cancer Lett*. 11: 257–262.

Ko YC, Chiang TA, Chang SJ, Hsieh SF. (1992). Prevalence of betel quid chewing habit in Taiwan and related socio-demographic factors. *J Oral Pathol Med*. 21:261-4.

Kobayashi I, Shima K, Saito T, Kiyoshima T, Matsuo K, Ozeki S. (1999). Prevalence of Epstein-Barr virus in oral squamous cell carcinoma. *J Oral Pathol*. 189:34-39.

Kramer IR, Lucas RB, Pindborg JJ, and Sobin LH. (1978). Definition of leukoplakia and related lesions: an aid to studies on oral precancer. *Oral Surg Oral Med Oral Pathol*. 46(4):518-539.

Kupper H, Boffetta P, Adami HO. (2002). Tobacco use and cancer causation: association by tumour type. *J Int Med*. 252:206-224.

La Vecchia C, Negri E, D'Avanzo B, Boyle P, Franceschi S. (1991). Dietary indicators of oral and pharyngeal cancer. *Int J. Epidemiol*. 20:39-44.

La Vecchia C, Tavani A, Franceschi S, et al. (1997). Epidemiology and prevention of oral cancer. *Oral Oncol*. 33:302-12.

La Vecchia C, Lucchini F, Negri E, Levi, F. (2004). Trends in oral cancer mortality in Europe. *Oral Oncol*. 40, 433–439.

Langford A, Langer R, Lobeck H. et al. (1995). Human immunodeficiency virus-associated squamous cell carcinoma of the head and neck presenting as oral and primary intraosseous squamous cell carcinomas. *Quintessence Int*. 9:634-654.

Lawrence S, Collin J. (2004). Competing with kretek: transnational tobacco companies, globalization, and Indonesia. *Tobacco Control*. 13:96-103.

Lee CH, Ko YC, Huang HL. (2003). The precancer risk of betel quid chewing, tobacco use and alcohol consumption in oral leukoplakia and oral submucous fibrosis in southern Taiwan. *Br J Cancer* .88:366-372

Lee JJ, Hong WK, Hittleman WN, et al. (2000). Predicting cancer development in oral leukoplakia. 10 years of translational research. *Clin Cancer Res.*6:1702-10.

Lee JJ, Hung HC, Chaeng SJ, Chen YJ, Chiang CP, Liu BY, Jeng JH, Chang HH, Kuo YS, Lan WH, Kok SH. (2006). Carcinoma and dysplasia in Taiwan: Prevalence and risk factors. *Oral Pathol Oral Med Periodontol.*101;472-480.

Levi F, Pasche C, La Vecchia C, Lucchini F, Franceschi S, Monnier P. (1998). Food groups and risk of oral and pharyngeal cancer. *Int J Cancer.*77:705-709.

Lim GCC, Yahaya H, Lim TO. (2004). *The Second Report of the National Cancer Registry Cancer Incidence in Malaysia 2003*. NCR. Kuala Lumpur.p.68-74.

Lind PO. (1987). Malignant transformation in oral leukoplakia. *Scand J Dent Res.*95:449-55.

Llewellyn CD, Johnson NW, Warnakulasuriya S. (2001). Risk factors for squamous cell carcinoma of the oral cavity in young people. A comprehensive literature review. *Oral Oncol.*37:401-418.

Llewellyn, C. D., Linklater, K., Bell, J., Johnson, N. W., & Warnakulasuriya, K. A. A. (2003). Squamous cell carcinoma of the oral cavity in patients aged 45 years and under: a descriptive analysis of 116 cases diagnosed in the South East of England from 1990 to 1997. *Oral Oncol.* 39:106–114.

Llewellyn CD, Johnson NW, Warnakulasuriya S. (2004). Risk factors for oral cancer in newly diagnosed patients aged 45 years and younger. A case-control study in Southern England. *J Oral Pathol Med.*33:525–32

Lu CT, Lan SJ, Hsieh CC, Yang MJ, Ko YC, Tsai CC, and Ye YY. (1993). Prevalence and characteristics of areca nut chewers among junior high school students in Changhua country, Taiwan. *Comm Dent Oral Epidemiol* 21:370-373.

Macfarlane GJ, Sharp L, Porter S. (1996). Trends in survival from cancers of the oral cavity and pharynx in Scotland: a clue as to why the disease is becoming more common? *Br J Cancer.* 73: 805-808.

Mackenzie J, Ah-See K, Thakker N, Sloan P, Maran AG, Birch J, Macfarlane GJ. (2000). Increasing incidence of oral cancer amongst young persons: what is the aetiology? *Oral Oncol.*36:387-389

Maden C, Meckmann AM, Thomas DB. (1992). Human papillomaviruses, herpes simplex viruses, and the risk of oral cancer in men. *Am J Epidemiol.*135:1093-1102.

Maher R, Lee AJ, Warnakulasuriya KA, et al. (1994) Role of areca nut in the causation of oral submucous fibrosis: a case control study in Pakistan. *J Oral Pathol Med.* 23(2):65–9.

Mannervik B, Alin P, Guthenberg C, Jensson H, Tahir MK, Warholm M, Jornvall H. (1985). Identification of three classes of cytosolic glutathione transferase common to several mammalian species: correlation between structural data and enzymatic properties. *Proc Natl Acad Sci USA.*82: 7202-6.

Mannervik B and Danielson UH. (1988). Glutathione S-transferase structure and catalytic activity. *Crit Rev Biochem Mol Biol.*23.283-337.

Mannervik B, Awatshi YC, Board PG, Hayes JD, Di Ilio C. (1992). Nomenclature for human glutathione S-transferases. *Biochem J.*282:305-308.

Marchioni DML, de Oliveira Latorre MRD, Eluf-Neto J, Wunsch-Filho V, Fishberg RM. (2005). Identification of dietary patterns using factor analysis in an epidemiological study in Sao Paulo. *Sao Paulo Med J.* 123(3):124-7.

Marchioni DML, Fishberg RM, de Gois Filho, Kowalski Lp, de Carvalho MB, Abrahao M, de Oliveira Latorre MRD, Eluf-Neto J, Wunsch-Filho V. (2007). Dietary patterns and risk of oral cancer: a case-control study in Sao Paulo, Brazil. *Rev Saude Publica.* 41(1):19-26.

Marques CFS, Koifman S, Koifman RJ, Boffetta P, Brennan P, Hatagima A. (2006). Influence of CYP1A1, CYP2E1, GSTM3 and NAT2 genetic polymorphisms in oral cancer susceptibility: results from a case-control study in Rio de Janeiro. *Oral Oncol.*42(6):632-637.

Mashberg A, Merletti F, Boffetta P. (1989). Appearance, site of occurrence, and physical and clinical characteristics of oral carcinoma in Torino, Italy. *Cancer.* 63: 2522-2527.

Matthias C, Bockmuhl U, Jahnke V, Jones PW, Hayes JD, Alldersea J, Gilford J, Bailey L, Bath J, Worrall SF, Hand P, Fryer AA and Strange RC. (1998). Polymorphism in cytochrome P450 CYP2D6, CYP1A1, CYP2E1 and glutathione S-

transferase, GSTM1, GSTM3, GSTT1 and susceptibility to tobacco-related cancers: studies in upper aerodigestive tract cancers. *Pharmacogenetics*.8:91–100.

McCartan B. (2001). Oral cancer—the terminology dilemma. *Oral Dis*. 7:66.

McCredie M, Coates M, Grulich A (1994). Incidence in migrants to New South Wales (Australia) from the Middle East, 1972–91. *Cancer Causes Control*.5: 414–21.

McLaughlin JK, Gridley G, Block G, Winn DM, Preston-Martin S, Scoenberg JB, Breenberg RS, Stemhagen A, Austin DF, Ershow AG, Blot WJ, Fraumeni Jr. JF. (1988). Dietary factors in oral and pharyngeal cancer. *J Nat Cancer Inst*.80:1237-1243.

Mehta FS, Gupta PC and Pindborg JJ. (1981). Chewing and smoking habits in relation to precancer and oral cancer. *J Cancer Res Clin Oncol*.99: 35–39.

Meyer DJ, Coles B, Pemble SE, Gilmore KS, Fraser GM, Ketterer B. (1991). Theta new classes of glutathione S-transferases purified from rat and man. *Biochem J*. 274, 409-14.

Mineta H, Ogino T, Amano HM, Ohkawa Y, Araki K, Takebayashi S, Miura K (1998). Human papilloma virus (HPV) type 16 and 18 detected in head and neck squamous cell carcinoma. *Anticancer Res*.18(6B):4765-4768.

Ministry of Health of Indonesia (2004). The tobacco sourcebook. Jakarta, Indonesia: Ministry of Health.

Moore SR, Johnson NW, Pierce AM, Wilson DF (2000a). Oral cancer—the terminology dilemma *Oral Dis*. 6:191-193

Moore SR, Johnson NW, Pierce AM, Wilson DF. (2000b). The epidemiology of tongue cancer: a review of global incidence. *Oral Dis*.6:75-84.

Morita S, Yano M, Tsujinaka T, Akiyama Y, Taniguchi M, Kaneko K, Miki H, Fujii K, Yoshino K, Kusuoka H, Monden M. (1999). Genetic polymorphisms of drug-metabolizing enzymes and susceptibility to head and neck squamous cell carcinoma. *Int J Cancer*.80:685-688.

Muller S. (2007). Oral Precancer. In *Oral cancer: Diagnosis, Management, and Rehabilitation*. J.W Werning (Editor). Thieme Medical. New York: p.8-17

Murti PR, Bhonsle RB, Pindborg JJ . (1985). Malignant transformation rate in oral submucous fibrosis over a 17-year period. *Community Dent Oral Epidemiol*.13:340-341.

Nair UJ, Nair J, Mathew B, Bartsch H. (1999). Glutathione S-transferase M1 and T1 null genotypes as risk factors for oral leukoplakia in ethnic Indian betel quid/tobacco chewers. *Carcinogenesis*.20(5):743-754.

Nasca PC. (2001). Biomarkers and Epidemiology Studies of Cancer. In Philip C. Nasca and Harris Pastides. (eds). *Fundament Cancer Epidemiol*. Maryland Aspen.1-21.

Nawi Ng, Stenlund H, Bonita R, Hakimi M, Wall S, Weinehall L. (2006). Preventable risk factors for noncommunicable diseases in rural Indonesia: prevalence study using WHO STEPS approach. *Bull World Health Organization*. 84;4

Neville BW and Day TA (2002a). Oral Cancer and Precancerous Lesions. *CA Cancer J Clin*.52(4).195-215.

Neville BW, Damm, DD, Allen CM and Bouquot JE. (2002b). Epithelial Pathology. In BW Neville, DD Damm, CM Allen and JE Bouquot (eds). *Oral and Maxillofacial Pathology*, 2nd edn; Philadelphia. WB Saunders Company. (p. 356-366).

Ogden GR and Wight AJ. (1998). Aetiology of oral cancer: alcohol. *Br J Oral Maxillofac Surg*.36, 247-251.

Ogden GR. (2005). Alcohol and oral cancer. *Alcohol*. 35:169-173.

Oji C and Chukwuneke FN. (2007). Oral cancer in Enugu, Nigeria, 1998-2003. *Br J Oral Maxillofac Surg*. 45(4);298-301.

Olshan AF, Weissler MC, Watson MA, Bell DA. (2000). GSTM1, GSTT1, GSTP1, CYP1A1, and NAT1 polymorphisms, tobacco use, and the risk of head and neck cancer. *Cancer Epidemiol Biomarkers Prev*. 9(2):185-91.

- Ortiz GM, Pierce Am, Wilson DF. (1996). Palatal changes associated with reverse smoking in Filipino women. *Oral Dis.*2:232-237.
- Otsubo H, Yokoe H, Miya T. (1997). Gingival squamous cell carcinoma in patient with chronic graft-versus-host-disease. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.*84:171-174.
- Oude Ophuis MB, van Lieshout EM, Roelofs HM, Peters WH, and Manni JJ. (1998). Glutathione S-transferase M1 and T1 and cytochrome P4501A1 polymorphisms in relation to the risk for benign and malignant head and neck lesions. *Cancer.*82:936-94.
- Pallant J. (2005). Factor analysis In *SPSS Survival Manual*. pp.172-193. Allen & Unwin, Sydney.
- Park JY, Muscat JE, Ren Q, Schantz Sp, Harwick RD, Stern JC, Pike V, Richie Jr JP and Lazarus P. (1997). CYP1A1 and GSTM1 Polymorphisms and Oral Cancer Risk. *Cancer Epidemiol Biomark Prev.*6:791-797.
- Park JY, Muscat JE, Kaur T, Scantz Sp, Stern JC, Richie JP Jr, (2000). Comparison of GSTM polymorphisms and risk of oral cancer between African-American and Caucasians. *Pharmacogenetics.*10:123-131.
- Parkin DM, Pisani P, Ferlay J. (1993). Estimates of the worldwide incidence of eighteen major cancers in 1985. *Int J Cancer.*54:594-606
- Parkin DM, Pisani P, Lopez AD, Mauyer E. (1994). At least one in seven cases of cancer is caused by smoking. Global estimates for 1985. *Int J Cancer.*59:494-504.
- Parkin DM, Pisani P, Ferlay J. (1999). Estimates of the worldwide incidence of twenty-five major cancers in 1990. *Int J Cancer.*8:827-41.
- Parkin MD, Bray F, Ferlay J, Pisani P. (2001). Estimating the world cancer burden. Globocan 2000. *Int J.Cancer.*94(2):153-156
- Parkin MD, Bray F, Ferlay J, Pisani P. (2005). Global Cancer Statistic, 2002. *CA A Cancer J Clin.*55:74-108
- Pastides H. (2001a). The Descriptive Epidemiology of Cancer. In Philip C. Nasca and Harris Pastides. (eds). *Fundament Cancer Epidemiol*. Maryland Aspen.1-21.

Pastides H. (2001b). Diet and Cancer. In Philip C. Nasca and Harris Pastides. (eds). *Fundament Cancer Epidemiol.* Aspen.Maryland.317-331.

Paterson IC, Eveson JW and Prime SS. (1996). Molecular changes in oral cancer may reflect aetiology and ethnic origin. *Oral Oncol Eur J Cancer.*32B (3):150-153.

Peat J. (2001). Health science research: *A handbook of quantitative methods.* Sydney: Allen & Unwin.

Pemble S, Schroeder KR, Spencer SR, Meyer DJ, Hallier E, Bolt HM, Ketterer B, Taylor JB.(1994). Human glutathione S-transferase theta (GSTT1): cDNA cloning and the characterization of a genetic polymorphism. *Biochem J.* 15:271-276.

Permana G, Sarsito AS, Setyawati T. (1995). Oral mucosal alterations associated with betel-nut chewing habits. Abstract. Proceeding 2nd Workshop Oral Mucosal Lesions. Chiang Mai. Thailand.

Pickwell SM, Schimelpfening S, Palinkas LA. (1994). 'Betelmania' betel quid chewing by Cambodian women in the United States and its potential health effects. *West J Med.* 160:326-330.

Pindborg JJ, Reichart PA, Smith CJ, van der Waal I in collaboration with Sobin LH and pathologists in 9 countries. (1997). *Histological typing of cancer and precancer of the oral mucosa.* 2nd ed. Berlin, New York, Tokyo.Springer Verlag.

Pisani P, Parkin DM, Bray F, Ferlay J. (1999). Estimates of the worldwide mortality from 25 cancers in 1990. *Int J Cancer.*83(1):18-29.

Polednak AP. (2004). Geographic pattern of cancers related to tobacco and alcohol in Connecticut: implications for cancer control. *Cancer Detect Prev.* 28(4):302-8.

Prasad MPR, Krishna TP, Pasricha S, Quereshi MA, Krishnaswamy K. (1995). Diet and oral cancer- a case control study. *Asia Pacific J Clin Nutr* 4:259-264.

Rahman M, Sakamoto J, Fukui T. (2003). Bidi smoking and oral cancer: a meta analysis. *Int J Cancer.* 106:600-4.

Rahman. (2004). Kebijakan Pengembangan Industri Olahan Tembakau: Industri dan Perdagangan, In: *The tobacco sourcebook.* Jakarta: Ministry of Health, Republik Indonesia. (p.23).

- Randall E, Marshal JR, Graham S, Brasure J. (1990). Patterns in food use and their association with nutrients intakes. *Am J Clin Nutr.* 52(4):739-745.
- Rebbeck TR. (1997). Molecular epidemiology of human glutathion S-transferase genotypes GSTM1 and GSTT1 in cancer susceptibility. Review. *Cancer Epidemiol Biomark Prev.* 6(9):733-743.
- Reichart PA, Schmidt-Westhausen A, Theetranont C. (1990). Oral cancer in northern Thailand. *Exp Pathol.* 40(4):229-231.
- Reichart PA. (1995). Oral cancer and precancers related to betel and miang chewing in Thailand: a review. *J Oral Pathol Med.* 24:241-3.
- Reichart PA, Schmidtberg W, Scheifele C. (1996). Betel chewer's mucosa in elderly Cambodian women. *J Oral Pathol Med.* 25:367-70.
- Reichart PA (2001). Identification of risk groups for oral precancer and cancer and preventive measures. *Clin Oral Invest.* 5:207-13.
- Reichart PA, Dietrich T, Khongkhunthianc P, Srisuwand S. (2003). Decline of oropharyngeal cancer in Chiangmai province, Thailand, between 1988 and 1999. *Oral Oncol.* 39:569-573.
- Reichart PA, Philipsen HP. (2005). Oral Erythroplakia-a review. *Oral Oncol.* 41: 551-561.
- Reichart PA and Way TH. (2006). Oral cancer and pre-cancer in Myanmar. Review. *J Oral Pathol Med.* 35:193-6
- Reid A. (1985). From betel chewing to tobacco smoking in Indonesia. *J Asian Studies.* XLIV:3.
- Reynolds C. (1999). The fourth largest market in the world. *Tobacco Control.* 8:89-91.
- Rodgman A, Smith CJ, Perfetti TA (2000). The composition of cigarette smoke: a retrospective, with emphasis of polycyclic component. *Hum Exp Toxicol.* 19:573-595.

Rodrigues VC, Moss SM, Tuomainen H. (1998). Oral cancer in the UK: to screen or not screen. *Oral Oncol.*34:454-65.

Rodu B. (2004). Smokeless Tobacco and Oral Cancer: A Review of Risks and Determinant. *Crit Rev Oral Biol Med.*15(5):252-263.

Ronco AL, De Stefani E, Boffetta P, Deneo-Pellegrini H, Acosta G, Mendilaharsu M. (2006). Food patterns and risk of breast cancer: A factor analysis study in Uruguay. *Int J Cancer.*119(7):1672-1678.

Rothman K and Greenland S. (1998). *Modern epidemiology*. 2nd ed. Philadelphia, PA: Lippincott-Raven.p.29-46.

Sankaranarayanan R (1990). Oral cancer in India: An epidemiologic and clinical review. *Oral Surg Oral Med Oral Pathol* 69:325-330.

Santoso SS, Budiarmo LR. Kebiasaan Merokok, Minum Minuman Keras dan Makan Sirih. (1987). In: *Prosiding Seminar Survai Kesehatan Rumah Tangga 1986*, Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Pusat Penelitian Ekologi Kesehatan. (p.90, 92, 95, 96).

Sato M, Sato T, Izumo T and Amagasa T. (1999). Genetic polymorphism of drug-metabolizing enzymes and susceptibility to oral cancer. *Carcinogenesis.*20(10): 1927-1931.

Sato M, Sato T, Izumo T and Amagasa T. (2000). Genetically high susceptibility to oral squamous cell carcinoma in terms of combined genotyping of *CYP1A1* and *GSTM1* genes *Oral Oncology.*36(3):267-271.

Saub R.(2001). The betel quid chewing habit: Why it should be stopped and what can be done to stop this habit? *J Dent University of Malaya.*8:62-66.

Schantz, S. P., & Yu, G. P. (2002). Head and neck cancer incidence trends in young Americans, 1973-1997, with a special analysis for tongue cancer. *Arch Otolaryngol Head Neck Surg.* 128, 268–274.

Schlesselman JJ. (1982). *Case control studies. Design, Conduct, Analysis*. New York, Oxford University Press.p.105-122,171-220.

Schmidt BL, Dierks EJ, Homer L, and Potter B. (2004). Tobacco smoking history and presentation of oral squamous cell carcinoma. *J Oral and Maxillofac*

*Surg.*62:1055-1058.

Schulze MB, Hoffman K, Kroke K, Boieng H. (2001). Dietary patterns and their association with food and nutrient intake in the European Prospective Investigation into Cancer and Nutrition (EPIC)- Postdam Study. *Br J Nutr.* 85(3):363-373.

Schwartz JL (2000). Biomarkers and molecular epidemiology and chemoprevention of the oral carcinogenesis. *Crit Rev Oral Biol Med.*11(1):92-122.

Scully C. (1993). Oncogenes, tumor suppressors and viruses in oral squamous carcinoma. *J Oral Pathol Med.*22(8):337-47

Scully C and Bedi R. (2000). Ethnicity and Oral Cancer. *Lancet Oncol.*1:37-42.

Scully C, Field JK, Tanzawa H. (2000). Genetic aberrations in oral or head and neck squamous cell carcinoma carcinogen (SCCHN): 1. Metabolism. DNA repair and cell cycle control. *Oral Oncol.* 36:256–63.

Scully C and Speight. (2003). Progress in determining the malignant potential of oral lesions. *J Oral Pathol Med.* 32(5):251-6

Shah N, Sharma PP. (1998). Role of chewing and smoking habits in the etiology of oral submucous fibrosis (OSF): a case-control study. *J Oral Pathol Med* 27:475-479.

Sharma A, Mishra A, Das BC, Sardana S, Sharma JK. (2006). Genetic polymorphism at GSTM1 and GSTT1 gene loci and susceptibility to oral cancer. *Neoplasma.*53(4):309-315.

Shiu MN, Chen TH, Chang SH, Hahn LJ (2000). Risk factors for leukoplakia and malignant transformation to oral carcinoma: a leukoplakia cohort in Taiwan. *Br J Cancer*; 82(11):1871–4.

Shresta P, Ikeda N, Fukano H, Takai Y, Mori M. (1997). Oral mucosal lesions associated with tobacco and betel-chewing habits; a Nepalese experience. *Dent J Malaya.*18:23-25.

Sikdar N, Paul RR, Roy B. (2004). Glutathione S-transferase M3 (A/A) genotype as a risk factor for oral cancer and leukoplakia among Indian tobacco smokers. *Int J Cancer.*109(1):95-101.

Sillithoe EJ, May M, Patel V. (2000). Genome-wide analysis of oral cancer-early results from the Cancer Genome Anatomy Project. *Oral Oncol.*36:8-16.

Silverman S Jr, Gorsky M, Lozada F. (1984). Oral leukoplakia and malignant transformation: a follow up study of 257 patients. *Cancer.*53:563-8.

Silverman S. (2001). Demographics and occurrence of oral and pharyngeal cancers. The outcome, the trends, the challenge. *JADA.*132:7-11s

Singh VN and Gaby AK. (1991). Premalignant lesions: role of antioxidant vitamins and b-carotene in risk reduction and prevention of malignant transformation. *Am J Clin Nutr.*53:385S-390S.

Sinor PN, Gupta PC, Murti PR, et al (1990). A case-control study of oral submucous fibrosis with special reference to the etiologic role of areca nut. *J Oral Pathol Med.* 19(2):94-8.

Siriwardena BSMS, Tilakaratne A, Amaraunga EADP, Tilakaratne WM. (2006). Demographic, aetiological and survival differences of squamous cell carcinoma in the young and the old in Sri Lanka. *Oral Oncol.*42:831-836.

Slootweg PJ and Eveson JW. (2005). Tumours of the oral cavity and oropharynx: Introduction. In Leon Barnes, John W Eveson, Peter Reichart, David Sidransky (Edtrs). *WHO Classification of Tumours. Pathology and Genetics of Head and Neck Tumours.* IARC Press, Lyon. p.166-167.

Soler M, Bosetti C, Franceschi S, Negri E, Zambon P, Talamini R, Conti E, La Vecchia C. (2001). Fiber intake and the risk of oral, pharyngeal and esophageal cancer. *Int J Cancer.*91:283-287.

Squier CA, Cox P, Hall BK. (1986). Enhanced penetration of nitrosornicotine across oral mucosa in the presence of alcohol. *J Oral Pathol.*15: 276-279.

Squier CA. (1991). The permeability of oral mucosa. *Crit Rev Oral Biol. Med.* 2, 13-32.

Sreelekha TT, Ramadas K, Pandey M, Thomas G, Nalinakumari KR, Pillai MR. (2001). Genetic polymorphism of CYP1A1, GSTM1 and GSTT1 genes in Indian oral cancer. *Oral Oncol.* 37:593-598.

Stewart BW, Kleihues P. (2003a) *The Cause of Cancer in World Cancer Report*. Bernard W Stewart and Paul Kleihues (eds), Lyon France. IARC Press.(p.22-31).

Stewart BW, Kleihues P. (2003b) *Head and Neck Cancer in World Cancer Report*. Bernard W Stewart and Paul Kleihues (eds). Lyon France. IARC Press.(p.232-235).

Stich HJ, Parida BB, Brunnemann KD. (1992). Localized formation of micronuclei in the oral mucosa and tobacco-specific nitrosamines in the saliva of reverse smokers, khaini tobacco chewers and gudakhu users. *Int J Cancer*. 50:172

Suhardi. (1997). *Perilaku Merokok di Indonesia*, Seri Survei Kesehatan Rumah Tangga, Departemen Kesehatan, Republik Indonesia. Jakarta, Badan Penelitian dan Pengembangan Kesehatan. (p.23, 26, 29, 30, 36, 39–41).

Survei Kesehatan Rumah Tangga. (1999). Departemen Kesehatan, Republik Indonesia. Jakarta. P.1-43.

Takezaki T, Hirose K, Inoue M, Hamajima N, Kuroishi T, Nakamura S, Koshikawa T, Matsuura H, Tajima K. (1996). Tobacco, alcohol and dietary factors associated with the risk of oral cancer among Japanese. *Jpn J Cancer Res*. 87:555-562

Talacko AA, Teo CG, Griffin BE, Johnson NW. (1991). Epstein-Barr virus receptors but not viral DNA are present in normal and malignant oral epithelium. *J Oral Pathol Med*.20:20-25.

Tanimoto K, Hayashi S, Yoshiga K, Ichikawa T. (1999). Polymorphisms of the CYP 1A1 and GSTM1 gene involved in oral squamous cell carcinoma in association with a cigarette dose. *Oral Oncol*.35,191-196.

Thornhill, MH. (1993). The sun, the ozone layer and the skin: the role of ultraviolet light in lip skin cancer. *Dent Update*.20(6):236-240.

Todd R, Donoff RB, Wong DT. (1997). The molecular biology of oral carcinogenesis: towards a tumor progression model *J Oral Maxillofac Surg*. 55: 613-623.

Trichopoulos A, Laggiou P, Kuper H, Trichopoulos D. (2000). Cancer and Mediterranean dietary traditions. *Cancer Epidemiol Biomarkers Prev*.9:869-873.

Trichopoulos D, Laggiou P. (2001). Dietary patterns and mortality. *Br J Nutr*. 85(2):133-134.

Trickler AR and Preussmann R. (1991). Carcinogenic N-Nitrosamines in the diet: occurrence, formation mechanism and carcinogenic potential. *Mutat Res.*259 (3-4):277-289.

Tsantoulis PK, Kastrinakis NG, Tourvas AD, Laskaris G, Gorgoulis VG. (2007). Advances in the biology of oral cancer. *Oral Oncol.*43(6):523-534.

Van der Waal I, Schepman KP, van der Meij EH, Smeele LE. (1997). Oral Leukoplakia: a Clinicopathological Review. *Oral Oncol.*33(5):291-301.

Van Rensburg EJ, Engelbrecht S, Van Heerden WFP, Raubenheimer EJ, Schoub BD, (1996). Human papillomavirus DNA in oral squamous cell carcinoma from an African population sample. *Anticancer Res.*16:969-974.

Voorrips LE, Goldbohm A, van Poppel G, Sturmans F, Hermus RJJ van den Brandt PA. (2000). Vegetable and fruit consumption and risks of colon and rectal cancer in a prospective cohort study. The Netherlands cohort study on diet and cancer. *Am J Epidemiol.* 152:1081-92.

Walker DM, Boey G, McDonald LA. (2003). The pathology of oral cancer. *Pathology.*35(5).376-383.

Warnakulasuriya KAAS, Johnson NW (1996). Epidemiology and risk factors for oral cancer: rising trends in Europe and possible effects of migration. *Int Dent J*; 46 (suppl 1): 245–50.

Warnakulasuriya S. (2001). Histological grading of oral epithelial dysplasia: revisited. *J Oral Pathol.* 194:294-297.

Warnakulasuriya S, Shuterland G, Scully C. (2005). Tobacco, oral cancer and treatment of dependence. *Oral Oncol.* 41, 244–260

Way TH, Aung SC, Win A, Zin T. (1984). Common oral malignancies. *Burma Med J.*30: 350–61

Winn DM. Tobacco use and oral disease. (2001). *J.Dent Educ.*65:306-312

Wogan GN, Hecht SS, Felton JS, Conney AH, Loeb LA. (2004). Environmental and chemical carcinogenesis. *Semin Cancer Biol.* 14(6):473-486.

Wong DTW, Todd R, Tsuji T, Donoff RB. (1996). Molecular biology of human oral cancer. *Crit Rev Oral Biol Med.* 7(4):319-328.

World Bank Indonesia: (1999). Curbing the tobacco epidemic. <http://www1.worldbank.org/tobacco/pdf/country%20briefs/Indonesia%20.pdf>.

World Health Organization. (2000a). World health report: reducing risks, promoting healthy life, Geneva, Switzerland: World Health Organization.

World Health Organization. (2000b). *Addressing the Worldwide Tobacco Epidemic through Effective Evidence-Based Treatment*. Expert Meeting March 1999, Rochester, Minnesota, USA. Tobacco Free Initiative.

Worrall S, Corrigan M, High A, Starr D, Matthias C, Wolf CR, Jones PW, Hand P, Gilford J, Farrell WE, Hoban P, Fryer AA, Strange RC. (1998). Susceptibility and outcome in oral cancer: preliminary data showing an association with polymorphism in cytochrome P450 CYP2D6. *Pharmacogenetics.*8:433-9.

Wright, A. J., & Ogden, G. R. (1998). Possible mechanisms by which alcohol may influence the development of oral cancer review. *Oral Oncol.*34:441-447

Wynder, E. L., & Bross, I. J. (1957). Aetiological factors in mouth cancer; an approach to its prevention. *Br Med J.*18:1137-1143.

Yang MS, Su II, Wen JK, Ko YC. (1996). Prevalence and related risk factors of betel quid chewing by adolescent students in southern Taiwan. *J oral Pathol Med.* 25:69-71.

Yang G, Fan L, Tan J. (1999). Smoking in China. Findings of the 1996 National Prevalence Survey. *JAMA.*282: 1247-53.

Yang YH, Lien YC, Ho PS, Chen CH, Chang JSF, Cheng TC, Shieh TY (2005). The effects of chewing areca/betel quid with or without cigarettes smoking on oral submucous fibrosis and oral mucosal lesions. *Oral Dis.*11:88-94.

Ye Z, Song H, and Guo Y. (2004). Glutathione S-transferase M1, T1 status and the risk of head and neck cancer: meta-analysis. *J Med Genet.*41:360-365.

Yeudall WA, Paterson IC, Patel V, Prime AA. (1995). Presence of human papillomavirus sequences in tumor-derived human oral keratinocytes expressing mutant p53. *Oral Oncology, European J Cancer.*31B:136-143.

Zain RB, Gupta PC, Warnakulasuriya S, Shrestha P, Ikeda N, Axell T. (1997). Oral lesions associated with betel quid and tobacco chewing habits. *Oral Dis.*3:204-5.

Zain RB, Ikeda N, Gupta PC, Warnakulasuria KAAS, van Wyk CW, Shresta P, Axell T. (1999). Oral mucosal lesions associated with betel quid, areca nut and tobacco chewing habits: consensus form a workshop held in Kuala Lumpur, Malaysia, November 25-27, 1996. *Oral Pathol Med.*28:1-4.

Zain RB. (2001). Cultural and dietary risk factors of oral cancer-a brief overview. *Oral Oncol.*37:205-210.

Zain RB, Ikeda N, Reichart PA and Axell TA (2002). *Clinical criteria for diagnosing of oral mucosal lesions*. Faculty of Dentistry, University of Malaya, Kuala Lumpur.p.10-55.

Zheng TZ, Boyle P, Hu HF, Duan J, Jian PJ, Ma DQ, Shui LP, Niu SR, Scully C, MacMahon B.(1990). Dentition, oral hygiene, and risk of oral cancer: a case-control study in Beijing, People's Republic of China. *Cancer Causes Control.*1(3):235-241.

Zheng TZ, Boyle P, Walter WC, Hu H, Dan J, Evstifeeva TV, Niu S, MacMahon B. (1993). A Case-control study of Oral cancer in Beijing, People's Republic of China. Association with Nutrient intakes, Foods and Food Groups. *Oral Oncol Eur J Cancer.* 29B(1):45-55.

Zheng W. (2001). Epidemiological studies of genetics factors for cancer. In Philip C.Nasca and Harris Pastides. (eds). *Fundamentals of Cancer Epidemiology*. Maryland.Aspen. (p.103-112).