

## **REFERENCES**

Ali I.L, Yunus N, Abu Hassan M.I. (2008). Hardness, flexural strength and flexural modulus comparisons of the differently-cured denture base systems. *J Prosthodontics*. Accepted for publication.

Al-Mulla M.A.S., Huggett R., Brooks S.C., Murphy W.M. (1988). Some physical and mechanical properties of visible light activated material. *Dent Mater*;4:197-200.

Alsawaf M.M., Segal R., Taratabai A., McKinstry R.E. (1991). The use of visible light-cured resin system in maxillofacial prosthetics and neuro-orthopedic surgery. *J Prosthet Dent*;66:369-76.

Anusavice K.J. (2003). Phillips' Science of Dental Materials, 11<sup>th</sup> ed. Philadelphia: WB Saunders. Chapter 22.

Arena C.A., Evans D.B., Hilton T.J. (1993). A comparison of bond strengths among chairside hard relining materials. *J Prosthet Dent*;70:126-31.

Arima T., Murata H., Hamada T. (1996). Analysis of composition and structure of hard auto polymerizing relining resins. *J. Oral Rehabil*;23:346-52.

Arima T., Nikawa H., Hamada T., Harshini. (1996). Composition and effect of denture base resin surface primers for relining acrylic resins. *J Prosthet Dent*;75:457-62.

Arima T., Murata H., Hamada T. (1995). Properties of highly cross-linked auto polymerizing relining acrylic resins. *J Prosthet Dent*;73:55-9.

Austin AT, Basker RM. (1982). Residual monomer level in denture bases. *Br Dent J*;153:424.

Barco M.T.Jr., Moore B.K., Swartz M.L., Boone M.E., Dykema R.W., Phillips R.W. (1979). The effect of relining on the accuracy and stability of maxillary complete dentures- an in vitro and in vivo study. *J Prosthet Dent*;42:17-22.

Basker RM, Hunter AM, Hightet AS. (1990). A severe asthmatic reaction to poly (methyl methacrylate) denture base resin. *Br Dent J*;169:250.

Bowman J.F., Javid N.S. (1977). Relining and rebasing techniques. *Dent Clin North Am*;21;369-78.

Bunch J., Johnson G.H., Brudvik J.S. (1987). Evaluation of hard direct reline resins. *J Prosthet Dent*; **57**:512-9.

Cantor R, Webber RL, Stroud L, Ryge G. (1969). Methods for evaluating prosthetic facial materials. *J Prosthet Dent*; **21**:324-32.

Chai J., Takahashi Y., Kawaguchi M. (1998). The flexural strengths of denture base acrylic resins after relining with a visible-light-activated material. *Int J Prosthodont*; **11**:121-4.

Combe E.C. (1992). Notes on dental materials. Churchill Livingstone. 6<sup>th</sup> ed. Chapter 3. Pg 7-12.

Craig R.G and Powers J.M. (1997). Restorative Dental Materials. Mosby. 11<sup>th</sup> ed. Chapter 10. pg. 255.

Cucci A.L, Vergani C.E, Giampaolo E.T, Afonso M.C. (1998). Water sorption, solubility, and bond strength of two auto polymerizing acrylic resins and one heat-polymerizing acrylic resin. *J Prosthet Dent*; **80**:434-8.

Curtis D.A., Eggleston T.L., Marshall S.J., Watanabe L.G. (1989). Shear bond strength of visible-light-cured resin relative to heat cure resin. *Dent Mater*; **5**:314-8.

Defay. D, Machado C and Uribe J.M. (2006). Transverse strength of three denture base materials. Annual meeting and exhibition of the AADR.

Devlin H. (1986). Self-cure acrylic resins: some chairside applications. *Dent. Update*; **13**:451-4.

Fisher A.A. (1956). Allergic sensitization of the skin and oral mucosa to acrylic resin denture materials. *J Prosthet Dent*; **6**:593-6.

Garrett N.R, Perez P., Elbert C., Kapur K.K. (1996). Effects of improvements of poorly fitting dentures and new dentures on masseter activity during chewing. *J Prosthet Dent*; **76**:394-402.

Grossmann Y., Savion I. (2005). The use of a light-polymerized resin-based obturator for the treatment of the maxillofacial patient. *J Prosthet Dent*; **94**:289-92.

Quinta JL., Grauer I., Zablotsky N. (1979). Allergic contact stomatitis caused by acrylic resin. *J Prosthet Dent*;42:188.

Harrison A and Huggett R. (1992). Effect of the curing cycle on residual monomer levels of acrylic resin denture base polymers. *J Dent*;20:370-4.

Haywood J., Basker R.M., Watson C.J., Wood D.J. (2003). A comparison of three hard chairside denture reline materials. Part I. Clinical evaluation. *Eur J Prosthodont Restor Dent*;11:157-63.

Hill R.G. (1981). The crosslinking agent ethylene glycol dimethacrylate content of the currently available acrylic denture base resins. *J Dent Res*;60:725-6.

International Organization for Standardization. ISO 1567: 1999. Specification for denture base polymers. Geneva, Switzerland.

International Organization for Standardization. ISO/TS 11405:2003. Specification for dental materials-Testing of adhesion to tooth structure. Geneva, Switzerland.

Jacobsen N.L., Mitchell D.L., Johnson D.L., Holt R.A. (1997). Lased and sandblasted denture base surface preparations affecting resilient liner bonding. *J Prosthet Dent*;78:153-8.

Jagger R.G., al-Athel M.S., Jagger D.C., Vowles R.W. (2002). Some variables influencing the bond strength between PMMA and a silicone denture lining material. *Int J Prosthodont*;15:55-8.

Jayatilaka A.S. (1979). Fracture of Engineering Brittle Materials. London: Applied Science. Pg.181-8.

Kemper K., Killian R. (1976). New test system of tensile bond strength testing. *J Dent Res*;55, Spec Iss B: Abstr 308.

Khan Z., von Fraunhofer J.A., Razavi R. (1987). The staining characteristics, transverse strength and microhardness of a visible light-cured denture base material. *J Prosthet Dent*;57:384-6.

Kitasako Y., Burrow M.F., Nikaido T., Harada N., Inokoshi S., Yamada T., Takatsu T. (1995). Shear and tensile bond esting for resin cement evaluation. *Dent Mater*;11:298-304.

Leles C.R., Machado A.L., Vergani C.E., Giampaolo E.T., Pavarina A.C. (2001). Bonding strength between a hard chairside reline resin and a denture base material as influenced by surface treatment. *J Oral Rehabil*;28:1153-7.

Lewinstein I., Zeltser C., Mayer C.M., Tal Y. (1995). Transverse bond strength of repaired acrylic resin strips and temperature rise of dentures relined with VLC reline resin. *J Prosthet Dent*;74:392-9.

Lichkus A.M, Sun B.J. (2004). Differential Scanning Calorimetry Study of Novel Visible Light Curable Resins. IADR/AADR/CADR 82<sup>nd</sup> General Session.

Mc Cabe J.F., Walls A.W.G. (1998). Applied dental materials. 8<sup>th</sup> ed. Blackwell Science. Pg: 97,171,173.

McMordie R, King GE. (1989). Evaluation of primers used for bonding silicone to denture base material. *J Prosthet Dent*;61:636-39.

Minami H, Suzuki s, Minesaki Y, Kurashige H, Tanaka T. (2004). In vitro evaluation of the influence of repairing condition of denture base resin on the bonding of autopolymerising resins. *J Prosthet Dent*;91:164-70.

Murphy W.M., Huggett R, Handley R.W., Brooks S.C. (1986). Rigid cold curing resins for direct use in the oral cavity. *Br Dent J*;160:391-4.

Mutluay M.M., Ruyter I.E , Dr Rer Nat, Dr Philos. (2005). Evaluation of adhesion of chairside hard relining materials to denture base polymers. *J Prosthet Dent*;94:445-52.

Nishii M. (1968). Curing of denture base resins with microwave irradiation: with particular reference to heat-curing resins. *J Osaka Dent Univ*;2:23-40.

Noguchi H., Nakano N., Kumasaka A., Etcher Y. (1982). Evaluation of Japanese dental adhesive. *J Dent Eng*;60:16-27.

Ogle R.E., Sorenson S.E., Lewis E.A. (1986). A new visible light-cured resin system applied to removable prosthodontics. *J. Prosthet Dent*;56:497-506.

Oilo G. (1993). Bond strength testing- what does it mean? *Int Dent J*;43:492-8.

Price C.A. (1986). The effect of cross-linking agents on the impact resistance of a linear poly(methyl methacrylate) denture base polymer. *J Dent Res*;65:987-92.

Rached R.N., Del Bel Cury A.A. (2001). Heat-cured acrylic resin repaired with microwave-cured one; bond strength and surface texture. *J Oral Rehabil*;28:370-5.

Razavi R., Khan Z., J.A. von Fraunhofer. (1990). The bond strength of a visible light-cured reline resin to acrylic resin denture base material. *J. Prosthet Dent*;63: 485-87.

Retief D.H. (1991). Standardizing laboratory adhesion tests. *Am J Dent*;4:231-236.

Sanders J.L., Levin B., Reitz P.V. (1987). Porosity in denture acrylic resins cured by microwave energy. *Quintessence Int*;18:453-6.

Sarac Y.S., Sarac D, Kulunk T, Kulunk S. (2005). The effect of chemical surface treatments of different denture base resins on the shear bond strength of denture repair. *J Prosthet Dent*;94:259-66.

Shen C., Colaizzi F.A., Birns B. (1984). Strength of repairs as influenced by surface treatment. *J Prosthet Dent*;52:844-8.

Shifman A. (1990). Clinical applications of visible light-cured resin in maxillofacial prosthetics. Part I: Denture base and reline material. *J Prosthet Dent*;64:578-82.

Smith L.T., Powers J.M. (1991). In vitro properties of light- polymerized reline materials. *Int J Prosthodont*;4:445-8.

Stewart K.L., Rudd K.D., Kuebler W.A. (1992). Clinical Removable Partial Prosthodontics, 2<sup>nd</sup> ed. St. Louis: Ishiyaku EuroAmerica. Page 612.

Sun B.J., Lichkus A.M and Shaffer S.E (2003). Mechanical properties of noble visible-light-curable (VLC) EclipseTM resin systems. Annual meeting and exhibition of the AADR.

Takahashi Y., Chai J., Kawaguchi M. (1997). Flexural strength at the proportional limit of a denture base material relined with four different denture reline materials. *Int J Prosthodont*;10:508-12.

Takahashi Y., Chai J., Kawaguchi M. (2000). Strength of relined denture base polymers subjected to long-term water immersion. *Int J Prosthodont*;13:205-8.

Takahashi Y., Chai J., Takahashi T., Habu T. (2000). Bond strength of denture teeth to denture base resins. *Int J Prosthodont*;13:59-65.

Takahashi Y., Chai J. (2001a). Shear bond strength of denture reline polymers to denture base polymers. *Int J Prosthodont*;14:271-5.

Takahashi Y., Chai J. (2001b). Assessment of shear bond strength between three denture reline materials and a denture base acrylic resin. *Int J Prosthodont*;14:531-5.

Tallgren A., Lang B.R, Holden S., Huyser D.J, Miller R.L. Longitudinal electromyographic study of chewing patterns in complete denture wearers. *Int J Prosthodont*;5:415-23.

Tan H.K., Brudvik J.S., Nicholls J.I., Smith D.E. (1989). Adaptation of a visible light-cured denture base material. *J Prosthet Dent*;61:326-31.

Tanoue M., Nagano K., Matsumura H. (2005). Use of a light-polymerized composite removable partial denture base for a patient hypersensitive to poly(methyl methacrylate), polysulfone, and polycarbonate: A clinical report. *J Prosthet Dent*;93:17-20.

The Glossary of Prosthodontic Terms Eighth edition. (2005). *J Prosthet Dent*;94:10-92.

Vallittu P.K., Lassila V.P., Lappalainen R. (1994). Wetting the repair surface with methyl methacrylate affects the transverse strength of repaired heat-polymerized resin. *J Prosthet Dent*;72:639-43.

Vallittu P.K, Ruyter I.E. (1997). The swelling phenomenon of acrylic resin polymer teeth at the interface with denture base polymers. *J Prosthet Dent*;78:194-99.

Vallittu P.K. (2000). Effect of 180 week water storage on the flexural properties of E-Glas and Silica fiber acrylic resin composite. *Int J Prosthodont*;13:334-39.

van Noort. (2002). Introduction to Dental Materials. 2nd ed., Mosby. Chapter 2.2 page 97-101.

Virendra B.D. (2004). Contemporary Dental Materials. Oxford University Press. Chapter 7, page 58.

Ward J.E, Moon P.C. Levine R.A, Behrendt C.L. (1992). Effect of repair surface design, repair material, and processing method on the transverse strength of repaired acrylic denture resin. *J Prosthet Dent*;67; 815-20.

Watanabe I., Nakabayashi N. (1994). Measurement methods for adhesion to dentine: the current status in Japan. *J Dent*;22:67-72.

Weaver R.E., Goebel W.M. (1980). Reactions to acrylic resin dental prostheses. *J Prosthet Dent*;43:138-42.

Wyatt CCL, Harrop TJ, MacEntee MI. (1986). A comparison of physical characteristics of six hard denture reline materials. *J. Prosthet Dent*;55: 343-6.

Yatabe M, Yasuda N, Ai M, Okabe Y. (1999). Effect of the reducing agent on the oxygen-inhibited layer of the cross-linked reline material. *Int J Prosthodont*;12:129-34.

Zarb G.A., Bolender C.L. (2004). Boucher's Prosthodontic Treatment for the Edentulous Patient, 12<sup>th</sup> ed. St Louis:Mosby, pg:198-202.