

REFERENCES;

- Aksu G, Karadeniz A, Saynak M et al (2006). Treatment result and prognostic factors in oral tongue cancer : analysis of 80 patients. *Inter. Journal Oral Maxillofacial Surgery*;35:506-513.
- Amaral TMP, da Silva Freire AR, Carvalho AL et al(2004). Predictive factors of occult metastasis and prognosis of clinical stages I and II SCC of the tongue and floor of the mouth. *Oral Oncology* ;40:780-786.
- Anneroth G, Batsakis J, Luna M (1995). Review of literature and a recommended system of malignancy grading in oral squamous cell carcinoma . *Scandinavian Journal Of Dental Research* .95 ; 229-249.
- Arnold DJ, Goodwin WJ, Weed DT et al (2004). Treatment of recurrent and advanced stage squamous cell carcinoma of the head and neck. *Semin Radiat Oncol* ;14:190–5.
- Booth PW, Schendel SA, Hausamen JE (1999). Maxillofacial Surgery.(Volume 1); *Surgical ablation of intra oral tumour* : 392-393.
- Booth PW, Schendel SA, Hausamen JE. Maxillofacial Surgery (Volume 1) 1999.*Management of orofacial cancer*: 339.
- Chandu A , Adams A , Smith ACH (2005) . Factors affecting survival in patient with oral cancer: An Australia perspective. *Int. J. Oral Maxillofacial Surgery* ; 34: 514–520.

Charles D. Callery, MD, Ronald H et al(1984).Strong MD .Changing trends in the management of squamous carcinoma of the tongue, *The American Journal of Surgery*, Volume 148 ;Issue 4:449-450.

Dambi C, Voros- Bolog T, Czegledy A et al (2003). Prevalence of oral precancerous lesion in a selected Turkish population. *Turk J Med Sci*; 33:39-42 .

Dambi C, Voros-Bolog T, Czegledy A et al (2001).Risk group assessment of oral precancer attached to X-ray lung-screening examinations. *Community Dent Oral Epidemiol*;29:9–13.

Dedivitis RA (2003). Mode of invasion and outcome in squamous cell carcinoma in oral tongue. *International Congress ; Series 124*:695-700.

Dedivitis RA (2003) , Mode of invasion and outcome in squamous cell carcinoma of oral tongue, *International Congress; Series 1240* :695 – 700.

Dickman PW , Hakulinen T (2000).Population based cancer survival analysis:1-21.

Goldenberg D, Provanzanob M, Koch WM et al (2004). Oral tongue cancer in the young. *Otolaryngology-Head & Neck Surgery*, Volume 131; Issue 2, August:245.

Gonzalez-Moles MA, Esteban F, Rodriguez-Archipilla A et al (2002). Importance of tumour thickness measurement in prognosis of tongue cancer. *Oral Oncology*;38:394-7.

Gorsky M, Epstein JB, Oakley C et al (2004).Carcinoma of the tongue : a case series analysis of clinical presentation, risk factors,tagging and outcome: *Oral Surgery Oral Med .Oral Patho Oral Radio Endod*; 98 : 546-552.

Gourin CG, Johnson JT (2001). Surgical treatment of SCC of base of tongue. *Head and Neck* ;23 :653-60.

Hamdan M .(2004). Incidence of Oral cancer in 5 States in Malaysia from 1994 to 1998.

Hirayama T. (1966).An Epidemiological Study of Oral and Pharyngeal Cancer in Central and South East Asia. *Bulletin World Health Organization* ; 34: 41-69.

Iguchi H , Kusuki M , Nakamura A et al (2006).Outcome of preoperatively concurrent chemoradiotherapy and surgery for respectable lingual squamous cell carcinoma greater than 3 cm : The possibility of less extensive surgery .*Oral Oncology*; Vol 42:391-397.

Ichimiya Y, Fuwa N , Kamata M et al (2005).Treatment result of Stage I oral tongue cancer with definitive radiotherapy. *Oral Oncology* ; 41:520-525.

Iype EM , Pandey M , Mathe A et al (2001) .Oral cancer among patient under the age of 35 years. *J Posgrad Med*;47:171-176.

Kuriakose M, Sankaranarayanan R, Nair MK et al(1992). Comparison in oral SCC in younger and older patient in India. *Euro J Cancer Oral Oncology* ; 28 : 113-120.

Kurita H , Koike T , Narikawa J-n et al (2004). Clinical predictors for contralateral lymph nodes metastasis from unilateral squamous cell carcinoma in the oral cavity. *Oral Oncology* ; 40: 898 – 903.

Kusuki M, Nakamura A, Kanazawa A et al (2006) Outcome of preoperative concurrent chemoradiotherapy and surgery for resectable lingual squamous cell carcinoma greater than 3cm: the possibility of less extensive surgery. *Oral Oncology*;42:391-397.

Langlass R , Miller C. Colour atlas of common oral disease.*2nd Edition. William & Wilkins: A Waverly Co;1998 pg:93-128.*

Langlass R, Miller C (1998). Colour atlas of common oral diseases . *2nd ed. Williams & Wilkins : A Waverly Co; p. 93–128.*

Levi F, Randimbison L, Van-Cong T et al (1992).Trends in cancer survival in Vaud, Switzerland. *Euro J Cancer;28A:1490–5.*

Lam L , Logan RM , Luke C et al (2006) .Retrospective study of survival and treatment pattern in a cohort of patients with oral and oropharyngeal tongue cancers 1987 to 2004. *Oral Oncology: xxx ; xxx-xxx.*

Llewellyn CD, Johnson NW, Warnakulasuriya KAAS (2001). Risk factors for squamous cell carcinoma of the oral cavity in young people – a comprehensive literature review. *Oral Oncology; 37:401-418.*

Lo WL, Kao SY, Shi LY et al (2003). Outcomes of oral squamous cell carcinoma in Taiwan after surgical therapy: factors affecting survival. *J Oral Maxillofacial Surgery; 61:751-8.*

M.Umeda , H. Komatsubara , Y.Ojima et al (2005).A comparison of Brachytherapy and surgery for the treatment of stage I-II SCC of tongue. *Int. Journal of Oral Maxillofacial Surgery ; 34: 739-744.*

Manual for Staging cancer (1992).*Head and Neck.AJCC;27-32.*

Manuel S, Raghavan S.K.N, Pandey M et al (2003). Survival in patients under 45 years with squamous cell carcinoma of the oral tongue. *Int. J. Oral Maxillofacial Surgery 3; 32: 167–173.*

Melrose RJ (2001) .Pemalignant oral mucosal diseases . *CDA J ;29:593-600.*

Moore SR, Johnson NW, Pierce AM, Wilson DF. The epidemiology of tongue cancer: a review of global incidence. *Oral Dis* 2000;6: 75-84.

Neville BW, Damm DD, Allen CM & Bouquot JE. *Epithelial Pathology, Oral & Maxillofacial Pathology*, page 356, Edition 2000.

Neville B. *Oral and maxillofacial pathology*. 1st ed. Philadelphia: WB Saunders Co; 1995:pg295–304.

Neville BW, Damm DD, Allen CM & Bouquot JE . *Epithelial Pathology ,Oral & Maxillofacial Pathology*, page 366,Edition 2000.

Neville BW, Damm DD, Allen CM & Bouquot JE. *Epithelial Pathology ,Oral & Maxillofacial Pathology, page 361,Edition 2000.*

Neville WB, Damm DD, Allen CM, Bouquet JE (2002), 2nd Edition, *Oral and Maxillofacial Pathology, WB Saunders Company : 356-368.*

Ng K.H, Siar C.H, Ramanathan K et al (1985). Squamous Cell Carcinoma of oral mucosa in Malaysia –Any change ?. *Southeast Asian Journal Trop .Med. Pub. Health ;Vol 16, No 4 December.*

Orbak R , Bayraktar C , Kavrut F et al (2005). Poor oral hygiene and dental trauma as the precipitating factors of SCC. *Oral Oncology EXTRA; 4:109-113.*

P.O-charoenrata , Pillaib G, Patelc S et al (2003) .Tumour thickness predicts cervical nodal metastase and survival in early oral tongue cancer.*Oral Oncology; 39:386-390.*

Parkin DM, Pisani P, Ferlay J (1999).Estimates of the worldwide incidence of 25 major cancers in 1990 . *Int J Cancer;80 :827-41.*

Parkin DM, Whelan SL, Ferlay J et al (1997). Cancer incidence in five continents, *volume VII. (IARC Scientific Publications No.143). Lyon: IARC.*

Parsons JT, Mendenhall WM, Stringer SP et al (1994) .Squamous cell carcinoma of the oropharynx ; Surgery , radiation therapy or both . *Cancer; 11 : 2967-2980.*

Pitman KT, Bradley PJ (2003), Management of N3 neck. *Otolaryngology Head and Neck Surgery; 11(2): 129-133.*

Ramanathan K and Lakshimi S.(1976). Oral Carcinoma In Peninsular Malaysia: Racial Variation In Indians, Malays, Chinese and Caucasian. *G.A.N.N Monograph of Cancer Res; 18: 27-36.*

Randall CJ , Shaw HJ. (1986). Malignant tumours of the tongue in young adults: Experience of a secondary referral centre. *J Laryngol Otol ;100: 1295-1298.*

Randall CJ, Shaw HJ (1986).Malignant tumours of the tongue in young adults. Experience of a secondary referral centre. *J Laryngol Otol ; 100: 1295–1298.*

Schiff BA, Roberts DB, El-Naggar A et al (2005). Selective vs Modified Radical Neck Dissection and Postoperative Radiotherapy vs Observation in the Treatment of Squamous Cell Carcinoma of the Oral Tongue. *Head & Neck Surgery . Oct .Volume 131; Iss. 10: 874.*

Shah JP, Johnson NW Batsakis JG. Global Epidemiology ,*Oral Cancer 2003 ;Page 3.*

Shah JP, Johnson NW, Batsakis JG .Cervical lymph nodes, *Oral Cancer 2003:221.*

Shah JP, Johnson NW, Batsakis JG .Cervical lymph nodes, *Oral Cancer 2003: 222.*

Shah JP, Johnson NW, Batsakis JG. Cervical lymph nodes, *Oral Cancer 2003: 218.*

Shah JP, Johnson NW, Batsakis JG. Result of treatment , *Oral Cancer 2003:389.*

Shah JP, Johnson NW, Batsakis JG. Result of treatment, *Oral Cancer 2003:388.*

Sheahan P, O'Keane C, Sheahan NJ et al (2003). Predictors of survival in early oral cancer. *Otolaryngol Head and Neck Surg;129:571-576.*

Siegelmann – Danieli N, Hanlon A, Ridge JA et al(1998). Oral tongue cancer in patient less than 45 year old: Institutional experience and comparison with older patient. *Journal Clin Oncol ; 16 : 745-753.*

Siriwardena BSMS, Tilakaratne A, Amaratunga EAPD et al (2006).Demographic, aetiological and survival differences of oral squamous cell carcinoma in the young and the old in Sri Lanka. *Oral Oncology) xxx, xxx-xxx.*

Sparano A, Weinstein G, Chalian A et al (2004). Multivariate predictors of occult neck metastasis in early oral tongue cancer. *Otalaryngol Head & Neck Surg ;131:472-476.*

Tongue cancer .Head & Neck Cancer Information ,University of Michigan, *Comprehensive Cancer Centre, Update May 2006.*

Tumours of lip and oral cavity. *Stell & Maran's 2000, page277,4th Edition.*

UICC International Union Against Cancer (1997) , TNM Classification and malignant tumour. A John Wiley ad Sons Inc. New York, Chichster, Brisbane, Singapore, Toronto. Page 23, Booth PW: 306.

Van de Pol M, Levendag PC, de Bree RR et al (2004). Radical radiotherapy compared with surgery for advavnced squamous cell carcinoma of the base of tongue.*Brachytherapy*; 3: 78-86.

Vargas H, Pitman KT, Johnson JT et al (2000). More aggressive behaviour of squamous cell carcinoma of the anterior tongue in young women. *Laryngoscope*; 110: 1623–1626.

Vargas H, Pitmann KT, Johnson HT et al (2000). More aggressive behaviour of SCC of the anterior tongue in young women. *Laryngoscope* ; 110 : 1623-1626.

Wada M and Peters LJ (2001). Management of SCC of the oral tongue: outcome subsequent to neck failure in patients initially staged T1T2N0.*Austin and Repatriation Medical Ctr, Radiation Oncology Dept. Heidelberg West , Australia.*

Watkinson JC , Gaze MN & Wilson JA. The nature of Head & Neck Cancer , *Stell &Maran's Head & Neck Surgery , Page 1, 4th Edition 2000.*

Watkinson JC, Gaze MN & Wilson JA .Tumour of Lip & Oral Cavity , *Stell & Maran's Head & Neck Surgery , Page293,4thEdition 2000.*

Wei WI , Ferlito A , Rinaldo A et al (2006). Management of the N0 neck- reference or preference, *Oral Oncology* ;42: 115- 122.

Weijers M , Snow GB , Bezemer D.P et al (2004). The status of deep surgical margins in tongue and floor of the mouth squamous cell carcinoma and risk of local recurrence; an analysis of 68 patients. *Int. J. Oral Maxillofacial Surgery* ;33: 146-149.

Woolgar JA, Rogers S, West CR, Errington RD et al (1995). Correlation of histopathological findings with clinical and radiological assessments of cervical lymph nodes metastasis in oral cancer. *International Journal of Oral and Maxillofacial Surgery*; (24) : 30-37.

Woolgar JA, Rogers SN, West CR et al (1999). Survival and patterns of recurrence in 200 oral cancer patients treated by radical surgery and neck dissection. *Oral Oncology*;35: 257–265.

World Health Organization (ICD) (1978). The International Classification of Diseases, Ninth Revision . World Health Organization , Geneva .

Wuñsch-Filho V, Camargo EA (2001). The burden of mouth cancer in Latin America and the Caribbean: *Epidemiologic issues. Seminars in Oncology* :158–68.

Zain RB, Ikeda N, Razak IA et al (1997). A National epidemiology survey of oral mucosal lesion in Malaysia. *Community Dentistry*.

Athur K, Farr AW (1972). Prognosis significance of histological grade in epidermoid carcinoma of the mouth and pharynx.. *American Journal of Surgery*.124;489-492.

Zhen W, Karnell LH, Hoffman HT et al (2004). The National Cancer Data Base report on squamous cell carcinoma of the base of tongue. *Head Neck* ;26:660–74.

Zheng T, Holford T , Chen Y et al (1997).Risk of tongue cancer associated with tobacco smoking and alcohol consumption: A case –control study. *Oral Oncology* Vol.33;No.2:82-87.