

References

- Akinjogunla, O.J., Taiwo, M.A. and Kareem, K.T. (2008) Immunological and molecular diagnostic methods for detection of viruses infecting cowpea (*Vigna unguiculata*). *African Journal of Biotechnology* 7(13), 2099-2103.
- Benchabane, M., Goulet, C., Rivard, D., Faye, L., Gomord, V. and Michaud, D. (2008) Preventing unintended proteolysis in plant protein biofactories. *Plant Biotechnology Journal* 6, 633-648.
- Blazek, D. and Celer, V. (2003) The production and application of single-chain antibody fragments. *Folia Microbiologica* 48(5), 687-698.
- Bonnet, J., Fraile, A., Sacristán, S., Malpica, J.M., García-Arenal, F. (2005) Role of recombination in the evolution of natural population of *Cucumber Mosaic Virus*, a tripartite RNA plant virus. *Virology* 332, 359-368.
- Brereton, H.M., Chamberlain, D., Yang, R., Tea, M., McNeil, S., Coster, D.J. and Williams, K.A. (2007) Single chain antibody fragments for ocular use produced at high levels in a commercial wheat variety. *Journal of Biotechnology* 129(3), 539-546.
- Brickmann, Ulrich. (2010) Disulfide-Stabilized Fv fragments. *In Antibody Engineering (Springer Protocols)* (14), 181-190.

Cao, M., Cao, P., Yan, H., Ren, F., Lu, W. G., Hu, Y.L. and Zhang, S.Q. (2008) Construction and characterization of an enhanced GFP-tagged anti-BAFF scFv antibody. *Applied Microbiology and Biotechnology* 79, 423-431.

Carpentier, S.C., Witters, E., Laukens, K., Deckers, P., Swennen, R., Panis, B. (2005) Preparation of protein extracts from recalcitrant plant tissues: an evaluation of different methods for two-dimensional gel electrophoresis analysis. *Proteomics* 5, 2497–2507.

Carrère, I., Tepfer, M. & Jacquemond, M. (1998) Recombinants of *cucumber mosaic virus* (CMV): determinants of host range and symptomatology. *Archives of Virology* 144, 365-79.

Chen, Y.-K. (2003) Occurrence of *Cucumber Mosaic Virus* in ornamental plants and perspectives of transgenic control. (PhD Thesis). Wageningen University. p. 4.

Choi, S.K., Choi, J.K., Ryu, K.H. (2003) Involvement of RNA2 for systemic infection of *Cucumber Mosaic Virus* isolated from lily on Zucchini squash. *Virus Research* 97, 1-6.

Chua, K.H. (2002) Development of an anti-CMV scFv for expression in *Nicotiana tabacum* L. Cv. White burley. *PhD Thesis, University of Malaya*.

Chua, K.H., Tan, C.S., Khalid, N., Harikrishna, J.A., Othman, R.Y. (2003) Synthesis of a soluble Flag-tagged Single Chain Variable Fragment (scFv) Antibody targeting *Cucumber Mosaic Virus* (CMV) coat protein. *Asia Pacific Journal of Molecular Biology and Biotechnology* 11(2), 93-100.

Chua, K.H., Othman, R.Y. (2007) Development of a Single Chain Variable Fragment Antibody Combinatorial Library through a simple three fragment ligation strategy. *Journal of Biological Sciences* 7(8), 1323-1330.

Cogotzi, L., Giampetruzzi, A., Nöke, G., Orecchia, M., Elicio, V., Castellano, M. A., Martelli, G. P., Fischer, R., Schillberg, S. and Saldarelli, P. (2009) An assay for the detection of *grapevine leafroll-associated virus 3* using a single-chain fragment variable antibody. *Archives of Virology* 154(1), 19-26.

Coligan, John E. (2002) Chapter 4 : Extraction, Stabilization and Concentration. *In Current Protocols in Protein Science*.

Conrad, U. And Fiedler, U. (1998) Compartment-specific accumulation of recombinant immunoglobulins in plant cells: an essential tool for antibody production and immunomodulation of physiological functions and pathogen activity. *Plant Molecular Biology* 38, 101-109.

Crowther, John R. (2001) The ELISA Guidebook. *Humana Press, New Jersey*.

Daly, Stephen J., Dillon, Paul P., Brennan, Joanne, Dunne, Lynsey, Fitzpatrick, Jane and O'Kennedy, Richard. (2001) Production and analytical applications of scFv antibody fragments. *Analytical Letters* 34(11), 1799-1827.

De Jaeger, G., Buys, E., Eeckhout, D., De Wilde, C., Jacobs, A., Kapila, J., Angenon, G., Van Montagu, M., Gerats, T. and Depicker, A. (1999) High level accumulation of

single-chain variable fragments in the cytosol of transgenic *Petunia hybrida*. *European Journal of Biochemistry* 259, 426–434.

De Wilde, C., De Jaeger, G., De Neve, M., Van Montagu, M. and Depicker, A. (1999) Production of antibodies in transgenic plants- a general introduction. *In: K. Harper and A. Ziegler (Eds.) Recombinant Antibodies: Applications in Plant Science and Plant Pathology* 113–127.

Ferenci, T. And Silhavy, T.J. (1987) Sequence information required for protein translocation from the cytoplasm. *Journal of Bacteriology* 169 (12), 5539-5342.

Fisher, R., Twyman, Richard M. and Schillberg, Stefan. (2003) Production of antibodies in plants and their use for global health. *Vaccine* 21, 820-825.

Foster, Gary D. and Taylor, Sally C. (1998) Cucumovirus Isolation and RNA extraction. *Plant Virology Protocols* 18, 189-196.

Gallitelli, D. (2000) The ecology of *Cucumber Mosaic Virus* and sustainable agriculture. *Virus Research* 71, 9-21.

Giddings, Glynis (2001) Transgenic plants as protein factories. *Current Opinion in Biotechnology* 12, 450-454.

Glockshuber R, Schmidt T, Plückthun A. (1992) The disulfide bonds in antibody variable domains: effects on stability, folding in vitro, and functional expression in *Escherichia coli*. *Biochemistry* 31(5), 1270-9.

Hwang, S.K., Salamone, P.R., Kavakli, H., Slattery, C.J., Okita, T.W. (2004) Rapid purification of the potato ADP-glucose pyrophosphorylase by polyhistidine-mediated chromatography. *Protein Expression and Purification* 38, 99-107.

James, Victoria A., Worland, Barbara., Snape, John W. And Vain, Philippe. (2004) Strategies for precise quantification of transgene expression levels over several generations in rice. *Journal of Experimental Botany* 55, 1307-1313.

Kerschbaumer, R.J., Hirschl, S., Kaufmann, A., Ibl, M., Koenig, R. and Himmler, G. (1997) Single-Chain Fv Fusion Proteins Suitable as Coating and Detecting Reagents in a Double Antibody Sandwich Enzyme-Linked Immunosorbent Assay. *Analytical Biochemistry* 249, 219-227.

Kim, M.J., Ham, B-K., Paek, K-H. (2006) Novel protein kinase interacts with the *Cucumber Mosaic Virus* 1a methyltransferase domain. *Biochemical and biophysical research communications* 340, 228-235.

Kipriyanov, S. M. and Little, M. (1999) Generation of recombinant antibodies. *Molecular Biotechnology* 12(2), 173-201.

Koenig, Rrenate. (1978) ELISA in the Study of Homologous and Heterologous Reactions of Plant Viruses. *Journal of General Virology* 40, 309-318.

Koenig, Renate. (1981) Indirect ELISA Methods for the Broad Specificity Detection of Plant Viruses. *Journal of General Virology* 55, 53-62.

Köhler, G. and Milstein, C. (1975) Continuous cultures for fused cells secreting antibody of predefined specificity. *Nature* 256, 495-497.

Koprek, T., Rangel, S., McElroy, D., Louwense, J. D., Williams-Carrier, R. E. and Lemaux, P. G. (2001) Transposon-Mediated Single-Copy Gene Delivery Leads to Increased Transgene Expression Stability in Barley. *Plant Physiology* 125,1354-1362.

Kostova, D., Tsorlianis, S., Yordanova, A., Lisa, V. and Vaira, A-M. (2007) New cucumovirus on beans in Bulgaria – An attempt for characterization. *Journal of Culture Collections* 5,94-101.

Larrick, J.W., Yu, L., Jaiswal, S. and Wycoff, K. (2002) Transgenic Plants for Production of Immunotherapeutic Agents. *In Plant biotechnology and transgenic plants* 17, 405-426.

Lau, J. M. and Korban, S. S. (2009) Analysis and stability of the Respiratory Syncytial Virus antigen in a T3 generation of transgenic tomato plants. *Plant Cell Tiss Organ Cult* 96, 335–342.

Le Gall, F., Bové Joseph-Marie, and Garnier, M. (1998) Engineering of a Single-Chain Variable-Fragment (scFv) Antibody Specific for the Stolbur Phytoplasma (Mollicute) and Its Expression in *Escherichia coli* and Tobacco Plants. *Applied and Environmental Microbiology* 64(11), 4566-4572.

Lopez, M.M., Bertolini, E., Olmos, A., Caruso, P., Gorris, M.T., Llop, P., Penyalver, R. and Cambra, M. (2003) Innovative tools for detection of plant pathogenic viruses and bacteria. *International Microbiology* 6, 233-243.

Lot, H., J. Marrou, J. B. Quiot, and C. Esvan. (1972) Contribution à l'étude du virus de la mosaïque du concombre (CMV). I. Méthode de purification rapide du virus. *Annual Review of Phytopathology* 4, 25-38.

Ma, Julian K-C., Drake, Pascal M.W. and Christou, P. (2003) The production of recombinant pharmaceutical proteins in plants. *Nature Reviews* 4, 794-805.

Madhubala, R., Bhadramurthy, V., Bhat, A.I, Hareesh, P.S., Rethesh, S. T. and Bhai, R. S. (2005) Occurrence of Cucumber Mosaic Virus on vanilla (*Vanilla planifolia* Andrews) in India. *Indian Academy of Sciences, Journal of Biosciences* 30(3), 339-350.

Ng, C. W. (2004) Stability and Performance of anti-Cucumber Mosaic Virus (CMV) single-chain antibody (scFv) expression levels in T1 and T2 Transgenic Plants. Poster in *The 15th International Plants Protection Congress, Beijing, China* on 11-16th May 2004.

Padoa, C.J. and Crowther, N.J. (2006) Engineered antibodies : A new tool for use in diabetes research. *Diabetes Research and Clinical Practice* 74S, S51-S62.

Palukaitis, P., and M. Zaitlin (1997) Replicase-mediated resistance to plant virus disease. *Advances in Virus Research* 48:349-377.

Plückthun, A. (1992) Mono- and bivalent antibody fragments produced in *Escherichia coli*: engineering, folding and antigen binding. *Immunology Reviews* 130, 151-188.

Plückthun, A., Krebber, A., Krebber, C., Horn, U., Knüpfner, U., Wenderoth, R., Nieba, L., Proba, K. and Riesenberger, D. (1996) In McCafferty, J. (ed.), *Antibody Engineering. A Practical Approach* 203–252.

Rief, M., Gautel, M., Oesterhelt, F., Fernandez, J.M. and Gaub, H.E. (1997a) Reversible unfolding of individual titin immunoglobulin domains by AFM. *Science* 276:,1109-12.

Rief, M., Oesterhelt, F., Heymann, B. and Gaub, H. E. (1997b) Single Molecule Force Spectroscopy on Polysaccharides by Atomic Force Microscopy. *Science* 275(5304), 1295 – 1297.

Roossinck, Marilyn. J. (2001) Cucumber Mosaic Virus, a model for RNA virus evolution. *Molecular Plant Pathology* 2(2), 59-63.

Ros, R., Schwesinger, F., Anselmetti, D., Kubon, M., Schäfer, R., Plückthun, A. and Tiefenauer, L. (1998) Antigen binding forces of individually addressed single-chain Fv antibody molecules. *Proceedings of the National Academy of Sciences of the United States of America*. 95 7402–7405.

Salánki, K., Gellért, Á., Náray-Szabó, G., Balázs, E. (2007) Modeling-based characterization of the elicitor function of amino acid 461 of *Cucumber Mosaic Virus* 1a protein in the hypersensitive response. *Virology* 358, 109-118.

Saravanan, R. S. and Rose, J. K. C. (2004) A critical evaluation of sample extraction techniques for enhanced proteomic analysis of recalcitrant plant tissues. *Proteomics* 4, 2522–2532.

Schillberg, S., Zimmermann, S., Voss, A. and Fischer, R. (1999) Apoplastic and cytosolic expression of full-size antibodies and antibody fragments in *Nicotiana tabacum*. *Transgenic Research* 8(4), 255-263.

Sidek, Zakaria. (1999) Viruses of Cucurbits : The Strategies. *Sustainable Crop Protection Practices in the next Millennium, Proceeding MCB-MAPPS Plant Protection Conference 99*.

Smith, M.D. and Glick, B.R. (2000) The production of antibodies in plants : An idea whose time has come? *Biotechnology Advances* 18, 85-89.

Smith, D. S. And Benfey, T.J. (2002) The purification and development of a quantitative enzyme linked immunosorbent assay (ELISA) for the measurement of vitellogenin in diploid and triploid brook trout (*Salvelinus fontinalis*). *Fish Physiology and Biochemistry* 24, 287-298.

Stoger, E., Sack, M., Fischer, R. and Christou, P. (2002) Plantibodies : applications, advantages and bottlenecks. *Current opinion in Biotechnology* 13, 161-166.

Studier, F.W., and Moffatt, B.A. (1986) Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes. *Journal of Molecular Biology* 189, 113-130.

Takakura, A., Goto, K., Itoh, T., Yoshimatsu, K., Takashima, I. and Arikawa, J. (2003) Establishment of an Enzyme-Linked Immunosorbent Assay for Detection of Hantavirus Antibody of Rats using a Recombinant of Nucleocapsid protein expressed in *Escherichia coli*. *Experimental Animals* 52, 25-30.

Tabor, S., and Richardson, C.C. (1985) A bacteriophage T7 polymerase/promoter system for controlled expression of specific genes. *Proc. Natl. Acad. Sci. USA* 82,1074-1078.

Terrada, E., Kerschbaumer, R. J., Giunta, G., Galeffi, P., Himmler, G., and Cambra, M. (2000) Fully “recombinant enzyme-linked immunosorbent assays” using genetically engineered single-chain antibody fusion proteins for detection of *Citrus tristeza virus*. *Phytopathology* 90,1337-1344.

Tetsuhi, Mori. (2004) Global Transcriptional Analysis of E.coli Overexpression an scFv antibody to Cucumber Mosaic Virus (CMV). *Msc Thesis, Malaysia University of Science and Technology*.

Tsai CF, Wang YT, Chen YR, Lai CY, Lin PY, Pan KT, Chen JY, Khoo KH, Chen YJ. (2008) Immobilized metal affinity chromatography revisited: pH/acid control toward high selectivity in phosphoproteomics. *Journal of Proteome Research* 7(9), 4058-69.

Twyman, R. M., Stoger, E., Schillberg, S., Christou, P. and Fischer, R. (2003) Molecular farming in plants: host systems and expression technology. *Trends in Biotechnology* 21(12), 570-578.

Ushio, C., Ariyasu, H., Kayano, T., Ohta, H., Aga, M., Ariyasu, T., Ohta, T., Kurimoto, M. and Fukada, S. (2008) Establishment of Antihuman IFN- α 8-Specific Monoclonal antibodies and Their application in the Enzyme-Linked Immunosorbent Assay (ELISA). *Journal of Interferon & Cytokine Research* 28, 359-366.

Verma, R., Boleti, E. and George, A.J.T. (1998) Antibody engineering : Comparison of bacterial, yeast, insect and mammalian expression systems. *Journal of Immunological Methods* 216, 165-181.

Wang, W., Scali, M., Vignani, R., et al. (2003) Protein extraction for two-dimensional electrophoresis from olive leaf, a plant tissue containing high levels of interfering compounds. *Electrophoresis* 24, 2369–2375.

Webster, C. G., Wylie, S.J., Jones, M.G.K. (2004) Diagnosis of plant viral pathogens. *Current Science* 86, 12.

Sidek, Zakaria. (1999) Viruses of cucurbits : The Strategies. *MCB-MAPPS Plant Protection Conference* 99.

Wingfield, Paul T. (2002) Purification of Recombinant Proteins produced in *Escherichia coli*. *Current Protocols in Protein Science* Cp. 6.

Wórn A, and Plückthun A. (2001) Stability engineering of antibody single-chain Fv fragments. *Journal of Molecular Biology* 305, 989–1010.

Xiong, HR., Lia, SY. Yang, ZQ., Burgess, R.R. and Dynan, W.S. (2009) *E. coli* expression of a soluble, active single-chain antibody variable fragment containing a nuclear localization signal. *Protein Expression and Purification* 66(2), 172-180.

Zhang, K., McKinlay, C., Hocart, C.H. and Djordjevic, M.A. (2006) The *Medicago truncatula* small protein proteome and peptidome. *Journal of Proteome Research* 5,3355-3367.

Zimmermann, D. And Van Regenmortel, M. H. (1989) Spurious cross-reactions between plant viruses and monoclonal antibodies can be overcome by saturating ELISA plates with milk proteins. *Archives of Virology* 106, 15-22.