

6.0 REFERENCES

- Abu-Shanab, B., Adwan, G., Jarrar, N., Abu-Hijleh, A., & Adwan, K. (2006). Antibacterial Activity of Four Plant Extracts Used in Palestine in Folkloric Medicine against Methicillin-Resistant *Staphylococcus aureus*. *Turkish Journal of Biology*, 30, 195-198.
- Adwan, G. M., Abu-Shanab, B. A., & Adwan, K. M. (2008). In vitro activity of certain drugs in combination with plant extracts againsts *Staphylococcus aureus* infectious. *Pakistan Journal of Medical Science*, 24 (4), 541-544.
- Ahmad, F. B., & Ismail, G. (2003, January -March). Medicinal plants used by Kadazandusun communities around croker range. ASEAN Review of Biodiversity and Environmental Conservation (ARBEC).
- Akinyemi, K. O., Oladapo, O., Okwara, C. E., Ibe, C. C., & Fasure, K. A. (2005). Screening of crude extracts of six medicinal plants used in South-West Nigerian unorthodox medicine for anti-methicillin resistant *Staphylococcus aureus* activity. *BMC Complementary and Alternative Medicine*, 5: 6.
- Assadullah, S., Kakru, D. K., Thoker, M. A., Bhat, F. A., Hussain, N., & Shah, A. (2003). Emergence of low level vancomycin resistant in MRSA. *Indian Journal of Medical Microbiology*, 21 (3), 196-198.
- Bell, S. M., Gatus, B. J., Pham, J. N., & Fisher, G. T. (2009). *Antibiotic Susceptibility Testing By The CDS Method* (5th ed). Randwick, Australia: South Eastern Area Laboratory Services.

Bhavnani, S. M., & Tillostson, G. S. (2008.). Benchmarking: Its Utility in the Fight Against Antibacterial Resistance. In Owens, R. C. Jr., & Lautenbach, E. (Eds.), *Antimicrobial Resistance: Problem Pathogens and Clinical Countermeasure* (pp. 25-38). New York: Informa Healthcare USA, Inc.

Boucher, H. W., & Corey, G. R. (2008). Epidemiology of *Methicillin-Resistant Staphylococcus aureus*. *Clinical Infectious Diseases* , 46, S344-S349.

Bronzwaer, S. L. (2002). A European Study on the Relationship between Antimicrobial Use and Antimicrobial Resistance. *Emerging Infectious Diseases*, 8 (3), 1-4.

Chantong, B., Kampeera, T., Sirimanapong, W., Wongtongtair, S., Hutamekalin, P. & Meksuriyen, D. (2008). Antioxidant activity cytotoxicity of plants commonly used in veterinary medicine. *Acta Hort. (ISHS)*, 786, 91-98. Available from: URL: http://www.actahort.org/books/786/786_9.htm

Chavalittumrong, P., Attawish, A., Chuthaputti, A., & Chuntapet, P. (1997). Toxicological study of crude extract of *Tinospora crispa* Mier ex Hook F.& Thoms. *Thai Journal of Pharmaceutical Sciences*, 4 (21), 199-210.

D'eciga-Campos, M., Rivero-Cruz, I., Arriaga-Alba, M., Castaneda-Corral, G., Angeles-López, G. E., Navarrete, A., et al. (2007). Acute toxicity and mutagenic activity of Mexican plants used in traditional medicine. *Journal of Ethnopharmacology*, 110, 334-342.

Douds, D. A. (1997). *An acute oral toxicity study in rats with Advantra Z™*. Washington, Ave: Nutraech, Inc.

- Dweck, A. C., & Cavin, J. P. (2006). Andawali (*Tinospora crispa*)- a review. *personal care magazine* , 39-41.
- Eldeen, I. M. S., Elgorashi, E. E., van Staden, J. (2005). Antibacterial, anti inflammatory, anti-cholinesterase and mutagenic effects of extracts obtained from some trees used in South African traditional medicine. *Journal of Ethnopharmacology*, 102, 457-464.
- Feres, C. A., Madalosso, R. C., Rocha, O. A., Leite, J. P., Guimaraes, T. T., Toledo, V. P., et al. (2006). Acute and chronic toxicological studies of *Dimorphandra mollis* in experimental animals. *Journal of Ethnopharmacology* , 108, 450-456.
- Fraise, A. P. (1998). Guidelines for the control of *methicillin-resistant Staphylococcus Aureus*. *Journal of Antimicrobial Chemotherapy* , 42, 287-289.
- Francis, J. S., Doherty, M. C., Lopatin, U., Johnston, C. P., Sinha, G., Ross, T., et al. (2005). Severe Community-Onset Pneumonia in Healthy Adults Caused by *Methicillin-Resistant Staphylococcus aureus* Carrying the Panton-Valentine Leukocidin Genes. *Clinical Infectious Diseases*, 40, 100–107.
- Globally Harmonized System of Classification and Labelling of Chemicals (GHS). (2005). First revised edition. New York and Geneva: United Nations; [document reference: ST/SG/AC.10/30/Rev.1].
- Hilaly, J. E., Israili, Z. H., & Lyoussi, B. (2004). Acute and chronic toxicological studies of *Ajuga iva* in experimental animals. *Journal of Ethnopharmacology*, 91, 43-50.

Hindler, J. F., Jorgensen, J. H. (2007). Antimicrobial susceptibility testing: Procedures in antimicrobial susceptibility testing. In C. R. Mahon, D. C. Lehman, G. Manuselis (Eds.), *Textbook of Diagnostic Microbiology* (3th ed., pp. 319-353) China: Saunders Elsevier

Hiramatsu, K. (2001). Vancomycin-resistant *Staphylococcus aureus*: a new model of antibiotic resistance. *The Lancet Infectious Diseases*, 1 (3), 147-155.

Jorgensen, J. H., & Turnidge, J. D. (2007). Susceptibility Test Methods: Dilution and Disk Diffusion Methods. In P. R. Murray, E. J. Baron, J. H. Jorgensen, M. L. Landry, & M. A. Pfaller (Eds.), *Manual of clinical microbiology* (9th ed., Vol. 1, pp. 1152-1172). Washington DC: ASM Press.

Kongkathip, N., Dhumma-upakorn, P., Kongkathip, B., Chawanoraset, K., Sangchomkaeo, P., & Hatthakitpanichakul, S. (2002). Study on cardiac contractility of cycloeucalenol and cycloeucalenone isolated from *Tinospora crispa*. *Journal of Ethnopharmacology*, 83 (1-2), 95-99.

Kumar, S. S., Kumar, R. R., & Mohan, G. K. (2009). Hepatoprotective effect of *Trichosanthes cucumerina* Var *cucumerina* L. on carbon tetrachloride induced liver damage in rats. *Journal of Ethnopharmacology*, 123 (2), 347-350.

Larsen, H. S., & Mahon, C. R. (1995). *Staphylococcus*. In C. R. Mahon, & G. Manuselis (Eds.), *Textbook of Diagnostic Microbiology* (pp. 325-338). USA: W.B.Saunders Company.

Mehta, A. K., Arora, N., Gaur, S. N., & Singh, B. P. (2009). Acute toxicity assessment of choline by inhalation, intraperitoneal and oral routes in Balb/c mice. *Regulatory Toxicology and Pharmacology*, 54, 282-286.

- Moise, P. A., & Sakoulas, G. (2008). *Staphylococcus aureus*: Resistance Update and Treatment Option. In Owens, R. C. Jr., & Lautenbach, E. (Eds.), *Antimicrobial Resistance: Problem Pathogens and Clinical Countermeasure* (pp. 75-88). New York: Informa Healthcare USA, Inc.
- Munckhof, W. J., Kleinschmidt, S. L., & Turnidge, J. D. (2004). Resistance development in community-acquired strains of *methicillin-resistant Staphylococcus aureus*: an *in vitro* study. *International Journal of Antimicrobial Agents* , 24, 605-608.
- Nascimento, G. G. F., Locatelli, J., Freitas, P. C., & Silva, G. L. (2000). Antibacterial activity of plant extracts and phytochemicals on antibiotic-resistant bacteria. *Brazilian Journal of Microbiology*, 31 (4), 247-256.
- Nitta, T., Arai, T., Takamatsu, H., Inatomi, Y., Tanaka, T., Ito, T., et al. (2002). Antibacterial Activity of Extract Prepared from Tropical and Subtropical Plants on *Methicillin-Resistant Staphylococcus aureus*. *Journal of Health Science* , 48 (3), 273-276.
- Noor, H., & Ashcroft, S. J. (1989). Antidiabetic effects of *Tinospra crispa* in rats. *Journal of Ethnopharmacology* , 27 (1-2), 149-161.
- Noor, H., & Ashcroft, S. J. (1998). Pharmacological characterisation of the antihyperglycaemic properties of *Tinospora crispa* extract. *Journal of Ethnopharmacology* , 62, 7-13.
- Obici, S., Otobone, F. J., da Silva Sela, V. R., Ishida, K., da Silva, J. C., Nakamura, C. V., et al. (2008). Preliminary toxicity study of dichloromethane extract of *Kielmeyera coriacea* stems in mice and rats. *Journal of Ethnopharmacology*,

OECD Guideline for Testing of Chemicals (420): Acute Oral Toxicity – Fixed Dose Procedure. Adopted: 17th December 2001.

Ogbonnia, S. O., Enwuru, N. V., Onyemenem, E. U., Oyedele, G. A., & Enwuru, C. A. (2008). Phytochemical evaluation and antibacterial profile of *Treculia africana* Decne bark extract on gastrointestinal bacterial pathogens. *African Journal of Biotechnology*, 7 (10), 1385-1389.

Owens, R. C. Jr., & Lautenbach, E. (Eds). (2008). *Antimicrobial Resistance: Problem Pathogens and Clinical Countermeasure*. New York: Informa Healthcare USA, Inc.

Pannangpetch, P., Kongyingyoes, B., Kukongviriyapan, V., & Kukongviriyapan, U. (2006). Hypoglycemic Activity of Three Thai Traditional Medicine Regimens in Streptozotocin-Induced Diabetic Rats. *Khon Kaen University Research Journal*, 11 (2), 159-168.

Pesewu, G. A., Cutler, R. R., & Humber, D. P. (2008). Antibacterial activity of plants used in traditional medicines of Ghana with particular reference to MRSA. *Journal of Ethnopharmacology*, 116, 102-111.

Rahman, N. N. N. A., Furuta, T., Kojima, S., Takane, K., Mohd, M. A. (1999). Antimalarial activity of extracts of Malaysian medicinal plants. *Journal of Ethnopharmacology*, 64 (3), 249-254.

Rasekh, H. R., Nazari, P., Nejad, M. K., & Hosseinzadeh, L. (2008). Acute and

subchronic oral toxicity of *Galega officinalis* in rats. *Journal of Ethnopharmacology*, 116, 21-26.

Sam, C., Bador, M. K., Chan, Y. F., Loong, S. K., & Nor Ghazali, F. M. (2008). Multi sensitive community-acquired *methicillin-resistant Staphylococcus aureus* infections in Malaysia. *Diagnostic Microbiology and Infectious Disease*, 62, 437-439.

Sartori, B., Swift, L. (2003). Effect of *Tinospora crispa* and megestrol acetate on appetite in mice. *Journal of Biological Research*, 4. Available from: URL: [Hartwick <http://www.hartwick.edu/x1323.xml>].

Scott II, R. D., & Roberts, R. R. (2008). The Attributable Costs of Resistant Infections in Hospital Settings: Economics Theory and Application. In R. C. Owens Jr, & E. Lautenbach (Eds.), *Antimicrobial Resistance: Problem Pathogens and Clinical Countermeasure* (pp. 1-24). New York: Informa Healthcare USA, Inc.

Sharma, S., Goyal, R. P., Chakravartya, G., & Sharma, A. (2008). Toxicity of tomato red, a popular food dye blend on male albino mice. *Experimental and Toxicologic Pathology*, 60 (1), 51-57.

Sheldon, A. (2007). Antibiotic Mechanisms of Action and Resistance. In: Mahon, C. R., Lehman, D. C., Manuselis, G. (Eds), *Textbook of Diagnostic Microbiology* (3rd ed., pp. 303-317). China: Saunders Elsevier.

Sudjana, A. N., D'Orazio, C., Ryan, V., Rasool, N., Ng, J., Islam, N., et al. (2009). Antimicrobial activity of commercial *Olea europaea* (olive) leaf extract. *International Journal of Antimicrobial Agents*, 33, 461-463.

- Sulaiman, M. R., Zakaria, Z. A., & Lihan, R. (2008). Antinociceptive and Anti-inflammatory Activities of *Tinospora crispa* in Various Animal Models. *International Journal of Tropical Medicine*, 3 (3), 66-69.
- Sule, I. O., & Agbabiaka, T. O. (2008). Antibacterial Effect of some Plant Extracts on Selected *Enterobacteriaceae*. *Ethnobotanical Leaflets* , 12, 1035-42.
- Tenover, F. C. (2006). Mechanisms of Antimicrobial Resistance in Bacteria. *The American Journal of Medicine* , 119 (6A), S3-S10.
- Tillotson, S. G. (2008). Antibiotic Resistance: Opportunity or Obstacle for the pharmaceutical Industry. In R. C. Owens Jr, & E. Lautenbach (Eds.), *Antimicrobial resistance problem pathogens and Clinicals Countermeasures* (pp. 39-60). USA: Informa Healthcare, Inc.
- Verma, S., & Singh, S. P. (2008). Current and future statues of herbal medicine. *Veterinary World* , 1 (11), 347-350.
- Walum, E. (1998). Acute Oral Toxicity. *Environmenta lHealth Perspectives* , 106, 497-503.
- Wanger, A. (2007). Disk Diffusion Test and Gradients Methodology. In R. Schwalbe, L. Steele-Moore, & A. C. Goodwin (Eds.), *Antimicrobial Susceptibility Testing Protocols* (pp. 53-72). Washington: CRC Press Taylor & Francis Group.
- Weckesser, S., Engel, K., Simon-Haarhaus, B., Wittmer, A., Pelz, K., & Schempp, C. M. (2007). Screening of plant extracts for antimicrobial activity against bacteria and yeasts with dermatological relevance. *Phytomedicine* , 14, 508-516.

- World Health Organization. (2001). WHO Global Strategy for Containment of Antimicrobial Resistance: Executive Summary [serial online]. [cited 2009 July 15]. Available: URL: <http://www.who.int/drugresistance/guidance/en/index.html>
- World Health Organization. (2002). WHO Traditional Medicine Strategy 2002-2005. Geneva: WHO; [document reference WHO/EDM/TRM/2002.1].
- Yu, J. Q., Liao, Z. X., Cai, X. Q., Lei, J. C., Zou, G. L. (2007). Composition, antimicrobial activity and cytotoxicity of essential oils from *Aristolochia mollissima*. *Environmental Toxicology and Pharmacology*, 23, 162-167.
- Zaidan, M. R. S., Noor Rain, A., Badrul, A. R., Adlin, A. Norazah, A., & Zakiah, I. (2005). In vitro screening of five local medicinal plants for antibacterial activity using disc diffusion method. *Tropical Biomedicine*, 22 (2), 165-170.
- Zakaria, Z. A., Mat Jais, A. M., Henie, E. F., Zaiton, H., Somchit, M. N., Sulaiman, M. R., et al. (2006). The in vitro Antibacterial activity of *Tinospora crispa* Extracts. *Journal of Biological Science* , 6 (2), 398-401.
- Zulhairi, A., Abdah, M. A., M. Kamal. N. H., Nursakinah, I., Moklas, M. A. M., Hasnah, B., et al. (2008). Biological Properties of *Tinospora crispa* (*Akar Patawali*) and Its Antiproliferative Activities on Selected Human Cancer Cell Lines. *Mal J Nutr*, 14 (2), 173-187.
- Zuo, G. Y., Wang, G. C., Zhao, Y. B., Xua, G. L., Haob, X. Y., Hanc, J., et al. (2008). Screening of Chinese medicinal plants for inhibition against clinical isolates of methicillin-resistant *Staphylococcus aureus* (MRSA). *Journal of Ethnopharmacology* , 120 (2), 287-290.