

Bibliography

- Abram, N., Anderson, J., Bargelloni, L., Barrett, P., Bantley, M. J., Bartler, N. A., et al. (2009). Antarctic climate and environment history in the pre-instrumental period. In J. Turner, R. Bindschadler, P. Convey, G. d. Prisco, E. Fahrbach, J. Gutt, *et al.*, *Antarctic Climate Change and the Environment* (pp. 115-180). Cambridge: Victoria Press.
- Abyzov, S. S. (1993). Microorganisms in the Antarctic ice. In E. L. Friedmann, *Antarctic microbiology* (pp. 265-197). New York: Wiley-Liss.
- Adams, B. J., Bardgett, R. D., Ayres, E., Wall, D. H., Aislabie, J., Bamforth, S., et al. (2006). Diversity and distribution of Victoria Land biota. *Soil Biology & Biochemistry*, 38, 3003-3018.
- Aghajari, N., Feller, G., Gerday, C., & Haser, R. (1996). Crystallization and preliminary X-ray diffraction studies of α -amylase from the Antarctic psychrophile *Alteromans haloplanctis*. *Protein Science*, 5, 2128-2129.
- Ainsley, D., Barrett, P., Bindschadler, R., Clarke, A., Convey, P., Fahrbach, E., et al. (2009). The Antarctic Environment in the Global System. In J. Turner, R. Bindschadler, P. Convey, G. d. Prisco, E. Fahrbach, J. Gutt, *et al.*, *Antarctic Climate Change and The Environment* (pp. 1-32). Cambridge: Victoria Press.
- Aislabie, J., Fraser, R., Duncan, S., & Farrell, R. L. (2001). Effects of oil spills on microbial heterotrophs in Antarctic soils. *Polar Biology*, 24, 308-313.
- Alias, S. A., Omar, S., Wahab, A. A., Salwoom, L., & Irine, T. (2006). Soil Microfungi of Windmill Island and Maitri Station, Antarctic: Diversity based on molecular and physical characteristics; and preliminary study on the effect of temperature and salinity on selected Antarctic fungi. *Simposio LatinoAmericano Sobre Investigaciones Antárticas y VI Reunión Chilena De Investigación Antártica*. Valparaiso.
- April, T. M., Foght, J. M., & Currah, R. S. (2000). Hydrocarbon-degrading filamentous fungi isolated from flare pits in soils in northern and western Canada. *Canadian Journal of Microbiology*, 46, 38-49.
- Arcangeli, C., & Cannistraro, S. (2000). In situ Raman microspectroscopic carotenoids; approach to monitoring of UV-B irradiation stress on Antarctic fungus. *Biospectroscopy*, 57, 178–186.
- Arcangeli, C., Zucconi, L., Onofri, S., & Cannistraro, S. (1997). Fluorescence study on whole Antarctic fungal spores under enhanced UV irradiation. *Journal of Photochemistry and Photobiology B Biology*, 39, 258–264.

- Arenz, B. E., & Blanchette, R. A. (2011). Distribution and abundance of soil fungi in Antarctica at sites on the Peninsula, Ross Sea Region and McMurdo Dry Valleys. *Soil Biology & Biochemistry*, 43, 308-315.
- Arenz, B. E., Held, B. W., & Jurgens, J. A. (2009). Investigation of fungal diversity in wooden structures and soils at historic sites on the Antarctic Peninsula. *Canadian Journal of Microbiology*, 46-56.
- Arenz, B. E., Held, B. W., Jurgens, J. A., & Blanchette, R. A. (2010). Fungal colonization of exotic substrates in Antarctica. *Fungal Diversity*, DOI 10.1007/s 13225-010-0079-4.
- Arenz, B. E., Held, B. W., Jurgens, J. A., Farrell, R. L., & Blanchette, R. A. (2006). Fungal diversity in soils and historic wood from the Ross Sea Region of Antarctica. *Soil Biology & Biochemistry*, 38, 3057-3064.
- Armstrong, A. R. (2003). Could lichens grow on Mars? *Microbiologist*, 30-33.
- Atlas, R. M., & Cerniglia, C. E. (1995). Bioremediation of petroleum pollutants. *BioScience*, 45, 332-338.
- Azmi, O. R., & Seppelt, R. D. (1997). Fungi of the Windmill Islands, continental Antarctica: effect of temperature, pH and culture media on the growth of selected microfungi. *Polar Biology*, 18, 128-134.
- Baraniecki, C. A., Aislaby, J., & Foght, J. M. (2002). Characterization of Sphingomonas sp. Ant 17, an aromatic hydrocarbon-degrading bacterium isolated from Antarctic soil. *Microbial Ecology*, 43, 44–54.
- Bargagli, R. (2008). Environmental contamination in Antarctic ecosystems. *Science of the Total Environment*, 400, 212-226.
- Barker, R. J. (1977). A biological reconnaissance of the Bunger Hills. *Australian National Antarctic Research Expedition Technical Memorandum*, 67, 29-30.
- Barnett, H. L., & Hunter, B. B. (1972). *Illustrated genera of imperfect fungi*. Minneapolis, MN: Burgess,.
- Barnett, J. A., Payne, R. W., & Yarrow, D. (1990). *Yeasts: Characteristics and Identification, 2nd edition*. New York: Cambridge University Press.
- Beyer, L., & Bolter, M. (2000). Chemical and biological properties, formation, occurrence and classification of Spodic Cryosols in a terrestrial ecosystem of East Antarctica (Wilkes Land). *Catena*, 39, 95-119.
- Bills, G. F., Christensen, M., Powell, M., & Thorn, G. (2004). Saprobic Soil Fungi. In G. M. Mueller, G. F. Bills, & M. S. Foster, *Biodiversity of Fungi: Inventory and Monitoring Methods* (pp. 271-302). London: Academic Press.

- Birgisson, H., Delgado, O., Garcia, A. L., Hatti-Kaul, R., & Mattiasson, B. (2003). Cold-adapted yeast as producers of cold-active polygalacturonases. *Extremophiles*, 7, 185-193.
- Blanchette, R. A., Held, B. W., Arenz, B. E., Jurgens, J. A., Baltes, N. J., Duncan, S. M., et al. (2010). An Antarctic hot spot for fungi at Shackleton's historic hut on Cape Royds. *Microbial Ecology*, 60, 29-38.
- Block, W. (1984). Terrestrial Microbiology, Invertebrates and Ecosystems. In R. M. Laws, *Antarctic Ecology Volume I* (pp. 163-236). London: Academic Press.
- Bokhorst, S., Huiskes, A., Convey, P., & Aerts, R. (2007). External nutrient inputs into terrestrial ecosystems of the Falkland Islands and the Maritime Antarctic region. *Polar Biology*, 30, 1315-1321.
- Bommer, E., & Rousseau, M. (1905). *Champignons*.
- Bornscheuer, U. T., & Kazlauskas, R. J. (2006). *Hydrolases in Organic Synthesis*. Germany: Wiley-VCH.
- Bossert, I., & Bartha, R. (1984). The fate of fuel spills in soil ecosystem. In R. M. Atlas, *Petroleum Microbiology* (pp. 435-473). New York: Macmillan.
- Bradford, M. M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein dye binding. *Analytical Biochemistry*, 72, 248-254.
- Bradner, J. R., Gillings, M., & Nevalainen, K. H. (1999a). Qualitative assessment of hydrolytic activities in Antarctic microfungi grown at different temperatures on solid media. *World Journal of Microbiology and Biotechnology*, 15, 131-132.
- Bradner, J. R., Junior Teo, V. S., Helena Nevalainen, K. M., & Bell, P. J. (2003). The application of PCR for the isolation of a lipase gene from the genomic DNA of an Antarctic microfungus. *Current Genetic*, 44, 224-230.
- Bradner, J. R., Sidhu, R. K., Gillings, M., & Nevalainen, K. M. (1999b). Hemicellulase activity of Antarctic microfungi. *Journal of Applied Microbiology*, 87, 366-370.
- Braun, M., Simoes, J. C., Vogt, S., Bremer, U. F., Blindow, N., Pfender, M., et al. (2001). An improved topographic database for King George Island: compilation, application and outlook. *Antarctic Science*, 41-52.
- Bridge, P. D., & Newsham, K. K. (2009). Soil fungal community composition at Mars Oasis, a southern maritime Antarctic site, assessed by PCR amplification and cloning. *Fungal Ecology*, doi:10.1016/j.funeco.2008.10.2008, 66-74.

- Bridge, P. D., & Worland, M. R. (2008). An association between the Antarctic mite *Alaskozetes antarcticus* and an entomophthoralean fungus of the genus *Neozygites*. *Experimental and Applied Acarology*, 46, 43–52.
- Bridge, P. D., & Worland, M. R. (2004). First report of an entomophthoralean fungus on an arthropod host in Antarctica. *Polar Biology*, 27, 190-192.
- Bridge, P. D., Hughes, K. A., & Denton, J. O. (2008a). Association of the coprophilous fungus *Pirella circinans* with an indigenous beetle on the sub-Antarctic Bird Island. *Polar Biology*, 31, 657–661.
- Bridge, P. D., Roberts, P. J., Spooner, B. M., & Panchal, G. (2003). On the unreliability of published DNA sequences. *New Phytologist*, 160, 43-48.
- Bridge, P. D., Spooner, B. M., & Roberts, P. J. (2009). *List of non-lichenized fungi from the Antarctic Region*. http://www.antarctica.ac.uk/bas_research/data/access/fungi/.
- Bridge, P. D., Spooner, B. M., & Roberts, P. J. (2008b). Non-lichenized fungi from the Antarctic region. *Mycotaxon*, 106, 483-490.
- Broady, P. A. (1996). Diversity, distribution and dispersal of Antarctic terrestrial algae. *Biodiversity and Conservation*, 5, 1307-1335.
- Brunati, M., Rojas, J. L., Sponga, F., Ciciliato, I., Losi, D., Gottlich, E., et al. (2009). Diversity and pharmaceutical screening of fungi from benthic mats of Antarctic lakes. *Marine Genomics*, 2, 43–50.
- Cameron, R. E., & Benoit, R. E. (1970). Microbial and ecological investigations of recent cinder cones, Deception Island, Antarctica-a preliminary report. *Ecology*, 51, 802-809.
- Cameron, R. E., Morelli, F. A., & Honour, R. C. (1973). Aerobiological monitoring of dry valley drilling sites. *Antarctic journal of the United States*, 211-214.
- Caretta, G., & Piotelli, E. (1977). *Microsporum magellanicum* and *Cunninghamella antarctica*, new species isolated from australic and Antarctic soil of Chile. *Sabouraudia*, 15, 1–10.
- Caretta, G., Del Frate, G., & Mangiarotti, A. M. (1994). A record of *Arthrobotrys tortor* Jarowaja and *Engyodontium album* (Limber) de Hoog from Antarctica. *Boletin Micologico*, 9, 9-13.
- Carroll, G. C., & Wicklow, D. T. (1992). *The Fungal Community, Its Organization and Role, in the Ecosystem*. New York, USA: Marcel Dekker, Inc.
- Cavicchioli, R., Siddiqui, K. S., Andrews, D., & Sowers, K. R. (2002). Low-temperature extremophiles and their applications. *Current Opinion in Biotechnology*, 13, 253-261.

- Chalmers, M. H. (1996). *An illustrated catalogue of airborne microbiota from the maritime Antarctic*. Cambridge: British Antarctic Survey.
- Chattopadhyay, & Jagannadham. (2001). Maintenance of membrane fluidity in Antarctic bacteria. *Polar Biology*, 24, 386-388.
- Chi, Z., Chi, Z., Zhang, T., Liu, G., Li, J., & Wang, X. (2009). Production, characterization and gene cloning of the extracellular enzymes from the marine-derived yeasts and their potential applications. *Biotechnology Advances*, 27, 236-255.
- Clarke, A., David, K. A., Barnes, & Hodgson, D. A. (2005). How isolated is Antarctica. *Trends in Ecology and Evolution*, 20, 1-3.
- Coker, J. A., Sheridan, P. P., Loveland-Curtze, J., Gutshall, K. R., Auman, A. J., & Brenchley, J. E. (2003). Biochemical Characterization of a β -galactosidase with a Low Temperature Optimum Obtained from an Antarctic *Arthrobacter* Isolate. *Journal of Bacteriology*, 185, 5473-5482.
- Connell, L., Redman, R., Craig, S., & Rodriguez, R. (2006). Distribution and abundance of fungi in the soils of Taylor Valley, Antarctica. *Soil Biology and Biochemistry*, 38, 3083-3094.
- Connell, L., Redman, R., Craig, S., Scorzetti, G., Iszard, M., & Rodriguez, R. (2008). Diversity of Soil Yeasts Isolated from South Victoria Land, Antarctica. *Microbial Ecology*, 56, 448–459.
- Convey, P. (2007). Antarctic Ecosystems. In S. A. Levin, *Encyclopedia of Biodiversity*, second ed. San Diego: Elsevier.
- Convey, P. (2010). Terrestrial biodiversity in Antarctica- Recent advances and future challenges. *Polar Science*, doi:10.1016/j.polar.2010.03.003.
- Convey, P. (1996). The influence of environmental characteristics on life history attributes of Antarctic terrestrial biota. *Biological Reviews*, 71, 191-225.
- Convey, P., & Smith, R. I. (2006). Geothermal bryophyte habitats in the South Sandwich Islands, maritime Antarctic. *Journal of Vegetation Science*, 17, 529-538.
- Cooke, R. C., & Whipps, J. M. (1993). *Ecophysiology of fungi*. Oxford, UK: Blackwell Scientific.
- Cooke, R. C., & Whipps, J. M. (1980). Evolution of modes of nutrition in fungi parasitic on terrestrial plants. *Biological Reviews*, 55, 341-362.
- Corte, A., & Daglio, C. A. (1963). Micromycetes isolated in the Antarctic. *Instituto Antartico Argentino Contribuciones*, 74, 1-27.

- Cowan, D. A., Russell, N. J., Mamais, A., & Sheppard, D. M. (2002). Antarctic dry valley mineral soils contain unexpectedly high levels of microbial biomass. *Extremophiles*, 6, 431-436.
- D'Amore, T., Crumplen, T., & Stewart, G. G. (1991). The involvement of trehalose in yeast stress tolerance. *The journal of Industrial Microbiology*, 7, 191-196.
- Dahiya, N., Tewari, R., & Hoondal, G. S. (2006). Biotechnological aspects of chitinolytic enzymes: A review. *Applied Microbiology and Biotechnology*, 71, 773–782.
- de Hoog, G. S., Gottlich, E., Platas, G., Genniloud, O., Leotta, G., & Brummelen, J. (2005). Evolution, taxonomy and ecology of the genus *Thelebolus* in Antarctica. In G. d. Hoog, *Fungi of the Antarctic: Evolution under extreme conditions* (pp. 33-76).
- De los Ríos, A., Wierzchos, J., Sancho, L. G., Grube, M., & Ascaso, C. (2002). Microbial endolithic biofilms: a means of surviving the harsh conditions of the Antarctic. *Proceedings of the Second European Workshop on Exo/Astrobiology, 16–19 September 2002*. Graz, Austria.
- Del Frate, G., & Caretta, G. (1990). Fungi isolates from Antarctic material. *Polar Biology*, 11, 1-7.
- Delille, D., & Delille, E. (2000). Distribution of enteric bacteria in Antarctic seawater surrounding the Dumont d'Urville permanent station (Adelie Land). *Marine Pollution Bulletin*, 40, 869–872.
- Deming, J. W. (2002). Psychrophiles and polar region. *Current opinion in Microbiology*, 5, 301-309.
- DeSantis, P. C. (1983). Some Observations on the Use of Enzymes in Paper Conservation. *Journal of the American Institute for Conservation*, 23, 7-27.
- Domsch, K. H., Gams, W., & Anderson, T. H. (1980). *Compendium of Soil Fungi*. London: Academic Press.
- Duncan, S. M., Farrell, R. L., Jordan, N., Jurgens, J. A., & Blanchette, R. A. (2010). Monitoring and identification of airborne fungi at historic locations on Ross Island, Antarctica. *Polar Science*, 1-9.
- Duncan, S. M., Farrell, R. L., Thwaites, J. M., Held, B. W., Arenz, B. E., Jurgens, J. A., et al. (2006). Endoglucanase producing fungi isolated from Cape Evans historic expedition hut on Ross Ialsnd, Antarctica. *Environmental Microbiology*, 8, 1212-1219.
- Duncan, S. M., Minasaki, R., Farrell, R. L., Thwaites, J. M., Held, B. W., Arenz, B. E., et al. (2008). Screening fungi isolated from historic Discovery Hut on Ross Island, Antarctica for cellulose degradation. *Antarctic Science*, 20, 463-470.

- Fahleson, J., Hu, Q., & Dixelius, C. (2004). Phylogenetic analysis of *Verticillium* species based on nuclear and mitochondrial sequences. *Archives of Microbiology*, 181, 435-442.
- Fell, J. W., Scorzetti, G., Connell, L., & Craig, S. (2006). Biodiversity of micro-eukaryotes in Antarctic Dry Valley soils with <5% soil moisture. *Soil Biology and Biochemistry*, 38, 3107-3119.
- Feller, G., & Gerday, C. (2003). Psychrophilic enzymes: hot topics in cold adaptation. *Nature Reviews Microbiology*, 1, 200-208.
- Feller, G., Narinx, E., Arpigny, J. L., Aittaleb, M., Baise, E., Genico, S., et al. (1996). Enzyme from psychrophilic organism. *FEMS Microbial Review*, 18, 189-202.
- Fenice, M., Selbmann, L., Di Giambattista, R., & Federici, F. (1998). Chitinolytic activity at low temperature of an Antarctic strain (A3) of *Verticillium lecanii*. *Research in Microbiology*, 149, 289-300.
- Fenice, M., Selbmann, L., Zucconi, L., & Onofri, S. (1997). Production of extracellular enzymes by Antarctic fungal strains. *Polar Biology*, 17, 275-280.
- Finotti, E., Paolino, C., Lancia, B., & Mercantini, R. (1996). Metabolic differences between two Antarctic strains of *Geomycetes pannorum*. *Current Microbiology*, 32, 7-10.
- Fletcher, L. K. (1985). Microfungi of MacRobertson and Enderby Lands, Antarctica. *Polar Biology*, 81-88.
- Flint, E. A., & Stout, J. D. (1960). Microbiology of some soils from Antarctica. *Nature*, 188, 767-768.
- Fox, A. J., & Cooper, A. P. (1994). Measured properties of the Antarctic ice sheet derived from the SCAR Antarctic Digital Database. *Polar Record*, 30, 201-206.
- Francis, J. E., Marenssi, S., Levy, R., Hambrey, M., Thorn, V. T., Mohr, B., et al. (2008). From greenhouse to icehouse- The Eocene/Oligocene in Antarctica. In F. Florindo, & M. Siegert, *Antarctic climate evolution, developments in earth and environmental science* (Vol. 8). Amsterdam: Elsevier.
- Gadd, G. M., Chalmers, K., & Reed, R. H. (1987). The role of trehalose in dehydration resistance of *Saccharomyces cerevisiae*. *FEMS Microbiology Letters*, 48, 249–254.
- Gesheva, V. (2009). Distribution of psychrophilic microorganisms in soils of Terra Nova Bay and Edmonson Point, Victoria Land and their biosynthetic capabilities. *Polar Biology*, 32, 1287-1291.
- Gesheva, V. (2010). Production of antibiotics and enzymes by soil microorganisms from the windmill islands region, Wilkes Land, East Antarctica. *Polar Biology*, 33, 1351-1357.

- Gesheva, V., Stackebrandt, E., & Vasileva-Tonkova, E. (2010). Biosurfactant Production by Halotolerant *Rhodococcus fascians* from Casey Station, Wilkes Land, Antarctica. *Current Microbiology*, 61, 112-117.
- Ghose, T. K. (1987). Measurement of cellulase activities. *Pure and Applied Chemistry*, 59, 257–268.
- Gocheva, Y. G., Tosi, S., Krumova, E. T., Slokoska, L. S., Miteva, J. G., Vassilev, S. V., et al. (2009). Temperature downshift induces antioxidant response in fungi isolated from Antarctica. *Extremophiles*, 13, 273–281.
- Gounot, A. M. (1991). Bacterial life at low temperature: physiological aspects and biotechnological implications. *Journal of Applied Bacteriology*, 71, 386-397.
- Gray, N. F., & Lewis Smith, R. I. (1984). The distribution of nematophagous fungi in the maritime Antarctica. *Mycopathologia*, 85, 81-92.
- Greenfield, L. G. (1992). Precipitation nitrogen at Maritime Signy Island and Continental Cape-Bird, Antarctica. *Polar Biology*, 11, 649-653.
- Gunde-Cimerman, N., Sonjak, S., Zalar, P., Frisvad, J. C., Diderichsen, B., & Plemenitaš, A. (2003). Extremophilic fungi in arctic ice: a relationship between adaptation to low temperature and water activity. *Physics and Chemistry of the Earth*, 28, 1273–1278.
- Gushterova, A., Vasileva-Tonkova, E., Dimova, E., Nedkov, P., & Haertle, T. (2005). Keratinase production by newly isolated Antarctic actinomycete strains. *World Journal of Microbiology & Biotechnology*, 21, 831-834.
- Hammonds, P., & Smith, S. N. (1986). Lipid composition of a psychrophilic, a mesophilic and a thermophilic *Mucor* species. *Transactions of the British Mycological Society*, 86, 551–560.
- Hawksworth, D. L. (1991). The fungal dimension of biodiversity: magnitude, significance, and conservation. *Mycological research*, 95, 641-655.
- Heal, O. W., Bailey, A. D., & Latter, P. M. (1967). Bacteria, fungi and protozoa in Signy Island soils compared with those from a temperate moorland. *Biological Sciences*, 252, 191–197.
- Held, B. W., Jurgens, J. A., Arenz, B. E., Duncan, S. M., Farrell, R. L., & Blanchette, R. A. (2005). Environmental factors influencing microbial growth inside the historic expedition huts of Ross Island, Antarctica. *International Biodeterioration and Biodegradation*, 55, 45-53.
- Highley, T. L. (1997). Carbohydrolase assays. In ., W. Dashek, *Methods in plant biochemistry and molecular biology* (pp. 309-321). Boca Raton: CRC Press.

- Hoshino, T., Xiao, N., & Tkachenko, O. B. (2009). Cold adaptation in the phytopathogenic fungi causing snow molds. *Mycoscience*, 50, 26-38.
- Hottiger, T., Boller, T., & Wiemken, A. (1987). Rapid changes of heat and desiccation tolerance correlated with changes of trehalose content in *Saccharomyces cerecerevisiae* cells subjected to temperature shifts. *FEBS Letters*, 220, 113–115.
- Hughes, K. A., Bridge, P., & Clark, M. S. (2007). Tolerance of Antarctic soil fungi to hydrocarbons. *Science of the Total Environment*, 372, 539-548.
- Hughes, K. A., Lawley, B., & Newsham, K. K. (2003). Solar UV-B radiation inhibits the growth of Antarctic terrestrial fungi. *Applied and Environmental Microbiology*, 69, 1488-1491.
- Hurst, J. L., Pugh, G. J., & Walton, D. W. (1983). Fungal succession and substrate utilization on the leaves of three South Georgia phanerogams. *British Antarctica Survey Bulletin*, 58, 89-100.
- Irving, A. D., Connell, S. D., Johnston, E. L., Pile, A. J., & Gillanders, B. M. (2005). The response of encrusting coralline algae to canopy loss: an independent test of predictions on an Antarctic coast. *Marine Biology*, 147, 1075-1083.
- Joseph, C. M., Aehle, W., Whited, G. M., & Ward, D. E. (2007). Industrial Enzymes and Biocatalysis. In A. K. James, *Kent and Riegel's Handbook of Industrial Chemistry and Biotechnology* (pp. 1375-1420).
- Jumpponen, A., Newsham, K. K., & Neises, D. J. (2003). Filamentous ascomycetes inhabiting the rhizoid environment of the liverwort *Cephalozia* varians in Antarctica are assessed by direct PCR and cloning. *Mycologia*, 95, 457–466.
- Kanda, H., & Komarkova, V. (1997). Antarctic Terrestrial Ecosystem. In F. E. Wielgolaski, *Ecosystem of the World 3- Polar and Alpine Tundra* (pp. 721-761). Amsterdam: Elsevier.
- Kappen, L. (1993). Lichens in the Antarctic region. In E. I. Friedmann, *Antarctic microbiology* (pp. 433–490). New York: Wiley-Liss.
- Kasieczka-Burnecka, M., Kuc, K., Kalinowska, H., Knap, M., & Turkiewicz, M. (2007). Purification and characterization of two cold-adapted extracellular tannin acyl hydrolases from an Antarctic strain *Verticillium* sp. P9. *Applied Microbiology and Biotechnology*, 77, 77–89.
- Kerry, E. (1990a). Effects of temperature on growth rates of fungi from subantarctic Macquarie Island and Casey, Antarctica. *Polar Biology*, 10, 293–299.
- Kerry, E. (1990b). Microorganisms colonizing plants and soil subject to different degrees of human activity, including petroleum contamination in the Vestfold Hills and MacRobertson Land, Antarctica. *Polar Biology*, 10, 423-430.

- Kirk, P. M., Cannon, P. F., Minter, D. W., & Stalpers, J. A. (2008). *Dictionary of the Fungi, 10th ed.* Wallingford, UK: CABI.
- Krishnan, A., Alias, S. A., Wong, C. M., Pang, K. L., & Convey, P. (2011). Extracellular hydrolase enzyme production by soil fungi from King George Island, Antarctica. *Polar Biology*, DOI 10.1007/s00300-011-1012-3.
- Larkin, J. M., & Stokes, J. L. (1968). Growth of psychrophilic microorganisms at subzero temperatures. *Canadian Journal of Microbiology*, 14, 97–101.
- Lawley, B., Ripley, S., Bridge, P., & Convey, P. (2004). Molecular Analysis of Geographic Patterns of Eukaryotic Diversity in Antarctic Soils. *Applied and Environmental Microbiology*, 70, 5963–72.
- Lawver, L. A., & Gahagan, L. M. (2003). Evolution of Cenozoic seaways in the circum-Anatctic region. *Paleogeography*, 198, 11–38.
- Leotta, G. A., Pare, J. A., Sigler, L., Montalti, D., Vigo, G., Petruccelli, M., et al. (2002). *Thelebolus microsporus* Mycelial Mats in the Trachea of Wild Brown Skua (*Catharacta antarctica lonnbergi*) and South Polar Skua (*C. maccormicki*) Carcasses. *Journal of Wildlife Diseases*, 38, 443–447.
- Lewis, D. H., & Smith, D. C. (1967). Sugar alcohols (polyols) in fungi and green plants I. Distribution, physiology and metabolism. *New Phytologist*, 66, 143–184.
- Lewis, J. G., Learmonth, R. P., & Watson, K. (1995). Induction of heat, freezing and salt tolerance by heat and salt shock in *Saccharomyces cerevisiae*. *Microbiology*, 141, 687–694.
- Lindsay, D. C. (1978). The role of lichens in Antarctic ecosystems. *The Bryologist*, 81, 268–276.
- Longton, R. E. (1988). *Biology of Polar Bryophytes and Lichens*. Cambridge: Cambridge University Press.
- Ludley, K. E., & Robinson, C. H. (2008). Decomposer basidiomycota in Arctic and Antarctic ecosystems. *Soil Biology and Biochemistry*, 40, 11–29.
- Magan, A. (2007). Fungi in Extreme Environment. *The Mycota IV*, 85–103.
- Malosso, E., Waite, I. S., English, L., Hopkins, D. W., & O'Donnell, A. G. (2006). Fungal diversity in maritime Antarctic soils determined using a combination of culture isolation, molecular finger printing and cloning techniques. *Polar Biology*, 29, 552–561.
- Mandels, M., & Reese, E. T. (1957). Induction of cellulase in *Trichoderma viride*. *Journal of Bacteriology*, 73, 269–278.

- Manivannan, S., & Kathiresan, K. (2007). Alkaline Protease Production by *Penicillium fellutanum* Isolated from Mangrove Sediment. *International Journal of Biological Chemistry*, 2, 98-103.
- Margesin, R., & Miteva, V. (2011). Diversity and ecology of psychrophilic microorganisms. *Research in Microbiology*, doi:10.1016/j.resmic.2010.12.004.
- Margesin, R., & Schinner, F. (1999). *Biotechnological applications of cold-adapted organisms*. New York: Springer, Berlin Heidelberg.
- Margesin, R., & Schinner, F. (1994). Properties of cold adapted microorganisms and their potential role in biotechnology. *J Biotechnol*, 33, 1-14.
- Margesin, R., Fauster, V., & Fonteyne, P. A. (2005). Characterization of cold-active pectate lyases from psychrophilic *Mrakia frigida*. *Letters in Applied Microbiology*, 40, 453–459.
- Margesin, R., Gander, S., Zacke, G., Gounot, A. M., & Schinner, F. (2003). Hydrocarbon degradation and enzyme activities of cold-adapted bacteria and yeasts. *Extremophiles*, 7, 451-458.
- Margesin, R., Neuner, G., & Storey, K. B. (2007). Cold-loving microbes, plants, and animals- fundamental and applied aspects. *Naturwissenschaften*, 94, 77-99.
- Marshall, W. A. (1998). Aerial Transport of Keratinaceous Substrate and Distribution of the Fungus *Geomycetes pannorum* in Antarctic Soils. *Microbial Ecology*, 36, 212-219.
- Marx, J. C., Collins, T., D'Amico, S., Feller, G., & Gerday, C. (2006). Cold-Adapted Enzymes from Marine Antarctic Microorganisms. *Marine Biotechnology*, DOI: 10.1007/s10126-006-6103-8.
- Mavromatis, K., Feller, G., Kokkinidis, M., & Bouriotis, V. (2003). Cold adaptation of a psychrophilic chitinase: a mutagenesis study. *Protein Engineering*, 16, 497-503.
- Mercantini, R., Marsella, R., & Cervellati, M. C. (1989). Keratinophilic fungi isolated from Antarctic soil. *Mycopathologia*, 106, 47–52.
- Mercantini, R., Marsella, R., Moretto, D., & Finotti, E. (1993). Keratinophilic fungi in the Antarctic environment. *Mycopathologia*, 169, 169-175.
- Meyling, N. V. (2007). *Methods for isolation of entomopathogenic fungi from the soil environment*. Frederiksberg C, Denmark: Department of Ecology, Faculty of Life Sciences, University of Copenhagen.
- Miller, G. L. (1959). Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical Chemistry*, 31, 426-428.
- Mitchell, P., Yen, H. C., & Methemeier, P. (1985). Properties of lactate dehydrogenase in a psychrophilic marine bacterium. *Applied and Environmental Microbiology*, 49, 1332-1334.

- Miyazaki, K., Wintrode, P. L., Grayling, R. A., Rubingh, D. N., & Arnold, F. H. (2000). Directed evolution study of temperature adaptation in a psychrophilic enzyme. *Journal of Molecular Biology*, 297, 1015-1026.
- Moller, C., & Dreyfuss, M. M. (1996). Microfungi from Antarctic lichens, mosses and vascular plants. *Mycologia*, 88, 922-933.
- Montemartini Corte, A. (1991). Funghi di ambienti acquatici. In B. Battaglia, P. M. Bisol, & V. Varotto, *Proceedings of the 1st Meeting on 'Biology in Antarctica' (English summaries)* (pp. 67-76). Rome: Scienza e Cultura, Edizioni Universitarie Patavine.
- Montemartini Corte, A., Caretta, G., & Del Frate, G. (1993). Notes on *Thelebolus microsporus* isolated in Antarctica. *Mycotaxon*, 48, 343-358.
- Morita, R. Y. (1975). Psychrophilic bacteria. *Bacteriological Reviews*, 39, 144-167.
- Morita, Y., Nakamura, T., Hasan, Q., Murakami, Y., Yokoyama, K., & Tamia, E. (1997). Cold-active enzymes from cold-adapted bacteria. *Journal of the American Oil Chemists' Society*, 74, 441-444.
- Nakagawa, T., Fujimoto, Y., Ikehata, R., Miyaji, T., & Tomizuka, N. (2006). Purification and molecular characterization of cold-active β -galactosidase from *Arthrobacter psychrolactophilus* strain F2. *Applied Microbial Technology*, 72, 720-725.
- Nakagawa, T., Fujimoto, Y., Uchino, M., Miyaji, T., Takano, K., & Tomizuka, N. (2003). Isolation and characterization of psychrophiles producing cold-active β -galactosidase. *Letters in Applied Microbiology*, 37, 154-157.
- Nes, W. R., & McKean, M. L. (1977). *Biochemistry of Steroids and Other Isopentenoids*. Baltimore, MD: University Park Press.
- Newsham, K. K. (2010). Structural changes to a mycothallus along a latitudinal transect through the maritime and sub-Antarctic. *Mycorrhiza*, DOI 10.1007/s00572-010-0328-0.
- Newsham, K. K., & Bridge, P. D. (2010). Sebacinales are associates of the leafy liverwort *Lophozia excisa* in the southern maritime Antarctica. *Mycorrhiza*, 20, 307-313.
- Nichols, D. S., Sanderson, K., Buia, A., Kamp, J. v., Holloway, P., Bowman, J. P., et al. (2002). Bioprospecting and Biotechnology in Antarctica. In J. Jabour-Green, & M. Haward, *The Antarctic: Past, Present and Future. Antarctic CRC Research Report* (pp. 85-103). Hobart.
- Niederer, M., Pankow, W., & Wiemken, A. (1992). Seasonal changes of soluble carbohydrates in mycorrhizas of Norway spruce and changes induced by exposure to frost desiccation. *European Journal of Forest Pathology*, 22, 291-299.

- Nienow, J. A., & Friedmann, E. I. (1993). Terrestrial lithophytic (rock) communities. In E. I. Friedmann, *Antarctic Microbiology* (pp. 343–412). New York: Wiley-Liss.
- Nout, M. J., & Rombouts, F. M. (1990). Recent developments in tempe research. *Journal of Applied Bacteriology*, 69, 609-633.
- Onifade, A. A., Al-Sane, N. A., Al-Musallam, A. A., & Al-Zarban, S. (1998). Potentials for biotechnological applications of keratin degrading microorganisms and their enzymes for nutritional improvement of feathers and other keratins as livestock feed resources. *Bioresource Technology*, 66, 1-11.
- Onofri, S., & Tosi, S. (1992). Arthrobotrys ferox sp. nov. a springtail-capturing hyphomycete from continental Antarctica. *Mycotaxon*, 44, 445–451.
- Onofri, S., Barreca, D., Selbmann, L., Isola, D., Rabbow, E., Horneck, G., et al. (2008). Resistance of Antarctic black fungi and cryptoendolithic communities to simulated space and Martian conditions. *Studies in Mycology*, 61, 99-109.
- Onofri, S., Fenice, M., Cicalini, A. R., Tosi, S., Magrino, A., Pagano, S., et al. (2000). Ecology and biology of microfungi from Antarctic rocks and soils. *Italian Journal of Zoology (Supp1)*, 67, 163–167.
- Onofri, S., Pagano, S., Zucconi, S., & Tosi, L. (1999). *Friedmanniomyces endolithicus* (Fungi, Hyphomycetes), anam-gen. and sp. nov., from continental Antarctica. *Nova Hedwigia*, 68, 175–181.
- Onofri, S., Rambelli, A., Maggi, O., Persiani, A. M., Tosi, S., & Grasselli, E. (1991). Micologia del suolo. *Scienza e Cultura*, 55–65.
- Onofri, S., Selbmann, L., de Hoog, G. S., Grube, M., Barreca, D., Ruisi, S., et al. (2007a). Evolution and adaptation of fungi at boundaries of life. *Advances in Space Research*, 40, 1657-1664.
- Onofri, S., Selbmann, L., Zucconi, L., & Pagano, S. (2004). Antarctic microfungi as model exobiology. *Planetary and Space Science*, 52, 229-237.
- Onofri, S., Zucconi, L., & Tosi, S. (2007b). *Continental Antarctic Fungi*. Eching, Germany: IHW-Verlag.,
- Outtrup, H., & Boyce, C. O. (1990). Microbial proteinases and biotechnology. In W. M. Fogarty, *Microbial Enzymes and Biotechnology*, 2nd edn (pp. 227–254). London and New York: Elsevier Science Publishers.
- Øvstedal, D. O., & Smith, R. I. (2001). *Lichens of Antarctica and South Georgia. A guide to their identification and ecology*. Cambridge University Press: Cambridge.

- Peck, L. S., Convey, P., & Barnes, D. K. (2006). Environmental constraints on life histories in Antarctic ecosystems: tempos, timings and predictability. *Biological Reviews*, 81, 75-109.
- Pegler, D. N., Spooner, B. M., & Smith, R. L. (1980). Higher fungi of Antarctica, the subantarctic zone and Falkland Islands. *Kew Bulletin*, 35, 499-562.
- Percival Zhang, Y. H., Himmel, M. E., & Mielenz, J. R. (2006). Outlook for cellulase improvement: Screening and selection strategies. *Biotechnology Advances*, 24, 452–481.
- Peters, K. J., Amsler, C. D., McClintock, J. B., & Baker, B. J. (2010). Potential chemical defenses of Antarctic sponges against sympatric microorganisms. *Polar Biology*, 33, 649-658.
- Pickard, J., & Seppelt, R. D. (1984). Phytogeography of Antarctica. *Journal of Biogeography*, 11, 83–102.
- Pugh, G. J., & Allsopp, D. (1982). Microfungi on Signy Islands, South Orkney Islands. *British Antarctic Survey Bulletin*, 57, 55-67.
- Rakuza-Suszczewski, S. (2002). King George Island-South Shetland Islands, maritime Antarctic. In L. Beyer, & M. Bolter, *Geoecology of Antarctic ice-free coastal landscapes, ecological studies* (pp. 23-39). Berlin: Springer.
- Rao, M. B., Tanksale, A. M., Ghatgem, M. S., & Deshpande, V. V. (1998). Molecular and Biotechnological Aspects of Microbial Proteases. *Microbiology and MolecularBiology Reviews*, 597–635.
- Ravelet, C., Krivobok, S., Sage, L., & Steimen, R. (2000). Biodegradation of pyrene pyrene by sediment bacteria. *Chemosphere*, 40, 557-563.
- Ray, M. K., Uma Devi, K., Seshu Kumar, D., & Shivaji, S. (1992). Extracellular Protease from the Antarctic Yeast *Candida humicola*. *Applied and Environmental Microbiology*, 58, 1918-1923.
- Riemann, F., & Shrake, M. (1983). On a mass occurrence of a thraustochytriod protist (fungi or rhizopodan protozoa) in an Antarctic anaerobic marine sediment. *Veroffentlichungen des Instituts für Meeresforschung in Bremerhaven*, 19, 191-192.
- Robinson, C. H. (2001). Cold adaptation in Arctic and Antarctic fungi. *New Phytologist*, 151, 341-353.
- Rounsevell, D. E. (1981). A population of *Nanorchestes antarcticus* (Acar: Prostigmata) at the Vestfold Hills, Antarctica. *Aust Natl Antarct Res Exp Sci Rep, Ser B(I) Zoology*, 100.
- Ruisi, S., Barreca, D., Selbmann, L., Zucconi, L., & Onofri, S. (2007). Fungi in Antarctica. *Reviews in Environmental Science and Biotechnology*, 5, 127-141.

- Russell, N. J. (1992). Physiology and molecular biology of psychrophilic micro-organisms. In R. A. Herbert, & R. J. Sharp, *Molecular Biology and biotechnology of extremophiles* (pp. 203-224). London: Blackie.
- Russell, N. J. (2000). Toward a molecular understanding of cold activity of enzymes from psychrophiles. *Extremophiles*, 4, 83-90.
- Sabacka, M., & Elster, J. (2006). Response of cyanobacteria and algae from Antarctic wetland habitats to freezing and desiccation stress. *Polar Biology*, 30, 31-37.
- Sahara, T., Suzuki, M., Tsuruha, J., Takada, Y., & Fukunaga, N. (1999). cis-Acting elements responsible for low-temperature-inducible expression of the gene coding for the thermolabile isocitrate dehydrogenase isozyme of a psychrophilic bacterium, *Vibrio* sp. strain ABE-1. *The Journal of Bacteriology*, 181, 2602–2611.
- Schmit, J. P., & Mueller, G. M. (2007). An estimate of the lower limit of global fungal diversity. *Biodiversity and Conservation*, 16, 99 – 111.
- Scorzetti, G., Petrescu, I., Yarrow, D., & Fell, J. W. (2000). *Cryptococcus adeliensis* sp. nov., a xylanase producing basidiomycetous yeast from Antarctica. *Antonie van Leeuwenhoek*, 77, 153–157.
- Selbmann, L., de Hoog, G. S., Mazzaglia, A., Friedmann, E. I., & Onofri, S. (2005). Fungi at the edge of life: cryptoendolithic black fungi from Antarctic desert. *Studies in Mycology*, 51, 1-32.
- Selbmann, L., Onofri, S., Fenice, M., Federici, F., & Petruccioli, M. (2002). Production and structural characterization of the exopolysaccharide of the Antarctic fungus *Phoma herbarum* CCFEE 5080. *Research in Microbiology*, 153, 585–592.
- Shih, J. C. (1993). Recent development in poultry waste digestion and feather utilization. *Poultry Science*, 72, 1617–1620.
- Singer, R. (1957). A fungus collected in the Antarctic. *Sydowia Annales Mycologia Ser*, 2, 16-23.
- Singh, S. M., Puja, G., & Bhat, D. J. (2006). Psychrophilic fungi from Schirmacher Oasis, Antarctica. *Research Communication*, 90, 1388-1392.
- Smith, M. J. (1981). Cellulose decomposition on South Georgia. *British Antarctic Survey Bulletin* (53), 264–265.
- Smith, R. I. (1984). Terrestrial Plant Biology of the Sub-Antarctic and Antarctic. In R. M. Laws, *Antarctic Ecology* (pp. 61–162). London: Academic Press.

- Snider, C. S., Hsiang, T., Zhao, G., & Griffith, M. (2000). Role of ice nucleation and antifreeze activities in pathogenesis and growth of snow molds. *Phytopathology*, 90, 354-361.
- Somero, G. N. (2004). Adaptation of enzymes to temperature: searching for basic “strategies”. *Comparative Biochemistry and Physiology*, 139, 321–333.
- Song, C., Liu, G. L., Xu, J. L., & Chi, Z. M. (2010). *Process Biochemistry*, 45, 954-960.
- Soror, S. H., Verma, V., Rao, R., Rasool, S., Koul, S., Qazi, G. N., et al. (2007). A cold-active esterase of *Streptomyces coelicolor* A3(2): from genome sequence to enzyme activity. *Journal of Industrial Microbiology and Biotechnology*, 34, 525–531.
- Stchigel, A. M., & Cormack, W. M. (2003). *Apiosordaria antarctica* and *Thielavia antarctica*, two new ascomycetes from Antarctica. *Mycologia*, 95, 1218-1226.
- Sun, S. H., Huppert, M., & Cameron, R. E. (1978). Identification of some fungi from soil and air of Antarctica. *Antarctic Research Series*, 30, 1-26.
- Swift, M. J., Heal, O. W., & Anderson, J. M. (1979). *Decomposition in terrestrial ecosystems*. Oxford, United Kingdom: Blackwell.
- Tatur, A., Myrcha, A., & Niegodzisz, J. (1997). Formation of abandoned penguin rookery ecosystems in the Maritime Antarctic. *Polar Biology*, 17, 405-417.
- Teoh, M. L., Chu, W. L., Marchant, H., & Phang, S. M. (2004). Influence of culture temperature on the growth, biochemical composition and fatty acid profiles of six Antarctic microalgae. *Journal of Applied Phycology*, 16, 421–430.
- Thevelein, J. M. (1984). Regulation of trehalose mobilisation in fungi. *Microbiological Reviews*, 48, 42–59.
- Tin, T., Fleming, Z., Hughes, K. A., Ainley, D., Convey, P., Moreno, C., et al. (2009). Impacts of local human activities on the Antarctic environment: a review. *Antarctic Science*, 21, 3-33.
- Tosi, S., Annovazzi, L., Tosi, I., Iadarola, P., & Caretta, G. (2001). Collagenase production in an Antarctic strain of *Arthrobotrys tortor* Jarowaja. *Mycopathologia*, 153, 157–162.
- Tosi, S., Casado, B., Gerdol, R., & Caretta, G. (2002). Fungi isolated from Antarctic mosses. *Polar Biology*, 25, 262–268.
- Tosi, S., Kostadinova, N., Krumova, E., Pashova, S., Dishliiska, V., Spassova, B., et al. (2010). Antioxidant enzyme activity of filamentous fungi isolated from Livingston Island, maritime Antarctica. *Polar Biology*, 33, 1227-1237.

- Tosi, S., Onofri, S., Brusoni, M., Zucconi, L., & Vishniac, H. (2005). Response of Antarctic soil fungal assemblages to experimental warming and reduction of UV radiation. *Polar Biology*, 28, 470–482.
- Tubaki, K. (1961). On some fungi isolated from the Antarctic materials. *Biol Res JARE*, 14, 1-9.
- Tubaki, K., & Asano, I. (1965). Additional species of fungi isolated from the Antarctic materials. *JARE 1956–1962 Scientific Reports Series E*, 27, 1–14.
- Upson, R., Newsham, K. K., & Read, D. J. (2008). Root-fungal associations of *Colobanthus quitensis* and *Deschampsia antarctica* in the maritime and sub-Antarctic. *Arctic, Antarctic and Alpine Research*, 40, 592-599.
- Upson, R., Read, D. J., & Newsham, K. K. (2007). Widespread association between the ericoid mycorrhizal fungus *Rhizoscyphus ericae* and a leafy liverwort in the maritime and sub-Antarctic. *New Phytologist*, 176, 460-471.
- Vazquez, S. C., Coria, S. H., & MacCormack, W. P. (2008). *Properties of extracellular proteases produced by psychrotolerant bacteria isolated in the vicinities of Jubany Station*. Bremerhaven, Germany: Alfred Wegener Institute.
- Vishniac, H. C., & Klinger, J. M. (1986). Yeasts in the Antarctic deserts. In F. Megusar, & M. Ganter, *Perspectives in Microbial Ecology* (pp. 46–51). Ljubljana, Yugoslavia: Slovene Society for Microbiology.
- Vishniac, H. S. (1996). Biodiversity of yeasts and filamentous microfungi in terrestrial Antarctica ecosystems. *Biodiversity and Conservation*, 5, 1365-1378.
- vishniac, H. S. (1993). The microbiology of Antarctic soils. In E. I. Friedmann, *Antarctic microbiology* (pp. 297-342). New York: Wiley.
- Vishniac, H. S. (2006). Yeast biodiversity in the Antarctic. In C. A. Rosa, & P. Garbor, *Biodiversity and ecophysiology of yeasts* (pp. 419-440). Berlin: Springer.
- Vishniac, H. S., & Baharaeen, S. (1982). Five new basidioblastomycetous yeast species segregated from *Cryptococcus vishniacii* emen. auct. an Antarctic yeast species comprising four new varieties. *International Journal of Systematic Bacteriology*, 32, 437–445.
- Vishniac, H. S., & Hempfling, W. P. (1979). *Cryptococcus vishniacii* sp. nov., an Antarctic yeast. *International Journal of Systematic Bacteriology*, 29, 153–158.
- Vishniac, H. S., & Onofri, S. (2002). *Cryptococcus antarcticus* var. *circumpolaris* var. nov., a basidiomycetous yeast from Antarctica. *Antonie van Leeuwenhoek*, 83, 233–235.

- Voytek, M. A., Priscu, J. C., & Ward, B. B. (1999). The distribution and relative abundance of ammonia-oxidizing bacteria in lakes of the McMurdo Dry Valley, Antarctica. *Hydrobiologia*, 410, 113-130.
- Vyverman, W., Elie Verleyen, E., Wilmette, A., Hodgson, D. A., Willem, A., Peeters, K., et al. (2010). Evidence for widespread endemism among Antarctic micro-organisms. *Polar Science*, 1-13.
- Wall, D. H. (2005). Biodiversity and ecosystem functioning in terrestrial habitats of Antarctica. *Antarctic Science*, 17, 523-531.
- Wang, Q. F., Hou, Y. H., Miao, J. L., & Li, G. Y. (2009). Effect of UV-B radiation on the growth and antioxidant enzymes of Antarctic sea ice microalgae *Chlamydomonas* sp. ICE-L. *Acta Physiologiae Plantarum*, 31, 1097-1102.
- Warcup, J. H. (1950). The soil plate method for isolation of fungi from soil. *Nature*, 166, 117-118.
- Weete, J. D. (1974). *Fungal Lipid Biochemistry: Distribution and Metabolism*. New York: Plenum Press.
- Weinstein, R. N., Palm, M. E., Johnstone, K., & Wynn-Williams, D. D. (1997). Ecological and physiological characterisation of *Humicola marvinii*, a new psychrophilic fungus from fellfield soils in the maritime Antarctic. *Mycologia*, 89, 706-711.
- White, T. J., Bruns, T., Lee, S., & Taylor, J. (1990). Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetic. In M. A. Innis, D. H. Gelfand, J. Sninsky, & T. J. White, *PCR protocols: a guide to methods and application*. (pp. 315–322). San Diego: Academic Press.
- Wicklow, D. T., & Malloch, D. (1971). Studies in the genus *Thelebolus*: temperature optima for growth and ascocarp development. *Mycologia*, 63, 118–131.
- Wicklow, D. T., & Soderstrom, B. E. (1997). *Environmental and Microbial Relationships*. Berlin: Springer.
- Williams, P. G., Roser, D. J., & Seppelt, R. D. (1994). Mycorrhizas of hepatic in continental Antarctica. *Mycological Research*, 98, 34-36.
- Wong, C. Y., Chu, W. L., Marchant, H., & Phang, S. m. (2007). Comparing the response of Antarctic, tropical and temperate microalgae to ultraviolet radiation (UVR) stress. *Journal of Applied Phycology*, 19, 689–699.
- Xin, M. X., & Zhou, P. J. (2007). *Mrakia psychrophila* sp. nov., a new species isolated from Antarctic soil. *Journal of Zhejiang University Science B*, 8, 260-265.

- Yamada, Y., & Komagata, K. (1987). *Mrakia* gen. nov., a heterobasidiomycetous yeast genus for the Q8-equipped, self-sporulating organisms which produce a unicellular metabasidium, formerly classified in the genus *Leucosporidium*. *Jornal of General and Applied Microbiology*, 33 (5), 455-457.
- Yamamoto, H., Ohtani, S., Tatsuyama, K., & Akiyama, M. (1991). Preliminary report on cellulolytic activity in the Antarctic region (extended abstract). *Proceedings of the NIPR Symposium on Polar Biology*, 4, 179-182.
- Yergeau, E., Kang, S., He, Z., Zhou, J., & Kowalchuck, G. A. (2007). Functional microarray analysis of nitrogen and carbon cycling genes across an Antarctic latitudinal transect. *The international Society for Microbial Ecology*, 1, 163-179.
- Yoshimune, K., Galkin, A., Kulakova, L., Yoshimura, T., & Esaki, N. (2005). Cold-active DnaK of an Antarctic psychrotroph *Shewanella* sp. Ac10 supporting the growth of dnaK-null mutant of *Escherichia coli* at cold temperatures. *Extremophiles*, 9, 145-150.
- Zucconi, L., Pagano, S., Fenice, M., Selbmann, L., Tosi, S., & Onofri, S. (1996). Growth temperature preferences of fungal strains from Victoria Land, Antarctica. *Polar Biology*, 16, 53-61.

Publications arising from this research

Krishnan, A., Alias, S. A., Wong, C. M., Pang, K. L., & Convey, P. (2011). Extracellular hydrolase enzyme production by soil fungi from King George Island, Antarctica. *Polar Biology*, DOI 10.1007/s00300-011-1012-3.

Krishnan, A & Alias, S. A., (2008). Diversity of soil microfungi from Fildes Peninsula, King George Island, Peninsula Antarctica. *Antártica y Sudamérica Ciencia en el Año Polar Internacional*, Valparaiso, Chile, 3rd-5th September 2008

Abstracts in Proceedings

Abiramy Krishnan, Siti Aisyah Alias, Clemente Michael Wong Vui Ling, Ka-Lai Pang and Peter Convey (2011). Hydrolase enzymes from psychrotolerant and psychrophilic soil fungi from King George Island, Antarctica. Malaysian International Seminar on Antarctica V, Kuala Lumpur, Malaysia, 12-14th June 2011

Fililan, W.M., **Krishnan, A.**, Abneuf, M.A. and Alias, S.A. (2011). Antimicrobial activity of mesophilic and psychrotrophic microfungi isolates from: King George Island, Greenwich Island, maritime Antarctica. Malaysian International Seminar on Antarctica V, Kuala Lumpur, Malaysia, 12-14th June 2011

Abiramy Krishnan and Siti Aisyah Alias (2010). Diversity and thermal classes of soil microfungi from Fildes Peninsula, King George Island, Peninsula Antarctica. Scientific Committee On Antarctic Research 2010, Buenos Aires, Argentina, August 2010.

Abiramy Krishnan, Siti Aisyah Alias, Clemente Michael Wong Vui Ling and Peter Convey (2010). hydrolase enzymes from psychrotrophic and psychrophilic SOIL fungi from King George Island, Antarctica. Scientific Committee On Antarctic Research 2010, Buenos Aires, Argentina, August 2010

Abiramy Krishnan and Siti Aisah Alias (2009). Preliminary extracellular amylase quantification from Psychrophilic and psychrotrophic fungi from Fildes Peninsula, King George Island, Antarctica. Biological Science Graduate Congress 2009, Bangkok, Thailand, 10-12th December 2009

Abiramy Krishnan and Siti Aisyah Alias (2009). Preliminary screening of hydrolase enzymes from cold adapted fungi from Fildes Peninsula, King George Island, Antarctica Fungal Evolution and Charles Darwin: From Morphology to Molecules, Pathumthani, Thailand, 9-11th July 2009

Abiramy Krishnan and Siti Aisyah Alias (2008). Preliminary screening of hydrolase enzymes from psychrotrophic and psychrophilic fungi from Fildes Peninsula, King George Island, Antarctica. Asian Mycological Congress 2009 (AMC 2009) &The 11th International Marine and Freshwater Mycology Symposium (11th IMFMS), Taichung, Taiwan, 15-19th November 2009

Abiramy Krishnan, Siti Aisyah Alias, Clemente Micheal Wong and Marcelo Gonzalez (2007). Diversity of soil inhabiting microfungi collected from King George Island, Peninsular Antarctica. Asian Mycology Congress (AMC 2007) and Xth International Marine and Freshwater Mycology Symposium (IMFMS), November 2007

Suhaila Omar, Siti Aisyah Alias, **Abiramy Krishnan**, Jerzy Smykla, Hernan Moreano, Maria de Lourdes Guerra, Chin Yoon Ming, Mohammed Rizman Idid, Michael Wong Vui Lin. (2008). Diversity of soil microfungi in maritime and continental Antarctic. Scientific Committee on Antarctic Research (SCAR). St. Petersburg, Russia, 28th June 2008 (International)