

REFERENCES

- Aljanabi, S.M. & Martinez, I. (1997) Universal and rapid salt-extraction of high quality genomic DNA for PCR-based techniques. *Nucleic Acids Research*, **25**, 4692–4693.
- An, Z. (2000) The history and variability of the East Asian palaeomonsoon climate. *Quaternary Science Reviews*, **19**, 171–188.
- Anon. (2005) *Information Malaysia 2005*. Berita Publishing, Kuala Lumpur.
- Appanah, S. & Weinland, G. (1993) *Planting quality timber trees in Peninsular Malaysia: a review*. Forest Research Institute Malaysia, Kuala Lumpur.
- Appanah, S. (1985) General flowering on the climax rain forests of South-east Asia. *Journal of Tropical Ecology*, **1**, 225–240.
- Appanah, S. (1987) Insect pollinators and the diversity of Dipterocarps. *Proceedings of the third round table conference on Dipterocarps, UNESCO* (ed. by A.J.G.H. Kostermans), pp. 277–291. Jakarta, Indonesia.
- Ashton, P.S. (1972) The Quaternary geomorphological history of western Malesia and lowland forest phytogeography. *Transactions of the second Aberdeen-Hull symposium and Malesian ecology: The Quaternary Era in Malesia* (ed. by P.S. Ashton and H.M. Ashton), pp. 35–49. University of Hull, Hull, England.
- Ashton, P.S. (1982) Dipterocarpaceae. *Flora Malesiana. Ser. I. Spermatophyta*, **9**, 237–552.
- Ashton, P.S. (1988) Dipterocarp biology as a window to the understanding of tropical forest structure. *Annual Review of Ecology and Systematics*, **19**, 347–370.
- Ashton, P.S. (1992) Plant conservation in the Malaysian region. *Proceedings of the international conference on tropical biodiversity: In harmony with nature* (ed. by S.K. Yap and S.W. Lee), pp. 86–93. Malayan Nature Society, Kuala Lumpur.
- Ashton P.S. (1995) Biogeography and ecology. *Tree flora of Sabah and Sarawak* (ed. by E. Soepadmo and K.M. Wong), pp. 43–51. Sabah Forestry Department, Forest Research Institute and Sarawak Forestry Department, Kuala Lumpur.
- Ashton, P.S. & Gunatilleke, C.V.S. (1987) New light on the plant geography of Ceylon 1. Historical plant geography. *Journal of Biogeography*, **14**, 249–285.
- Asia Forest Partnership. (2005) *Developing minimum standards of legality, timber tracking and chain of custody systems, verification systems among Asia Forest Partnership (AFP) partners*. Work plan on legality, prepared by The Global Forestry Services (GFS) under the coordination of the Center for International Forestry Research (CIFOR). 31 March 2005.

Asif, M.J. & Cannon, C.H. (2005) DNA extraction from processed wood: a case study for the identification of an endangered timber species (*Gonystylus bancanus*). *Plant Molecular Biology Reporter*, **23**, 1–8.

Avise, J.C. (2000) *Phylogeography: the history and formation of species*. Harvard University Press, Cambridge, Massachusetts.

Bänfer, G., Moog, U., Fiala, B., Mohamed, M., Weising, K. & Blattner, F.R. (2006) A chloroplast genealogy of myrmecophytic *Macaranga* species (Euphorbiaceae) in Southeast Asia reveals hybridization, vicariance and long-distance dispersals. *Molecular Ecology*, **15**, 4409–4424.

Bär, W., Kratzer, A., Mächler, M. & Schmid, W. (1988) Postmortem instability of DNA. *Forensic Science International*, **39**, 59–70.

Barker, J.H.A., Matthes, M., Arnold, G.M., Edwards, K.J., Åhman, I., Larsson, S. & Karp, A. (1999) Characterization of genetic diversity in potential biomass willows (*Salix* spp.) by RAPD and AFLP analyses. *Genome*, **42**, 173–183.

Beck, R.A., Burbank, D.W., Sercombe, W.J., Riley, G.W., Barndt, J.K., Berry, J.R., Afzal, J., Khan, A.M., Jurgen, H., Metje, J., Cheema, A., Shafique, N.A., Lawrence, R.D. & Khan, M.A. (1995) Stratigraphic evidence for an early collision between northwest India and Asia. *Nature*, **373**, 55–58.

Beebee, T.J.C. & Rowe, G. (2004) *An introduction to molecular ecology*. Oxford University Press, New York.

Bhattacharjee, R., Kolesnikova-Allen, M., Akipokpodion, P., Taiwo, S. & Ingelbrecht, I. (2004) An improved semiautomated rapid method of extracting genomic DNA for molecular marker analysis in Cocoa, *Theobroma cacao* L. *Plant Molecular Biology Reporter*, **22**, 435a–535h.

Bird, M.I., Taylor, D. & Hunt, C. (2005) Palaeoenvironments of insular Southeast Asia during the Last Glacial Period: a savanna corridor in Sundaland? *Quaternary Reviews*, **24**, 2228–2242.

Brandon-Jones, D. (1998) Pre-glacial Bornean primate impoverishment and Wallace's line. *Biogeography and geological evolution of SE Asia* (ed. by J.D. Holloway and R. Hall), pp. 393–404. Backhuys, Lieden.

Brandon-Jones, D. (2001) Borneo as a biogeographic barrier to Asian-Australasian migration. *Faunal and floral migration and evolution in SE Asia-Australasia* (ed. by I. Metcalf, J.M.B. Smith, M. Morwood and I. Davidson), pp. 365–372. Balkema, Lisse.

Burban, C., Petit, R.J., Carcreff, E. & Jactel, H. (1999) Range wide variation of the maritime pine bast scale *Matsucoccus feytaudi* Duc. (Homoptera: Matsucoccidae) in relation to the genetic structure of its host. *Molecular Ecology*, **8**, 1593–1602.

- Cannon, C.H. & Manos, P.S. (2003) Phylogeography of the Southeast Asian stone oaks (*Lithocarpus*). *Journal of Biogeography*, **30**, 211–226.
- Cano, R.J. (1996) Analysing ancient DNA. *Endeavour*, **20**, 162–167.
- Carr, M. (2007) Nothing to declare: DNA fingerprinting cracks down on illegal timber harvest. *Conservation Magazine*, **8**, 37.
- Cashore, B. Auld, G. & Newsom, D. (2004) *Governing through markets: forest certification and the emergence of non-state authority*. Yale University Press, New Haven, CT.
- Cavers, S., Degen, B., Caron, H., Lemes, M.R., Margis, R., Salgueiro, F. & Lowe, A.J. (2005) Optimal sampling strategy for estimation of spatial genetic structure in tree populations. *Heredity*, **95**, 281–289.
- Cavers, S., Navarro, C. & Lowe, A.J. (2003) Chloroplast DNA phylogeography reveals colonization history of a Neotropical tree, *Cedrela odorata* L., in Mesoamerica. *Molecular Ecology*, **12**, 1451–1460.
- Chase, M.W. & Hills, H.H. (1991) Silica gel: an ideal material for field preservation of leaf samples for DNA studies. *Taxon*, **40**, 215–220.
- Cheng, Y.P., Hwang, S.Y. & Lin, T.P. (2005) Potential refugia in Taiwan revealed by the phylogeographical study of *Castanopsis carlesii* Hayata (Fagaceae). *Molecular Ecology*, **14**, 2075–2085.
- Cheung, W.Y., Hubert, N. & Landry, B.S. (1993) A simple and rapid DNA microextraction method for plant, animal and insect suitable for RAPD and other PCR analyses. *PCR-Methods and Applications*, **3**, 69–70.
- Chiang, T.Y., Chiang, Y.C., Chen, Y.J. Chou, C.H., Havanond, S., Hong, T.N. & Huang, S. (2001) Phylogeography of *Kandelia kandel* in East Asiatic mangroves based on nucleotide variation of chloroplast and mitochondrial DNAs. *Molecular Ecology*, **10**, 2697–2710.
- Chihambakwe, M., Mupudzi, R. & Mushove, P.T. (1997) Forestry certification: a developing world viewpoint. *Commonwealth Forestry Review*, **76**, 191–193.
- Chua, L.S.L. (1998) *Neobalanocarpus heimii*. 2008 IUCN red list of threatened species. Downloaded from www.iucnredlist.org on 4 May 2009.
- Chung, J.D., Lin, T.P., Chen, Y.L., Cheng, Y.P. & Hwang, S.Y. (2007) Phylogeographic study reveals the origin and evolutionary history of a *Rhododendron* species complex in Taiwan. *Molecular Phylogenetics and Evolution*, **42**, 14–24.
- Clegg, M.T. & Zurawski, G. (1992) Chloroplast DNA and the study of plant phylogeny: present status and future prospects. *Molecular systematics of plants* (ed. P.S. Soltis, D.E. Soltis and J.J. Doyle), pp. 1–13. Chapman & Hall, New York.

- Clegg, M.T. (1993) Chloroplast gene sequences and the study of plant evolution. *Proceedings of the National Academy of Sciences of the United States of America*, **90**, 363–367.
- Clement, M., Posada, D. & Crandall, K.A. (2000) TCS: a computer program to estimate gene genealogies. *Molecular Ecology*, **9**, 1657–1659.
- Colinvaux, P.A., DeOliveira, P.E., Moreno, J.E., Miller, M.C. & Bush, M.B. (1996) A long pollen record from lowland Amazonia: forest and cooling in glacial times. *Science*, **274**, 85–88.
- Comes, H.P. & Kadereit, J.W. (1998) The effects of Quaternary climatic changes on plant distribution and evolution. *Trends in Plant Science*, **3**, 432–438.
- Commission. (2003) *Communication from the Commission to the Council and the European Parliament*. Forest Law Enforcement, Governance and Trade (FLEGT). Proposal for an EU action plan, Commission of the European Communities. 21 May 2003.
- Corner, E.J.H. (1960) The Malayan flora. *Proceedings of the centenary and bicentenary congress of biology* (ed. by R.D. Purchon), pp. 21–24. Singapore.
- Corner, E.J.H. (1978) The freshwater swamp-forest of South Johore and Singapore. *Gardens Bulletin Supplement*, **1**, 266.
- Corriveau, J.L. & Coleman, A.W. (1998) Rapid screening method to detect potential biparental inheritance of plastid DNA and results over 200 angiosperm species. *American Journal of Botany*, **75**, 1143–1458.
- Cotton, E.A., Allsop, R.F., Guest, J.L., Frazier, R.R., Koumi, P., Callow, I.P., Seager, A. & Sparkes, R.L. (2000) Validation of the AMPF/STR SGM Plus system for use in forensic casework. *Forensic Science International*, **112**, 151–161.
- Courtillot, V., Besse, J., Vandamme, D., Montogny, R., Jaeger, J.J. & Cappetta, H. (1986) Deccan flood basalts at the Cretaceous/ Tertiary boundary? *Earth and Planetary Science Letters*, **80**, 361–374.
- Cox, C.B. & Moore, P.D. (2005) *Biogeography: an ecological and evolutionary approach*, 7th edn. Blackwell, Malden, MA.
- Cranbrook, Earl of. (2000) Northern Borneo environments of the past 40,000 years. *Sarawak Museum Journal*, **55**, 61–109.
- Crowley, T.M., Muralitharan, M.S. & Stevenson, T.W. (2003) Isolating conifer DNA: a superior polysaccharide elimination method. *Plant Molecular Biology Reporter*, **21**, 97a–d.
- Cruzan, M.B. & Templeton, A.R. (2000) Paleoecology and coalescence: phylogeographic analysis of hypothesis from the fossil record. *Trends in Ecology and Evolution*, **15**, 491–496.

- Csaikl, U.M., Burg, K., Fineschi, S., König, A.O., Mátyás, G. & Petit, R.J. (2002) Chloroplast DNA variation of white oaks in the alpine region. *Forest Ecology and Management*, **156**, 131–145.
- Dally, A.M. & Second, G. (1989) Chloroplast DNA isolation from higher plants: an improved non-aqueous method. *Plant Molecular Biology Reporter*, **7**, 135–143.
- De Filippis, L. & Magel, E. (1998) Differences in genomic DNA extracted from bark and from wood of different zones in Robinia trees using RAPD-PCR. *Trees*, **12**, 377–384.
- Degen, B. (2007) Introduction by the editor. *Proceedings of the international workshop: Fingerprinting methods for the identification of timber origins* (ed. by B. Degen), 8–9 October 2007, Bonn, Germany, pp. 3. Johann Heinrich von Thünen-Institut, Germany.
- Degen, B., Caron, H., Bandou, E., Maggia, L., Chevallier, M.H., Leveau, A. & Kremer, A. (2001) Fine-scale spatial genetic structure of eight tropical tree species as analysed by RAPDs. *Heredity*, **87**, 497–507.
- Deguilloux, M.F., Pemonge, M.H. & Petit, R.J. (2002) Novel perspectives in wood certification and forensics: dry wood as a source of DNA. *Proceedings of the Royal Society of London – Series B: Biological Sciences*, **269**, 1039–1046.
- Deguilloux, M.F., Pemonge, M.H., Bertel, L., Kremer, A. & Petit, R.J. (2003) Checking the geographical origin of oak wood: molecular and statistical tools. *Molecular Ecology*, **12**, 1629–1636.
- Dellaporta, S.L., Wood, J. & Hicks, J.B. (1983) A plant DNA miniprep: version II. *Plant Molecular Biology Reporter*, **1**, 19–21.
- Demeke, T. & Adams, R.P. (1992) The effects of plant polysaccharides and buffer additives on PCR. *Biotechniques*, **12**, 332–334.
- Demesure, B., Sodzi, N. & Petit, R.J. (1995) A set of universal primers for amplification of polymorphic non-coding regions of mitochondrial and chloroplast DNA in plants. *Molecular Ecology*, **4**, 129–131.
- Desch, H.E. (1941) *Commercial timbers of the Malay Peninsula*. Malayan Forest Records 14. Forest Research Institute Malaysia, Kuala Lumpur.
- Do, N. & Adams, R.P. (1991) A simple technique for removing plant polysaccharide contaminants from DNA. *Biotechniques*, **10**, 162–166.
- Dumolin-Lapègue, S., Petit, R.J., Gielly, L. & Taberlet, P. (1999) Amplification of DNA from ancient and modern oak wood. *Molecular Ecology*, **8**, 2137–2140.
- Durand, S.R., Shelley, P.H., Antweiler, R.C. & Taylor, H.E. (1999) Trees, chemistry and prehistory in the American Southwest. *Journal of Archaeological Science*, **26**, 185–203.

- Dyke, J., Cash, S.B., Brody, S.D. & Thornton, S. (2005) Examining the role of the forest industry in collaborative ecosystem management: implications for corporate strategy. *Corporate Social Responsibility and Environmental Management*, **12**, 10–18.
- Élouard, C., Blanc, L. & Appanah, S. (1994) Fruiting and seedling survival of *Neobalanocarpus heimii* in Pasoh, Malaysia. *Proceedings of the 5th round table conference on Dipterocarpaceae* (ed. by S. Appanah and K.C. Khoo), 7–10 November 1994, Chiang Mai, Thailand, pp. 520–527. Forest Research Institute Malaysia, Kuala Lumpur.
- Emmel, F.J. & Curray, J.R. (1982) A submerged late Pleistocene delta and other features related to sea level changes in the Malacca Strait. *Marine Geology*, **47**, 197–216.
- English, N.B., Betancourt, J.L., Dean, J.S. & Quade, J. (2001) Strontium isotopes reveal distant sources of architectural timber in Chaco Canyon, New Mexico. *Proceedings of the National Academy of Sciences of the United States of America*, **98**, 11891–11896.
- Ennos, R.A., Sinclair, W.T., Hu, X.S. & Langdon, A. (1999) Using organelle markers to elucidate the history, ecology and evolution of plant populations. *Molecular systematics and plant evolution* (ed. by P.M. Hollingsworth, R.M. Bateman and R.J. Gornall), pp. 1–19. Taylor and Francis, London.
- Excoffier, L., Laval, G. & Schneider, S. (2005) ARLEQUIN version 3.0: an integrated software package for population genetics data analysis. *Evolutionary Bioinformatics Online*, **1**, 47–50.
- Fengel, D. (1970) Ultrastructural changes during aging of wood cells. *Wood Science and Technology*, **4**, 176–188.
- Filippelli, G.M. (1997) Intensification of the Asian monsoon and a chemical weathering event in the late Miocene–early Pliocene: implications for late Neogene climate change. *Geology*, **25**, 27–30.
- Finkeldey, R., Rachmayanti, Y., Nuroniah, H., Nguyen, N.P., Cao, C. & Gailing, O. (2007) Use of DNA-markers for tracing illegal logging. *Proceedings of the international workshop: Fingerprinting methods for the identification of timber origins* (ed. by B. Degen), 8–9 October 2007, Bonn, Germany, pp. 20–27. Johann Heinrich von Thünen-Institut, Germany.
- Fjellheim, S., Rognli, O.A., Fosnes, K. & Brochmann, C. (2006) Phylogeographical history of the widespread meadow fescue (*Festuca pratensis* Huds.) inferred from chloroplast DNA sequences. *Journal of Biogeography*, **33**, 1470–1478.
- Forest Products Laboratory. (1999) *Wood handbook: wood as an engineering material*. USDA General Technical Report FPL-GTR-113. U.S. Department of Agriculture Forest Service, Madison, WI.
- Foxworthy, F.W. (1927) *Commercial timber trees of the Malay Peninsula*, Malayan Forest Records No. 3. Forest Research Institute Malaysia, Kuala Lumpur.

- Frankel, O.H. & Soulé, M.E. (1981) *Conservation and evolution*. Cambridge University Press, Cambridge, Massachusetts.
- Frankham, R. (2010) Challenges and opportunities of genetic approaches to biological conservation. *Biological Conservation*, **143**, 1919–1927.
- Freeland, J.R. (2005) *Molecular ecology*. John Wiley and Sons, England.
- FSC. (2005a) *Leading our world toward responsible forest stewardship*. A progress report. Forest Stewardship Council, A.C. December 2005.
- FSC. (2005b) *Because forest and people matter*. FSC International fact sheets. Forest Stewardship Council, A.C. August 2005.
- FSC. (2006) *Clarification regarding the relationship between FSC and MTCC*. Forest Stewardship Council. 13 September 2006.
- Gao, L.M., Möller, M., Zhang, X.M., Hollingsworth, M.L., Liu, J., Mill, R.R., Gibby, M. & Li, D.Z. (2007) High variation and strong phylogeographic pattern among cpDNA haplotypes in *Taxus wallichiana* (Taxaceae) in China and North Vietnam. *Molecular Ecology*, **16**, 4684–4698.
- Gardner, R.C., de Lange, P., Keeling, D.J., Bowala, T. & Brown, H.A. (2004) A late Quaternary phylogeography for *Metrosideros* (Myrtaceae) in New Zealand inferred from chloroplast DNA haplotypes. *Biological Journal of the Linnean Society*, **83**, 399–412.
- Gathorne-Hardy, F.J., Syaukani, Davies, R.G., Eggleton, P. & Jones, D.T. (2002) Quaternary rainforest refugia in south-east Asia: using termites (Isoptera) as indicators. *Biological Journal of the Linnean Society*, **75**, 453–466.
- Geyh, M.A., Kudrass, H.R. & Streif, H. (1979) Sea-level changes during the late Pleistocene and Holocene in the Strait of Malacca. *Nature*, **278**, 441–443.
- Global Ecolabelling Network. (2008) What is ecolabelling? Downloaded from <http://www.globalecolabelling.net/whatis.html> on 12 Apr 2009.
- Gobbett, D.J. & Hutchison, C.S. (1973) Geology of the Malay Peninsula (West Malaysia and Singapore). *Regional geology series* (ed. by L.U. De Sitter), pp. 438. Wiley-Interscience, New York.
- Goff, S.A. & 55 co-authors. (2002) A draft sequence of the rice genome (*Oryza sativa* L. ssp. *japonica*). *Science*, **296**, 92–100.
- Gradstein, F.M., Ogg, J.G., Smith, A.G., Bleeker, W. & Lourens, L.J. (2004) A new Geologic Time Scale, with special reference to Precambrian and Neogene. *Episodes*, **27**, 83–100.

- Graham, A. (1982) Diversification beyond the Amazon Basin. *Biological diversification in the tropics* (ed. by G.T. Prance), pp. 78–90. Columbia University Press, New York and Guildford, Surrey.
- Graur, D. & Li, W.H. (2000) *Fundamentals of molecular evolution*, 2nd edn. Sinauer Associates, Sunderland, MA.
- Greenpeace. (2003) *Partners in crime: a Greenpeace investigation of the links between the UK and Indonesia's timber barons*. Downloaded from http://www.saveordelete.com/downloads/partnersincrime_low.pdf
- Grivet, D., Heinze, B., Vendramin, G.G. & Petit, R.J. (2001) Genome walking with consensus primers: application to the large single copy region of chloroplast DNA. *Molecular Ecology Notes*, **1**, 345–349.
- Gulbrandsen, L.H. (2005) Mark of sustainability? Challenges for fishery and forestry eco-labeling. *Environment*, **47**, 8–23.
- Guo, S.X. (1993) The evolution of the Cenozoic tropical monsoon climate and monsoon forests in southwestern China. *Proceedings of 3rd conference: Evolving landscapes and evolving biotas of East Asia since the Mid-Tertiary* (ed. by N.G. Jablonski), pp. 123–135. Evolution of the East Asian Environment, Centre for Asian Studies, University of Hong Kong, Hong Kong.
- Haffer, J. (1969) Speciation in Amazonian forest birds. *Science*, **165**, 131–137.
- Haffer, J. (1987) Biogeography and Quaternary history in tropical America. *Biogeography and Quaternary history in Tropical America* (ed. by T.C. Whitmore and G.T. Prance), pp. 1–18. Clarendon Press, Oxford.
- Hall, R. (1998) The plate tectonics of Cenozoic SE Asia and the distribution of land and sea. *Biogeography and geological evolution of SE Asia* (ed. by R. Hall and J.D. Holloway), pp. 99–131. Backhuys, Lieden.
- Hall, R. (2002) Cenozoic geological and plate tectonic evolution of SE Asia and the SW Pacific, computer-based reconstructions, model and animations. *Journal of Asian Earth Sciences*, **20**, 353–431.
- Hamilton, M.B. (1999) Four primer pairs for the amplification of chloroplast intergenic regions with intraspecific variation. *Molecular Ecology*, **8**, 521–523.
- Hamilton, M.B., Braverman J.M. & Soria-Hernanz, D.F. (2003) Patterns and Relative Rates of Nucleotide and Insertion/Deletion Evolution at Six Chloroplast Intergenic Regions in New World Species of the Lecythidaceae. *Molecular Biology and Evolution*, **20**, 1710–1721.
- Hampe, A., Arroya, J., Jordano, P. & Petit, R.J. (2003) Range wide phylogeography of a bird-dispersed Eurasian shrub: contrasting Mediterranean and temperate glacial refugia. *Molecular Ecology*, **12**, 3415–3426.

- Haque, M.N. (2002) Modelling of solar kilns and the development of an optimized schedule for drying hardwood timber. PhD thesis. University of Sidney, Australia.
- Heaney, L.R. (1991) A synopsis of climatic and vegetational change in Southeast Asia. *Climatic Change*, **19**, 53–61.
- Hegerding, L., Seidler, D., Danneel, H.J., Gessler, A. & Nowak, B. (2002) Oxygen isotope-ratio-analysis for the determination of the origin of beef. *Fleischwirtschaft*, **82**, 95–100.
- Heinze, B. (1998) PCR-based chloroplast DNA assays for the identification of native *Populus nigra* and introduced poplar hybrids in Europe. *Forest Genetics*, **5**, 31–38.
- Heinze, B. (2007) A database of PCR primers for the chloroplast genomes of higher plants. *Plant Methods*, **e3**, 4.
- Hennig, W. (1966) *Phylogenetic systematics*. University of Illinois Press, Urbana.
- Hess, H.H. (1962) History of Ocean Basins. *Petrological studies: a volume in Honor of A.F. Buddington* (ed. by A.E.J. Engel, H.L. James and B.F. Leonard), pp. 599–620. Geological Society of America, New York.
- Hewitt, G.M. (1996) Some genetic consequences of ice ages, and their role in divergence and speciation. *Biological Journal of the Linnean Society*, **58**, 247–276.
- Hewitt, G.M. (1999) Post-glacial re-colonization of European biota. *Biological Journal of the Linnean Society*, **68**, 87–112.
- Hewitt, G.M. (2004) Genetic consequences of climatic oscillations in the Quaternary. *Philosophical Transactions of the Royal Society of London, Series B, Biological Sciences*, **359**, 183–195.
- Hiratsuka, J., Shimada, H., Whittier, R., Ishibashi, T., Sakamoto, M., Mori, M., Kondo, C., Honji, Y., Sun, C.R., Meng, B.Y., Li, Y.Q., Kanno, A., Nishizawa, Y., Hirai, A., Shinozaki, K. & Sugura, M. (1989) The complete sequence of the rice (*Oryza sativa*) chloroplast genome: intermolecular recombination between distinct tRNA genes accounts for a major plastid DNA inversion during the evolution of cereals. *Molecular of General Genetics*, **217**, 185–194.
- Hoarau, G., Coyer, J.A., Veldsink, J.H., Stam, W.T. & Olsen, J.L. (2007) Glacial refugia and recolonisation pathways in the brown seaweed *Fucus serratus*. *Molecular Ecology*, **16**, 3606–3616.
- Hoffman, E., Ludke, C., Scholze, H. & Stephanowitch, H. (1994) Analytical investigation of tree rings by laser ablation ICP-MS. *Fresenius Journal of Analytical Chemistry*, **350**, 253–259.
- Howe, C.J., Beanland, T.J., Larkum, A.W.D. & Lockhart, P.J. (1992) Plastid origins. *Trends in Ecology and Evolution*, **7**, 378–383.

- Huang, S.F., Hwang, S.Y., Wang, J.C. & Lin, T.P. (2004) Phylogeography of *Trochodendron aralioides* (Trochodendraceae) in Taiwan and its adjacent areas. *Journal of Biogeography*, **31**, 1251–1259.
- Hugall, A., Moritz, C., Moussalli, A & Stanisic, J. (2002) Reconciling paleo distribution models and comparative phylogeography in the Wet Tropics rainforest land snail *Gnarosophia bellendenkerensis* (Brazier 1875). *Proceedings of the National Academy of Sciences of the United States of America*, **99**, 6112–6117.
- Hutchison, C.S. (1989) *Geological evolution of South-East Asia*. Clarendon Press, Oxford.
- Ikeda, H. & Setoguchi, H. (2007) Phylogeography and refugia of the Japanese endemic alpine plant, *Phyllodoce nipponica* Makino (Ericaceae). *Journal of Biogeography*, **34**, 169–176.
- Ito, T., Akao, Y., Yi, H., Ohguchi, K., Matsumoto, K., Tanaka, T., Iinuma, M. & Nozawa, Y. (2003) Antitumor effect of resveratrol oligomers against human cancer cell lines and the molecular mechanisms of apoptosis induced by vaticanol C. *Carcinogenesis*, **24**, 1489–1497.
- Jansen, R.K., Wee, J.L. & Millie, D. (1998) Comparative utility of chloroplast DNA restriction site and DNA sequence data for phylogenetic studies in plants. *Molecular systematics of plants II: DNA sequencing* (ed. by P.S. Soltis and J.J. Doyle), pp. 87–100. Kluwer Academic, Dordrecht.
- Jarne, P. & Lagoda, P.J.L. (1996) Microsatellites, from molecules to populations and back. *Trends in Ecology and Evolution*, **11**, 424–429.
- Jian, Z., Zhao, Q., Cheng, X., Wang, J., Wang, P. & Su, X. (2003) Pliocene-Pleistocene stable isotope and paleoceanographic changes in the northern South China Sea. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **193**, 425–442.
- Jong, K. & Lethbridge, A. (1967) Cytological studies in the Dipterocarpaceae I. Chromosome numbers of certain Malaysian genera. *Notes from the Royal Botanic Garden Edinburgh*, **27**, 175–184.
- Jordan, A. Wurzel, R.K.W. & Zito, A.R. (2003) New environmental policy instruments: an evolution or a revolution in environmental policy? *Environmental Politics*, **12**, 201–224.
- Kagawa, A., Kuroda, K., Abe, H., Fuji, T. & Itoh, Y. (2007) Stable isotopes and inorganic elements as potential indicators of geographic origin of Southeast Asian timber. *Proceedings of the International Symposium on Development of Improved Methods to Identify Shorea Species Wood and its Origin*, 25–26 September 2007, Tokyo, pp. 39–44. Forestry and Forest Products Research Institute, Ibaraki.
- Kardong, K.V. (2005) *An introduction to biological evolution*. McGraw-Hill, New York.

- Kelly, S., Heaton, K. & Hoogewerff, J. (2005) Tracing the geographical origin of food: The application of multi-element and multi-isotope analysis. *Trends in Food Science and Technology*, **16**, 555–567.
- Kelman, L.M. & Kelman, Z. (1999) The use of ancient DNA in paleontological studies. *Journal of Vertebrate Paleontology*, **19**, 8–20.
- Kershaw, A.P., Penny, D., van der Kaars, S., Anshari, G. & Thamotherampillai, A. (2001) Vegetation and climate in lowland Southeast Asia at the last glacial maximum. *Faunal and floral migration and evolution in SE Asia-Australasia* (ed. by I. Metcalfe, J.M.B. Smith, M. Morwood and I. Davidson), pp. 227–236. Balkema Publishers, Lisse.
- King, R.A. & Ferris, C. (1998) Chloroplast DNA phylogeography of *Alnus glutinosa* (L.) Gaertn. *Molecular Ecology*, **7**, 1151–1161.
- Konieczny, A. & Ausubel, F.M. (1993) A procedure for mapping *Arabidopsis* mutations using co-dominant ecotype-specific PCR-based markers. *Plant Journal*, **4**, 403–410.
- Konuma, A., Tsumura, Y., Lee, C.T., Lee, S.L. & Okuda, T. (2000) Estimation of gene flow in the tropical-rainforest tree *Neobalanocarpus heimii* (Dipterocarpaceae), inferred from paternity analysis. *Molecular Ecology*, **9**, 1843–1853.
- Krenke, B.E., Tereba, A., Anderson, S.J., Buel, E., Culhane, S., Finis, C.J., Tomsey, C.S., Zachetti, J.M., Masibay, A., Rabbach, D.R., Amiott, E.A. & Sprecher, C.J. (2002) Validation of a 16-locus fluorescent multiplex system. *Journal of Forensic Science*, **47**, 773–785.
- Krings, M., Stone, A., Schmitz, R.W., Krainitzki, H., Stoneking, M. & Pääbo, S. (1997) Neandertal DNA sequences and the origin of modern humans. *Cell*, **90**, 19–30.
- Kutzbach, J.E., Prell, W.L. & Ruddiman, W.F. (1993) Sensitivity of Eurasian climate to surface uplift of the Tibetan Plateau. *Journal of Geology*, **101**, 177–190.
- Lee, A.B. & Cooper, T.A. (1995) Improved direct PCR screen for bacterial colonies: wooden toothpicks inhibit PCR amplification. *Biotechniques*, **18**, 225–226.
- Liao, P.C., Havanond, S. & Huang, S. (2007) Phylogeography of *Ceriops tagal* (Rhizophoraceae) in Southeast Asia: the land barrier of the Malay Peninsula has caused population differentiation between the Indian Ocean and South China Sea. *Conservation Genetics*, **8**, 89–98.
- Lomolino, M.V., Riddle, B.R. & Brown, J.H. (2006) *Biogeography*, 3rd edn. Sinauer Associates, Sunderland, MA.
- Lowe, A. (2007) Use of DNA-markers for tracing illegal logging. *Proceedings of the international workshop: Fingerprinting methods for the identification of timber origins* (ed. by B. Degen), 8–9 October 2007, Bonn, Germany, pp. 15–19. Johann Heinrich von Thünen-Institut, Germany.

- Lyke, J. (1996) Forest products certification revisited: an update. *Journal of Forestry*, **94**, 16–20.
- MacKinnon, K., Hatta, G., Halim, H. & Mangalik, A. (1997) *The ecology of Kalimantan*. Oxford University Press, Oxford.
- Malaysia Timber Council. (2006) *The theory and practice of drying*. Downloaded from <http://www.mtc.com.my/> on 15 June 2009.
- Malaysia Timber Council. (2008) *Peninsular Malaysia: export of sawn timber by major species 2007*. Downloaded from <http://www.mtc.com.my/> on 15 June 2009.
- Maldini, M., Marzano, F.N., Fortes, G.G., Papa, R. & Gandolfi, G. (2006) Fish and seafood traceability based on AFLP markers: Elaboration of a species database. *Aquaculture*, **261**, 487–494.
- McCauley, D.E. (1995) The use of chloroplast DNA polymorphism in studies of gene flow in plants. *Trends in Ecology and Evolution*, **10**, 198–202.
- Medway, L. (1972) The Quaternary mammals of Malesia: a review. *Transactions of the Second Aberdeen-Hull symposium on Malesian ecology: The Quaternary era in Malesia* (ed. by P.S. Ashton and H.M. Ashton), pp. 63–98. University of Hull, Hull, England.
- Mollengraaff, G.A.F. (1921) Modern deep-sea research in the east Indian archipelago. *Geographical Journal*, **57**, 95–121.
- Morley, R.J. (2000) *Origin and evolution of tropical rain forests*. John Wiley, Chichester.
- Muller, J. (1981) Fossil pollen records of extant angiosperms. *The Botanical Review*, **47**, 1–142.
- Murmanis, L., Highley, T.L., Madison, W.I. & Palmer, J.G. (1987) Cytochemical localization of cellulases in decayed and non-decayed wood. *Wood Science and Technology*, **21**, 101–109.
- Murray, M. & Thompson, W.F. (1980) Rapid isolation of high molecular weight plant DNA. *Nucleic Acids Research*, **8**, 4321–4325.
- Naito, Y., Konuma, A., Iwata, H., Suyama, Y., Seiwa, K., Okuda, T., Lee, S.L., Norwati, M. & Tsumura, Y. (2005) Selfing and inbreeding depression in seeds and seedlings of *Neobalanocarpus heimii* (Dipterocarpaceae). *Journal of Plant Research*. **118**, 423–430.
- Nei, M. (1987) *Molecular evolutionary genetics*. Columbia University Press, New York.
- Newsome, J. & Flenley, J.R. (1988) Late Quaternary vegetational history of the Central Highlands of Sumatra. II. Palaeopalynology and vegetational history. *Journal of Biogeography*, **15**, 555–578.

Nielsen, L.R. & Kjaer, E.D. (2008) *Tracing timber from forest to consumer with DNA markers*. Danish Ministry of the Environment, Forest and Nature Agency. Downloaded from <http://www.skovognatur.dk/udgivelser> on 26 August 2009.

Notsu, Y., Masood, S., Nishikawa, T., Kobo, N., Akiduki, G., Nakazono, M., Hirai, A. & Kadowaki, K. (2002) The complete sequence of the rice (*Oryza sativa* L.) mitochondrial genome: frequent DNA sequence acquisition and loss during the evolution of flowering plants. *Molecular Genetics and Genomics*, **268**, 434–445.

Olmstead, R.G. & Palmer, J.D. (1994) Chloroplast DNA systematics: a review of methods and data analysis. *American Journal of Botany*, **81**, 1205–1224.

Ouborg, N.J., Piquit, Y. and Van Groenendael, J.M. (1999) Population genetics, molecular markers and the study of dispersal in plants. *Journal of Ecology*, **87**, 551–568.

Pääbo, S. (1990) Amplifying ancient DNA. *PCR-protocols and applications - a laboratory manual*. (ed. by M.A. Innis, D.H. Gelfand, J.J. Sninsky and T.J. White). pp. 159–166. Academic Press, San Diego.

Panchal, M. (2007) The automation of Nested Clade Phylogeographic Analysis. *Bioinformatics*, **23**, 509–510.

Parducci, L., Szmidt, A.E., Madaghiele, A., Anzidei, M. & Vendramin, G.G. (2001) Genetic variation at chloroplast microsatellites (cpSSRs) in *Abies nebrodensis* (Lojac.) Mattei and three neighboring *Abies* species. *Theoretical and Applied Genetics*, **102**, 733–740.

Parker, P.G., Snow, A.A., Schug, M.D., Booton, G.C. & Fuerst, P.A. (1998) What molecules can tell us about populations: choosing and using a molecular marker. *Ecology*, **79**, 361–382.

Pearson, R.G. & Dawson, T.P. (2003) Predicting the impacts of climate change on the distribution of species: are bioclimate envelope models useful? *Global Ecology and Biogeography*, **12**, 361–371.

PEFC. (2005) *Annual review*. Programme for the Endorsement of Forest Certification Schemes.

Perez-Coello, M.S., Sanz, J. & Cabezudo, M.D. (1997) Analysis of volatile components of oak wood by solvent extraction and direct thermal desorption-gas chromatography-mass spectrometry. *Journal of Chromatography A*, **778**, 427–434.

Petit, R.J., Aguinagalde, I., de Beaulieu, J.L., Bittkau, C., Brewer, S., Cheddadi, R., Ennos, R., Fineschi, S., Grivet, D., Lascoux, M., Mohanty, A., Muller-Starck, G., Demesure-Musch, B., Palme, A., Martin, J.P., Rendell, S. & Vendramin, G.G. (2003) Glacial refugia: hotspots but not melting pots of genetic diversity. *Science*, **300**, 1563–1565.

Petit, R.J., El. Mousadik, A. & Pons, O. (1998) Identifying populations for conservation on the basis of genetic markers. *Conservation Biology*, **12**, 844–855.

- Petit, R.J., Kremer, A. & Wagner, D.B. (1993a) Finite island model for organelle and nuclear genes in plants. *Heredity*, **71**, 630–641.
- Petit, R.J., Kremer, A. & Wagner, D.B. (1993b) Geographic structure of chloroplast DNA polymorphisms in European oaks. *Theoretical and Applied Genetics*, **87**, 122–128.
- Piasentier, E., Valusso, R., Camin, F. & Versini, G. (2003) Stable isotope ratio analysis for authentication of lamb meat. *Meat Science*, **64**, 239–247.
- Pirazzoli, P.A., Radtke, U., Hantoto, W.S., Jouannic, C., Hoang, C.T., Causse, C. & Borel Best, M. (1991) Quaternary raised coral-reef terraces on Sumba island, Indonesia. *Science*, **252**, 1834–1836.
- Plomion, C., Leprovost, G. & Stokes, A. (2001) Wood formation in trees. *Plant Physiology*, **127**, 1513–1523.
- Poinar, H.N., Hofreiter, M., Spaulding, W.G., Martin, P.S., Stankiewicz, B.A., Bland, H., Evershed, R.P., Possnert, G. & Pääbo, S. (1998) Molecular coproscopy: dung and diet of the extinct ground sloth *Nothrotheriops shastensis*. *Science*, **281**, 402–406.
- Poinar, H.N., Kuch, M., McDonald, G., Martin, P. & Pääbo, S. (2003) Nuclear gene sequences from a late Pleistocene sloth coprolite. *Current Biology*, **12**, 1150–1152.
- Pons, O. & Petit, R.J. (1996) Measuring and testing genetic differentiation with ordered versus unordered alleles. *Genetics*, **144**, 1237–1245.
- Posada, D., Crandall, K.A. & Templeton, A.R. (2000) GEODIS: A program for the cladistic nested analysis of the geographical distribution of genetic haplotypes. *Molecular Ecology*, **9**, 487–488.
- Powell, W., Morgante, M., Andre, C., McNicol, J.W., Machray, G.C., Doyle, J.J., Tingey, S.V., & Rafalski, J.A. (1995a) Hypervariable microsatellites provide a general source of polymorphic DNA markers for the chloroplast genome. *Current Biology*, **5**, 1023–1029.
- Powell, W., Morgante, M., McDevitt, R., Vendramin, G.G. & Rafalski, J.A. (1995b) Polymorphic simple sequence repeat regions in chloroplast genomes: applications to the population genetics of pines. *Proceedings of the National Academy of Sciences of the United States of America*, **92**, 7759–7763.
- Primack, R. & Corlett, R. (2005) *Tropical rain forest: an ecological and biogeographical comparison*. Blackwell, Malden, MA.
- Provan, J. & Bennett, K.D. (2008) Phylogeographic insights into cryptic glacial refugia. *Trends in Ecology and Evolution*, **23**, 564–571.
- Provan, J., Corbett, G., McNicol, J.W. & Powell, W. (1997) Chloroplast variability in wild and cultivated rice (*Oryza* spp.) revealed by polymorphic chloroplast simple sequence repeats. *Genome*, **40**, 104–110.

- Provan, J., Powell, W. & Hollingsworth, P.M. (2001) Chloroplast DNA microsatellites: new tools for studies in plant ecology and evolution. *Trends in Ecology and Evolution*, **16**, 142–147.
- Pyke, K.A. (1999) Plastid division and development. *Plant Cell*, **11**, 549–556.
- Quek, S.P., Davies, S.J., Ashton, P.S., Itino, T. & Pierce, N.E. (2007) The geography of diversification in mutualistic ants: a gene's-eye view into the Neogene history of Sundaland rain forests. *Molecular Ecology*, **16**, 2045–2062.
- Rachmayanti, Y., Leinemann, L., Gailing, O. & Finkeldey, R. (2006) Extraction, amplification and characterization of wood DNA from Dipteroocarpaceae. *Plant Molecular Biology Reporter*, **24**, 45–55.
- Rachmayanti, Y., Leinemann, L., Gailing, O. & Finkeldey, R. (2009) DNA from processes and unprocessed wood: factors influencing the isolation success. *Forensic Science International: Genetics*, **3**, 185–192.
- Rauch, E.M. & Bar-Yam, Y. (2005) Estimating the total genetic diversity of a spatial field population from a sample and implications of its dependence on habitat area. *Proceedings of the National Academy of Sciences of the United States of America*, **102**, 9826–9829.
- Renou, J.P., Deponge, C., Gachon, P., Bonnefoy, J.C., Coulon, J.B., Garel, J.P., Verite, R. & Ritz, P. (2004) Characterization of animal products according to geographic origin and feeding diet using nuclear magnetic resonance and isotope ratio mass spectrometry: cow milk. *Food Chemistry*, **85**, 63–66.
- Richert, W. (2003) *Onderzoek en beleidsmatig advies. Illegaal hout. De verantwoordelijkheden en de mogelijkheden voor Nederland binnen de internationale context.* AIDEnvironment for Greenpeace Netherlands, NC-IUCN, ICCO, Milieudefensie, WNF. June 2003.
- Riddle, B.R. & Hafler, D.J. (2007) Phylogeography in historical biogeography: Investigating the biogeographic histories of populations, species, and young biotas. *Biogeography in a Changing World* (ed. by M.C. Ebach and R.S. Tangney), pp. 161–176. CRC Press, Boca Raton, FL.
- Rogstad, S.H. (1992) Saturated NaCl-CTAB solution as a means of field preservation of leaves for DNA analyses. *Taxon*, **41**, 701–708.
- Rozas, J., Sañchez-DelBarrio, J.C., Messeguer, X. & Rozas, R. (2003) DNASP, DNA polymorphism analyses by the coalescent and other methods. *Bioinformatics*, **19**, 2496–2497.
- Rubinoff, D., Cameron, S. & Will, K. (2006) Are plant DNA barcodes a search for the Holy Grail? *Trends in Ecology and Evolution*, **21**, 1–2.
- Ruddiman, W. (1998) Early uplift in Tibet? *Nature*, **394**, 723–725.

- Saar, D.E., Polans, N.O., Sørensen, P.D. & Duvall, M.R. (2001) Angiosperm DNA contamination by endophytic fungi: detection and methods of avoidance. *Plant Molecular Biology Reporter*, **19**, 249–260.
- Sato, S., Nakamura, Y., Kaneko, T., Asamizu, E. & Tabata, S. (1999) Complete structure of the chloroplast genome of *Arabidopsis thaliana*. *DNA Research*, **6**, 283–290.
- Schaal, B.A., Haywood, D.A., Olsen, K.M., Rauscher, J.T. and Smith, W.A. (1998) Phylogeographic studies in plants, problems and prospects. *Molecular Ecology*, **7**, 465–474.
- Schultz, B., Wanke, U., Draeger, S. & Aust, H.J. (1993) Endophytes from herbaceous plants and shrubs: effectiveness of surface sterilization methods. *Mycological Research*, **97**, 1447–1450.
- Seppä, H. (2003) Quaternary pollen analysis: recent progress in palaeoecology and palaeoclimatology. *Progress in Physical Geography*, **27**, 548–579.
- Shackleton, N.J. (1987) Oxygen isotopes, ice volume and sea level. *Quaternary Science Reviews*, **6**, 183–190.
- Shephard, L.D., Perrie, L.R. & Brownsey, P.J. (2007) Fire and ice: volcanic and glacial impacts on the phylogeography of the New Zealand forest fern *Asplenium hookerianum*. *Molecular Ecology*, **16**, 4536–4549.
- Shepherd, M., Cross, M., Stokoe, R.L., Scott, L.J. & Jones, M.E. (2002) High-throughput DNA extraction from forest trees. *Plant Molecular Biology Reporter*, **20**, 425a–j.
- Shinozaki, K., Ohme, M., Tanaka, M., Wakasugi, T., Hayashida, N., Matsubayashi, T., Zaita, N., Chunwongse, J., Obokata, J., Yamaguchi-Shinozaki, K., Ohto, C., Torazawa, K., Meng, B.Y., Sugita, M., Deno, H., Kamogashira, T., Yamada, K., Kusuda, J., Takaiwa, F., Kato, A., Tohdoh, N., Shimada, H. & Sugiura, M. 1986. The complete nucleotide sequence of the tobacco chloroplast genome: its gene organization and expression. *EMBO Journal*, **5**, 2043–2049.
- Smith, W. (2004) The role of monitoring in cutting crime. *Illegal logging in the tropics: strategies for cutting crime* (ed. by R.M. Ravenel, I.M.E. Granoff and C.A. Magee), pp. 293–317. The Haworth Press, Binghamton, NY.
- Soerianegara, I. & Lemmens, R.H.M.J. (eds) (1994) *Timber trees: major commercial timbers*. Plant Resources of South-East Asia, No.5 (1). Pudoc Scientific Publishers, Wageningen.
- Staub, J.B., Bacher, J. & Poetter, K. (1996) Sources of potential errors in the application of random amplified polymorphic DNAs in cucumber. *HortScience*, **31**, 262–266.
- Stuijts, I.M. (1993) Late Pleistocene and Holocene vegetation of West Java, Indonesia. *Modern Quaternary Research in Southeast Asia part 12*. Monography. Thesis.
- Sugiura, M. (1992) The chloroplast genome. *Plant Molecular Biology*, **19**, 149–168.

- Symington, C.F. (1943) *Foresters' manual of dipterocarps*. Malayan Forest Records 16. Forest Research Institute Malaysia, Kuala Lumpur.
- Szövényi, P., Hock, Z., Urmi, E. & Schneller J.J. (2006) Contrasting phylogeographic patterns in *Sphagnum fimbriatum* and *Sphagnum squarrosum* (Bryophyta, Sphagnopsida) in Europe. *New Phytologist*, **172**, 784–794.
- Taberlet, P., Fumagalli, L., Wust-Saucy, A.G. & Cosson, J.F. (1998) Comparative phylogeography and postglacial colonization routes in Europe. *Molecular Ecology*, **7**, 453–464.
- Taberlet, P., Gielly, L., Pautou, G. & Bouvet, J. (1991) Universal primers for amplification of three non-coding regions of chloroplast DNA. *Journal of Plant Molecular Biology*, **17**, 1105–1109.
- Tajima, F. (1989) Statistical method for testing the neutral mutation hypothesis by DNA polymorphism. *Genetics*, **123**, 585–595.
- Tanaka, T., Ito, T., Ido, Y., Nakaya, K., Iinuma, M. & Chelladurai, V. (2001) Hopeafuran and a C-glucosyl resveratrol isolated from stem wood of *Hopea utilis*. *Chemical and Pharmaceutical Bulletin*, **49**, 785–787.
- Tapponnier, P., Peltzer, G., Le Dain, A.Y., Armijo, R. & Cobbold, P. (1982) Propagating extrusion tectonics in Asia: a new insights from simple experiments with plasticine. *Geology*, **10**, 611–616.
- Taylor, J.W. & Swann, E.C. (1994) DNA from herbarium specimens. *Ancient DNA* (ed. by B. Herman and S. Hummel), pp. 166–181. Springer, New York.
- Templeton, A.R., Crandall, K.A. & Sing, C.F. (1992) A cladistic analysis of phenotypic associations with haplotypes inferred from restriction endonuclease mapping and DNA sequence data. III. Cladogram estimation. *Genetics*, **132**, 619–633.
- Templeton, A.R., Maxwell, T., Posada, D., Stengard, J.H., Boerwinkle, E. & Sing, C.F. (2005) Tree scanning: A method for using haplotype trees in phenotype/genotype association studies. *Genetics*, **169**, 441–453.
- Templeton, A.R., Routman, E. & Phillips, C.A. (1995) Separating population structure from population history: a cladistic analysis of the geographical distribution of mitochondrial DNA haplotypes in the tiger salamander, *Ambystoma tigrinum*. *Genetics*, **140**, 767–782.
- Testolin, R. & Cipriani, G. (1997) Paternal inheritance of chloroplast DNA and maternal inheritance of mitochondrial DNA in the genus *Actinidia*. *Theoretical and Applied Genetics* **94**, 897–903.
- The *Arabidopsis* Genome Initiative. (2000) Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*. *Nature*, **408**, 796–815.

- Thomas, A.R. (1953) Malayan timbers—chengal and balau. *Malayan Forester* **16**, 103–108.
- Thomas, M.F. (2000) Late Quaternary environmental changes and the alluvial record in humid tropical environments. *Quaternary International*, **72**, 23–36.
- Tibbits, J.F.G., McManus, L.J., Spokevicius, A.V. & Bossinger, G. (2006) A rapid method for tissue collection and high-throughput isolation of genomic DNA from mature trees. *Plant Molecular Biology Reporter*, **24**, 81–91.
- Tnah, L.H., Lee, S.L., Ng, K.K.S., Faridah, Q.Z. & Faridah-Hanum, I. (2010) Forensic DNA profiling of tropical timber species in Peninsular Malaysia. *Forest Ecology and Management*, **259**, 1436–1446.
- Tnah, L.H., Lee, S.L., Ng, K.K.S., Tani, N., Bhassu, S. & Othman, R.Y. (2009) Geographical traceability of an important tropical timber (*Neobalanocarpus heimii*) inferred from chloroplast DNA. *Forest Ecology and Management*, **258**, 1918–1923.
- Tonsor, G.T. & Schroeder, T.C. (2004) *Australia's livestock identification systems: implications for United States programs*. U.S. Department of Agriculture (USDA).
- Towey J.P. & Waterhouse, A.L. (1996) The extraction of volatile compounds from French and American oak barrels in Chardonnay during three successive vintages. *American Journal of Enology and Viticulture*, **47**, 17–20.
- Toyne, P., O'Brien, C. & Nelson, R. (2002) *The timber footprint of the G8 and China. Making the case for green procurement by government*. WWF International. Downloaded from http://www.panda.org/downloads/forests/G8_meeting_June2002.pdf
- Tsumura, Y., Kado, T., Yoshida, K., Abe, H., Ohtani, M., Taguchi, Y., Fukue, Y., Tani, N., Ueno, S., Yoshimura, K., Kamiya, K., Harada, K., Takeuchi, Y., Diway, B., Finkeldey, R., Na'iem, M., Indrioko, S., Ng, K.K.S., Muhammad, N. & Lee, S.L. (2010) Molecular database for classifying *Shorea* species (Dipterocarpaceae) and techniques for checking the legitimacy of timber and wood products. *Journal of Plant Research* (in press).
- Unsold, M., Marienfeld, J.R., Brandt, P. & Brennicke, A. (1997) The mitochondrial genome of *Arabidopsis thaliana* contains 57 genes in 366,924 nucleotides. *Nature Genetics*, **15**, 57–61.
- van den Bergh, G.D. (1999) The Late Neogene elephantoid-bearing faunas of Indonesia and their palaeozoogeographic implications. *Scripta Geologica*, **117**, 1–419.
- van der Kaars, W.A. & Dam, M.A.C. (1995) A 135,000-year record of vegetational and climate change from the Bandung area, West-Java, Indonesia. *Palaeogeography Palaeoclimatology Palaeoecology*, **117**, 55–72.
- Verstappen, H.T. (1992) Climatic change and geomorphology in south and south-east Asia. *Geo-Eco-Trop*, **16**, 101–147.

- Verstappen, H.T. (1997) The effect of climatic change on Southeast Asian geomorphology. *Journal of Quaternary Science*, **12**, 413–418.
- Visseren-Hamakers, I.J. & Glasbergen, P. (2007) Partnerships in forest governance. *Global Environmental Change*, **17**, 408–419.
- Voris, H.K. (2000) Maps of Pleistocene sea levels in South-East Asia: shorelines, river systems and time durations. *Journal of Biogeography*, **27**, 1153–1167.
- Wallin, J.M., Buoncristiani, M.R., Lazaruk, K.D., Fildes, N., Holt, C.L. & Walsh, P.S. (1998) TWGDAM validation of the AmpF/STR™ Blue PCR amplification kit for forensic casework analysis. *Journal of Forensic Science*, **43**, 854–870.
- Watson, J.C. & Thompson, W.F. (1986) Purification and restriction endonuclease analysis of plant nuclear DNA. *Methods in Enzymology*, **118**, 57–75.
- Weckerle, B., Richling, E., Heinrich, S. & Schreier, P. (2002) Origin assessment of green coffee (*Coffea arabica*) by multi-element stable isotope analysis of caffeine. *Analytical and Bioanalytical Chemistry*, **374**, 886–890.
- Weising, K. & Gardner, R.C. (1999) A set of conserved PCR primers for the analysis of simple sequence repeat polymorphisms in chloroplast genomes of dicotyledonous angiosperms. *Genome*, **42**, 9–19.
- Weising, K., Nybom, H., Wolff, K. & Kahl, G. (2005) *DNA fingerprinting in plants: principles, methods and applications*, 2nd edn. Taylor & Francis Group, Boca Raton, FL.
- Whitemore, T.C. (1984) *Tropical rain forests of the Far East*, 2nd edn. Clarendon Press, Oxford.
- Whitemore, T.C. (1987) Introduction. *Biogeographical evolution of the Malay Archipelago* (ed. by T.C. Whitemore), pp. 1–4. Oxford Monographs on Biogeography 4, Oxford Scientific Publications, Oxford.
- Whitemore, T.C. (1998) *An introduction to tropical rain forest*, 2nd edn. Clarendon Press, Oxford.
- Whitten, A.J., Damanik, S.J., Anwar, J. & Hisyam, N. (1984) *The ecology of Sumatra*. Gadjah Mada University Press, Yogyakarta, Indonesia.
- Whitten, T., Soeriaatmadja, R.E. & Suraya, A.A. (1996) *The ecology of Java and Bali*. Periplus Editions, Singapore.
- Wiedenhoft, A.C. & Miller, R.B. (2005) Structure and function of wood. *Handbook of wood chemistry and wood composites* (ed. by M. Roger and R.M. Rowell), pp. 10–32. CRC Press, USA.
- Wilson, A.J. & Chourey, P.S. (1984) A rapid inexpensive method for the isolation of restrictable mitochondrial DNA from various plant sources. *Plant Cell Reports*, **3**, 237–239.

- Wilson, M.E.J. & Rosen, B.R. (1998) Implications of paucity of corals in the Paleogene of SE Asia: plate tectonics or Centre of Origin. *Biogeography and geological evolution of Southeast Asia* (ed. by H. Hall and J.D. Holloway), pp. 165–195. Backhuys, Leiden.
- Wolfe, K.H., Li, W.H. & Sharp, P.M. (1987) Rates of nucleotide substitution vary greatly among plant mitochondrial, chloroplast, and nuclear DNAs. *Proceedings of the National Academy of Sciences of the United States of America*, **84**, 9054–9058.
- Wong, T.M. (2002) *A dictionary of Malaysian timbers*, 2nd edn. Forest Research Institute Malaysia, Kuala Lumpur.
- Woodruff, D.S. (2003) Neogene marine transgressions, palaeogeography and biogeographic transitions on the Thai–Malay Peninsula. *Journal of Biogeography*, **30**, 551–567.
- Yang, M., Zhang, X., Liu, G., Yin, Y., Chen, K., Yun, Q., Zaho, D., Al-Mssallem, I.S. & Yu, J. (2010) The Complete Chloroplast Genome Sequence of Date Palm (*Phoenix dactylifera* L.). *PLoS ONE*, **5**, e12762.
- Yasui, A. & Shindoh, K. (2000) Determination of the geographic origin of brown-rice with trace-element composition. *Bunseki Kagaku*, **49**, 405–410.
- Yoshida, K., Kagawa, A. & Nishiguchi, M. (2007) Extraction and detection of DNA from wood for species identification. *Proceedings of the international symposium on development of improved methods to identify Shorea species wood and its origin*, 25–26 September 2007, Tokyo, pp. 27–34. Forestry and Forest Products Research Institute, Ibaraki.
- Yukawa, M., Tsudzuki, T. & Sugiura, M. (2005) The 2005 version of the chloroplast DNA sequence from tobacco (*Nicotiana tabacum*). *Plant Molecular Biology Reporter*, **23**, 359–365.
- Zhisheng, A., Kutzbach, J.E., Prell, W.L. & Porter, S.C. (2001) Evolution of Asian monsoons and phased uplift of the Himalaya-Tibetan plateau since Late Miocene times. *Nature*, **411**, 62–66.