

REFERENCES

Adkins H., Kinsey M.E., Folkers K. (1930). Condensations reactions of acetaldehyde over certain oxide catalysts at pressure from 1 to 500 atmospheres of hydrogen. *Industrial Engineering Chemistry*.22: p.1046-1048.

Alejo L., Lago R., Peña M.A., Fierro J.L.G. (1997). Partial oxidation of methanol to produce hydrogen over Cu-Zn-based catalysts. *Applied Catalysis A*. 162(1-2): p 281-297.

Arthur C., et al, (1960). Method of preparing amines. US Patent 2953601.

Bangum D. (2000). Issue and Challenges in Indonesia's Palm Oil Business Paper. *Proceeding Oil and Fat International Congress: 4-8th September 2000*. Kuala Lumpur.

Bems B., Schur M., Dassenoy A., Junkes H., D. Herein, Schlögl R. (2003). Relation between Synthesis and Microstructural Properties of Copper/Zinc Hydroxycarbonates. *Chemical European Journal*. 9: p 2039-2052.

Bocuzzi F., Coluccia S., Marta G., Ravasio N. (1999). Cu/SiO₂ and Cu/SiO₂-TiO₂ catalysts: I. TEM, DR UV-Vis-NIR, and FTIR characterization. *Journal of Catalysis*. 184: p. 316-326.

Bond, G. *et al.* (1974). *Heterogeneous Catalysis: principles and applications*. Great Britain: J. W. Arrowsmith Ltd.

Bournonville J.P., Candy J.P., Mabilon G. (1986). Process for producing alcohols by hydrogenolysis of carboxylic acid esters in the presence of a catalyst containing nickel, tin, germanium or lead. US patent 4,628,130 B1.

Brands, D.S., Poels, E.K., Dimian, A.C., Blik, A. (2002), Solvent-based Fatty Alcohol Process Using Supercritical Conditions, *JAOCs*, 79, 85-91.

Bruhaspathy Miriyala, Sukanta Bhattacharyya, John S. Williamson, (2003). Chemoselective reductive alkylation of ammonia with carbonyl compounds: synthesis of primary and symmetrical secondary amines. *Jurnal Elsevier*.

Castricum H.L., Bakker H., Linden B.V.D., Poels E.K., (2001). Mechanochemical Reactions in Cu/ZnO Catalysts Induced by Mechanical Milling. *Journal of Physical Chemistry B*. 105: p 7928-7937.

Chen S.C, Cheng W.H, Lin., Shou S.L. (2004). Study of iron-promoted Cu/SiO₂ catalyst on high temperature reverse water gas shift reaction. *Applied Catalysis A: General* 257: p. 97-106.

Chen, J. (1997), Preparation and use of Non Chrome Catalyst for Cu/Cr Catalyst Application, WO97/34694.

Conrads, et.al (1998). Production of primary guerbet amines. US Patent 5,808,158.

Dallimore, D., in: Ewing, G.W. (Eds), (1996), Thermoanalytical instrumentation and applications, *Analytical Instrumentation Handbook*, New York: Marcel Dekker Inc. p. 947-1005.

Daniels T. (1973). *Thermal Analysis*. Kogan Page Limited: Great Britain.

Deckers, et.al (1995). Copper catalyst. US Patent 5,453,412.

Di Cosimo J.I., Marchi A.J., Apesteguia C.R. (1992). Preparation of ternary Cu/Co/Al catalysts by the atmosphere citrate process II. The effect of the decomposition calcinations atmosphere. *Journal of Catalysis*. 134: p. 594-607.

Dillan V. (2003). Synthesis of supported catalysts by impregnation and drying using aqueous chelated metal complexes. *Journal of Catalysis*. 216. p.257-264.

D.J. Ostgard , R. Olindo, M. Berweiler, S. Röder, T. Tacke, (2007). The chemoselective hydrogenation of tallow nitriles to unsaturated 1^o fatty amines with carbon modified Ni catalysts. *Catalysis Today* 121:p. 106–114.

Dume C, Holdrich W.F (1999). Amination of 1-Octanol. *Applied Catalysis, A.General*: Vol 183, No.1: p 167-176.

Ertl, G. et. al. (1999). *Preparation of Solid Catalysts*. Germany. VCH Wiley.

Ertl. G. et al. (1997). *Handbook of Heterogeneous Catalysis*, Vol. 1. VCH Wiley.

Evans JW. (1983). Hydrogenolysis of ethyl formate over copper-based catalysts. *Applied Catalysis*.6:p.255-362.

Ferdi S. et al. (2002a). *Handbook of Porous Solids*, Vol. 1. Wiley: VCH Publishes Inc.

Gonzala, et.al (2007). Effect of copper species and the presence of reaction products on the activity of methane oxidation on supported CuO catalysts. *Applied catalysis*.

Henkel. (1992). Process for the hydrogenation of fatty acid methyl ester. US Patent 5,124,491.

Hiroshi Kimura, Shun-Ichi Tsutsumi, Kiyoshi Tsukada (2005). Reusability of the Cu/Ni-based colloidal catalysts stabilized by carboxylates of alkali-earth metals for the one-step amination of dodecyl alcohol and dimethylamine *Applied Catalysis A: General*. 292: p.281-286.

Hong Z.S., Cao Y., Deng J.F., Fan K.N. (2002). CO₂ Hydrogenation to methanol over Cu/Zn/Al₂O₃ catalysts prepared by novel gel network co-precipitation method. *Catalysis Letters*. 82(1-2): p. 37-44.

Hoshino, et.al (1980). Process for the preparation of aliphatic amines. US Patent 4,210,605.

Hugh Taylor (1944). *Juornal American Chemistry Society*, 66 (10), pp 1615–1617.

J. Barrault, S. Brunet, N. Essayem, A. Piccirilli, C. Guimon and J.E Gamet (1993). *Studied Surface Science Catalysis*, 78: p. 305.

J. Barrault, Y Pouilloux (1997). Synthesis of fatty amines. Selectivity control in presence of multifunctional catalysts, *Catalysis Today* 37: p. 137-153.

J. Barrault, S. Brunet, N. Essayem and C. Guimon, (1992). *J. Mol. Cat.*, 77: p. 321.

J.L. Dallons, A. Van Gysel, G. Jannes, in: A. Dekker (Ed.), *Catal. Org. Reactions*, 1992, p. 93.

John Voodeling (2001). *Introduction to Spectroscopy* 3rd edition. Thomson Learning, Inc.

Kadono, Y., Yasuo, H., Yasuyuki H., Horio M., Nakamura F. (1998). Hydrogenation Catalyst Precursor, Hydrogenation Catalyst and Production Process for Alcohols, US Patent 5,763,353.

Kao Corporation. (1996). Hydrogenation catalyst precursor, hydrogenation catalyst and production process for alcohols. European Patent 0790074 A1.

Kim Y.J., Rodriguez J.A., Hanson J.C., Frenkel A.I., Lee P.L. (2003). Reduction of CuO and Cu₂O with H₂: H embedding and kinetic effects in the formation of suboxides. *Journal of American Chemistry Society*. 125: p. 10684-10692.

Knozinger, H., in: Ertl, G., Knozinger, H., Weitkamp, J. (Eds.), (1996), *Handbook of Heterogenous Catalysis*, VCH, Wienheim, 12 , 676-689.

Kohler M.A. et al. (1987). The structure of Cu/SiO₂ catalysts prepared by the ion-exchange technique. *Journal of Catalysis*. 108(2): p.323-333.

Kurc, L. et al. (1988). Activity of copper-chromite catalysts for hydrogenolysis of the C-O bond in esters. *Org. Chemistry Technology*. p. 518.

K.S. Hayes (2001). Industrial processes for manufacturing amines. *Applied Catalysis A: General* 221:p. 187–195.

Kwon, et.al (2002). Characterization of ZnO nanopowders by the polymerized complex method via an organochemical route, *Journal of ceramic processing research*, 393): p.149-160.

Lee S.T. (2004). Development of hydrogenation catalyst and application of combinatorial technology. Master of Science Thesis, University Malaya.

Leofanti, G., Padovan, M., Garilli, M., Carmello, D., Zecchina, A., Spoto, G., Bordiga, S., Palomino, G.T., Lamberti, C. (2000), Alumina supported copper-chromite. 1. Characterization of freshly prepared catalyst, *J.Catal*, 189:91-104.

Lian, J.S., et.al. (2004). Synthesis of nanocrystalline NiO/doped CeO₂ compound powders through combustion of citrate/nitrate gel, *Material Letters*, 58: p.1183-1188.

Li Qiuxio, et. al (2002). Study of the amination of fatty alcohols catalyzed by Cu–Ni catalysts. *Journal of Surfactants and Detergents* Vol. 5, No.3, p 229-2333.

Loenders, et.al (2003). Process for obtaining amines by reduction of amides. US Patent 20060287556.

Ma L. (2003). Methanol Synthesis from CO₂ using skeletal copper catalysts containing co-precipitated Cr₂O₃ and ZnO. *Topics in Catalysis*. 23(3-4): p.295-304.

Maamor A. (2005). Application of Combinatorial Technology: Catalytic Hydrogenolysis of Fatty Esters. Master of Science Thesis. University of Malaya.

Malaysian Palm Oil Board. (2004). Malaysian Palm Oil Performance. *Global Oils and Fats Business Magazine*. 1(1): p. 30-41.

Micheal B. (1998), The Basic and Applications of Heterogenous Catalysis Oxford University Press. p 39-40B.

Miya, et al. (1986). Process for preparation of copper-iron-aluminium hydrogenation catalyst. US Patent 4,278,159.

Mizukami F. et al. (1993). Structural design of metal oxides by sol-gel method. Study of Surface Science in Catalysis. 75: p. 1776-1782.

Mohan N. R. (2005). Development of catalyst for the hydrogenation of ester to alcohol using combinatorial technology. Philosophy honour of Degree Thesis, University Malaya.

Mohd. Rahim Sahar. (1993). *Pengenalan Kaji Logam Sinar-X*. Dewan Bahasa dan Pustaka: Kuala Lumpur.

Mori A., Hattori Y., Tsukada K., Fukuoka N. (1993). Process for producing hydrogenation reaction catalyst precursor. US Patent, 229,346.

Murrel .L.L (1977). *Advanced Material in Catalysis*I. New York. Academic Press.

Nemphos, Speros Peter, Hearn, Dennis (1997). Amination process. US Patent, 5679862.

Niemantsverdriet J.W. in: Moulin, J.A., Leeuwen, V., Santen, R.V. (Eds.), (1993). *Catalysis: An integrated approach to homogenous, heterogenous and industrial catalysis*. Elsevier, Amsterdam. p 363-399.

- Niemantsverdriet J.W. (2000). Spectroscopy in Catalysis. WILEY-VCH. Germany.
- Nishimura, et.al (2008). Process for producing tertiary amines. US Patent 20080004472.
- Omar E. M. (2005). Synthesis and Characterization of MoVTenb Oxide Catalyst: Effect of Drying and Leaching Methods. Master of Science Thesis, University of Malaya.
- Owen T. (1999). Fundamentals of UV-visible spectroscopy; Agilent Technologies. 1: p 1-142.
- Pelzer G., Friesenhagen L., Heck S., Hourticolon R., Klein N., Schröter G. (2001). Oxidic zinc-aluminium Catalysts. WO 01/43873 A2.
- PN. Rylander and L. Hasbrouk, Engelhard Ind. Tech. Bull., 11 (1970) 19.
- Poels E.K., Brands D.S. (2000), Modification of Cu/ZnO/SiO₂ Catalysts by High Temperature Reduction. Applied Catalysis A: General. 191. p 83-96.
- Pohl J., Carduck F.J., Göbel G. (1988). Acid-resistant catalysts for the direct hydrogenation of fatty acids to fatty alcohols. US Patent 4,935,556.
- R. Becker, H. Parala, F. Hipler, O.P. Tkachenko, K.V. Klementiev, W. Grünert, H. Wilmer, O. Hinrichsen, M. Muhler, A. Birkner, C. Wöll, S. Schäfer, R.A. Fisher, Angew. (2004) Chem. Int. Ed., 43, , 2839
- Reesink, et.al (2003). Nickle catalyst. US Patent 6,524,994.
- Rei M.H. (1999). Chapter 4. Catalyst Preparation and Manufacturer. Supplemental Readings

Richardson, J.T. (1989). Principles of Catalysts Development. New York: Plenum Press: p 134.

R. M. Rousseau, (2001). Detection limit and estimate of uncertainty of analytical XRF results. The Rigaku Journal, vol. 18 (2).

Roberts B.D., Thakur D.S., Sullivan,T.J., Plundo, A.R. (1995), Hydrogenation Catalyst and Process for Preparing Same, US Patent 5,418,201.

Robert L.Zimmerman, (1993). Continuous preparation of secondary amines from nitriles using a two-step process. US patent 5254737.

Rouquerol J. (1994). Recommendations for the Characterization of Porous Solids. Pure and Appl. Chem. 66(8): p.1739-1785.

Ryckowski, J. (2001). IR Spectroscopy In Catalysis. Catalysis Today. 68: p. 263-277.

Scheur F. (1994). Activity-enhanced copper-zinc based catalysts for the hydrogenolysis of esters. Appl. Catalysis A: General. 116: p. 237-257.

Scheur F., Vreeswijk V.J. (1994). Process for the production of alcohols. European Patent 94 06738.

Sharifah Bee. (2001). Lecture note of Catalysis, *SCES 3340*, Faculty of Science, University of Malaya.

Sing KS. Et. al. (1985). Reporting Physisorption Data for Gas / Solid Systems with Special Reference to the Determination of Surface Area and Porosity. Pure and Appl. Chem. 57(5): p. 603-619.

Sing, K.S.W. (2004), Characterization of Porous Materials; Past, Present and Future, Colloids and Surfaces A: Physicochem Eng. Aspect, 241,3-7.

Singleton, et al. (1995). Process for direct hydrogenation of methyl esters. US Patent 475,159.

Soon T. K. (2001). An overview of the Asean oleochemical market. *Malaysian Oil Science and Technology*. 10(2): p. 59-71.

Spencer M.S. (1999) The role of zinc oxide in Cu/ZnO catalysts for methanol synthesis and water-gas shift reaction. *Topics in Catalysis*. 8(3): p. 259-266.

Swift, et.al (1983). Process for producing aliphatic amines. US Patent 4,409,399.

Thomas J.M. (1997). *Principles and Practice of Heterogeneous Catalysis*. New York: VCH Publisher Inc.

Todorovsky D.S., Dumanova, D.G., Todorovska R.V., Getsova M.M. (2004). Preparation and characterization of Yttrium-iron citric acid complexes. *Croatica Chemica Acta*. 75 (1): p. 155-164.

Wang Z., Liu Q., Yu J., Wu T., Wang G. (2003). Surface structure and catalytic behaviour of silica-supported catalysts prepared by impregnation and sol-gel methods. *Applied Catalysis A: General*. 239: p. 87-94.

Wang, Z. et al.(2003). Surface structure and catalytic behavior of silica-supported copper catalysts prepared by impregnation and sol-gel methods. *Applied catalysis A: General*. 239.p. 87-94.

Weckhuysen B.M. (2004). *In-situ Spectroscopy of Catalysts*. ASP. U.S.A.

Wesley W. M., Wendlandt M., Harry G.H. (1966). *Reflectance Spectroscopy*, Interscience Publisher, John Wiley, New York, 21.

Zhou et al. (1998). Bifunctional Catalyst Containing Multimetal Oxide. US Patent 5,759,947.

Zhie Jie Wu, et.al (2008).Synthesis of nickel nanoparticles supported on metal oxides using electroless plating: Controlling the dispersion and size of nickel nanoparticles. Applied catalysis.

Z.Libor, et.al (2008).The synthesis of nickel nanoparticles with controlled morphology and SiO₂/Ni core-shell structures. Applied catalysis.