

REFERENCES

1. Hasan, A., Khan, M. A., and Ahmad, M. (2007) *Authenticity of Folk Medicinal Plants of Pakistan* Vol. Vol.1, Quaid-i-Azam University, Islamabad
2. Gurib-Fakim, A. (2006) Medicinal plants: Traditions of yesterday and drugs of tomorrow, *Molecular Aspects of Medicine* 27, 1-93.
3. Pierpoint, W. S. (1994) Salicylic Acid and its Derivatives in Plants: Medicines, Metabolites and Messenger Molecules, In *Advances in Botanical Research* (Callow, J. A., Ed.), pp 163-235, Florida, Academic Press.
4. Goumon, Y., Laux, A., Muller, A., and Aunis, D. (2009) Central and peripheral endogeneous morphine, *An. R. Acad. Nac. Farm.* 75, 389-418.
5. Pelletier, S. W., and Editor (1999) *Alkaloids: Chemical and Biological Perspectives, Volume 13*, Oxford, Elsevier.
6. S. Keng (1978) *Orders and Families of Malayan Seed Plants* Singapore University Press.
7. Ong, H. C., and Norzalina, J. (1999) Malay herbal medicine in Gemencheh, Negri Sembilan, Malaysia, *Fitoterapia* 70, 10-14.
8. Arthur, H. R. (1954) A phytochemical survey of some plants in North Borneo, *J. Pharm. Pharmacol* 6, 66-72.
9. Douglas, B., and Kiang, A. K. (1957) A Phytochemical Survey of Malaya, *Journal of Malayan Pharmacy* 6, 1-16.
10. KIANG, A. K., DOUGLAS, B., and Morsingh, F. (1961) *Journal of Pharm. Pharmacol.* 13, 98-104.
11. Mahmood, K., Fontaine, C., Païs, M., Ali, H. M., Hadi, H. A., and Guittet, E. (1991) Cyathostemmine, a new shikimic acid derivative from *cyathostemma viridiflorum* Griff, *Tetrahedron Letters* 32, 6117-6120.
12. Paredes, A., Hasegawa, M., Prieto, F., Mendez, J., Rodríguez, M., and Rodríguez-Ortega, M. (2001) Biological activity of *Guatteria cardoniana* fractions, *Journal of Ethnopharmacology* 78, 129-132.
13. Oliver-Bever, B. (1986) *Medicinal Plants in Tropical West Africa*, Cambridge University Press.
14. Harms, H. (1940) *Die natuerlichen Pflanzenfamilien*, Leipzig: Engelmann
15. Muellner, A. N., Samuel, R., Chase, M. W., and Coleman, A. (2008) An evaluation of tribes and generic relationships in Melioideae (Meliaceae) based on nuclear ITS ribosomal DNA, *Taxon* 57, 1—11.
16. Thorne, R. F., and Reveal, J. L. (2007) An updated classification of the class Magnolipsida ("Angiospermae"), *Bot. Rev.* 73, 67-182.

References

17. Benson, L. (1979) *Plant Classification* Second Edition ed., D.C. Heath and Company Lexington, Massachusetts.
18. Pannell, C. M. (1992) *A taxonomic monograph of the genus Aglaia Lour. (Meliaceae)*, Royal Botanic Gardens, London.
19. Mabberly, D. J., and Pannell, C. M. (1989) *Meliaceae in Tree Flora of Malaya*, Vol. four Kuala Lumpur ,Forest Research Institute Malaysia.
20. Hutchinson, J. (1973) *The Families of Flowering Plants*, 3rd edition ed., Oxford Clarendon Press.
21. Womersley, J. S. (1978,) *Handbooks of the Flora of Papua New Guinea*, Vol. 1, Melbourne University Press.
22. Roy, A., and Saraf, S. (2006) Limonoids: Overview of significant bioactive triterpenes distributed in plant kingdom, *Biol. Pharm. Bull.* 29, 191-201.
23. Harborne, J. S., and Editor (1964) *Biochemistry of Phenolic Compounds*, Oxford ,Academic Press.
24. Swain, T., and Smith, E. C. B. (1962) "*Flavonoids Compounds*" en *Comparative Biochemistry*, Vol. III, London, Academic Press.
25. Ribereau-Gayon, P. (1972) *Plant Phenolics (University Reviews in Botany, No. 3)*, Edinburgh, Oliver and Boyd.
26. Haslam, E. (1974) *The Shikimate Pathway*, New York, Halstead press..
27. Brown, S. A. (1986) Biochemistry of plant coumarins, *Recent Adv. Phytochem.* 20, 287-316.
28. Bruneton, J. (1999) *Phytochemistry of Medicinal Natural Products*, 2nd Edition ed., Lavoisier Pub. Inc, Secaucus USA, Springer.
29. Cseke, L. J., Kirakosyan, A., Kaufman, P. B., Warber, S. I., Uke, J. A., and Brielmann, H. I. (2006) *Natural Product from Plants*, Florida.
30. Xu, R., Fazio, G. C., and Matsuda, S. P. T. (2004) On the origins of triterpenoid skeletal diversity, *Phytochemistry (Elsevier)* 65, 261-291.
31. Taylor, D. H. A. (1983) *Chemistry and Chemical Taxonomy of the Rutales*, Academic press New York.
32. Champagne, D. E., Koul, O., Isman, M. B., Scudder, G. G. E., and Neil Towers, G. H. (1992) Biological activity of limonoids from the rutales, *Phytochemistry* 31, 377-394.
33. Lavie, D., Jain, M. K., and Shpan-Gabrielith, S. R. (1967) *J. Chem. Soc.*, 910-911.

References

34. Taylor, D. H. A. (1984) *The chemistry of limonoids from Meliaceae*, Springer, New York pp 1-102
35. Siddiqui, S., Siddiqui, B. S., Faizi, S., and Mahmood, T. (1988) *J. Nat. Prod.* **51**, 30-43.
36. Mohamad, K., Hirasawa, Y., Lim, C. S., Awang, K., Hadi, A. H. A., Takeya, K., and Morita, H. (2008) Ceramicine A and walsogyne A, novel limonoids from two species of Meliaceae, *Tetrahedron Letters* **49**, 4276-4278.
37. Mohamad, K., Hirasawa, Y., Litaudon, M., Awang, K., Hadi, A. H. A., Takeya, K., Ekasari, W., Widyawaruyanti, A., Zaini, N. C., and Morita, H. (2009) Ceramicines B-D, new antiplasmodial limonoids from *Chisocheton ceramicus*, *Bioorganic & Medicinal Chemistry* **17**, 727-730.
38. Awang, K., Lim, C. S., Mohamad, K., Morita, H., Hirasawa, Y., Takeya, K., Thoison, O., and Hadi, A. H. A. (2007) Erythrocarpines A-E, new cytotoxic limonoids from *Chisocheton erythrocarpus*, *Bioorganic & Medicinal Chemistry* **15**, 5997-6002.
39. Maneerat, W., Laphookhieo, S., Koysomboon, S., and Chantrapromma, K. (2008) Antimalarial, antimycobacterial and cytotoxic limonoids from *Chisocheton siamensis*, *Phytomedicine* **15**, 1130-1134.
40. Inada, A., Somekawa, M., Murata, H., Nakanishi, T., Tokuda, H., Nishino, H., Iwashima, A., Darnaedi, D., and Jurata, J. (1993) Phytochemical studies on meliaceous plants. VIII. Structures and inhibitory effects on Epstein-Barr virus activation of triterpenoids from leaves of *Chisocheton macrophyllus* King, *Chem. Pharm. Bull.* **41**, 617-619.
41. Gunning, P. J., Jeffs, L. B., Isman, M. B., and Towers, G. H. N. (1994) Two limonoids from *Chisocheton microcarpus*, *Phytochemistry* **36**, 1245-1248.
42. Bordoloi, M., Saikia, B., Mathur, R. K., and Goswami, B. N. (1993) A meliacin from *Chisocheton paniculatus*, *Phytochemistry* **34**, 583-584.
43. Yang, M.-H., Wang, J.-S., Luo, J.-G., Wang, X.-B., and Kong, L.-Y. (2009) Tetranortriterpenoids from *Chisocheton paniculatus*, *J. Nat. Prod.* **72**, 2014-2018.
44. Bhattacharyya, N. K., Sarmah, G. K., Goswami, B. N., Borthakur, N., and Katakya, J. C. S. (2004) New protolimonoids and limonoids. Part-IV. Transformation of naturally occurring 6 α -acetoxyzadirone to new limonoids, *J. Indian Chem. Soc.* **81**, 433-435.
45. Yadav, R. D., Katakya, J. C. S., and Mathur, R. K. (1999) New protolimonoids and limonoids: Part III. Arunachalin, a new tetranortriterpenoid from *Chisocheton paniculatus* Hiern (Meliaceae), *Indian J. Chem., Sect. B: Org. Chem. Incl. Med. Chem.* **38B**, 243-245.
46. Yadav, R. D., Katakya, J. C. S., and Mathur, R. K. (1999) New protolimonoids

References

- and limonoids. II. Study of the stereochemistry of new tetranortriterpenoids isolated from root-wood of *Chisocheton paniculatus* Hiern (Meliaceae), *J. Indian Chem. Soc.* 76, 575-581.
47. Yadav, R. D., Katakya, J. C. S., and Mathur, R. K. (1999) New protolimonoids and limonoids: part I-isolation, structure elucidation of new protolimonoids and limonoid from the root wood of *Chisocheton paniculatus* Hiern (meliaceae), *Indian J. Chem., Sect. B: Org. Chem. Incl. Med. Chem.* 38B, 1359-1363.
 48. Chatterjee, A., Nayak, L., Das, B., Patra, A., Dhara, K. P., Mukherjee, K., Banerji, J., and Shoolery, J. N. (1989) Chemistry of phytoconstituents of *Chisocheton paniculatus* Hiern (Meliaceae), *Indian J. Chem., Sect. B* 28B, 231-236.
 49. Connolly, J. D., Labbe, C., Rycroft, D. S., and Taylor, D. A. H. (1979) Tetranortriterpenoids and related compounds. Part 22. New apotirucalol derivatives and tetranortriterpenoids from the wood and seeds of *Chisocheton paniculatus* (Meliaceae), *J. Chem. Soc., Perkin Trans. 1*, 2959-2964.
 50. Saikia, B., Katakya, J. C. S., Mathur, R. K., and Baruah, J. N. (1978) New meliacins from the fruits of *Chisocheton paniculatus* Hiern, *Indian J. Chem., Sect. B* 16B, 1042-1044.
 51. Yang, M.-H., Wang, J.-S., Luo, J.-G., Wang, X.-B., and Kong, L.-Y. (2009) Tetranortriterpenoids from *Chisocheton paniculatus*, *J Nat Prod* 72, 2014-2018.
 52. Phongmaykin, J., Kumamoto, T., Ishikawa, T., Suttisri, R., and Saifah, E. (2008) A new sesquiterpene and other terpenoid constituents of *Chisocheton penduliflorus*, *Arch Pharm Res* 31, 21-27.
 53. Phongmaykin, J., Kumamoto, T., Ishikawa, T., Suttisri, R., and Saifah, E. (2008) A new sesquiterpene and other terpenoid constituents of *Chisocheton penduliflorus*, *Arch. Pharmacol Res.* 31, 21-27.
 54. Tzouros, M., Bigler, L., Bienz, S., Hesse, M., Inada, A., Murata, H., Inatomi, Y., Nakanishi, T., and Darnaedi, D. (2004) Two new spermidine alkaloids from *Chisocheton weinlandii*, *Helv. Chim. Acta* 87, 1411-1425.
 55. Ismail, I. S., Nagakura, Y., Hirasawa, Y., Hosoya, T., Lazim, M. I. M., Lajis, N. H., and Morita, H. (2009) Acutaxylines A and B, two novel triterpenes from *Dysoxylum acutangulum*, *Tetrahedron Lett.* 50, 4830-4832.
 56. Mohanakumara, P., Sreejayan, N., Priti, V., Ramesha, B. T., Ravikanth, G., Ganeshaiyah, K. N., Vasudeva, R., Mohan, J., Santhoshkumar, T. R., Mishra, P. D., Ram, V., and Shaanker, R. U. (2010) *Dysoxylum binectariferum* Hook.f (Meliaceae), a rich source of rohitukine, *Fitoterapia* 81, 145-148.
 57. Yang, D.-H., Cai, S.-Q., Zhao, Y.-Y., and Liang, H. (2004) A new alkaloid from *Dysoxylum binectariferum*, *J. Asian Nat. Prod. Res.* 6, 233-236.
 58. Naik, R. G., Kattige, S. L., Bhat, S. V., Alreja, B., De, S. N. J., and Rupp, R. H. (1988) An antiinflammatory and immunomodulatory piperidinylbenzopyranone

References

- from *Dysoxylum binectariferum*: isolation, structure and total synthesis, *Tetrahedron* *44*, 2081-2086.
59. Lakdawala, A. D., Shirole, M. V., Mandrekar, S. S., and Dohadwalla, A. N. (1988) Immunopharmacological potential of rohitukine: a novel compound isolated from the plant *Dysoxylum binectariferum*, *Asia Pac. J. Pharmacol.* *3*, 91-98.
 60. Cui, B.-S., Ma, X.-Q., Yang, D.-H., Hu, X.-Q., and Cai, S.-Q. (2008) Purification method of rohitukine from the stem bark of *Dysoxylum binectariferum*, *J. Chin. Pharm. Sci.* *17*, 153-157.
 61. Bhat, S. V., Shah, V., Dohadwalla, A. N., Mandrekar, S. S., and De, S. N. J. (1986) Isolation of a pharmacologically active substance having the structure of a chromone alkaloid from plant(s) belonging to the Meliaceae family, p 21 pp., Hoechst India Ltd.
 62. Huang, R., Harrison, L. J., and Sim, K.-Y. (1999) A triterpenoid with a novel abeo-dammarane skeleton from *Dysoxylum cauliflorum*, *Tetrahedron Lett.* *40*, 1607-1610.
 63. Xie, B.-J., Yang, S.-P., and Yue, J.-M. (2008) Terpenoids from *Dysoxylum densiflorum*, *Phytochemistry* *69*, 2993-2997.
 64. Xie, B.-J., Yang, S.-P., and Yue, J.-M. (2008) Terpenoids from *Dysoxylum densiflorum*, *Phytochemistry (Elsevier)* *69*, 2993-2997.
 65. Luo, X.-D., Wu, S.-H., Yang, X.-S., Teng, R.-W., Ma, Y.-B., Wu, D.-G., Hao, X.-J., Lu, Y., Liu, X.-Y., and Zheng, Q.-T. (2000) Prieurianin-type tetranortriterpenoids from the bark of *Dysoxylum hainanense*, *Heterocycles* *53*, 2225-2232.
 66. Luo, X.-D., Wu, S.-H., Wu, D.-G., Ma, Y.-B., and Qi, S.-H. (2002) Three new apo-tirucallols with six-membered hemiacetal from Meliaceae, *Tetrahedron* *58*, 6691-6695.
 67. Luo, X.-D., Wu, S.-H., Wu, D.-G., Ma, Y.-B., and Qi, S.-H. (2002) Novel antifeeding limonoids from *Dysoxylum hainanense*, *Tetrahedron* *58*, 7797-7804.
 68. Luo, X. D., Wu, S. H., Ma, Y. B., and Wu, D. G. (2001) ent-Pimarane derivatives from *Dysoxylum hainanense*, *Phytochemistry* *57*, 131-134.
 69. Luo, X. D., Wu, S. H., Ma, Y. B., and Wu, D. G. (2001) Ent-pimarane derivatives from *Dysoxylum hainanense*, *Phytochemistry* *57*, 131-134.
 70. Luo, X. D., Wu, S. H., Ma, Y. B., and Wu, D. G. (2000) Tirucallane triterpenoids from *Dysoxylum hainanense*, *Phytochemistry* *54*, 801-805.
 71. Luo, X. D., Wu, S. H., Ma, Y. B., and Wu, D. G. (2000) Tirucallane triterpenoids from *Dysoxylum hainanense*, *Phytochemistry* *54*, 801-805.
 72. He, X.-F., Wang, X.-N., Yin, S., Dong, L., and Yue, J.-M. (2009) Ring A

References

- Modified Novel Triterpenoids from *Dysoxylum hainanense*, *Eur. J. Org. Chem.*, 4818-4824.
73. He, X.-F., Wang, X.-N., Gan, L.-S., Yin, S., Dong, L., and Yue, J.-M. (2008) Two novel triterpenoids from *Dysoxylum hainanense*, *Org Lett 10*, 4327-4330.
74. He, X.-F., Wang, X.-N., Gan, L.-S., Yin, S., Dong, L., and Yue, J.-M. (2008) Two Novel Triterpenoids from *Dysoxylum hainanense*, *Org. Lett. 10*, 4327-4330.
75. He, K., Timmermann, B. N., Aladesanmi, A. J., and Zeng, L. (1996) A biflavonoid from *Dysoxylum lenticellare gillespie*, *Phytochemistry 42*, 1199-1201.
76. Fujioka, T., Yamamoto, M., Kashiwada, Y., Fujii, H., Mihashi, K., Ikeshiro, Y., Chen, I.-S., and Leed, K.-H. (1998) Antitumor agents. 182. Novel cytotoxic diterpenes from the stem of *Dysoxylum kuskusense*, *Bioorg. Med. Chem. Lett. 8*, 3479-3482.
77. Fujioka, T., Yamamoto, M., Kashiwada, Y., Fujii, H., Mihashi, K., Ikeshiro, Y., Chen, I. S., and Lee, K. H. (1998) Novel cytotoxic diterpenes from the stem of *Dysoxylum kuskusense*, *Bioorg Med Chem Lett 8*, 3479-3482.
78. Duh, C.-Y., Wang, S.-K., and Chen, I.-S. (2000) Cytotoxic Prenyleudesmane Diterpenes from the Fruits of *Dysoxylum kuskusense*, *J. Nat. Prod. 63*, 1546-1547.
79. Duh, C. Y., Wang, S. K., and Chen, I. S. (2000) Cytotoxic prenyleudesmane diterpenes from the fruits of *Dysoxylum kuskusense*, *J Nat Prod 63*, 1546-1547.
80. Mohamad, K., Martin, M.-T., Litaudon, M., Gaspard, C., Sevenet, T., and Pais, M. (1999) Tirucallane triterpenes from *Dysoxylum macranthum*, *Phytochemistry 52*, 1461-1468.
81. Hisham, A., Bai, M. D. A., Fumimoto, Y., Hara, N., and Shimada, H. (1996) Complete ¹H and ¹³C NMR spectra assignment of cabraleadiol, a dammarane triterpene from *Dysoxylum malabaricum* Bedd, *Magn. Reson. Chem. 34*, 146-150.
82. Hisham, A., Ajitha, B. M. D., JayaKumar, G., Nair, M. S., and Fujimoto, Y. (2001) Triterpenoids from *Dysoxylum malabaricum*, *Phytochemistry 56*, 331-334.
83. Govindachari, T. R., Suresh, G., Kumari, G. N. K., Rajamannar, T., and Partho, P. D. (1999) Nymania-3: a bioactive triterpenoid from *Dysoxylum malabaricum*, *Fitoterapia 70*, 83-86.
84. Govindachari, T. R., Suresh, G., and Kumari, G. N. K. (1994) Triterpenoids from *Dysoxylum malabaricum*, *Phytochemistry 37*, 1127-1129.
85. Govindachari, T. R., Kumari, G. N. K., and Suresh, G. (1996) Ergosta-5,24(24')-diene-3 β ,4 β ,20S-triol, an ergostane steroid from *Dysoxylum malabaricum*,

References

Phytochemistry 44, 153-155.

86. Mulholland, D. A., and Naidoo, N. (2000) Dammarane triterpenoids from *Dysoxylum muellerii*, *Biochem. Syst. Ecol.* 28, 295-297.
87. Mulholland, D. A., Nair, J. J., and Taylor, D. A. H. (1996) Glabretal triterpenoids from *Dysoxylum muelleri*, *Phytochemistry* 42, 1667-1671.
88. Singh, Y., and Aalbersberg, W. (1992) Dammarane triterpenoids from a Fijian medicinal plant, *Dysoxylum richii*. Part 2. Dammarane triterpenoids from *Dysoxylum richii*, *Phytochemistry* 31, 4033-4035.
89. Jogia, M. K., Andersen, R. J., Mantus, E. K., and Clardy, J. (1989) Dysoxysulfone, a sulfur rich metabolite from the Fijian medicinal plant *Dysoxylum richii*, *Tetrahedron Lett.* 30, 4919-4920.
90. Jogia, M. K., and Andersen, R. J. (1989) Limonoids from the Fijian medicinal plant *Dysoxylum richii*, *Can. J. Chem.* 67, 257-260.
91. Jogia, M. K., and Andersen, R. J. (1987) Dysoxylin, a limonoid from *Dysoxylum richii*, *Phytochemistry* 26, 3309-3311.
92. Aalbersberg, W., and Singh, Y. (1991) Dammarane triterpenoids from *Dysoxylum richii*, *Phytochemistry* 30, 921-926.
93. Mulholland, D. A., Iourine, S., and Taylor, D. A. H. (1998) Sesquiterpenoids from *Dysoxylum schiffneri*, *Phytochemistry* 47, 1421-1422.
94. Russell, G. B., Hunt, M. B., Bowers, W. S., and Blunt, J. W. (1994) A sesquiterpenoid ant repellent from *Dysoxylum spectabile*, *Phytochemistry* 35, 1449-1453.
95. Mulholland, D. A., Monkhe, T. V., Pegel, K. H., and Taylor, D. A. H. (1999) Limonoids and diterpenoids from *Dysoxylum spectabile* (Meliaceae), *Biochem. Syst. Ecol.* 27, 313-315.
96. Hassan, A., Khan, M. A., and Ahmad, M. (2007) *Authenticity of Folk Medicinal Plants of Pakistan* Vol. Vol.1, Quaid-i-Azam University, Islamabad
97. Oliver-Bever, B. (1986) *Medicinal plants in tropical West Africa*, Cambridge University Press, Cambridge.
98. Omar, S., Zhang, J., MacKinnon, S., Leaman, D., Durst, T., Philogene, B. J. R., Arnason, J. T., Sanchez-Vindas, P. E., Poveda, L., Tamez, P. A., and Pezzuto, J. M. (2003) Traditionally-used antimalarials from the Meliaceae, *Curr. Top. Med. Chem. (Hilversum, Neth.)* 3, 133-139.
99. Muthaura, C. N., Rukunga, G. M., Chhabra, S. C., Mungai, G. M., and Njagi, E. N. M. (2007) Traditional antimalarial phytotherapy remedies used by the Kwale community of the Kenyan Coast, *J Ethnopharmacol* 114, 377-386.
100. Lee, S.-E., Kim, M.-R., Kim, J.-H., Takeoka, G. R., Kim, T.-W., and Park, B.-S.

References

- (2008) Antimalarial activity of anthothocol derived from *Khaya anthotheca* (Meliaceae), *Phytomedicine* 15, 533-535.
101. Pettit, G. R., Barton, D. H. R., Herald, C. L., Polonsky, J., Schmidt, J. M., and Connolly, J. D. (1983) Evaluation of limonoids against the murine P388 lymphocytic leukemia cell line, *J. Nat. Prod.* 46, 379-390.
102. Carpinella, M. C., Ferrayoli, C. G., and Palacios, M. S. (2003) Antimycotic activity of the members of Meliaceae, pp 81-115, Haworth Press.
103. Joshi, M. N., Chowdhury, B. L., Vishnoi, S. P., Shoeb, A., and Kapil, R. S. (1987) Antiviral activity of (+)-odorinol1, *Planta Med* 53, 254-255.
104. Agbedahunsi, J. M., Fakoya, F. A., and Adesanya, S. A. (2004) Studies on the anti-inflammatory and toxic effects of the stem bark of *Khaya ivorensis* (Meliaceae) on rats, *Phytomedicine* 11, 504-508.
105. Suleiman, M. M., Bagla, V., Naidoo, V., and Eloff, J. N. (2010) Evaluation of selected South African plant species for antioxidant, antiplatelet, and cytotoxic activity, *Pharm Biol* 48, 643-650.
106. Voravuthikunchai, S. P., Kanchanapoom, T., Sawangjaroen, N., and Hutadilok-Towatana, N. (2010) Antioxidant, antibacterial and anti-giardial activities of *Walsura robusta* Roxb, *Nat. Prod. Res., Part B* 24, 813-824.
107. Boeke, S. J., Boersma, M. G., Alink, G. M., van, L. J. J. A., van, H. A., Dicke, M., and Rietjens, I. M. C. M. (2004) Safety evaluation of neem (*Azadirachta indica*) derived pesticides, *J. Ethnopharmacol.* 94, 25-41.
108. Nathan, S. S., Choi, M. Y., Paik, C. H., Seo, H. Y., Kim, J. D., and Kang, S. M. (2007) The toxic effects of neem extract and azadirachtin on the brown planthopper, *Nilaparvata lugens* (Stal) (BPH) (Homoptera: Delphacidae), *Chemosphere* 67, 80-88.
109. MacLeod, J. K., Moeller, P. D. R., Molinski, T. F., and Koul, O. (1990) Antifeedant activity against *Spodoptera litura* larvae and [¹³C]NMR spectral assignments of the meliatoxins, *J. Chem. Ecol.* 16, 2511-2518.
110. Schaaf, O., Jarvis, A. P., van, d. E. S. A., Giagnacovo, G., and Oldham, N. J. (2000) Rapid and sensitive analysis of azadirachtin and related triterpenoids from Neem (*Azadirachta indica*) by high-performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry, *J. Chromatogr., A* 886, 89-97.
111. Kraus, W. (2005) *Biologically Active Ingredients: Section 2.1*, Wiley-VCH Verlag GmbH & Co. KGaA.
112. Oelrichs, P. B., Hill, M. W., Vallely, P. J., MacLeod, J. K., and Molinski, T. F. (1983) Toxic tetranortriterpenes of the fruit of *Melia azedarach*, *Phytochemistry* 22, 531-534.
113. MacKinnon, S., Chauret, D., Wang, M., Mata, R., Pereda-Miranda, R., Jiminez,

References

- A., Bernard, C. B., Krishnamurty, H. G., Poveda, L. J., Sanchez-Vindas, P. E., Arnason, J. T., and Durst, T. (1997) Botanicals from the Piperaceae and Meliaceae of the American Neotropics: Phytochemistry, In *Phytochemicals for Pest Control*, pp 49-57, American Chemical Society.
114. Ishibashi, F., Satasook, C., Ismant, M. B., and Towers, G. H. N. (1993) Insecticidal 1H-cyclopentatetrahydro[b]benzofurans from *Aglaia odorata*, *Phytochemistry* 32, 307-310.
115. Janprasert, J., Satasook, C., Sukumalanand, P., Champagne, D. E., Isman, M. B., Wiriyaichitra, P., and Towers, G. H. N. (1992) Rocaglamide, a natural benzofuran insecticide from *Aglaia odorata*, *Phytochemistry* 32, 67-69.
116. Tan, S.-K., Osman, H., Wong, K.-C., and Boey, P.-L. (2009) New phragmalin-type limonoids from *Swietenia macrophylla* King, *Food Chemistry* 115, 1279-1285.
117. <http://www.turbomole.com> (2009) *TURBOMOLE* Vol. 6.1, University of Karlsruhe and Forschungszentrum Karlsruhe. it has been taken from the internet on 15-01-2011.
118. Eichkorn, K., Treutler, O., Oehm, H., Haeser, M., and Ahlrichs, R. (1995) Auxiliary basis sets to approximate Coulomb potentials, *Chem. Phys. Lett.* 240, 283-290.
119. Schaefer, A., Horn, H., and Ahlrichs, R. (1992) Fully optimized contracted Gaussian basis sets for atoms lithium to krypton, *J. Chem. Phys.* 97, 2571-2577.
120. Weigend, F., Kohn, A., and Hattig, C. (2002) Efficient use of the correlation consistent basis sets in resolution of the identity MP2 calculations, *J. Chem. Phys.* 116, 3175-3183.
121. Becke, A. D. (1988) Density-functional exchange-energy approximation with correct asymptotic behavior, *Phys. Rev. A: Gen. Phys.* 38, 3098-3100.
122. Wu, J., Zhang, S., Xiao, Q., Li, Q., Huang, J., Long, L., and Huang, L. (2004) Xylococcin L, a novel limonoid from *Xylocarpus granatum*, *Tetrahedron Letters* 45, 591-593.
123. Yin, S., Wang, X.-N., Fan, C.-Q., Lin, L.-P., Ding, J., and Yue, J.-M. (2007) Limonoids from the seeds of the marine mangrove *Xylocarpus granatum*, *J Nat Prod* 70, 682-685.
124. Kim, J.-G., Cho, D. H., and Jang, D. O. (2004) Radical deoxygenation of tertiary alcohols via trifluoroacetates, *Tetrahedron Letters* 45, 3031-3033.
125. Najmuldeen, I. A., Abdul, H. A. H., Awang, K., Mohamad, K., and Ng, S. W. (2010) 14-Deoxyxylococcin K from *Chisocheton ceramicus* (Meliaceae), *Acta Crystallogr., Sect. E: Struct. Rep. Online* E66, o1927.
126. Sondengam, B. L., Kamga, C. S., and Connolly, J. D. (1980) Proceranolide, a novel tetranortriterpenoid from *Carapa procera*, *Phytochemistry* 19, 2488-2488.

References

127. Topcu, G., Tan, N., Kokdil, G., and Ulubelen, A. (1997) Terpenoids from *Salvia glutinosa*, *Phytochemistry* 45, 1293-1294.
128. Gunatilaka, A. A. L., Samaranyake, G., and Kingston, D. G. I. (1992) Bioactive ergost-5-ene-3 β ,7 α -diol derivatives from *Pseudobersama mossambicensis*, *J. Nat. Prod.* 55, 1648-1654.
129. Schroeder, G., Rohmer, M., Beck, J. P., and Anton, R. (1980) 7-Oxo-, 7 α -hydroxy-, and 7 β -hydroxysterols from *Euphorbia fischeriana*, *Phytochemistry* 19, 2213-2215.
130. Foley, D. A., O'Callaghan, Y., O'Brien, N. M., McCarthy, F. O., and Maguire, A. R. (2010) Synthesis and Characterization of Stigmasterol Oxidation Products, *J. Agric. Food Chem.* 58, 1165-1173.
131. Najmuldeen, I. A., Hadi, A. H. A., Awang, K., Mohamad, K., and Ng, S. W. (2008) 17-(5-Ethyl-6-methylheptan-2-yl)-10,13-dimethyl-2,3,4,7,8,9,10,11,12,13,14,15,16,17-tetradecahydro-1H-cyclopenta[a]phenanthrene-3,7-diol from *Chisocheton tomentosus* (Meliaceae), *Acta Crystallogr., Sect. E: Struct. Rep. Online* E64, o2163, o2163/2161-o2163/2116.
132. Akihisa, T., Kimura, Y., Roy, K., Ghosh, P., Thakur, S., and Tamura, T. (1994) Triterpene alcohols and 3-oxo steroids of nine Leguminosae seeds, *Phytochemistry* 35, 1309-1313.
133. Conner, A. H., Nagasampagi, B. A., and Rowe, J. W. (1980) Terpenoid and other extractives of western white pine bark, *Phytochemistry* 19, 1121-1131.
134. Forgo, P., and Kövér, K. E. (2004) Gradient enhanced selective experiments in the ¹H NMR chemical shift assignment of the skeleton and side-chain resonances of stigmasterol, a phytosterol derivative, *Steroids* 69, 43-50.
135. Xu, W. L., Huang, Y. B., Qian, J. H., Sha, O., and Wang, Y. Q. (2005) Separation and purification of stigmasterol and [beta]-sitosterol from phytosterol mixtures by solvent crystallization method, *Separation and Purification Technology* 41, 173-178.
136. De-Eknamkul, W., and Potduang, B. (2003) Biosynthesis of [beta]-sitosterol and stigmasterol in *Croton sublyratus* proceeds via a mixed origin of isoprene units, *Phytochemistry* 62, 389-398.
137. Säynäjoki, S., Sundberg, S., Soupas, L., Lampi, A.-M., and Piironen, V. (2003) Determination of stigmasterol primary oxidation products by high-performance liquid chromatography, *Food Chemistry* 80, 415-421.
138. Huang, X., and Kong, L. (2006) Steroidal saponins from roots of *Asparagus officinalis*, *Steroids* 71, 171-176.
139. Manoharan, K. P., Benny, T. K. H., and Yang, D. (2005) Cycloartane type triterpenoids from the rhizomes of *Polygonum bistorta*, *Phytochemistry* 66, 2304-2308.

References

140. Lendl, A., Werner, I., Glasl, S., Kletter, C., Mucaji, P., Presser, A., Reznicek, G., Jurenitsch, J., and Taylor, D. W. (2005) Phenolic and terpenoid compounds from *Chione venosa* (sw.) urban var. *venosa* (Bois Bandé), *Phytochemistry* 66, 2381-2387.
141. Kawanishi, K., and Hashimoto, Y. (1987) Long chain esters of *Virola* species, *Phytochemistry* 26, 749-752.
142. Graca, J., and Pereira, H. (1999) Glyceryl-acyl and aryl-acyl dimers in *Pseudotsuga menziesii* bark suberin, *Holzforschung* 53, 397-402.
143. Rencoret, J., Gutierrez, A., and del, R. J. C. (2007) Lipid and lignin composition of woods from different eucalypt species, *Holzforschung* 61, 165-174.
144. Zheng, J., Wang, N., Chen, H., and Yao, X. (2007) Isolation and identification of phenolic constituents from *Selaginella uncinata* (Desv.) Spring, *Zhongguo Yaowu Huaxue Zazhi* 17, 302-305.
145. Graca, J., and Pereira, H. (2000) Suberin structure in potato periderm: Glycerol, long-chain monomers, and glyceryl and feruloyl dimers, *J. Agric. Food Chem.* 48, 5476-5483.
146. Fang, S.-C., Shieh, B.-J., Wu, R.-R., and Lin, C.-N. (1995) Isoprenylated flavonols of formosan *Broussonetia papyrifera*, *Phytochemistry* 38, 535-537.
147. Hashidoko, Y., Tahara, S., and Mizutani, J. (1992) Long chain alkyl esters of 4'-hydroxycinnamic acids from leaves of *Rosa rugosa*, *Phytochemistry* 31, 3282-3283.
148. Juma, B. F., Yenesew, A., Midiwo, J. O., and Waterman, P. G. (2001) Flavones and phenylpropanoids in the surface exudate of *Psiadia punctulata*, *Phytochemistry* 57, 571-574.
149. Herath, H. M. T. B., Dassanayake, R. S., Priyadarshani, A. M. A., De Silva, S., Wannigama, G. P., and Jamie, J. (1998) Isoflavonoids and a pterocarpan from *Gliricidia sepium*, *Phytochemistry* 47, 117-119.
150. Carpinella, M. C., Giorda, L. M., Ferrayoli, C. G., and Palacios, S. M. (2003) Antifungal Effects of Different Organic Extracts from *Melia azedarach* L. on Phytopathogenic Fungi and Their Isolated Active Components, *J. Agric. Food Chem.* 51, 2506-2511.
151. Sy, L.-K., and Brown, G. D. (1999) Coniferaldehyde derivatives from tissue culture of *Artemisia annua* and *Tanacetum parthenium*, *Phytochemistry* 50, 781-785.
152. Mukonyi, K. W., and Ndiege, I. O. (2001) 2-Hydroxy-4-methoxybenzaldehyde: aromatic taste modifying compound from *Mondia whiteii* Skeels, *Bull. Chem. Soc. Ethiop.* 15, 137-141.
153. Cavalheiro, A. J., and Yoshida, M. (2000) 6-[[omega]-arylalkenyl]-5,6-dihydro-

References

- [alpha]-pyrones from *Cryptocarya moschata* (Lauraceae), *Phytochemistry* 53, 811-819.
154. Najmuldeen, I. A., Abdul, H. A. H., Awang, K., Mohamad, K., and Ng, S. W. (2010) 5-Hydroxy-7-methoxy-2-methyl-4H-chromen-4-one from *Dysoxylum macrocarpum* (Meliaceae), *Acta Crystallogr., Sect. E: Struct. Rep. Online* E66, o1883.
155. Tsui, W.-Y., and Brown, G. D. (1996) Chromones and chromanones from *Baeckea frutescens*, *Phytochemistry* 43, 871-876.
156. Barrero, A. F., Oltra, J. E., and Poyatos, J. A. (1996) Acidic metabolites from *Phycomyces blakesleeanus*, *Phytochemistry* 42, 1427-1433.
157. Miyazawa, M., Nankai, H., and Kameoka, H. (1996) Biotransformation of acyclic terpenoid (2E,6E)-farnesol by plant pathogenic fungus *Glomerella cingulata*, *Phytochemistry* 43, 105-109.
158. Nishiyama, Y., Moriyasu, M., Ichimaru, M., Tachibana, Y., Kato, A., Mathenge, S. G., Nganga, J. N., and Juma, F. D. (1996) Acyclic triterpenoids from *Ekebergia capensis*, *Phytochemistry* 42, 803-807.
159. Tezuka, Y., Irikawa, S., Kaneko, T., Banskota, A. H., Nagaoka, T., Xiong, Q., Hase, K., and Kadota, S. (2001) Screening of Chinese herbal drug extracts for inhibitory activity on nitric oxide production and identification of an active compound of *Zanthoxylum bungeanum*, *Journal of Ethnopharmacology* 77, 209-217.
160. Jones, C. F., and Grainger, D. W. (2009) In vitro assessments of nanomaterial toxicity, *Advanced Drug Delivery Reviews* 61, 438-456.
161. Deguchi, J., Shoji, T., Nugroho, A. E., Hirasawa, Y., Hosoya, T., Shirota, O., Awang, K., Hadi, A. H. A., and Morita, H. (2010) Eucophylline, a Tetracyclic Vinylquinoline Alkaloid from *Leuconotis eugenifolius*, *J. Nat. Prod.* 73, 1727-1729.
162. Mori, M., Itabe, H., Higashi, Y., Fujimoto, Y., Shiomi, M., Yoshizumi, M., Ouchi, Y., and Takano, T. (2001) Foam cell formation containing lipid droplets enriched with free cholesterol by hyperlipidemic serum, *J. Lipid Res.* 42, 1771-1781.
163. Elmore, S. (2007) Apoptosis: A Review of Programmed Cell Death, *Toxicol. Pathol.* 35, 495-516.
164. Hanahan, D., and Weinberg, R. A. (2000) The hallmarks of cancer, *Cell (Cambridge, Mass.)* 100, 57-70.

PUBLICATIONS

1. Ibrahim A. Najmuldeen, A. Hamid A. Hadi, Khalijah Awang, Khalit Mohamad, Kamal Aziz Ketuly, Mat Ropi Mukhtar, Soon-Lim Chong, Gomathi Chan, Mohd Azlan Nafiah, Ng Seik Weng, Osamu Shiota, Takahiro Hosoya, Alfarius E. Nugroho, and Hiroshi Morita, *Chisomicines A–C, Limonoids from Chisocheton ceramicus*, **J. Nat. Prod.**, **2011**, **74**, **1313-1317**.
2. Ibrahim A. Najmuldeen, A. Hamid A. Hadi, Khalijah Awang, Khalit Mohamad, Kamal Aziz Ketuly, Mat Ropi Mukhtar, and Hiroshi Morita, *Chisomicines D-E, Limonoids from Chisocheton ceramicus*, **journal of heterocyclic Chemistry** **2011 com-11-S (F)** **31**.
3. Ibrahim A. Najmuldeen,a,* A. Hamid A. Hadi, Khalit Mohamad, Khalijah Awang, Mehran Fadaei Nasab, Kamal Aziz Ketuly, Mat Ropi Mukhtar, and Hiroshi Morita *steroids from Chisocheton tomentosus*, **Malaysian Journal of Science (2011) 30 (2): XX-XX**.
4. Ibrahim A. Najmuldeen, Abdul Hamid Abdul Hadi, Khalijah Awang, Khalit Mohamad and Seik Weng Ng, *14-Deoxyxyloccensin K from Chisocheton ceramicus (Meliaceae)*, **Journal of acta crystallographica section e**, **2010**, **Volume 66**, **Part 8**, **Page o1927**.
5. Ibrahim A. Najmuldeen, Abdul Hamid Abdul Hadi, Khalijah Awang, Khalit Mohamad and Seik Weng Ng, *5-Hydroxy-7-methoxy-2-methyl-4H-chromen-4-one from Dysoxylum macrocarpum (Meliaceae)*, **Journal of acta crystallographica section e**, **2010**, **Volume 66**, **Part 8**, **Page o1883**.
6. Ibrahim A. Najmuldeen, Abdul Hamid Abdul Hadi, Khalijah Awang, Khalit Mohamad and Seik Weng Ng, *17-(5-Ethyl-6-methylheptan-2-yl)-10,13-dimethyl-2,3,4,7,8,9,10,11,12,13,14,15,16,17-tetradecahydro-1H-cyclopenta[a]phenanthrene-3,7-diol from Chisocheton tomentosus (Meliaceae)*, **Journal of acta crystallographica section e**, **2008**, **Volume 64**, **Part 11**, **Page o2163**.
7. Ibrahim A. Najmuldeen, A. Hamid A. Hadi, Khalijah Awang, Chong Soon Lim Khalit Mohamad, *Triterpene and Aromatic Compounds from Chisocheton tomentosus*, **International Conference on Molecular Chemistry** **2008**.