

REFERENCES

- Afele, J. C. and De Langhe, E. A. (1991). Increasing *In vitro* germination of *Musa balbisiana* seeds. *The Plant cell, Tissue, and Organ Culture*, 27, 33-36.
- Allakhverdiev, S. I., Sakamoto, A., Nishiyama, Y., Inaba, M. and Murata, N. (2000). Ionic and osmotic effects of NaCl-induced inactivation of photosystems I and II in *Synechococcus* sp. *Plant Physiology*, 123, 1047-1056.
- Allen, E., Xie, Z., Gustafson, A. M. and Carrington, J. C. (2005). microRNA-directed phasing during trans-acting siRNA biogenesis in plants. *Cell*, 121, 207-221.
- Ambros, V. (2001). microRNAs: Tiny regulators with great potential. *Cell*, 107, 823-826.
- Ambros, V. (2004). The functions of animal microRNAs. *Nature*, 431, 350-355
- Ambros, V., Bartel, B., Bartel, D. P., Burge, C. B., Carrington, J. C., Chen, X., et al. (2003). A uniform system for microRNA annotation. *RNA*, 9, 277-279.
- Arinaitwe, G., Rubaihayo, P. R. and Magambo, M. J. S. (2000). Proliferation rate effects of cytokinins on banana (*Musa* spp.) cultivars. *Scientia Horticulturae*, 86, 13-21.
- Ashraf, M. (2002). Salt tolerance of cotton: Some new advances. *Critical Review in Plant Sciences*, 21, 1-30.
- Aukerman, M. J. and Sakai, H. (2003). Regulation of flowering time and floral organ identity by a microRNA and its APETALA2-Like Target Genes. *The Plant*, 15, 2730-2741.
- Azevedo, H., Lino-Neto, T. and Tavares, R. M. (2003). An improved method for high-quality RNA isolation from needles of adult maritime pinetrees. *Plant Molecular Biology Reporter*, 21, 333-338.

- Bachellerie, J. P., Cavaillé, J. and Hüttenhofer, A. (2002). The expanding snoRNA world. *Biochimie*, 84(8), 775-790.
- Balibrea, M. E., Dell' Amico, J., Bolarín, M. C. and Pérez-Alfocea, F. (2000). Carbon partitioning and sucrose metabolism in tomato plants growing under salinity. *Physiologia Plantarum*, 110, 503-511.
- Barakat, A., Wall, P. K., DiLoreto, S., dePamphilis, C. W. and Carlson, J. E. (2007). Conservation and divergence of microRNAs in *Populus*. *BMC Genomics*, 8:481.
- Bartel, B. and Bartel, D. P. (2003). MicroRNAs: At the Root of Plant Development. *Plant Physiology*, 132, 709-717.
- Bartel, D. P. (2004). MicroRNAs: genomics, biogenesis, mechanism, and function. *Cell*, 116, 281-297.
- Bates, L. S., Waldren, R. P. and Teare, I. D. (1973). Rapid determination of free proline for water-stress studies. *Plant and Soil*, 39, 205-207
- Behdani, M. A., Mapfumo, E., Rengel, Z. and E.G.Barrett-Lennard. (2008). Effect of different level of salinity on growth and morphological characteristic of two Legumes. *Journal of Biological Sciences*, 8(6), 984-992.
- Berkhout, B. and Haasnoot, J. (2006). The interplay between virus infection and the cellular RNA interference machinery. *FEBS Letters*, 580, 2896-2902.
- Boutet, S., Vazquez, F., Liu, J., Beclin, C., Fagard, M., Gratias, A., et al. (2003). *Arabidopsis* HEN1: a genetic link between endogenous miRNA controlling development and siRNA controlling transgene silencing and virus resistance. *Current Biology*, 13, 843-848.
- Carthew, R. W. and Sontheimer, E. J. (2009). Origins and Mechanisms of miRNAs and siRNAs. *Cell*, 136, 642-655.
- Cheesman. (1974). The classification of Bananas. *Kew Bulletin*, 2, 97-117.

Chen, C. L., Liang, D., Zhou, H., Zhuo, M., Chen, Y.-Q. and Qu, L. H. (2003). The high diversity of snoRNAs in plants: identification and comparative study of 120 snoRNA genes from *Oryza sativa*. *Nucleic Acids Research*, 31(10), 2601-2613.

Cheng Xiang Qiu , Fu Liang Xie , Yi Yong Zhu, Kai Guo, Si Qi Huang, Li Nie, et al. (2007). Computational identification of microRNAs and their targets in *Gossypium hirsutum* expressed sequence tags. *Gene*, 395, 49-61.

Chengwei Liang, Xiaowen Zhang, Jian Zou , Dong Xu , Feng Su and Ye, N. (2010). Identification of miRNA from *Porphyra yezoensis* by high-throughput sequencing and bioinformatics analysis. *PLoS ONE*, 5(5): e10698. doi:10.1371/journal.pone.0010698.

Cherian, S., Reddy, M. P. and Pandya, J. B. (1999). Studies on salt tolerance in *Avicennia marina* (Forstk.) Vierh: Effect of NaCl salinity on growth, ion accumulation and enzyme activity. *Indian Journal of Plant Physiology*, 4, 266-270.

Chomczynski, P. and Sacchi, N. (1987). Single-step of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Analytical Biochemistry*, 162, 156–159.

Cox, E. A., Stotzky, G. and Goos, R. D. (1960). *In vitro* Culture of *Musa balbisiana* Colla embryos. *Nature, London*, 185, 403-404.

Cronauer, S. S. and Krikorian, A. D. (1983). Somatic embryos from cultured tissue of triploid plantains (*Musa* ABB). *Plant Cell Reports*, 2, 289–291.

Cronauer, S. S. and Krikorian, A. D. (1984). Multiplication of *Musa* from excised stem tips. *Annals of Botany Company*, 53, 321–328.

Dai, X., Zhuang, Z., and Zhao, P. X. (2010). Computational analysis of miRNA targets in plants: current status and challenges. *Briefings in Bioinformatics*, September 21, DOI:10.1093/bib/bbq065.

De Langhe, E. A. (1969). Bananas. In P. P. Ferwerda and f. Wit (Eds.), *outlines of perennial crop breeding in the tropic* (pp. 53-78). WageningenThe Netherlands: Landbouwhogeschool (Agriculture University).

Demural, M. A., Aydin, M. and Yorulmaz, A. (2005). Effect of Salinity on Growth Chemical Composition and Antioxidative Enzyme Activity of Two Malting Barley (*Hordeum vulgare* L.) Cultivars. *Turkish Journal of Biology*, 29, 117-123.

Dorokhov, Y. L., Frolova, O. Y., Skurat, E. V., Ivanova, P. A., Gasanova, T. V., Anna A. Sheveleva, *et al.* (2006). A novel function for a ubiquitous plant enzyme pectin methylesterase: The enhancer of RNA silencing. *FEBS Letters* 580, 3872-3878.

Dugas, D. V. and Bartel, B. (2004). MicroRNA regulation of gene expression in plants. *Current Opinion in Plant Biology*, 7, 512–520.

Ewing, K., McKee, K., Mendelssohn, I. and Hester, M. (1995). A comparison of indicators of sublethal salinity stress in the salt marsh grass, *Spartina patens* (Ait.) Muhl. *Aquatic Botany*, 5, 59-74.

Fahlgren, N., Howell, M. D., Kasschau, K. D., Chapman, E. J., Sullivan, C. M., Cumbie, J. S., *et al.* (2007). High-throughput sequencing of *Arabidopsis* microRNAs: evidence for frequent birth and death of MIRNA genes. *PLoS ONE*, 2:e219.

FAO. (2006). FAOSTAT:FAO Statistics Division. (Publication., from Food and agriculture organization of the United Nations. <http://www.fao.org/economic/ess/statistics-division-home/en/>

FAO. (2007). FAOSTAT: FAO Statistics Division (Publication., from Food and agriculture organization of the United Nations. <http://www.fao.org/economic/ess/statistics-division-home/en/>

Fire, A., Xu, S., Montgomery, M. K., Kostas, S. A., Driver, S. E. and Mello, C. C.

(1998). Potent and specific genetic interference by double-strandedRNA in *Caenorhabditis elegans*. *Nature*, 391, 806-811.

Flowers, T. J. and Yeo, A. R. (1997). Breeding for salt resistance in plants. In P. K. Jaiwal, R. P. Singh and A. Gulati (Eds.), *Strategies for Improving Salt Tolerance in Higher Plants*, 247-264. New Delhi: Oxford and IBH.

Fujii, H., Chiou, T.-J., Lin, S.-I., Aung, K. and Zhu, J.-K. (2005). A miRNA involved in phosphate-starvation response in *Arabidopsis*. *Current Biology*, 15, 2038-2043.

Gadallah, M. A. A. (1999). Effects of proline and glycinebetaine on *Vicia faba* response to salt stress. *Biologia Plantarum* 42, 249-257

Ganot, P., Bortolin, M. L. and Kiss, T. (1997). Site-specific pseudouridine formation in preribosomal RNA is guided by small nucleolar RNAs. *Cell*, 89(5), 799-809.

Gasic, K., Hernandez, A. and Korban, S. S. (2004). RNA extraction from different apple tissues rich in polyphenols and polysaccharides for cDNA Library Construction. *Plant Molecular Biology Reporter* 22, 437a-437g.

Golden, D. E., Gerbasi, V. R. and Sontheimer, E. J. (2008). An inside job for siRNAs. *Molecular Cell*, 31, 309-312.

Gottesman, S. (2004). The small RNA regulators of *Escherichia coli*: roles and mechanisms. *Annual Review of Microbiology*, 58, 303-328

Grandi, P., Rybin, V., Bassler, J., Petfalski, E., Strauss, D., Marzioch, M., et al. (2002). 90S Pre-ribosomes include the 35S Pre-rRNA, the U3 snoRNP, and 40S subunit processing factors but predominantly lack 60S synthesis factors. *Molecular Cell*, 10, 105-115.

Gubbuk, H. and Pekmezcu , M. (2004). *In vitro* propagation of some new banana types (*Musa* spp.). *Turkish Journal of Agriculture and Forestry*, 28, 355-361.

Häkkinen, M. and Sharrock, S. (2002). Diversity in the genus *Musa* - Focus on Rhodochlamys. INIBAP annual report 2001. INIBAP: Montpellier (FRA). 16-23.

Hannon, G. J. (2002). RNA interference. *Nature*, 418, 244–251.

Ho, T., Wang, H., Pallett, D. and Dalmay, T. (2007). Evidence for targeting common siRNA hotspots and GC preference by plant Dicer-like proteins. *FEBS Letters* 58, 3267–3272.

Ikeda, K., Minoru Satoh , Pauley, K. M., Marvin J. Fritzler , Westley H. Reeves and Chan, E. K. L. (2006). Detection of the argonaute protein Ago2 and microRNAs in the RNA induced silencing complex (RISC) using a monoclonal antibody. *Journal of Immunological Methods*, 317, 38-44.

Javier Martinez, Agnieszka Patkaniowska, Henning Urlaub, Reinhard Lu hrmann and Tuschl, T. (2002). Single-stranded antisense siRNAs guide target RNA cleavage in RNAi. *Cell*, 110, 563–574.

Jones-Rhoades, M. W. and Bartel, D. P. (2004). Computational identification of plant microRNAs and their targets, including a stress-induced miRNA. *Molecular Cell*, 14, 787-799.

Kalimuthu, K., Saravanakumar, M. and Senthilkumar, R. (2007). In vitro micropropagation of *Musa sapientum* L.(Cavendish Dwarf). *African Journal of Biotechnology* 6(9), 1106-1109.

Kansal, R., Kuhar, K., Verma, I., Niwas Gupta, R., Kumar Gupta, V. and Ram Koundal, K. (2008). Improved and convenient mothod for RNA isolation from polyphenols and polysaccharide rich plant tissues. *Indian Journal of Experimental Biology*, 47, 842-845.

Keutgen, A. J. and Pawelzik, E. (2008). Contribution of amino acids to strawberry fruit quality and their relevance as stress indicators under NaCl salinity. *Food Chemistry* 111, 642-647.

- Khan, M. A. (2001). Experimental assessment of salinity tolerance of *Ceriops tagal* seedlings and saplings from the Indus delta, Pakistan. *Aquatic Botany*, 70, 259-268.
- Khan, M. A. and Abdullah, Z. (2003). Salinity/sodicity induced changes in reproductive physiology of rice (*Oryza sativa*) under dense soil conditions. *Environmental and Experimental Botany*, 49, 145-157.
- Khan, M. A., Ungar, I. A. and Showalter, A. M. (1999). Effects of salinity on growth, ion content, and osmotic relations in *Halopyrum mucronatum* (L.) Stapf. *Journal of Plant Nutrition*, 22, 191–204.
- Khan, M. A., Ungar, I. A. and Showalter, A. M. (2000). Effects of sodium chloride treatments on growth and ion accumulation of the halophyte *Haloxylon recurvum*. *Communications in Soil Science and Plant Analysis*, 31, 2763–2774.
- Kidner, C. A. and Martienssen, R. A. (2005). The developmental role of microRNA in plants. *Current Opinion in Plant Biology*, 8, 38-44.
- Kiefer, E., Heller, W. and Ernst, D. (2000). A simple and efficient protocol for isolation of functional RNA from plant tissue rich in secondary metabolites. *Plant Molecular Biology Reporter*, 18, 33-39.
- Kim, M., Vasiljeva, L., Rando, O. J., Zhelkovsky, A., Moore, C. and Buratowski, S. (2006). Distinct pathways for snoRNA and mRNA termination *Cell*, 24(5), 723-734.
- Kim, V. N. (2005). MicroRNA biogenesis: coordinated cropping and dicing. *Nature Reviews Molecular Cell Biology*, 6, 376-385.
- Kiss, T. (2002). Small Nucleolar RNAs: An abundant group of non-coding RNAs with diverse cellular functions. *Cell*, 109, 145-148.
- Lau, N. C., Lim, L. P., Weinstein, E. G. and Bartel, D. P. (2001). An abundant class of tiny RNAs with probable regulatory roles in *Caenorhabditis elegans*. *Science*, 294, 858–862.

Läuchli , A. (1984). Salt exclusion: an adaptation of legumes for crops and pastures under saline conditions. In R. Staples and G. Toenniessens (Eds.), *Salinity Tolerance in Plants: Strategies for Crop Improvement* (pp. 171–187). New York: John Wiley and Sons.

Lee, R. C. and Ambros, V. (2001). An extensive class of small RNAs in *C. elegans*. *Science*, 294, 862- 864.

Lee, R. C., Feinbaum, R. L. and Ambros, V. (1993). The *C. elegans* Heterochronic Gene *lin-4* Encodes Small RNAs with Antisense Complementarity to *lin-14*. *Cell*, 75, 843-854.

Lee, Y., Ahn, C., Han, J., Choi, H., Kim, J., Yim, J., et al. (2003). The nuclear RNase III Drosha initiates microRNA processing. *Nature*, 425, 415-419.

Lee, Y., Jeon, K., Lee, J. T., Kim, S. and Kim, V. N. (2002). MicroRNA maturation: stepwise processing and subcellular localization. *EMBO Journal*, 21, 4663-4670.

Lee, Y., Kim, M., Han, J., Yeom, K. H., Lee, S., Baek, S. H., et al. (2004). MicroRNA genes are transcribed by RNA polymerase II. *EMBO journal*, 23, 4051-4060.

Lelandais-Brièrea, C., Nayaa, L., Salletc, E., Calengea, F., Frugiera, F., Hartmann, C., et al. (2009). Genome-wide *Medicago truncatula* small RNA analysis revealed novel microRNAs and isoforms differentially regulated in roots and nodules. *The Plant Cell* 21, 2780-2796.

Leung, R. K. M. and Whittaker, P. A. (2005). RNA interference: from gene silencing to gene-specific therapeutics. *Pharmacology & Therapeutics* 107, 222-239

Lippman, Z. and Martienssen, R. (2004). The role of RNA interference in heterochromatic silencing. *Nature*, 431, 364-370.

Liu, H. H., Tian, X., Li Y, J., Wu, C., A, and Zheng, C. C. (2008). Microarray-based analysis of stressregulated microRNAs in *Arabidopsis thaliana*. *RNA*, 14, 836-843.

Liu , T., van Staden , J. and Cress , W. A. (2000). Salinity induced nuclear and DNA degradation in meristematic cells of soybean (*Glycine max* (L.) cv. Acme) Roots. *Plant Growth Regulation*, 30, 49-54.

Lu, S., Sun, Y. and Chiang, V. L. (2008). Stress-responsive microRNAs in *Populus*. *The Plant Journal*, 55, 131-151.

Lu, S., Sun, Y., Shi, R., Clark, C., Li, C. and Chiang, V. L. (2005). Novel and mechanical stress–responsive microRNAs in *Populus trichocarpa* that are absent from *Arabidopsis*. *The Plant Cell* 17, 2186-2203.

Ma, S. S. and Shii, C. T. (1972). In vitro formation of adventitious buds in banana shoot apex following decapitation. *Journal of the Chinese Society for Horticultural Science*, 18, 135-142.

Ma, S. S. and Shii, C. T. (1974). Growing banana plantlet from adventitious buds. *Journal of the Chinese Society for Horticultural Science*, 20, 6-12.

Madhulatha, P., Anbalagan, M., Jayachandran, S. and Sakthivel, N. (2004). Influence of liquid pulse treatment with growth regulators on in vitro propagation of banana (*Musa* spp. AAA). *Plant Cell, Tissue and Organ Culture*, 76, 189-191.

Mahaja, S. and Tuteja, N. (2005). Cold, salinity and drought stresses: An overview. *Archives of Biochemistry and Biophysics*, 444, 139-158.

Makin, I.W. and Goldsmith, H. (1988). Selection of drainage and its phased implementation for salinity control. *Irrigation and Drainage Systems*, 2, 109-121.

Mante, S. and Tepper, H. B. (1983). Propagation of *Musa textiles* Nee plants from apical meristem slices *in vitro*. *Plant Cell, Tissue and Organ Culture*, 2, 151-159.

Martin, K. P., Zhang., C.-L., Slater, A. and Madassery, J. (2007). Control of shoot necrosis and plant death during micropropagation of banana and plantains (*Musa* spp.). *Plant Cell, Tissue and Organ Culture*, 88, 51-59.

Mattick, J. S. (2001). Non-coding RNAs: the architects of eukaryotic complexity.

EMBO reports, 2, 986-991.

Mattick, J. S. and Makunin, L. V. (2005). Small regulatory RNAs in mammals. *Human Molecular Genetics*, 14 (Review Issue 1), R121-R132.

Mattick, J. S. and Makunin, L. V. (2006). Non-coding RNA. *Human Molecular Genetics*, 15 ,(Review Issue 1), R17-R29.

Matzke, M., Kanno, T., Daxinger, L., Huettel, B. and Matzke, A. J. (2009). RNA-mediated chromatinbased silencing in plants. *Current Opinion in Cell Biology*, 21, 367-376.

Mehler, M. F. and Mattick, J. S. (2006). Non-coding RNAs in the nervous system. *Journal of Physiology*, 575(2), 333-341.

Mello, C. C. and Conte, D., Jr. (2004). Revealing the world of RNA interference. *Nature*, 431, 338-342.

Meloni, D. A., Gulotta, M. R. and nez, C. A. M. (2008). Salinity tolerance in Schinopsis quebracho colorado: Seed germination, growth, ion relations and metabolic responses. *Journal of Arid Environments*, doi:10.1016/j.jaridenv.2008.05.003.

Molinaria, H. B. C., Marura, C. J., Filho, J. C. B., Kobayashib, A. K., Pileggic, M., Leite Ju'niora, R. P., et al. (2004). Osmotic adjustment in transgenic citrus rootstock Carrizo citrange (*Citrus sinensis Osb. x Poncirus trifoliata L. Raf.*) overproducing proline. *Plant Science*, 167,1375-1381.

Moraghan, J. T. (1993). Accumulation of cadmium and selected elements in flax seed grown on a calcareous soil. *Plant and Soil* 150, 61-68.

Mosher, R. A., Lewsey, M. G. and Shivaprasad, P. V. (2010). MReNetiAng rsepioloertncing in plants: Flash report. *Silence*, 1, 13.

- Mosher, R. A., Melnyk, C. W., Kelly, K. A., Dunn, R. M., Studholme, J. and Baulcombe, D. C. (2009). Uniparental expression of *PolIV*-dependent siRNAs in developing endosperm of *Arabidopsis*. *Nature*, *460*, 283-286.
- Murashige, T. (1974). Plant propagation through tissue culture. *Annual Review of plant physiology*, *25*, 135-166.
- Murashige, T. and Skoog, F. (1962). A Revised Medium for Rapid Growth and Bio Assays with Tobacco Tissue Cultures. *Physiologica Plantarum*, *15*, 473-497.
- Naidoo, G. and Kift, J. (2006). Responses of the saltmarsh rush *Juncus kraussii* to salinity and waterlogging. *Aquatic Botany*, *84*, 217–225.
- Novak, F. J. (1992). *Musa* (Banana and Plantain). In f. A. hammerschlag and R. E. Litz (Eds.), *Biotechnology of Perennial Fruit Crops* (pp. 449-485). : C.A.B International, Wallingford, UK.
- Olmos, E., Hernández, J. A., Sevilla , F. and Hellín, E. (1994). Induction of several antioxidant enzymes in the selection of a salt-tolerant cell line of *Pisum sativum*. *Journal of Plant Physiology*, *144*, 594-598.
- Palatnik, J. F., Allen, E., Wu, X., Schommer, C., Schwab, R., Carrington, J. C., et al. (2003). Control of leaf morphogenesis by microRNAs. *Nature*, *425*, 257-263.
- Pang, K. C., Stephen, S., Engstrōm, P. G., Tajul-Arifin, K., Chen, W., Wahlestedt, C., et al. (2005). RNAdb—a comprehensive mammalian noncoding RNA database. *Nucleic Acids Research*, *33*(Database issue), D125-D130.
- Parida, A. K. and Das, A. B. (2004). Salt tolerance and salinity effect on plants:a review. *Ecotoxicology and Environmental Safely*, *60*, 324-349.
- Parida, A. K. and Das, A. B. (2005). Salt tolerance and salinity effect on plants:a review. *Ecotoxicology and Environmental Safely*, *60*, 324-349.

- Park, W., Li, J., Song, R., Messing, J. and Chen, X. (2002). CARPEL FACTORY, a Dicer homolog, and *HEN1*, a novel protein, act in microRNA metabolism in *Arabidopsis thaliana*. *current Biology*, 12, 1484-1495.
- Pikaard, C. S., Haag, R. H., Thomas Ream, T. and Wierzbicki, A. T. (2008). Roles of RNA polymerase IV in gene silencing. *Trends in Plant Science*, 13, 390-397.
- Pikaard, C. S. and Tucker, S. (2009). RNA-silencing enzymes *Pol IV* and *Pol V* in maize: More than one flavor. *PLoS Genetics*, 5(11), e1000736.
- Purseglove, J. W. (1972). *Tropical Crops. Monocotyledons*. london: Longman.
- Qiu , C. X., Xie , F. L., Zhu, Y. Y., Guo, K., Huang, S. Q., Nie, L., et al. (2007). Computational identification of microRNAs and their targets in *Gossypium hirsutum* expressed sequence tags. *Gene* 395, 49-61.
- Ream, T. S., Haag, J., R, Wierzbicki, A. T., Nicora, C. D., Norbeck, A. D., Zhu, J. K., et al. (2009). Subunit compositions of the RNAsilencing enzymes *Pol IV* and *Pol V* reveal their origins as specialized forms of RNA polymerase II. *Molecular Cell*, 33, 192-203.
- Reinhart, B. J. and Bartel, D. P. (2002). Small RNAs correspond to centromere heterochromatic repeats. *Science*, 297, 1831.
- Reinhart, B. J., Weinstein, E. G., Rhoades, M. W., Bartel, B. and Bartel, D. P. (2002). MicroRNAs in plants. *Genes Development* 16, 1616-1626.
- Resmi, L. and Nair, A. S. (2007). Plantlet production from the male inflorescence tips of *Musa acuminata* cultivars from South India. *Plant Cell, Tissue and Organ Culture*, 88, 333-338.
- Richard, W. C. and Erik, J. S. (2009). Origins and Mechanisms of miRNAs and siRNAs. *Cell*, 136, 642-655.

- Roux, N., Dolezel, J., Swennen, R. and Zapata-Arias, F. J. (2001). Effectiveness of three micropropagation techniques to dissociate cytochimeras in *Musa* spp. *Plant Cell, Tissue and Organ Culture*, 66, 189-197.
- Ruiz, D., Martinez, V. and Cerdá, A. (1999). Demarcating specific ion (NaCl, Cl, Na) and osmotic effects in the response of two citrus rootstocks to salinity. *Scientia Horticulturae* 80, 213±224.
- Saghai-Maroof, M. A., Soliman, K. M., Jorgensen, R. A. and Allard, R. W. (1984). Ribosomal DNA spacer-length polymorphism in barley: Mendelian inheritance, chromosomal location, and population dynamics. *PNAS*, 81, 8014-8019.
- Salzman, R., A, Fujita, T., Zhu-Salzman, K., Hasegawa, P. M. and Bressan, R. A. (1999). An Improved RNA Isolation Method for Plant Tissues Containing High Levels of Phenolic Compounds or Carbohydrates. *Plant Molecular Biology Reporter* 17, 11-17.
- Samson, J., A. (1992). *Tropical Fruit* (2nd ed.). London: Longmans.
- Schwab, R., Palatnik, J. F., Riester, M., Schommer, C., Schmid, M. and D. Weigel. (2005). Specific effects of microRNAs on the plant transcriptome. *Developmental Cell*, 8, 517-527.
- Shah, M. M., Khalid, Q., Khan, U. W., Shah, S. A. H., Shah, S. H., Hassan, A., et al. (2009). Variation in genotypic responses and biochemical analysis of callus induction in cultivated wheat. *Genetics and Molecular Research*, 8 (3), 783-793.
- Sharma, S. S., Schat, H. and Vooijs, R. (1998). *In vitro* alleviation of heavy metal-induced enzyme inhibition by proline *Phytochemistry* 49(6), 1531±1535.
- Simmonds, N. W. (1962). *The Evolution of the Bananas*. London: Longman.
- Simmonds, N. W. and Shepherd, K. (1955). The taxonomy and origins of the cultivated bananas. *Journal of the Linnean Society of London*, 55, 302-312.

- Sipen, P., Anthony, P., Davey, M. R. and Power, J. B. (2007). Optimisation of micropropagation media for Malaysian banana (*Musa* spp.). *Comparative Biochemistry and Physiology*, doi:10.1016/j.cbpa.2007.01.625.
- Siripornadulsil, S., raina, S. T., Verma, D. P. S. and Sayre, R. T. (2002). Molecular mechanisms of proline-mediated to toxic heavy metals in transgenic microalgae. *Plant Cell*, 14, 2837-2847.
- Skutch, A. F. (1932). Anatomy of the axis of the banana. *Botanical Gazette* 93, 233-258.
- Ssbuliba, R., Talengera, D., Makumbi, D., Namanya, P., Tenkouano, A., Tushemereirwe, W., et al. (2006). Reproductive efficiency and breeding potential of East African highland (*Musa* AAA-EA) bananas. *Field Crop Research*, 95, 250-255.
- Stover, R., H and Simmonds, N. W. (1987). *Bananas*. London: Longman.
- Sunkar, R. (2010). MicroRNAs with macro-effects on plant stress responses. *Seminars in Cell & Developmental Biology*, 21 805-811.
- Sunkar, R., Zhou, X., Zheng , Y., Zhang, W. and JK, Z. (2008). Identification of novel and candidate miRNAs in rice by high throughput sequencing. *BMC Plant Biology*, 8, 25.
- Sunkar, R. and Zhu, J.-K. (2004). Novel and Stress-Regulated MicroRNAs and other small RNAs from *Arabidopsis*. *Plant Cell*, 16, 2001-2019.
- Takemura, T., Hanagata, N., Sugihara, K., Baba, S., Karube, I. and Dubinsky, Z. (2000). Physiological and biochemical responses to salt stress in the mangrove, *Bruguiera gymnorhiza*. *Aquatic Botany*, 68, 15-28.
- Titov, S., Bhowmik, S. K., Mandal, A., Alam, M. S. and Nasir Uddin, S. (2006). Control of phenolic compound secretion and effect of growth regulators for organ formation from *Musa* spp. cv. *Kanthali* floral bud explants. *American Journal of Biochemistry and Biotechnology*, 2 (3), 97-104.

Ulisses, C., Camara, T. R., Willadino, L., Meunier, I., Sérgio, P., da Rocha, G. d., *et al.* (2000). In vitro selection of salt tolerant 'Nanicao' banana buds. *Scientia Agricola*, 57, 667-670.

Van Diggelen, J., Rozema, J. and Broekman, R. (1987). *Aquatic Botany*, 27, 169.

Vazquez, F., Vaucheret, H., Rajagopalan, R., Lepers, C., Gasciolli, V., Mallory, A. C., *et al.* (2004). Endogenous trans-acting siRNAs regulate the accumulation of *Arabidopsis* mRNAs. *Molecular Cell*, 16, 69-79.

Veeranagamallaiah, G., Chandraobulreddy , P., Jyothsnakumari , G. and Chinta, S. (2007). Glutamine synthetase expression and pyrroline-5-carboxylate reductase activity influence proline accumulation in two cultivars of foxtail millet (*Setaria italica* L.) with differential salt sensitivity. *Environmental and Experimental Botany*, 60, 239-244.

Venugopalan, C. and Kapoor, H. C. (1997). Single step isolation of plant RNA. *Phytochem*, 46, 1303-1305.

Voinnet, O. (2009). Origin, biogenesis, and activity of plant MicroRNAs. *Cell*, 136, 669-687.

Vuylstekke, D. and Swennen, R. (1993). Genetic improvement of plantains:the potential of conventional approaches and the interface with *In vitro* culture and biotechnology. In *Biotechnology Applications For Banana and Plantain Improvement:* (pp. 169-176). Proceedings of Workshop, San Jose, Costa Rica, 27-31 Jan: Montpellier, France: INIBAP.

Wadhwa, R., Kaul, S. C., Miyagishi, M. and Taira, K. (2004). Know-how of RNA interference and its applications in research and therapy. *Mutation Research*, 567, 71-84.

Wang, J. W., Wang, L. J., Mao, Y. B., Cai, W. J., Xue, H. W. and Chen, X. Y. (2005). Control of root cap formation by MicroRNA-targeted auxin response factors in *Arabidopsis*. *Plant Cell*, 17, 2204-2216.

Wang, L., Wang, M.-B., Tu, J.-X., Helliwell, C. A., Waterhouse, P. M., Dennis, E. S., *et al.* (2007). Cloning and characterization of microRNAs from *Brassica napus*. *FEBS Letters*, doi:10.1016/j.febslet.2007.1007.1010.

Wanga, L., Wangb, M.-B., Tuc, J.-X., Helliwellb, C. A., Waterhouseb, P. M., Dennisb, E. S., *et al.* (2007). Cloning and characterization of microRNAs from *Brassica napus*. *FEBS Letters*, doi:10.1016/j.febslet.2007.1007.1010.

White, P. R. (1943). *A hand book of plant tissue culture*. Lancaster, Pennsylvania: Science Press Printing

White, P. R. (1963). *The cultivation of animal and plant cells*. New York: Ronald press.

Wightman, B., Ha, I. and Ruvkun, G. (1993). Posttranscriptional regulation of the heterochronic gene lin-14 by lin-4 mediates temporal pattern formation in *C. elegans*. *Cell*, 75, 855-862.

Xie, F. and Zhang, B. (2010). Target-align: a tool for plant microRNA target identification. *Bioinformatics*, 26(23), 3002-3003.

Xie, F. L., Huang, S. Q., Guo, K., Xiang, A. L., Zhu, Y. Y., Nie, L., *et al.* (2007a). Computational identification of novel microRNAs and targets in *Brassica napus*. *FEBS Letters*, 58, 1464-1474.

Xie, J., Zhang, M., Zhou, T., Hua, X., Tang, L. and Wu, W. (2007). Sno/scaRNAbase: a curated database for small nucleolar RNAs and cajal body-specific RNAs. *nucleic Acids Research, 35 Database issue*, D183-D187.

Xie, Z., Allen, E., Fahlgren, N., Calamar, A., Givan, S. A. and Carrington, J. C. (2005). Expression of *Arabidopsis* MIRNA Genes. *Plant Physiology*, 138, 2145–2154.

Yang, T., Xue, L. and An, L. (2007). Functional diversity of miRNA in plants. *Plant Science*, 172, 423-432.

- Yao, Y., Guo, G., Ni, Z., Sunkar R, Du, J., Zhu, J. K., *et al.* (2007). Cloning and characterisation of microRNAs from wheat (*Triticum aestivum L.*). *Genome Biology*, 8:R96.
- Yasar, F. (2007). Effect of salt stress on ion and lipidperoxidation content in gren beans genotypes. . *Asian Journal of Chemistry*, 19, 1165-1169.
- Yildiz, K., Uzal, O. and Yilmaz, H. (2008). Consequences of NaCl salinity on growth and on accumulation in selected strawberry cultivars. *European Journal of Horticultural Science*, 73, 69-72.
- Yilmaz, H. and Kina, A. (2008). The influence of NaCl salinity on some vegetative and chemical changes of strawberries (*Fragaria x ananassa L.*). *African Journal of Biotechnology*, 7 (18), 3299-3305.
- Yin, Z., Li, C., Han, X. and Shen, F. (2008). Identification of conserved microRNAs and their target genes in tomato (*Lycopersicon esculentum*). *Gene*, 414, 60-66.
- Yoshida, k. (2002). Plant biotechnology - Genetic engineering to enhance plant salt tolerance. *Search ResultsJournal of Bioscience and Bioengineering*, 94(6), 585-590.
- Zhang, B., Pan, X. and Anderson, T. A. (2006a). Identification of 188 conserved maize microRNAs and their targets. *FEBS Letters*, 580, 3753-3762.
- Zhang, B., Pan, X., Cobb, G. P. and Anderson, T. A. (2006b). Plant microRNA: A small regulatory molecule with big impact. *Developmental Biology*, 289, 3-16.
- Zhang, B. H., Pan, X. P., Cox, S. B., Cobb, G. P. and Anderson, T. A. (2006c). Evidence that miRNAs are different from other RNAs. *Cellular and Molecular Life Sciences*, 63, 246-254.
- Zhang, L., Chia, J.-M., Kumari, S., Stein, J. C., Zhijie Liu, Apurva Narechania, *et al.* (2009). A Genome-Wide Characterization of MicroRNA Genes in Maize. *PLoS Genet* 5(11): e1000716.doi:10.1371/journal.pgen.1000716.

- Zhang, S., Zhou, J., Han, S., Yang, W., Li, W., Wei, H., *et al.* (2010). Four abiotic stress-induced miRNA families differentially regulated in the embryogenic and non-embryogenic callus tissues of *Larix leptolepis*. *Biochemical and Biophysical Research Communications*, 398, 355-360.
- Zhao, B., Liang, R., Ge, L., Li, W., Lin, H., Ruan, K., *et al.* (2007). Identification of drought-induced microRNAs in rice. *Biochemical and Biophysical Research Communications*(doi:10.1016/j.bbrc.2007.01.022).
- Zhao, L., Kim, Y. J., Dinh, T. T. and Chen, X. (2007b). miR172 regulates stem cell fate and defines the inner boundary of *APETALA3* and *PISTILLATA* expression domain in *Arabidopsis* floral meristems. *Plant Journal*, 51(5), 840–849.
- Zuker, M. (2003). MFOLD web server for nucleic acid folding and hybridization prediction. *Nucleic Acids Research*, 31, 3406-3415