

References:

- Bailey, C. J. & Turner, R. C. (1996) Metformin. *The New England journal of medicine*, 334, 574.
- Basu, R., Basu, A., Chandramouli, V., Norby, B., Dicke, B., Shah, P., et al. (2008) Effects of pioglitazone and metformin on NEFA-induced insulin resistance in type 2 diabetes. *Diabetologia*, 51, 2031-2040.
- Berberich, T., Takagi, T., Miyazaki, A., Otani, M., Shimada, T. & Kusano, T. (2005) Production of mouse adiponectin, an anti-diabetic protein, in transgenic sweet potato plants. *Journal of plant physiology*, 162, 1169-1176.
- Capeau, J. (2007) The story of adiponectin and its receptors AdipoR1 and R2: To follow. *Journal of hepatology*, 47, 736-738.
- Casado, E., Balbontin, J. & Ferrer, M. (2002) Plasma chemistry in booted eagle (*Hieraaetus pennatus*) during breeding season. *Comparative Biochemistry and Physiology-Part A: Molecular & Integrative Physiology*, 131, 233-241.
- Chen, G., Imanishi, Y. & Ito, Y. (1998) Effect of protein and cell behavior on pattern-grafted thermoresponsive polymer. *Journal of Biomedical Materials Research Part A*, 42, 38-44.
- Das, U. N. (2004) Anti-inflammatory nature of exercise. *Nutrition*, 20, 323-326.
- De Pasquale, R., German, M. P., Keita, A., Sanogo, R. & Iauk, L. (1995) Antiulcer activity of *Pteleopsis suberosa*. *Journal of ethnopharmacology*, 47, 55-58.
- Deguo, L., Honglei, L., Tanjing, S., Haiyan, H., Xi, L. & Qiqun, T. (2007) Functional expression of the globular domain of human adiponectin in *Pichia pastoris*. *Science direct*, 363, 769-775
- Diez, J. J. & Iglesias, P. (2003) The role of the novel adipocyte-derived hormone adiponectin in human disease. *European journal of endocrinology*, 148, 293.
- Drucker, D. J. (2001) Minireview: The Glucagon-Like Peptides. *Endocrinology*, 142, 521.
- Ekmekci, H. & Ekmekci, O. B. (2006) The role of adiponectin in atherosclerosis and thrombosis. *Clinical and Applied Thrombosis/Hemostasis*, 12, 163.
- Garg, G. P., Nigam, S. K. & Ogle, C. W. (1993) The gastric antiulcer effects of the leaves of the neem tree. *Planta medica*, 59, 215-215.

- Goldstein, B. J. & Scalia, R. (2004) Adiponectin: a novel adipokine linking adipocytes and vascular function. *Journal of Clinical Endocrinology & Metabolism*, 89, 2563.
- Graber, P., Topping, A., Baumgartner, P. & Robertson, E. R. (2009) Process for Globular Adiponectin Production.
- Haffner, S. M., Tuttle, K. R. & Rainwater, D. L. (1992) Lack of change of lipoprotein (a) concentration with improved glycemic control in subjects with type II diabetes. *Metabolism*, 41, 116-120.
- Hara, K., Boutin, P., Mori, Y., Tobe, K., Dina, C., Yasuda, K., et al. (2002) Genetic variation in the gene encoding adiponectin is associated with an increased risk of type 2 diabetes in the Japanese population. *Diabetes*, 51, 536.
- Hattori, Y., Ohno, T., Ae, T., Saeki, T., Arai, K., Mizuguchi, S., Saigenji, K. & Majima, M. (2008) Gastric mucosal protection against ethanol by EP2 and EP4 signaling through the inhibition of leukotriene C4 production. *American Journal of Physiology- Gastrointestinal and Liver Physiology*, 294, G80.
- Hogan, P., Dall, T., & Nikolov, P. (2003) Economic costs of diabetes in the US in 2002. *Diabetes Care*, 26, 917.
- Hotta, K., Funahashi, T., Arita, Y., Takahashi, M., Matsuda, M., Okamoto, Y., et al. (2000) Plasma concentrations of a novel, adipose-specific protein, adiponectin, in type 2 diabetic patients. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 20, 1595.
- Huypens, P., Quartier, E., Pipeleers, D. & Van De Casteele, M. (2005) Metformin reduces adiponectin protein expression and release in 3T3-L1 adipocytes involving activation of AMP activated protein kinase. *European Journal of Pharmacology*, 518, 90-95.
- Jaleel, F., Jaleel, A., Aftab, J., & Rahman, M. A. (2006) Relationship between adiponectin, glycemic control and blood lipids in diabetic type 2 postmenopausal women with and without complication of ischemic heart disease. *Clinica Chimica Acta*, 370, 76-81.
- Kadowaki, T. & Yamauchi, T. (2005) Adiponectin and adiponectin receptors. *Endocrine Reviews*, 26, 439.
- Kadowaki, T., Yamauchi, T., Kubota, N., Hara, K., Ueki, K. & Tobe, K. (2006) Adiponectin and adiponectin receptors in insulin resistance, diabetes, and the metabolic syndrome. *Journal of Clinical Investigation*, 116, 1784-1792.
- Kang, E. S., Park, S. Y., Kim, H. J., Ahn, C. W., Nam, M., Cha, B. S., et al. (2005) The influence of adiponectin gene polymorphism on the rosiglitazone response in patients with type 2 diabetes. *Diabetes Care*, 28, 1139.

- Kawai, K., Kageyama, A., Tsumano, T., Nishimoto, S., Fukuda, K., Yokoyama, S., et al. (2008) Effects of adiponectin on growth and differentiation of human keratinocytes--Implication of impaired wound healing in diabetes. *Biochemical and biophysical research communications*, 374, 269-273.
- Kershaw, E. E. & Flier, J. S. (2004) Adipose tissue as an endocrine organ. *Journal of Clinical Endocrinology & Metabolism*, 89, 2548.
- Kim, Y. B., Nikoulina, S. E., Ciaraldi, T. P., Henry, R. R. & Kahn, B. B. (1999) Normal insulin-dependent activation of Akt/protein kinase B, with diminished activation of phosphoinositide 3-kinase, in muscle in type 2 diabetes. *Journal of Clinical Investigation*, 104, 733-741.
- Kirpichnikov, D., Mcfarlane, S. I. & Sowers, J. R. (2002) Metformin: an update. *Annals of internal medicine*, 137, 25.
- Knowler, W. C., Barrett-Connor, E., Fowler, S. E., Hamman, R. F., Lachin, J. M., Walker, E. A. & Nathan, D. M. (2002) Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *The New England journal of medicine*, 346, 393.
- Koenig, W., Khuseyinova, N., Baumert, J., Meisinger, C. & Löwel, H. (2006) Serum Concentrations of Adiponectin and Risk of Type 2 Diabetes Mellitus and Coronary Heart Disease in Apparently Healthy Middle-Aged Men:: Results From the 18-Year Follow-Up of a Large Cohort From Southern Germany. *Journal of the American College of Cardiology*, 48, 1369-1377.
- Lazar, M. A. (2005) How obesity causes diabetes: not a tall tale. *Science*, 307, 373.
- Levri, K. M., Slaymaker, E., Last, A., Yeh, J., Ference, J., D'amico, F. & Wilson, S. A. (2005) Metformin as treatment for overweight and obese adults: a systematic review. *Annals of Family Medicine*, 3, 457.
- Macauley-Patrick, S., Fazenda, M. L., Mcneil, B. & Harvey, L. M. (2005) Heterologous protein production using the *Pichia pastoris* expression system. *Yeast*, 22, 249-270.
- Marguet, D., Baggio, L., Kobayashi, T., Bernard, A. M., Pierres, M., Nielsen, P. F., et al. (2000) Enhanced insulin secretion and improved glucose tolerance in mice lacking CD26. *Proceedings of the National Academy of Sciences of the United States of America*, 97, 6874.
- Matsuzawa, Y. (2005) Adiponectin: Identification, physiology and clinical relevance in metabolic and vascular disease. *Atherosclerosis supplements*, 6, 7-14.
- Moggetti, P., Castello, R., Negri, C., Tosi, F., Perrone, F., Caputo, M., et al. (2000) Metformin effects on clinical features, endocrine and metabolic profiles, and insulin sensitivity in polycystic ovary syndrome: a randomized, double-blind, placebo-controlled 6-month trial, followed by open, long-term

- clinical evaluation. *Journal of Clinical Endocrinology & Metabolism*, 85, 139.
- Mokdad, A. H., Ford, E. S. & Bowman, B. A. (2003) Prevalence of Obesity, Diabetes, and Obesity-Related. *JAMA*, 289, 76-79.
- Moller, D. E. (2001) New drug targets for type 2 diabetes and the metabolic syndrome. *Nature*, 414, 821-827.
- Natali, A. & Ferrannini, E. (2006) Effects of metformin and thiazolidinediones on suppression of hepatic glucose production and stimulation of glucose uptake in type 2 diabetes: a systematic review. *Diabetologia*, 49, 434-441.
- O'rahilly, S., Farooqi, I. S., Yeo, G. S. H. & Challis, B. G. (2003) Minireview: Human Obesity--Lessons from Monogenic Disorders. *Endocrinology*, 144, 3757.
- Okamoto, Y., Kihara, S., Funahashi, T., Matsuzawa, Y. & Libby, P. (2006) Adiponectin: a key adipocytokine in metabolic syndrome. *Clinical Science*, 110, 267-278.
- Ouchi, N., Kihara, S., Arita, Y., Okamoto, Y., Maeda, K., Kuriyama, H., et al. (2000) Adiponectin, an adipocyte-derived plasma protein, inhibits endothelial NF- κ B signaling through a cAMP-dependent pathway. *Circulation*, 102, 1296.
- Ouchi, N., Kihara, S., Funahashi, T., Nakamura, T., Nishida, M., Kumada, M., et al. (2003) Reciprocal association of C-reactive protein with adiponectin in blood stream and adipose tissue. *Circulation*, 107, 671.
- Pajvani, U. B., Du, X., Combs, T. P., Berg, A. H., Rajala, M. W., Schulthess, T., et al. (2003) Structure-function studies of the adipocyte-secreted hormone Acrp30/adiponectin. *Journal of Biological Chemistry*, 278, 9073.
- Pajvani, U. B., Hawkins, M., Combs, T. P., Rajala, M. W., Doebber, T., Berger, J. P., et al. (2004) Complex distribution, not absolute amount of adiponectin, correlates with thiazolidinedione-mediated improvement in insulin sensitivity. *Journal of Biological Chemistry*, 279, 12152.
- Patane, G., Piro, S., Rabuazzo, A. M., Anello, M., Vigneri, R. & Purrello, F. (2000) Metformin restores insulin secretion altered by chronic exposure to free fatty acids or high glucose: a direct metformin effect on pancreatic beta-cells. *Diabetes*, 49, 735.
- Pischon, T., Girman, C. J., Hotamisligil, G. S., Rifai, N., Hu, F. B. & Rimm, E. B. (2004) Plasma adiponectin levels and risk of myocardial infarction in men. *JAMA*, 291, 1730.
- Reaven, G. M., Johnston, P., Hollenbeck, C. B., Skowronski, R., Zhang, J. C., Goldfine, I. D. & Chen, Y. D. (1992) Combined metformin-sulfonylurea treatment of patients with noninsulin-dependent diabetes in fair to poor

- glycemic control. *Journal of Clinical Endocrinology & Metabolism*, 74, 1020.
- Scherer, P. E., Williams, S., Fogliano, M., Baldini, G. & Lodish, H. F. (1995) A novel serum protein similar to C1q, produced exclusively in adipocytes. *Journal of Biological Chemistry*, 270, 26746.
- Schmitt, J. K., Poole, J. R., Lewis, S. B., Shore, V. G., Maman, A., Baer, R. M. & Forsham, P. H. (1982) Hemoglobin A1 correlates with the ratio of low-to high-density-lipoprotein cholesterol in normal weight type II diabetics. *Metabolism*, 31, 1084-1089.
- Schulze, M. B., Rimm, E. B., Shai, I., Rifai, N. & Hu, F. B. (2004) Relationship between adiponectin and glycemic control, blood lipids, and inflammatory markers in men with type 2 diabetes. *Diabetes Care*, 27, 1680.
- Seema, S., Kiranjeet, K., Gurdeep, K., Harbir, K., Jasbinder, K. & Shivani, J. (2009) Lipoprotein (a) in type 2 diabetes mellitus: Relation to LDL: HDL ratio and glycemic control. *International Journal of Diabetes in Developing Countries*, 29.
- Shapiro, L. & Scherer, P. E. (1998) The crystal structure of a complement-1q family protein suggests an evolutionary link to tumor necrosis factor. *Current Biology*, 8, 335-340.
- Spranger, J., Kroke, A., Möhlig, M., Bergmann, M. M., Ristow, M., Boeing, H. & Pfeiffer, A. F. H. (2003) Adiponectin and protection against type 2 diabetes mellitus. *The Lancet*, 361, 226-228.
- Stumvoll, M., Tschritter, O., Fritsche, A., Staiger, H., Renn, W., Weisser, M., et al. (2002) Association of the TG polymorphism in adiponectin (exon 2) with obesity and insulin sensitivity. *Diabetes*, 51, 37.
- Takahashi, M., Arita, Y., Yamagata, K., Matsukawa, Y., Okutomi, K., Horie, M., et al. (2000) Genomic structure and mutations in adipose-specific gene, adiponectin. *International journal of obesity and related metabolic disorders: journal of the International Association for the Study of Obesity*, 24, 861.
- Tonelli, J., Li, W., Kishore, P., Pajvani, U. B., Kwon, E., Weaver, C., Scherer, P. E. & Hawkins, M. (2004) Mechanisms of early insulin-sensitizing effects of thiazolidinediones in type 2 diabetes. *Diabetes*, 53, 1621.
- Vionnet, N., Hani, E. H., Dupont, S., Gallina, S., Francke, S., Dotte, S., et al. (2000) Genomewide search for type 2 diabetes-susceptibility genes in French whites: evidence for a novel susceptibility locus for early-onset diabetes on chromosome 3q27-qter and independent replication of a type 2-diabetes locus on chromosome 1q21-q24. *American journal of human genetics*, 67, 1470.

- Wang, Y., Xu, A., Knight, C., Xu, L. Y. & Cooper, G. J. S. (2002) Hydroxylation and glycosylation of the four conserved lysine residues in the collagenous domain of adiponectin. *Journal of Biological Chemistry*, 277, 19521.
- Wang, Z. V. & Scherer, P. E. (2008) Adiponectin, cardiovascular function, and hypertension. *Hypertension*, 51, 8.
- Weiss, K. M. & Ward, R. H. (2000) James V. Neel, MD, Ph. D. (March 22, 1915–January 31, 2000): Founder Effect. *The American Journal of Human Genetics*, 66, 755-760.
- Winter, W., Dejongh, J., Post, T., Ploeger, B., Urquhart, R., Moules, I., Eckland, D. & Danhof, M. (2006) A mechanism-based disease progression model for comparison of long-term effects of pioglitazone, metformin and gliclazide on disease processes underlying Type 2 Diabetes Mellitus. *Journal of pharmacokinetics and pharmacodynamics*, 33, 313-343.
- Wolf, A. M., Wolf, D., Rumpold, H., Enrich, B. & Tilg, H. (2004) Adiponectin induces the anti-inflammatory cytokines IL-10 and IL-1RA in human leukocytes. *Biochemical and biophysical research communications*, 323, 630-635.
- Wouters, D., Voskuyl, A. E., Molenaar, E. T. H., Dijkmans, B. A. C. & Hack, C. E. (2008) Evaluation of classical complement pathway activation in rheumatoid arthritis-Measurement of C1q-C4 complexes as novel activation products. *Assessment of complement activation in human disease*, 54, 67.
- Yamamoto, K., Kiyohara, T., Murayama, Y., Kihara, S., Okamoto, Y., Funahashi, T., et al. (2005) Production of adiponectin, an anti-inflammatory protein, in mesenteric adipose tissue in Crohn's disease. *Gut*, 54, 789.
- Yamauchi, T., Kamon, J., Ito, Y., Tsuchida, A., Yokomizo, T., Kita, S., Sugiyama, T., et al. (2003) Cloning of adiponectin receptors that mediate antidiabetic metabolic effects. *Nature*, 423, 762-769.
- Yamauchi, T., Kamon, J., Waki, H., Terauchi, Y., Kubota, N., Hara, K., et al. (2001) The fat-derived hormone adiponectin reverses insulin resistance associated with both lipotrophy and obesity. *Nature medicine*, 7, 941-946.
- Yang, W. S., Lee, W. J., Funahashi, T., Tanaka, S., Matsuzawa, Y., Chao, C. L., et al. (2001) Weight reduction increases plasma levels of an adipose-derived anti-inflammatory protein, adiponectin. *Journal of Clinical Endocrinology & Metabolism*, 86, 3815.

