

## REFERENCES

- Andjelkovic, M., Camp, J. V., Meulenaer, B. D., Depaemelaere, G., Socaciu, C., Verloo, M. (2006). Iron-chelation properties of phenolic acids bearing catechol and galloyl groups. *Food Chemistry*. **98**: 23–31.
- Bendich, A., Phillips, M., & Tengerdy, R. P. (1989). Antioxidant Nutrients and Immune Functions. (eds.), Pergamon Press, New York.
- Bondia-Pons, I., Aura, A., Vuorela, S., Kolehmainen, M., Mykkanen, H., & Poutanen, K. (2009). Rye phenolics in nutrition and health. *Journal of Cereal Science* **49**: 323–336.
- Bourgaud, F., Gravot, A., Milesi, S., & Gontier, E. (2001). Production of plant secondary metabolites: a historical perspective. *Plant Science*. **161**: 839–851.
- Brand-Williams, W., Cuvelier, M. E., & Berset, C. (1995). Use of a Free Radical Method to Evaluate Antioxidant Activity. *Lebensm. Wiss. u. Technol.* **28**: 25–30.
- Bravo, L. (1998). Polyphenols: chemistry, dietary sources, metabolism, and nutritional significance. *Nutr. Rev.* **56**: 317–333.
- Castro, L., & Freeman, A. B. (2001). Reactive Oxygen Species in Human Health and Disease. *Nutrition*. **17**: 161–165
- Chaudieare, J., & Ferrari-Iliou, R. (1999). Intracellular Antioxidants: from Chemical to Biochemical Mechanisms. *Food and Chemical Toxicology*. **37**: 949–962.
- Chen, H., Zuo, Y., & Deng, Y. (2001). Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography. *Journal of Chromatography A*. **913**: 387–395.

Christophe, W. (2002). Medicinal Plants of Southeast Asia. P. 118. F. K. Wong (ed.), Prentice Hall. Selangor.

Cook, N. C., & Samman, S. (1996). Flavonoids: Chemistry, metabolism, cardioprotective effects, and dietary sources. *Nutritional Biochemistry*. **7**: 66–76.

Cornelli, U. (2009). Antioxidant use in nutraceuticals. *Clinics in Dermatology*. **27**: 175–194.

Cushnie, T. P. T., & Lamb, A. J. (2005). Antimicrobial activity of flavonoids. *International Journal of Antimicrobial Agents*. **26**: 343–356.

Dasgupta, N., & De, B. (2007). Antioxidant activity of some leafy vegetables of India: A comparative study. *Food Chemistry*. **101**: 471–474.

Dastmalchi, K. D., Doeman, H. J. D., Oinonen, P. P., Darwis, Y., Laaso, I., & Hiltunen, R. (2008). Chemical composition and in vitro antioxidative activity of a lemon balm (*Melissa officinalis* L.) extract. *LWT*. **41**: 391–400.

Davis, P., Heber, D., & Packer, L. (2006). Oxidation and Antioxidation in Cancer, P. 297–305. In D. Heber, G. Blackburn, V. L. W. Go, and J. Milner (ed.), *Nutritional Oncology*, 2<sup>nd</sup> ed. Academic Press, London.

de Mejía, E. G., Chandra, S., Ramírez-Mares, M., & Wang, W. (2006). Catalytic inhibition of human DNA topoisomerase by phenolic compounds in *Ardisia compressa* extracts and their effect on human colon cancer cells. *Food and Chemical Toxicology*. **44**: 1191–1203.

de Mejía, E. G., & Ramírez-Mares, M. V. (2002). Leaf extract from *Ardisia compressa* protects against 1-nitropyrene-induced cytotoxicity and its antioxidant defense disruption in cultured rat hepatocytes. *Toxicology*. **179**: 151–162.

de Oliveira, A. C., Valentim, L. B., Silva, C. A., Bechara, E. J. H., Barros, M. P., Mano, C. M., & Goulart, M. O. F. (2009). Total phenolic content and free radical scavenging activities of methanolic extract powders of tropical fruit residues. *Food Chemistry*. **115**: 469–475.

Dinis, T. C. P., Madeira, V. M. C., & Almeida, L. M. (1994). Action of phenolic derivatives (acetaminophen, salicylate and 5-aminosalicylate) as inhibitors of membrane lipid peroxidation as peroxy radical scavenging effects. *Chem. Pharm. Bull.* **36**: 2090–2097.

Dizdaroglu, M. (1991) Chemical determination of free radical-induced damage to DNA. *Free Radic Biol Med.* **10**: 225–242.

Duke, J. A., (2001). Handbook of Phytochemical Constituents of GRAS Herbs and other Economic Plants, P. 64–65. CRC Press, Boca Raton.

Erel, O. (2004). A novel automated direct measurement method for total antioxidant capacity using a new generation, more stable ABTS radical cation. *Clinical Biochemistry*. **37**: 277–285.

Frankel, E. N., & Finley, J. W. (2008). How to standardize the multiplicity of methods to evaluate natural antioxidants. *J. Agric. Food Chem.* **56**: 4901–4908.

Gate, L., Paul, J., Nguyen Ba, G., Tew, K. D., & Tapiero, H. (1999). Oxidative stress induced in pathologies: the role of antioxidants. *Biomed & Pharmacother.* **53**: 169–180.

Gerschman, R., Gilbert, D., Nye, S. W., Dwyer, P., & Fenn, W. O. (1954). Oxygen poisoning and X-irradiation: a mechanism in common. *Science*. **119**: 623–626.

Grassmann, J., Hippeli, S., & Elstner, E. F. (2002). Plant's defence and its benefits for animals and medicine: role of phenolics and terpenoids in avoiding oxygen stress. *Plant Physiol. Biochem.* **40**: 471–478.

- Grishman, M. B., & McCord, J. M. (1986) Chemistry and Cytotoxicity of Reactive oxygen metabolites, In A. E. Taylor, S. and Matalon, P. A. Ward (ed.), Physiology of Oxygen Radicals. The Williams & Wilkins Company, Baltimore, Maryland.
- Halliwell, B., & Gutteridge, J. M. C. (1999). Free Radicals in Biology and Medicine. (eds.), 3<sup>th</sup> ed. Oxford University Press, New York.
- Han, J., Weng, X., & Bi, K. (2008). Antioxidants from a Chinese medicinal herb – *Lithospermum Erythrorhizon*. *Food Chemistry*. **106**: 2–10.
- Harbone, J. B. (1999). Classes and Function of Secondary Products from Plants, P. 1–26. In N. J. Walton, and D. E. Brown (ed.), Chemicals from Plants: Perspectives on Plant Secondary Products. Imperial College Press, London.
- Hartl, M., & Humpf, H. U. (2000). Toxicity assessment of fumonisins using the brine shrimp (*Artemia salina*) bioassay. *Food and Chemical Toxicology*. **38**: 1097–1102.
- Heim, K. E., Tagliaferro, A. R., & Bobilya, D. J. (2002). Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships. *Journal of Nutritional Biochemistry*. **13**: 572–584.
- Hoareau, L., & DaSilva, E. J. (1999). Medicinal plants: a re-emerging health aid. *Electronic Journal of Biotechnology*. **2**: 56–70.
- Hofstra, J., & Koch-Bosma, T. (1970). Leaf nodule symbiosis in *Ardisia crispa*. *Acta Bot. Neer.* **19(5)**: 665–670.
- Hseu, Y., Chang, W., Chen, C., Liao, L., Huang, C., Lu, F., Chia, Y., Hsu, H., Wu, J., & Yang, H. (2008). Antioxidant activities of *Toona Sinensis* leaves extracts using different antioxidant models. *Food and Chemical Toxicology*. **46**: 105–114.
- Jansakul, C., Baumann, H., Kenne, L., & Samuelsson, G. (1987). Ardisiacrispin A and B, two utero-contracting saponins from *Ardisia crispa*. *Planta Medica*. **53**: 405–409.

- Jantan, I. (2004). Medicinal Plant Research in Malaysia: Scientific Interests and Advances. *Jurnal Sains Kesihatan Malaysia*. **2**: 27 – 46.
- Joy, P. P., Thomas, J., Mathew, S., & Skaria, B. P. (2001). Medicinal Plants. P. 449–632. In T. K. Bose, J. Kabir, P. Das, and P. P. Joy (ed.), *Tropical Horticulture*, vol. 2. Naya Prokash, Calcutta.
- Kang, Y. H., Kim, W. H., Park, M. K., & Han, B. H. (2001). Antimetastatic and antitumor effects of benzoquinonoid AC7-1 from *Ardisia crispa*. *International Journal of Cancer*. **93**: 736–740.
- Katalynic, V., Milos, M., Kulisic, T., & Jukic, M. (2006). Screening of 70 medicinal plant extracts for antioxidant capacity and total phenols. *Food Chemistry*. **94**: 550–557.
- King, A., & Young, G. (1999). Characteristics and occurrence of phenolic phytochemicals. *Journal of the American Dietetic Association*. **99**: 213–218.
- Kobayashi, H., & de Mejía, E. (2005). The genus *Ardisia*: a novel source of health-promoting compounds and phytopharmaceuticals. *Journal of Ethnopharmacology*. **96**: 347–354.
- Kohen, R., & Nyska, A. (2002). Oxidation of biological systems: Oxidative stress phenomena, antioxidants, redox reactions, and method for their quantification. *Toxicology Pathology*. **30**: 620–650.
- Koike, K., Jia, Z., Ohura, S., Mochida, S., & Nikaido, T. (1999). Minor triterpenoid saponins from *Ardisia crenata*. *Chemical and Pharmaceutical Bulletin*. **47**: 434–435.
- Koppenol, W. H., Moreno, J. J., & Pryor, W. A., Ischiropoulos, H., & Beckman, J. S., (1992). Peroxynitrite, a cloaked oxidant formed by nitric oxide and superoxide. *Chem Res Toxicol*. **5**: 834–842.
- Li, H. B., Wong, C. C., Cheng, K. W., & Chen, F. (2008). Antioxidant properties in vitro and total phenolic contents in methanol extracts from medicinal plants. *LWT*. **41**: 385–390.

- Li, Y. F., Gue, C. J., Yang, J. J., Wei, J. Y., Xu, J., & Cheng, S. (2006). Evaluation of antioxidant properties of pomegranate peel extract in comparison with pomegranate pulp extract. *Food Chemistry*. **96**: 254 – 260.
- Luo, X. D., Basile, M. J., & Kennelly, E. J. (2002). Polyphenolic antioxidants from the fruits of *Chrysophyllum cainito* L. (star apple). *Journal of Agricultural and Food Chemistry*. **50**: 1379–1382.
- Lykkesfeldt, J., & Svendsen, O. (2007). Oxidants and antioxidants in disease: Oxidative stress in farm animals. *The Veterinary Journal*. **173**: 502–511.
- Martinez, L. A., Rios, J. L., Paya, M., & Alcaraz, M. J. (1992). Inhibition of nonenzymic lipid peroxidation by benzylisoquinoline alkaloids. *Free Radical Biol. Med.* **12**: 287–292.
- Mates, M. J., Gomez, C. P., & De Castro, I. N. (1999). Antioxidant Enzymes and Human Diseases. *Clinical Biochemistry*. **32**: 595–603.
- McCord, J. M., & Fridovich, I. (1969). Superoxide dismutase: an enzymic function for erythrocyte hemocuprein (hemocuprein). *J Biol Chem*. **244**: 6049–6055.
- McGaw, L. J., & Eloff, J. N. (2005). Screening of 16 poisonous plants for antibacterial, antihelmintic and cytotoxicity activity. *South African J. Bot.* **71**: 302–306.
- McLaughlin, J. L., Rogers, L. L., & Anderson J. E. (1998). The Use of Biological Assays to Evaluate Botanicals. *Drug Information Journal*. **32**: 2783–2813.
- Meir, S., Kanner, J., Akiri, B., & Philosoph-Hadas, S. (1995). Determination and involvement of aqueous reducing compounds in oxidative defense systems of various senescing leaves. *J. Agric. Food Chem.* **43**: 1813–1819.
- Meyer, B. N., Ferrigni, N. R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E., & McLaughlin, J. L. (1982). Brine Shrimp: a convenient general bioassay for active plant constituents. *Planta Med.* **45**: 31–34.

Muhammad, Z., & Mustafa, A. M. (1994). Traditional Malay Medicinal Plants. P. 39-41. Fajar Bakti, Kuala Lumpur.

Myers, C. E., & Theodorescu, D. (2003). Antioxidants and Phytotherapy, P. 517-528. In J. Mydlo, and C. J. Godec (eds.), Prostate Cancer: Science and Clinical Practice. Academic Press, London.

Niederlander, H. A. G., Beek, T. A., Bartasiute, A., & Koleva, I. I. (2008). Antioxidant activity assays on-line with liquid chromatography. *Journal of Chromatography A*. **1210**: 121–134.

Nijveldt, R. J., Nood, E., Hoon, D. E., Boelens, P. G., Norren, K., & Leeuwen, P. A. (2001). Flavonoids: a review of probable mechanisms of action and potential applications. *The American Journal of Clinical Nutrition*. **74**: 418–425.

Oldham, K. M., & Bowen, P. E. (1998). Oxidative stress in critical care: Is antioxidant supplementation beneficial. *Journal of The American Dietetic Association*. **98**: 1001 – 1008.

Oyaizu, M. (1986). Studies on product of browning reaction prepared from glucose amine. *Japanese Journal of Nutrition*. **44**: 307–315.

Philip, K., Abd Malek, S. N., Sani, W., Shin, S. K., Kumar, S., Lai, H. S., Serm, L. G., & Rahman, S. N. S. A. (2009). Antimicrobial Activity of Some Medicinal Plants from Malaysia. *American Journal of Applied Sciences*. **6**: 1613–1617.

Provenza, F. D., & Villalba, J. J. (2010). The role of natural plant products in modulating the immune system: An adaptable approach for combating disease in grazing animals. *Small Ruminant Research*. **89**: 131–139.

Rackova, L., Majekova, M., Kost'alova, D., & Stefek, M. (2004). Antiradical and antioxidant activities of alkaloids isolated from Mahonia aquifolium, Structural aspects. *Bioorg Med Chem*. **12**: 4709–4715.

Rahman, A., Choudhary, M. I., & Thomsen, W. J. (2001). *Bioassay Techniques for Drug Development*. Harwood Academic Publishers, Amsterdam.

Rahman, I., & MacNee, W. (2002). Reactive Oxygen Species, P. 234–254. In P. Barnes, J. Drazen, S. Rennard, and N. Thomson (eds.), *Asthma and COPD: Basic Mechanisms and Clinical Management*. Academic Press, London.

Rice-Evans, C. A., Miller, N. J., & Paganga, G. (1996). Structure–antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology & Medicine*. **20**: 933–956.

Robards, K., Prenzler, P. D., Tucker, G., Swatsitang, P., & Glover, W. (1999). Phenolic compounds and their role in oxidative processes in fruits. *Food Chemistry*. **66**: 40–436.

Ryu, G., Lee, S. Y., Kim, B. S., Ryu, S. Y., Hwang, H. J., Choi, B. W., Lee, B. H., & Jung, D. S. (2002). Ardimerin, a new dimeric lactone from the herb of *Ardisia japonica*. *Natural Product Sciences*. **8**: 108–110.

Sánchez-Moreno, C., Larrauri, J., & Saura-Calixto, F. (1999). Free radical scavenging capacity and inhibition of lipid oxidation of wines, grape juices and related polyphenolic constituents. *Food Research International*. **32**: 407–412.

Santoso, J., Yoshie-Stark, Y., & Suzuki, T. (2004). Anti-oxidant activity of methanol extracts from Indonesian seaweeds in an oil emulsion model. *Fisheries Science*. **70**: 183–188.

Schiller, H. J., Reilly, P. M., & Bulkley, G. B. (1993). Antioxidant therapy. *Crit Care Med*. **21**: 92–102.

Sentandreu, E., Navarro, J. L., & Sendra, J. M. (2008). Reduction kinetics of the antiradical probe 2,2-diphenyl-1-picrylhydrazyl in methanol and acetonitrile by the antiradical activity of protocatechuic acid and protocatechuic acid methyl ester. *Journal of Agricultural and Food Chemistry*. **56**: 4928–4936.



- Soobrattee, M. A., Neergheen, V. S., Luximon-Ramma, A., Aruoma, O. I., Bahorun, T. (2005). Phenolics as potential antioxidant therapeutic agents: Mechanism and actions. *Mutation Research*. **579**: 200–213.
- Sousa, A., Ferreira, I. C. F. R., Barros, L., Bento, A., & Pereira, J.A. (2008). Antioxidant potential of traditional stoned table olives “Alcaparras”: influence of the solvent and temperature extraction conditions. *LWT – Food Sci. Technol.* **41**: 739–745.
- Souza, J. M., & Radi, R. (1998). Glyceraldehyde-3-phosphate dehydrogenase inactivation by peroxyxynitrite. *Arch Biochem Biophys*. **360**: 187–194.
- Sumino, M., Sekine, T., Ruangrunsi, N., Igarashi, K., Ikegami, F. (2002). Ardisiphenols and other antioxidant principles from the fruits of *Ardisia colorata*. *Chemical and Pharmaceutical Bulletin*. **50**: 1484–1487.
- Velioglu, Y. S., Mazza, G., Gao, L., & Oomah, B. D. (1998). Antioxidant activity and total phenolics in selected fruits, vegetables and grain products. *J. Agric. Food Chem.* **46**: 4113–4117.
- Villano, D., Fernandez-Pachon, M. S., Moya, M. L., Troncoso, A. M., & Garcia-Parrilla, M. C. (2007). Radical scavenging ability of polyphenolic compounds towards DPPH free radical. *Talanta*. **71**: 230–235.
- Vundac, V. B., Brantner, A. H., & Plazibat, M. (2007). Content of polyphenolic constituents and antioxidant activity of some *Stachys* taxa. *Food Chemistry*. **104**: 1277–1281.
- Walsh, G. M. (1999). Advances in the immunobiology of eosinophils and their role in disease. *Crit. Rev. Clin. Lab. Sci.* **36**: 453–96.
- Wang, M. T., Guan, X. T., Han, X.W., & Hong, S. H. (1992). A new triterpenoid saponin from *Ardisia crenata*. *Planta*. **58**: 205–207.
- Yoshida, K., Koma, Y., & Kikuchi, H. (1987). Therapeutic substance FR-900359 from *Ardisia crispa*. *Japan Kokkai Tokyo Koho JP 62 283*. **999**: 917–920.

Zhang, J., & Snyder, S. H. (1995). Nitric oxide in the nervous system. *Annu Rev Pharmacol Toxicol.* **35**: 213–233.

Zhang, Q., Huang, S., & Wang, X. (1993). Studies on the sapogenins and prosapogenins in *Ardisia pusilla* A. DC. *China Journal of Chinese Materia Medica.* **18**: 545–574.

Zhishen, J., Mengcheng, T., & Jianming, W. (1999). The determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals. *Food Chem* **64**: 555–559.