

## REFERENCES

- Acinas, S. G., Sarma-Rupavtarm, R., Klepac-Ceraj, V. and Polz, M. F. (2005). PCR-Induced Sequence Artifacts and Bias: Insights from Comparison of Two 16S rRNA Clone Libraries Constructed from the Same Sample. *Appl. Environ. Microbiol.* **71** (12), 8966-8969.
- Aislabie, J. M., Chhour, K.-L., Saul, D. J., Miyauchi, S., Ayton, J., Paetzold, R. F. and Balks M.R. (2006). Dominant bacteria in soils of Marble Point and Wright Valley, Victoria Land, Antarctica. *Soil Biol. Biochem.* **38**, 3041-3056.
- Aislabie, J. M., Jordan, S. and Barker, G. M. (2008). Relation between soil classification and bacterial diversity in soils of the Ross Sea region, Antarctica. *Geoderma*. **144**, 9-20.
- Ashelford, K. (2007). *Bioinformatics Toolkit*. Retrieved April 10, 2010, from <http://www.bioinformatics-toolkit.org/index.html>.
- ATS. (2008). *Antarctic Treaty system*. Retrieved August 16, 2010, from Secretariat of the Antarctic Treaty: [http://www.ats.aq/devAS/ats\\_parties.aspx?lang=e](http://www.ats.aq/devAS/ats_parties.aspx?lang=e).
- Australian Antarctic Division, A. (2010). *Antarctic Gazetteer*. Retrieved April 25, 2010, from Australian Antarctic Data Centre: [http://data.aad.gov.au/aadc/gaz/display\\_name.cfm?gaz\\_id=111776](http://data.aad.gov.au/aadc/gaz/display_name.cfm?gaz_id=111776).
- Baskin, Y. (2005). *Under Ground: How Creatures of Mud and Dirt Shape Our World*. Washington, D.C.: Island Press.
- Bosshard, P. P., Abels, S., Zbinden, R., Bottger, E. C. and Altwegg, M. (2003). Ribosomal DNA sequencing for identification of aerobic gram-positive rods in the clinical laboratory (an 18-month evaluation). *J. Clin. Microbiol.* **41**, 4134-4140.
- Brinkmann, M., Pearce, D. A., Convey, P. and Ott, S. (2007). The cyanobacterial community of polygon soils at an inland Antarctic nunatak. *Polar Biol.* **30**, 1505-1511.
- Brown, T. A. (2001). *Gene Cloning and DNA Analysis, An Introduction*, 4th edn. Blackwell Science Ltd.
- Bruno, W., Socci, N. and Aaron, L. (2000). Weighted Neighbor Joining: A Likelihood-Based Approach to Distance-Based Phylogeny Reconstruction. *Mol. Biol. Evol.* **17** (1), 189-197.
- Buckley, D. H., and Schmidt, T. M. (2002). Exploring the biodiversity of soil, a microbial rainforest. In Staley J. T., and Reysenbach A.-L. (eds), *Biodiversity of Microbial Life; Foundation of Earth's Biosphere*. Wiley-Liss. (p. 183-207)
- Bull, A. T. (2004). *Microbial Diversity and Bioprospecting*. Washington D.C.: ASM Press.
- Bull, A. T., and Stach, J. E. (2004). An overview of biodiversity-estimating the scale. In Bull A. T. (ed), *Microbial Diversity and Bioprospecting*. Washington D.C.: ASM Press. (p. 15-28)

- Chao, A. (1984). Non-parametric estimation of the number of classes in a population. *Scand. J. Stat.* **11**. 265-270.
- Chao, A., Chazdon, R., Colwell, R. and Shen, T. (2005). A new statistical approach for assessing similarity of species composition with incidence and abundance data. *Ecol. Lett.* **8**. 148-159.
- Chazdon, R. L., Colwell, R. K., Denslow, J. S. and Guariguata, M. R. (1998). Statistical Methods for Estimating Species Richness of Woody Regeneration in Primary and Secondary Rain Forests of Northeastern Costa Rica. In Dallmeier F. and Comiskey J. A. (eds), *Forest Biodiversity Research, Monitoring and Modeling; Conceptual Background and Old World Case Studies*, Vol. 20. Washington, D.C.: Paris and The Parthenon Publishing Group. (p. 285-309)
- Clarridge, J. E. (2004). Impact of 16S rRNA gene sequence analysis for identification of bacteria on clinical microbiology and infectious diseases. *Clin. Microbiol. Rev.* **17** (4). 840-862.
- Colwell, R. K. (2009). Biodiversity: Concepts, Patterns, and Measurement. In Levin S. A. (ed), *The Princeton Guide to Ecology*. Princeton University Press. (p. 257-263)
- Colwell, R. K. (2009). *EstimateS: Statistical Estimation of Species Richness and Shared Species from Samples, Version 8*. Retrieved May 20, 2010, from: <http://purl.oclc.org/estimates>.
- Colwell, R. K. and Coddington, J. A. (1994). Estimating terrestrial biodiversity through extrapolation. *Philos. T. Roy. Soc.* **345**. 101-118.
- Colwell, R. K., Clayton, R. A., Ortiz-Conde, B. A., Jacobs, D. and Russek-Cohen, E. (1995). The microbial species concept and biodiversity. In Allsopp D., Colwell R. and Hawksworth D. (eds), *Microbial Diversity and Ecosystem Function*. Wallingford, Oxford: CAB International. (p. 3-15)
- Convey, P. (2008). Non-native species in Antarctic terrestrial and freshwater environments: presence, sources, impacts and predictions. In Rogan-Finnemore M. (ed), *Non-native Species in the Antarctic Proceedings*. Gateway Antarctica, Christchurch. (p. 97-130)
- Convey, P. (2010). Terrestrial biodiversity in Antarctica- Recent advances and future challenges. *Polar Sci.* **4** (2). 135-147.
- Convey, P. and Smith, R. I. (1997). The terrestrial arthropod fauna and its habitats in northern Marguerite Bay and Alexander Island, maritime Antarctic. *Antarct. Sci.* **9** (1). 12-26.
- Cowan, S. T. (1965). Principles and practice of bacterial taxonomy. *J. Gen. Microbiol.* **39**. 143-155.
- de la Torre, J. R., Goebel, B. M., Friedmann, E. I. and Pace, N. R. (2003). Microbial diversity of cryptoendolithic communities from McMurdo Dry Valleys, Antarctica. *Appl. Environ. Microbiol.* **69** (7). 3858-3867.

- Demirjian, D., Morís-Varas, F. and Cassidy, C. (2001). Enzymes from extremophiles. *Curr. Opin. Chem. Biol.* **5** (2). 144-151.
- DNA Quantification.* (2009). Retrieved 2010, from Lab Biotechniques: <http://biowww.net/techniques/DNA/DNA-quantification>.
- Dorland, N. (2008). *Resource Library*. Retrieved October 16, 2010, from Dorlands.com: <http://www.dorlands.com/index.jsp>.
- Ereshefsky, M. (2010). Microbiology and the species problem. *Biol. Philos.* **25** (4). 553-568.
- Eron, L. and Block, R. (1971). Mechanism of Initiation and Repression of In Vitro Transcription of the Lac Operon of Escherichia coli. *P. Natl. Acad. Sci. (PNAS)*. **68** (8). 1828-1832.
- Fierer, N. and Jackson, R. B. (2006). The diversity and biogeography of soil bacterial communities. *PNAS*. **103** (3). 626-631.
- Frank, J. A., Reich, C. I., Sharma, S., Weisbaum, J. S., Wilson, B. A. and Olsen, G. J. (2008). Critical Evaluation of Two Primers Commonly Used for Amplification of Bacterial 16S rRNA Genes. *Appl. Environ. Microbiol.* **74** (8). 2461-2470.
- Fry, J. C. (2004). Culture-Dependent Microbiology. In Bull A. T. (ed.), *Microbial Diversity and Bioprospecting*. Washington, D.C.: ASM Press. (p. 80-87)
- Gotelli, N. J. and Colwell, R. K. (2001). Quantifying biodiversity: procedures and pitfalls in the measurement and comparison of species richness. *Ecol. Lett.* **4**. 379-391.
- Hall, T. A. (1999). BioEdit: a user-friendly biological sequence alignment editor and analysis program for windows 95/98/NT. *Nucleic Acids Symp. Ser.* **41**. 95-98.
- Hammer, O., Harper, D. and Ryan, P. D. (2001). PAST: Paleontological Statistics Software Package for Education and Data Analysis. *Palaeontologia Electronica*. **4** (1). 9pp.
- Handelsman, J. (2004). Soils, the Metagenomic Approach. In A. T. Bull (ed), *Microbial Diversity and Bioprospecting*. Washington, D.C.: ASM Press. (p. 109-119)
- Hansen, M. C., Tolker-Nielsen, T., Givskov, M. and Molin, S. (1998). Biased 16S rDNA PCR amplification caused by interferences from DNA flanking the template region. *FEMS Microbiol. Ecol.* **26**. 141-149.
- Hong, S.-H., Bunge, J., Jeon, S.-O. and Epstein, S. S. (2006). Predicting microbial species richness. *PNAS*. **103** (1). 117-122.
- Hongoh, Y., Yuzawa, H., Ohkuma, M. and Kudo, T. (2003). Evaluation of primers and PCR conditions for the analysis of 16S rRNA genes from a natural environment. *FEMS Microbiol. Lett.* **221**. 299-304.
- Hortal, J., Borges, P. A. and Gaspar, C. (2006). Evaluating the performance of species richness estimators: sensitivity to sample grain size. *J. Anim. Ecol.* **75**. 274-287.

- Hughes, J. B., Hellmann, J. J., Ricketts, T. H. and Bohannan, B. J. (2001). Counting the Uncountable: Statistical Approaches to Estimating Microbial Diversity. *Appl. Environ. Microbiol.* **67** (10). 4399-4406.
- Hunter-Cevera, J. C. (1998). The value of microbial diversity. *Curr. Opin. Microbiol.* **1**. 278-285.
- Hutchings, G. (1998). *The Antarctic Climate*. Retrieved May 27, 2010, from Antarctic Connection: <http://www.antarcticconnection.com/antarctic/weather/climate.shtml>.
- Juers, D. H., Heightman, T. D., Vasella, A., McCarter, J. D., Mackenzie, L., Withers, S. G. and Matthews, B. W. (2001). A Structural View of the Action of *Escherichia coli* (lacZ)  $\beta$ -Galactosidase. *Biochem.* **40**. 14781-14794.
- Jukes, T. and Cantor, C. R. (1969). Evolution of protein molecules. In H. Munro (ed), *Mammalian protein metabolism, III*. New York: Academic Press. (p. 21-132)
- Karcher, S. J. (1995). *Molecular Biology, A Project Approach*. West Lafayette, Indiana, U.S.A: Elsevier Inc.
- Kemp, P. F. and Aller, J. Y. (2004). Bacterial Diversity in Aquatic and other environments: what 16S rDNA libraries can tell us. *FEMS Microbiol. Ecol.* **47**. 161-177.
- Kirk, J. L., Beaudette, L. A., Hart, M., Moutoglis, P., Klironomos, J. N., Lee, H. and Trevors J. T. (2004). Methods of studying soil microbial diversity. *J. Microbiol. Meth.* **58**. 169-188.
- Kolbert, C. P. and Persing, D. H. (1999). Ribosomal DNA sequencing as a tool for identification of bacterial pathogens. *Curr. Opin. Microbiol.* **2**. 299-305.
- Konstantinidis, K. T., Ramette, A. and Tiedje, J. M. (2006). The bacterial species definition in the genomic era. *Philos. T. Roy. Soc. B.* **361**. 1929-1940.
- Lane, D. (1991). 16S/23S rRNA Sequencing. In Stackebrandt E. and Goodfellow M. (eds), *Nucleic Acid Techniques in Bacterial Systematics*. New York: Wiley. (p. 115-147)
- Lazzarini, A., Cavaletti, L., Toppo, G. and Marinelli, F. (2000). Rare genera of actinomycetes as potential producers of new antibiotics. *Antonie Leeuwenhoek.* **78**. 399-405.
- Lee, D.-H., Zo, Y.-G. and Kim, S.-J. (1996). Nonradioactive method to study genetic profiles of natural bacterial communities by PCR-single strand conformation polymorphism. *Appl. Environ. Microbiol.* **62**. 3112-3120.
- Liu, W.-t., Marsh, T. L., Cheng, H. and Forney, L. J. (1997). Characterization of microbial diversity by determining terminal restriction fragment length polymorphism of genes encoding 16S rRNA. *Appl. Environ. Microbiol.* **63**. 4516-4522.

- Loveland-Curtze, J., Miteva, V. I. and Brenchley, J. E. (2009). *Herminiimonas glaciei* sp. nov., a novel ultramicrobacterium from 3042 m deep Greenland glacial ice. *Int. J. Syst. Evol. Microbiol.* **59** (6). 1272-1277.
- Luebbehusen, H. (2004). *The Significance of the 260/230 Ratio in Determining Nucleic Acid Purity*. Retrieved 2010, from: <http://www.bcm.edu/mcfweb/?PMID=3100>.
- Martin, A. P. (2002). Phylogenetic Approaches for Describing and Comparing the Diversity of Microbial Communities. *Appl. Environ. Microbiol.* **68** (8). 3673-3682.
- Mignard, S., and Flandrois, J. P. (2006). 16S rRNA sequencing in routine bacterial identification: A 30-month experiment. *J. Microbiol. Meth.* **67**. 574-581.
- Muyzer, G. (1999). DGGE/TGGE a method for identifying genes from natural ecosystems. *Curr. Opin. Microbiol.* **2**. 317-322.
- NERC-BAS. (2010, April 25). *Rothera Research Station*. Retrieved April 25, 2010, from British Antarctic Survey Natural Environment Research Council: [http://www.antarctica.ac.uk/living\\_and\\_working/research\\_stations/rothera/](http://www.antarctica.ac.uk/living_and_working/research_stations/rothera/).
- Newberry, C. J., Webster, G., Cragg, B. A., Parkes, R. J., Weightman, A. J. and Fry, J. C. (2004). Diversity of prokaryotes and methanogenesis in deep subsurface sediments from the Nankai Trough, Ocean Drilling Program Leg 190. *Environ. Microbiol.* **6** (3). 274 - 287.
- Øvreås, L. (2000). Population and community level approaches for analysing microbial diversity in natural environments. *Ecol. Lett.* **3**. 236-251.
- Øvreås, L. and Torsvik, V. (1998). Microbial diversity and community structure in two different agricultural soil communities. *Microbial Ecol.* **36**. 303-315.
- Pace, N. R. (1997). A Molecular View of Microbial Diversity and the Biosphere. *Science.* **276**. 734-740.
- Pearce, D. A., Bridge, P. D., Hughes, K. A., Sattler, B., Psenner, R. and Russell, N. J. (2009). Microorganisms in the atmosphere over Antarctica. *FEMS Microbiol. Ecol.* **69** (2). 143-157.
- Priest, F. G. (2004). Approaches to Identification. In Bull A. T. (ed), *Microbial Diversity and Bioprospecting*. Washington, D.C.: ASM Press. (p. 49-56)
- Rubin, J. (2005). *Antarctica*. Lonely Planet.
- Saitou, N. and Nei, M. (1987). The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* **4**. 406-425.
- Saul, D. J., Aislabie, J. M., Brown, C. E., Harris, L. and Foght, J. M. (2005). Hydrocarbon contamination changes the bacterial diversity of soil from around Scott Base, Antarctica. *FEMS Microbiol. Ecol.* **53**. 141-155.

- Schloss, P. D. and Handelsman, J. (2005). Introducing DOTUR, a Computer Program for Defining Operational Taxonomic Units and Estimating Species Richness. *Appl. Environ. Microbiol.* **71** (3). 1501–1506.
- Seguritan, V. and Rohwer, F. (2001). FastGroup: a program to dereplicate libraries of 16S rDNA sequences. *BMC Bioinformatics.* **2**. 9.
- Shannon, C. and Weaver, W. (1949). *The Mathematical Theory of Communication*. Urbana, IL: University of Illinois Press.
- Siegmund, M. and Hall, K. (2000). A study of valley-side slope asymmetry based on the application of GIS analysis: Alexander Island, Antarctica. *Antarct. Sci.* **12** (4). 471-476.
- Simmons, B. L. (2009). Long-term experimental warming reduces soil nematode populations in the McMurdo Dry Valleys, Antarctica. *Soil Biol. Biochem.* **41.10**. 2052-2060.
- Sipos, R., Szekely, A. J., Palatinszky, M., Revesz, S., Marialigeti, K. and Nikolausz, M. (2007). Effect of primer mismatch, annealing temperature and PCR cycle number on 16S rRNA gene-targeting bacterial community analysis. *FEMS Microbiol. Ecol.* **60**. 341-350.
- Smalla, K. (2004). Culture-Independent Microbiology. In Bull A. T. (ed), *Microbial Diversity and Bioprospecting*. Washington, D.C.: ASM Press. (p. 88-99)
- Smith, J. J., Tow, L. A., Stafford, W., Cary, C. and Cowan, D. A. (2006). Bacterial Diversity in Three Different Antarctic Cold Desert Mineral Soils. *Microbial Ecol.* **51**. 413-421.
- Staley, J. T. and Konopka, A. (1985). Measurements of in situ activities of nonphotosynthetic microorganisms in aquatic and terrestrial habitats. *Ann. Rev. Microbiol.* **39**. 321-346.
- Suzuki, M. T. and Giovannoni, S. J. (1996). Bias caused by template annealing in the amplification of mixtures of 16S rRNA genes by PCR. *Appl. Environ. Microbiol.* **62** (2). 625-630.
- Tamura, K., Dudley, J., Nei, M. and Kumar, S. (2007). MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0. *Mol. Biol. Evol.* **24**. 1596-1599.
- Tamura, K., Nei, M. and Kumar, S. (2004). Prospects for inferring very large phylogenies by using the neighbor-joining method. *PNAS (USA)*. **101**. 11030-11035.
- Tataurov, A., You, Y. and Owczarzy, R. (2008). Predicting ultraviolet spectrum of single stranded and double stranded deoxyribonucleic acids. *Biophys. Chem.* **133** (1-3). 66-70.
- The World Factbook*. (n.d.). Retrieved April 16, 2010, from Central Intelligence Agency:  
<https://www.cia.gov/library/publications/the-world-factbook/geos/ay.html#People>.

- Tiedje, J. M. and Stein, J. L. (1999). *Manual of Industrial microbiology and biotechnology*. Washington D.C.: ASM Press.
- Tiedje, J. M., Asuming-Brempong, S., Nusslein, K., Marsh, T. L. and Flynn, S. J. (1999). Opening the black box of soil microbial diversity. *Appl. Soil Ecol.* **13**. 109-122.
- Tindall, B. J. (2004). Prokaryotic Diversity in the Antarctic: The Tip of the Iceberg. *Microbial Ecol.* **47**. 271-283.
- Volossiuk, T., Robb, E. J. and Nazar, R. N. (1995). Direct DNA Extraction for PCR-Mediated Assays of Soil Organisms. *Appl. Environ. Microbiol.* **61** (11). 3972-3976.
- Wang, Q., Garrity, G., Tiedje, J. and Co, J. (2007). Naïve Bayesian Classifier for Rapid Assignment of rRNA Sequences into the New Bacterial Taxonomy. *Appl. Environ. Microbiol.* **73** (16). 5261-7.
- Ward, P. (2001). *Antarctica History - Exploration Time Line*. Retrieved April 21, 2010, from Cool Antarctica: [www.coolantarctica.com/Antarctica](http://www.coolantarctica.com/Antarctica).
- Wilkins, J. S. (2010). What is a species? Essences and generation. *Theor. Biosci.* **129** (2-3). 141-148.
- Wilson, E. (1997). Introduction. In Reaka-Kudla M., Wilson D. and Wilson E. (eds), *Biodiversity II: Understanding and Protecting our Biological Resources*. Washington DC: Joseph Henry Press. (p. 1-3)
- Wintzingerode, F. v., Gobel, U. B. and Stackebrandt, E. (1997). Determination of microbial diversity in environmental samples: pitfalls of PCR-based rRNA analysis. *FEMS Microbiol. Rev.* **21**. 213-229.
- Woese, C. R. (1987). Bacterial Evolution. *Microbiol. Rev.* **51** (2). 221-271.
- Woese, C. R. and Fox, G. E. (1977). Phylogenetic Structure of the Prokaryotic Domain: the Primary Kingdoms. *PNAS.* **74** (11). 5088-1090.
- Woese, C. R., Stackebrandt, E., Macke, T. J. and Fox, G. E. (1985). A phylogenetic definition of the major eubacterial taxa. *Syst. Appl. Microbiol.* **6**. 143-151.
- Wu, X.-Y., Walker, M. J., Hornitzky, M. and Chin, J. (2006). Development of a group-specific PCR combined with ARDRA for the identification of *Bacillus* species of environmental significance. *J. Microbiol. Meth.* **64**. 107-119.
- Wynn-Williams, D. D. (1996). Antarctic microbial diversity: the basis of polar ecosystem processes. *Biodivers. Conserv.* **5**. 1271-1293.
- Yergeau, E., Newsham, K. K., Pearce, D. A. and Kowalchuk, G. A. (2007). Patterns of bacterial diversity across a range of Antarctic terrestrial habitats. *Environ. Microbiol.* **9** (11). 2670-2682.
- Yu, Y., Breitbart, M., McNairnie, P. and Rohwer, F. (2006). FastGroupII: A web-based bioinformatics platform for analyses of large 16S rDNA libraries. *BMC Bioinformatics.* **7** (1). 57-65.

## REFERENCES

Zhou, M.-Y. and Gomez-Sanchez, C. E. (2000). Universal TA Cloning. *Curr. Issues Mol. Biol.* **2** (1), 1-7.

Zuckerandl, E. and Pauling, L. (1965). Molecules as documents of evolutionary history. *J. Theor. Biol.* **8**, 357-366.