

REFERENCES / BIBLIOGRAPHY

References/ Bibliography

- Abas, F.N., Lajis, H., Shaari, K., Israf, D.A., Stanslas, J., Yusuf, U.K. and Raof, S.M. (2005). A labdane diterpene glucoside from the rhizomes of *Curcuma mangga*. *Journal of Natural Products*. 68:1090-1093.
- Adams, M.W. (1990). The structure and mechanism of iron-hydrogenases. *Biochimica et Biophysica acta*. 1020:115-45.
- Adams, M.R. & Hall, C.J. (1988). Growth inhibition of food-borne pathogens by lactic and acetic acids and their mixtures. *International Journal of Food Science and Technology*. 23:287-292.
- Afolayan, A.J. (2003). Extracts from the shoots of *Arctotis arctotoides* inhibit the growth of bacteria and fungi. *Pharmaceutical Biology*. 41:22-25.
- Agarwal, K.C. (1996). Therapeutic actions of garlic constituents. *Medicinal Research Review*. 16:111-124.
- Ahmad, M., Razak, A., Akowuah, G.A., Asmawi, Z. and Zhari, I. (2007). HPLC profile and antihyperglycemic effect of ethanol extracts of *Andrographis paniculata* in normal and streptozotocin-induced diabetic rats. *Journal of Natural Medicines*. 61:422-429.
- Akinrele, I.A. and Bassir, O.J. (1967). The nutritive value of ogi, a Nigerian infant Food. *The journal of tropical medicine and hygiene*. 70:279-280.
- Akinrele, I.A. (1970). Fermentation studies on maize during the preparation of a traditional African starch-cake food. *Journal of the Science of Food and Agriculture*. 21:619-625.
- Akowuah, G.A., Zhari, I., Mariam, A. and Yam, M.F. (2009). Absorption of andrographolides from *Andrographis paniculata* and its effect on CCl₄-induced oxidative stress in rats. *Food and Chemical Toxicology*. 47:2321-2326.
- Ali, M., Thomson, M. and Afzal, M. (2000). Garlic and onions: their effect on eicosanoid metabolism and its clinical relevance. *Prostaglandins Leukot Essent Fatty Acids*. 62:55-73.
- Alper, J. (1998). Effort to combat microbial resistance lags. *American Society for Microbiology News*. 64:440-441.
- Altstein, M., Ben-Aziz, O., Scheffler, I., Zeltser, I. and Gilon, C. (2000). Advances in the application of neuropeptides in insect control. *Crop Protection*. 19:547-55.
- Altstein, M. (2001). Insect neuropeptide antagonists. *Biopolymers*. 60:460-473.
- Altstein, M. (2004). Novel insect control agents based on neuropeptide antagonists: the PK/PBAN family as a case study. *Journal of Molecular Neuroscience*. 22:147-157.

- Amarowicz, R., Pegg, R.B., Rahimi-Moghaddam, P., Barl, B. and Weil, J.A. (2004). Free radical scavenging capacity and antioxidant activity of selected plant species from the Canadian prairies. *Food Chemistry*. 84:551-562.
- Ankri, S. and Mirelman, D. (1999). Antimicrobial properties of allicin from garlic. *Microbes and Infection*. 2:125-129.
- Aperis, G., Myriounis, N. and Spanakis, E.K. (2006). Developments in the treatment of candidiasis: more choices and new challenges. *Expert Opinion on Investigational Drugs*. 15:1319-1336.
- Artizzu, N., Bonsignore, L., Cottiglia, F. and Loy, G. (1995). Studies of the diuretic and antimicrobial activity of *Cynodon dactylon* essential oil. *Fitoterapia*. 66:174-175.
- Ashouri, A., Arzanian, N., Askary, H. and Rasoulilian, G.R. (2004). Pathogenicity of the fungus, *Verticillium lecanii*, to the green peach aphid, *Myzus persicae* (Hom.: Aphididae). *Communications in Agricultural and Applied Biological*. 69:205-209.
- Bailey, F.J. and Hurst, A. (1971). Preparation of a highly active form of nisin from *Streptococcus lactis*. *Canadian Journal of Microbiology*. 17:61-67.
- Balandrin, M.F., Klocke, J.A., Wurtele, E.S. and Bollinger, W.H. (1985). Natural plant chemicals: Sources of industrial and medicinal materials. *Science*. 228:1154-1160.
- Bandow, J.E., Brotz, H., Leichert, L.I.O., Labischinski, H. and Hecker, M. (2003). Proteomic approach to understanding antibiotic action. *Antimicrobial Agents and Chemotherapy*. 47:948-955.
- Barefoot, S.F. and Klaenhammer, T.R. (1983). Detection and activity of Lactacin B, a bacteriocin produced by *Lactobacillus acidophilus*. *Applied and Environmental Microbiology*. 45:1808-1815.
- Barker, K.S. and Rogers, P.D. (2005). Application of deoxyribonucleic acid microarray analysis to the study of azole antifungal resistance in *Candida albicans*. *Methods in molecular medicine*. 118:45-56.
- Barros, L., Falcao, S., Baptista, P., Freire, C., Vilas-Boas, M. and Ferreira, I.C.F.R. (2008). Antioxidant activity of *Agaricus* sp. mushrooms by chemical, biochemical and electrochemical assays. *Food Chemistry*. 111:61-66.
- Basile, A., Sorbo, S., Giordano, S., Ricciardi, L., Ferrara, S., Montesano, D., Castaldo Cobianchi, R., Vuotto, M.L. and Ferrara, L. (2000). Antibacterial and allelopathic activity of extract from *Castanea sativa* leaves. *Fitoterapia*. 71:S1.
- Bauer, A.L., Kirby, W.M.M., Sherris, J.C. and Turck, M. (1966). Antibiotics susceptibility testing by a standardised single disk method. *American Journal of Clinical Pathology*. 45:493-496.
- Beard, C.B., Dotson, E.M., Pennington, P.M., Eichler, S., Cordon-Rosales, C. and Durvasula, R.V. (2001). Bacterial symbiosis and paratransgenic control of

- vector-borne Chagas disease. *International Journal for Parasitology*. 31:621-627.
- Benitez, T., Rincon, A.M. and Limon, M.C. (2004). Biocontrol mechanisms of *Trichoderma* strains. *International Microbiology*. 7:249-260.
- Berkarda, B. (1978). Preliminary report on warfarin for the treatment of herpes simplex. *Journal of the Irish Colleges of Physicians and Surgeons*. 22:S56.
- Berkowitz, F.E. (1995). Antibiotic resistance in bacteria. *Southern Medical Journal*. 88:797-804.
- Bisignino, G., Sanogo, R., Marino, A., Aquino, R., D'angelo, V., Germano, M.P., De Pasquale, R. and Pizza, C. (1999). Antimicrobial activities of *Mitracarpus scaber* extract and isolated constituents. *Letters in Applied Microbiology*. 30:105-108.
- Blanco, M.M., Costa, C.A., Freire, A.O., Santos, J.G. and Costa, M. (2009). Neurobehavioral effect of essential oil of *Cymbopogon citratus* in mice. *Phytomedicine*. 16:265-270.
- Bordia, A., Verma, S.K. and Vyas, A.K. (1977). Effect of essential oils of onion and garlic on experimental atherosclerosis in rabbits. *Atherosclerosis*. 26:375-386.
- Borovsky, D., Carlson, D.A., Griffin, P.R., Shabanowitz, J. and Hunt, D.F. (1990). Mosquito oostatic factor: a novel decapeptide modulating trypsin-like enzyme biosynthesis in the midgut. *The Journal of the Federation of American Societies for Experimental Biology*. 4:3015-3020.
- Borovsky, D., Carlson, D.A., Griffin, P.R., Shabanowitz, J. and Hunt, D.F. (1993). Mass spectrometry and characterization of *Aedes aegypti* trypsin modulating oostatic factor (TMOF) and its analogs. *Insect Biochemistry and Molecular Biology*. 23:703-712.
- Borovsky, D. (2003a). Biosynthesis and control of mosquito gut proteases. *International Union of Biochemistry and Molecular Biology Life*. 55:435-441.
- Borovsky, D. (2003b). Trypsin-modulating oostatic factor: a potential new larvicide for mosquito control. *The Journal of Experimental Biology*. 206:3869-3875.
- Bothner, B., Taylor, D., Jun, B., Lee, K.K., Siuzdak, G., Schlutz, C.P. and Johnson, J.E. (2005). Maturation of a tetra virus capsid alters the dynamic properties and creates a metastable complex. *Virology*. 334:17-27.
- Bradford, M.M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*. 72:248-254.
- Brunelle, F., Girard, C., Cloutier, C. and Michaud, D. (2005). A hybrid, broad-spectrum inhibitor of Colorado potato beetle aspartate and cysteine digestive proteinases. *Archives of Insect Biochemistry and Physiology*. 60:20-31.

- Burgess, E.P., Malone, L.A., Christeller, J.T., Lester, M.T., Murray, C., Philip, B.A., Phung, M.M. and Tregidga, E.L. (2002). Avidin expressed in transgenic tobacco leaves confers resistance to two noctuid pests, *Helicoverpa armigera* and *Spodoptera litura*. *Transgenic Research*. 11:185-198.
- Caltagirone, L.E. (1981). Landmark Examples in Classical Biological-Control. *Annual Review of Entomology*. 26:213-232.
- Cao, J., Ibrahim, H., Garcia, J., Mason, H., Granados, R. and Earle, E. (2002). Transgenic tobacco plants carrying a baculovirus enhancin gene slow the development and increase the mortality of *Trichoplusia ni* larvae. *Plant Cell Reports*. 21:244-250.
- Carlini, E.A., Contar, J.de.D.P., Silva-Filho, A.R., Silveira-Filho, N.G.da., Frochtengarten, M.L. and Bueno, O.F.A. (1986). Pharmacology of lemongrass (*Cymbopogon citratus* stapf). I. Effects of teas prepared from the leaves on laboratory animals. *Journal of Ethnopharmacology*. 17:37-64.
- Carlson, T.J.S. and Maffi, L. (2004). *Ethnobotany and Conservation of Biocultural Diversity (Advances in Economic Botany vol. 15)*. Bronx, New York: The New York Botanical Garden Press.
- Carson, J.F. (1987). Chemistry and biological properties of onion and garlic. *Food Reviews International*. 3:71–103.
- Carmia, B. (2001). Antioxidant Health Effects of Aged Garlic Extract. *Journal of Nutrition*. 131:1010S-1015S.
- Carte, B.K. (1996). Biomedical potential of marine natural products. *Bioscience*, 46:271-286.
- Casteels-Josson, K., Zhang, W., Capaci, T., Casteels, P. and Tempst, P. (1994). Acute transcriptional response of the honeybee peptide-antibiotics gene repertoire and required post-translational conversion of the precursor structures. *Journal of Biological Chemistry*. 269:28569-28575.
- Castro, I.A., Marcelo, M.R., Roberto, M.J. and Mariana, M.C. (2006). 2,2 –Diphenyl-1-picrylhydrazil free radical scavenging activity of antioxidant mixtures evaluated by response surface methodology. *International Journal of Food Science and Technology*. 41:59-67.
- Chadha, Y.R. (1985). The Wealth of India: Raw Materials. *Council of Scientific and Industrial Research, New Delhi, India*, 1A:264
- Chattopadhyay, A., Bhatnagar, N.B. and Bhatnagar, R. (2004). Bacterial insecticidal toxins. *Critical Reviews in Microbiology*. 30:33-54.
- Cheng, Z.Y. and Xue, Q.Z. (2003). The structure and regulation of plant proteinase inhibitor genes and their strategy in pest control. *Yi Chuan Xue Bao*. 30:790-796.

- Chu, Y., Sun, J., Wu, X. and Liu, R.H. (2002). Antioxidant and antiproliferative activity of common vegetables. *Journal of Agricultural and Food Chemistry*. 50:6910-6916.
- Clark, A.M. (1996). Natural products as a resource for new drugs. *Pharmaceutical research*. 13:1133-1141.
- Cohen, M.L. (1992). Epidemiology of drug resistance: Implications for a post-antimicrobial era. *Science*. 257:1050-1055.
- Compton, S.J. and Jones, C.G. (1985). Mechanism of dye response and interference in the Bradford protein assay. *Analytical Biochemistry*. 151:369-374.
- Copping, L.G. and Menn, J.J. (2000). Biopesticides: a review of their action, applications and efficacy. *Pest Management Science*. 56:651-676.
- Cowan, M.M. (1999). Plant products as antimicrobial agents. *Clinical Microbiology Review*. 12:564-82.
- Croteau, R., Kutchan, T.M. and Lewis, N.G. (2000). Natural products (secondary metabolites). In Buchanan, B., Gruissem, W., Jones, R. (Eds.), *Biochemistry and molecular biology of plants*. Rockville: MD:American Society of Plant Physiologists. p. 1250-1318.
- Daeschel, M.A. and Klaenhammer, T.R. (1985). Association of a 13.6 megadalton plasmid in *Pediococcus pentosaceus* with bacteriocin acidity. *Applied and Environmental Microbiology*. 50:1538-1541.
- Daljit, S.A. and Jasleen Kaur (1999). Antimicrobial activity of spices. *International Journal of Antimicrobial Agents*. 12:257-262.
- Delaha, E.C. and Garagusi, V.F. (1985). Inhibition of mycobacterial by garlic extract (*Allium sativum*). *Antimicrobial Agents and Chemotherapy*. 27:485-486.
- De Freitas, M.V., Netto Rde, C., da Costa Huss, J.C., de Souza, T.M., Costa, J.O., Firmino, C.B. and Penha-Silva, N. (2008). Influence of aqueous crude extracts of medicinal plants on the osmotic stability of human erythrocytes. *Toxicology in Vitro*. 22:219-224.
- De Paira, S.R., Lima, L.A., Figueiredo, M.R. and Kaplan, M.A.C. (2004). Plumbagin quantification in roots of *Plumbago scandens* L. obtained by different extraction techniques. *Anais da Academia Brasileira de Ciencias*. 76: 499-504.
- Diplock, A.T., Aggett, P.J., Ashwell, M., Borner, F., Fern, E.B. and Roberfroid, M.B. (1999). Scientific concepts of functional foods in Europe: Consensus document. *British Journal of Nutrition*. 81:S1-S27.
- Dinan, L. (2001). Phytoecdysteroids: biological aspects. *Phytochemistry*. 57:325-339.
- Downing, K.J. and Thomson, J.A. (2000). Introduction of the *Serratia marcescens* chiA gene into an endophytic *Pseudomonas fluorescens* for the biocontrol of phytopathogenic fungi. *Canadian Journal of Microbiology*. 46:363-369.

- Downing, K.J., Leslie, G. and Thomson, J.A. (2000). Biocontrol of the sugarcane borer *Eldana saccharina* by expression of the *Bacillus thuringiensis* cry1Ac7 and *Serratia marcescens* chiA genes in sugarcane associated bacteria. *Applied and Environmental Microbiology*. 66:2804-2810.
- Edwards, D. (1980). *Antimicrobial Drug Action* Macmillan. London.
- Ekpendu, T.O., Akah, P.A., Adesomoju, A.A. and Okogun, J.I. (1994). Antiinflammatory and antimicrobial activities of *Mitracarpus scaber* extracts. *International Journal of Pharmacognosy*. 32:191-196.
- Eloff, J.N. (1998). Which extractant should be used for the screening and isolation of antimicrobial components from plants? *Journal of Ethnopharmacology*. 60:1-8.
- Engelhart, M.J., Geerlings, M.I., Ruitenber, A., Swieten, J.C.V., Hofman, A., Witteman, J.C.M. and Breteler, M.M.B. (2002). Dietary intake of antioxidants and risk of Alzheimer disease. *The Journal of the American Medical Association*. 287:3223-3229.
- Etlik, O., Tomur, A., Kutman, M.N., Yorukan, S. and Duman, O. (1995). The effect of sulfur dioxide inhalation and antioxidant vitamins on red blood cell lipoperoxidation. *Environmental Research*. 71:25-28.
- Felmingham, D., Feldan, C., Hryniewicz, W., Klugman, K., Kohno, S., Low, D.E., Mendes, C. and Rodloff, A.C. (2002). Surveillance of resistance in bacteria causing community-acquired respiratory tract infections. *Clinical Microbiology and Infection*. 8:S12-42.
- Fernandes, J.M., Kemp, G.D., Molle, M.G. and Smith, V.J. (2002). Anti-microbial properties of histone H2A from skin secretions of rainbow trout, *Oncorhynchus mykiss*. *Biochemistry Journal*. 368:611-620.
- Ferreira, I.C.F.R., Barros, L., Soares, M.E., Bastos, M.L. and Pereira, J.A. (2007). Antioxidant activity and phenolic contents of *Olea europaea* L. leaves sprayed with different copper formulations. *Food Chemistry*. 103:188-195.
- Ffrench-Constant, R.H. and Bowen, D.J. (2000). Novel insecticidal toxins from nematode-symbiotic bacteria. *Cellular and Molecular Life Science*. 57:828-833.
- Fielder, R.J. (1995). The fixed dose procedure as an alternative to the classical LD50 test: acceptance by the EEC and OECD. *Alternative Methods in Toxicology and the Life Sciences*. 11:269-274.
- Fischer, H.E. (1989). Origin of the 'Weisse Schlesische Rübe' (white Silesian beet) and resynthesis of sugar beet. *Euphytica*. 41:75-80.
- Frankel, E.N. and German, J.B. (2006). Antioxidants in foods and health: Problems and fallacies in the field. *Journal of the Science of Food and Agriculture*. 86:1999-2001.

- Frechet, D., Guitton, J.D., Herman, F., Faucher, D., Helynck, G., Sorbier M.d.u., Ridoux, J.P., James-Surcouf, E. and Vuilhorgne, M. (1994). Solution structure of RP 71955, a new 21 amino acid tricyclic peptide active against HIV-1 virus. *Biochemistry*. 33:42-50.
- Ganguly, C., De, S. and Das, S. (2000). Prevention of carcinogen-induced mouse skin papilloma by whole fruit aqueous extract of *Momordica charantia*. *European Journal of Cancer Prevention*. 9:283-288.
- Gershburg, E., Stockholm, D., Froy, O., Rashi, S., Gurevitz, M. and Chejanovsky, N. (1998). Baculovirus-mediated expression of a scorpion depressant toxin improves the insecticidal efficacy achieved with excitatory toxins. *Federation of European Biochemical Societies Letter*. 422:132-136.
- Gesell, J., Zasloff, M. and Opella, S.J. (1997). Two-dimensional ¹H NMR experiments show that the 23-residue magainin antibiotic peptide is an alpha-helix in dodecylphosphocholine micelles, sodium dodecylsulfate micelles, and trifluoroethanol/water solution. *Journal of Biomolecular NMR*. 9:127-135.
- Goheen, S.C., Wahl, K.L., Campbell, J.A. and Hess, W.P. (1997). Mass spectrometry of low molecular mass solids by matrix-assisted laser desorption/ionization. *Journal of Mass Spectrometry*. 32:820-828.
- Gopalakrishnan, B., Muthukrishnan, S. and Kramers, K.J. (1995). Baculovirus-mediated expression of a *Manduca sexta* chitinase gene: Properties of the recombinant protein. *Insect biochemistry and molecular biology*. 25:255-265.
- Gordon, M.H. and Hine, T.G.M. (1916). An experimental study of the cultural requirements of the meningococcus. *British Medical Journal*. 2:678-684.
- Graham, J.S., Pearce, G., Merryweather, J., Titani, K., Ericsson, L.H. and Ryan, C.A. (1985). Wound-induced proteinase inhibitors from tomato leaves. II. The cDNA-deduced primary structure of pre-inhibitor II. *Journal of Biological Chemistry*. 260:6561-6564.
- Granados, R.R., Fu, Y., Corsaro, B. and Hughes, P.R. (2001). Enhancement of *Bacillus thuringiensis* toxicity to lepidopterous species with the enhancin from *Trichoplusia ni* granulovirus. *Biological Control*. 20:153-159.
- Grant, K.L. and Lutz, R.B. (2000). Ginger. *American Journal of Health-System Pharmacy*. 57:945-947.
- Gutteridge, J.M.C. (1993). Free radicals in disease processes: A compilation of cause and consequence. *Free radical research communications*. 19:141-158.
- Halliwell, B., Gutteridge, J.M.C. and Cross, C.E., (1992). Free radicals, antioxidants, and human disease: Where are we now? *Journal of Laboratory and Clinical Medicine*. 119:598-620.
- Hamburger, M. and Hostettmann, K. (1991). Bioactivity in plants: the link between phytochemistry and medicine. *Phytochemistry*. 30: 3864-3874.

- Hanzlik, T.N., Dorrian, S.J., Johnson, K.N., Brooks, E.M. and Gordon, K.H.J. (1995). Sequence of RNA2 of the *Helicoverpa armigera* stunt virus (Tetraviridae) and bacterial expression of its genes. *Journal of General Virology*. 76:799–811.
- Haraguchi, H., Ishikawa, H., Mizutani, K., Tamura, Y. and Kinoshita, T. (1998). Antioxidative and superoxide scavenging activities of retrochalcones in *Glycyrrhiza inflata*. *Bioorganic & Medicinal Chemistry*. 6:339-347.
- Harrison, R.L. and Bonning, B.C. (2001). Use of proteases to improve the insecticidal activity of baculoviruses. *Biological Control*. 20:199-209.
- Hastings, C. (1994). *Penthaleus major*. An occasional little-known pest. *Phytoma*. 465:43-44.
- Havsteen, B.H. (2002). The biochemistry and medical significance of the flavonoids. *Pharmacology and Therapeutics*. 96:67-202.
- Hernandez, J.F., Gagnon, J., Chiche, L., Nguyen, T.M., Andrieu, J.P., Heitz, A., Hong, T.T., Pham, T.T.C. and Nguyen, D.L. (2000). Squash trypsin inhibitors from *Momordica cochinchinensis* exhibit an atypical macrocyclic structure. *Biochemistry*. 39:5722-5730.
- Huang, D., Ou, B. and Prior, R.L. (2005). The chemistry behind dietary antioxidant capacity assays. *Journal of Agricultural and Food Chemistry*. 3:1841-1856.
- Indran, M., Mahmood, A.A. and Kuppusamy, U.R. (2008). Protective effect of *Carica papaya* leaf extract against alcohol induced acute gastric damage and blood oxidative stress in rats. *West Indian Medical Journal*. 57:323-326.
- Inglis, G.D. and Lawrence, A.M. (2001). Effects of *Serratia marcescens* on the F1 generation of laboratory-reared *Heliothis virescens* (Lepidoptera: Noctuidae). *Journal of Economic Entomology*. 94:362-66.
- Izzo, A.A., Carlo, D., Biscardi, G., Fusco, D., Mascolo, R., Borrelli, N., Capasso, F., Fasulo F. and Autore, M.P. (1995). Biological screening of Italian medicinal plants for antibacterial activity. *Phytotherapy Research*. 9:281-286.
- Jabar, M.A. and Al-Mossawi, Amina. (2007). Susceptibility of some multiple resistant bacteria to garlic extract. *African Journal of Biotechnology*. 6:771-776.
- Jackson, T.A. Crawford, A.M. and Glare, T.R. (2005). Oryctes virus—time for a new look at a useful biocontrol agent. *Journal of Invertebrate Pathology*. 89:91-94.
- Jayasooriya, A.P., Sakono, M., Yuxizaki, C., Kawano, M., Yamamoto, K. and Fukuda, N. (2000). Effects of *Momordica charantia* powder on serum glucose levels and various lipid parameters in rats fed with cholesterol-free and cholesterol-enriched diets. *Journal of Ethnopharmacology*. 72:331-336.
- Jeng, S., Kuo, Y., Wei, F., An, P., Su, C. and Chien, C. (2002). Free radial forearm flap with adipofascial tissue extension for reconstruction of oral cancer defect. *Annals of Plastic Surgery*. 49:151-155.

- Ji, L.L. (1995). Exercise and oxidative stress: role of the cellular antioxidant systems. *Exercise and Sport Sciences Reviews*. 23:135-166.
- Joffe, S. and Thomas, R. (1989). Phytochemicals: A renewable global resource. *AgBiotech News and Information*. 1:697-700.
- Kagan, V.E., Kisin, E.R., Kawai, K., Serinkan, B.F., Osipov, A.N., Sertbinova, E.A., Wolinsky, I. and Shvedova, A.A. (2002). Towards mechanism-based antioxidant interventions. *Annals of the New York Academy of Sciences*. 959:188-198.
- Kalantzopoulos, G. (1997). Fermented products with probiotic qualities. *Anaerobe*. 3:185-90.
- Kamita, S.G., Nagasaka, K., Chua, J.W., Shimada, T., Mita, K., Kobayashi, M., Maeda, S. and Hammock, B.D., (2005). A baculovirus-encoded protein tyrosine phosphatase gene induces enhanced locomotory activity in a lepidopteran host. *Proceedings of the National Academy of Sciences of the United States of America*. 102:2584-2589.
- Kaneda, N., Pezzuto, J.M., Soejarto, D.D., Kinghorn, A.D., Farnsworth, N.R., Santisuk, T., Tuchinda, P., Udchachon, J. and Reutrakul, V. (1991). Plant anticancer agents, XLVIII. New cytotoxic flavonoids from *Muntingia calabura* roots. *Journal of natural products*. 54:196-206.
- Keeling, C.I. and Bohlmann, J. (2006). Genes, enzymes, and chemicals of terpenoid diversity in the constitutive and induced defence of conifers against insects and pathogens. *New Phytologist*. 170:657-675.
- Kerwin, J.L. and Washino, R.K. (1987). Ground and aerial application of the asexual stage of *Lagenidium giganteum* for control of mosquitoes associated with rice culture in the Central Valley of California. *Journal of the American Mosquito Control Association*. 3:59-64.
- Kerwin, J.L., Dritz, D.A. and Washino, R.K. (1994). Pilot scale production and application in wildlife ponds of *Lagenidium giganteum* (Oomycetes: Lagenidiales). *Journal of the American Mosquito Control Association*. 10:451-455.
- Khafagi, I.K. and Dewedar, A. (2000). The efficiency of random versus ethno-directed research in the evaluation of Sinai medicinal plants bioactive compound. *Journal of Ethnopharmacology*. 71:365-376.
- Kianbakht, S. and Jahaniani, F. (2003). Evaluation of antibacterial activity of *Tribulus terrestris* L. growing in Iran. *Iranian Journal of Pharmacology and Therapeutics*. 2:22-24.
- Kim, J.J. Kim, K.C. and Roberts, D.W. (2005). Impact of the entomopathogenic fungus *Verticillium lecanii* on development of an aphid parasitoid, *Aphidius colemani*. *Journal of Invertebrate Pathology*. 88:254-256.
- Klepser, M.E. (2006). Candida resistance its clinical relevance. *Pharmacotherapy*. 26:68S-75S.

- Knight, J.A. (1995). Diseases related to oxygen-derived free radicals. *Annals of Clinical and Laboratory Science*. 25:111-121.
- Kramer, K.J. and Muthukrishnan, S. (1997). Insect chitinases: molecular biology and potential use as biopesticides. *Insect Biochemistry and Molecular Biology*. 27:887-900.
- Kruse, H. and Sorum, H. (1994). Transfer of multiple drug resistance plasmids between bacteria of diverse origins in natural microenvironments. *Applied and Environmental Microbiology*. 60:4015-4021.
- Lacey, L.A., Frutos, R., Kaya, H.K. and Vail, P. (2001). Insect pathogens as biological control agents: Do they have a future? *Biological Control*. 21:230-248.
- Larive, C.K., Lunte, S.M., Zhong, M., Perkins, M.D., Wilson, G.S., Gokulrangan, G., Williams, T., Afroz, F., Schoeneich, C., Derrick, T. S., Middaugh, C.R. and Bogdanowich-Knipp, S. (1999). Separation and analysis of peptides and proteins. *Analytical Chemistry*. 71:389R-423R.
- Lay, F.T. and Anderson, M.A. (2005). Defensins-components of the innate immune system in plants. *Current Protein and Peptide Science*. 6:85-101.
- Ledezma, E. and Apitz-Castro, R. (2006). Ajoene the main active compound of garlic (*Allium sativum*): a new antifungal agent. *Revista Iberoamericana de Micología*. 23:75-80.
- Lee, S.Y., Eom, S.H., Kim, Y.K., Park N.I and Park, S.U. (2009). Cucurbitane-type triterpenoids in *Momordica charantia* Linn. *Journal of Medicinal Plants Research*. 3:1264-1269.
- Lee, Y.S., Chen, H.W., Kung, Y.L., Liu, C.T. and Lii, C.K. (1999). Effects of Garlic Oil and its organosulfur compounds on the activities of hepatic drug metabolizing and antioxidant enzymes in rats fed high-and low-fat diets. *Nutrition and Cancer*. 35:160-166.
- Lepore, L.S., Roelvink, P.R. and Granados, R.R. (1996). Enhancin, the granulosis virus protein that facilitates nucleopolyhedrovirus (NPV) infections, is a metalloprotease. *Journal of Invertebrate Pathology*. 68:131-140.
- Liepe, H.U. (1983). Starter cultures in meat production. In G. Reed, Biotechnology: food and feed production with microorganisms. *Weinheim Verlag Chemie*. 5:399-419.
- Lim, Y.Y. and Murtijaya, J. (2007). Antioxidant properties of *Phyllanthus amarus* extracts as affected by different drying methods. *Food Science and Technology*. 40:1664-1669.
- Liu, F. and Ng, T.B. (2000). Antioxidative and free radical scavenging activities of selected medicinal herbs. *Life Sciences*. 66:725-735.

- Lourens, A.C.U., Reddy, D., Baser, K.H.C., Viljoen, A.M. and Van, V.S.F. (2004). *In vitro* biological activity and essential oil composition of four indigenous South African Helichrysum species. *Journal of Ethnopharmacology*. 9:253-258.
- Lowry, O., Rosebrough, A., Farr, A. and Randall, R. (1951). Protein measurement with the folin phenol reagent. *The Journal of Biological Chemistry* . 193:265-275.
- Ma, P.W.K., Davis, T.R., Wood, H.A., Knipple, D.C. and Roelofs, W.L. (1998). Baculovirus expression of an insect gene that encodes multiple neuropeptides. *Insect Biochemistry and Molecular Biology*. 28:239-249.
- Matsuda, T., Kuroyanagi, M., Sugiyama, S., Umehara, K., Ueno, A. and Nishi, K. (1994). Cell differentiation-inducing diterpenes from *Andrographis paniculata* Nees. *Chemical and Pharmaceutical Bulletin*. 42:1216-1225.
- Mayer, K.F.X., Schueller, C., Wambutt, R., Murphy, G., Volckaert, G., Pohl, T., Duesterhoeft, A., Stiekema, W., Entian, K.D., Terryn, N., Harris, B., Ansoerge, W., Brandt, P., Grivell, L.A., Rieger, M., Weichselgartner, M., de Simone, V., Obermaier, B. and McCombie, W.R. (1999). Sequence and analysis of chromosome 4 of the plant *Arabidopsis thaliana*. *Nature*. 402:769-777.
- Maynard, R.L. (2001). Acceptable risk of environmental air pollution. *International journal of hygiene and environmental health*. 204:203-206.
- McCord, J.M., Keele, B.B. and Fridovich, I. (1976). An enzyme based theory of obligate anaerobiosis: The physiological functions of superoxide dismutase. *Proceedings of the National Academy of Sciences of the United States of America*. 68:1024-1027.
- McDermott, P.F., Bodies, S.M, English, L.L, White, D.G., Walker, R.D., Zhao, S., Simjee, S. and Wagner, D.D. (2002). Ciprofloxacin resistance in *Campylobacter jejuni* evolves rapidly in chickens treated with fluoroquinolones. *The Journal of Infectious diseases*. 185:837-840.
- McEwen, S.A. and Fedorka-Cray, P.J. (2002). Antimicrobial use and resistance in animals. *Clinical Infectious Diseases*. 34:S93-S106.
- Meckes, M., Villarreal, M.L., Tortoriello, J., Berlin, B. and Berlin, E.A. (1995). A microbiological evaluation of medicinal plants used by the Maya people of southern Mexico. *Phytotherapy Research*. 9:244-250.
- Menn, J.J. and Borkovec, A.B. (1989). Insect neuropeptides potential new insect control agents. *Journal of Agricultural and Food Chemistry*. 37:271-278.
- Metwally, M.A.A. (2009). Effect of Garlic (*Allium sativum*) on Some Heavy Metal (Copper and Zinc) Induced Alteration in Serum Lipid Profile of *Oreochromis niloticus*. *World Journal of Fish and Marine Sciences*. 1:01-06.
- Mevius, D.J., Veldman, K.T., Van Der Pal, R.H.M. and Van Zijderveld, F.G. (1999). Sensitivity testing of veterinary pathogens with a semi-automatic image analysis system compared with tablet diffusion and agar dilution tests. *Veterinary Quarterly*. 21:99-104.

- Miron, T., Rabinkov, A., Mirelman, D., Wilchek, M. and Weiner, L. (2000). The mode of action of allicin: its ready permeability through phospholipid membranes may contribute to its biological activity. *Biochimica et Biophysica Acta*. 1463:20-30.
- Mishra, U.S., Mishra, A., Kumari, R., Murthy, P.N. and Naik, B.S., (2009). Antibacterial activity of ethanol extract of *Andrographis paniculata*. *Indian Journal of Pharmaceutical Sciences*. 71:436-438.
- Mondello, F., De Bernardis, F., Girolamo, A., Cassone, A. and Salvatore, G. (2006). *In vivo* activity of terpinen-4-ol, the main bioactive component of *Melaleuca alternifolia* Cheel (tea tree) oil against azole-susceptible and resistant human pathogenic *Candida* species. *BMC Infectious Diseases*. 6:158.
- Mor, A. and Nicolas, P. (1994). Isolation and structure of novel defensive peptides from frog skin. *European Journal of Biochemistry*. 219:145-154.
- Moscardi, F. (1999). Assessment of the application of baculoviruses for control of Lepidoptera. *Annual Review of Entomology*. 44:257-289.
- Morton, J.F. (1981). *Atlas of Medicinal Plants of Middle America, Bahamas to Yucatan*. Florida, USA: Charles C. Thomas.
- Murphy, G.J., Foster, B.A., Mannis, M.J., Selsted, M.E. and Reid, T.W. (1993). Defensins are mitogenic for epithelial cells and fibroblasts. *Journal of Cellular Physiology*. 155:408-413.
- Nagababu, E. and Rifkind, J.M. (2000). Reaction of hydrogen peroxide with ferrylhemoglobin: superoxide production and heme degradation. *Biochemistry*. 39:12503–12511.
- Nair, R., Kalariya, T. and Chandra, S. (2005). Antibacterial activity of some selected Indian medicinal flora. *Turkish Journal of Biology*. 29:41-47.
- Namdeo, A.G. (2007) Plant cell elicitation for production of secondary metabolites: A review. *Pharmacognosy Reviews*. 1:69-79.
- National Committee for Clinical Laboratory Standards (NCCLS). (1997a). *Methods for Dilution Antimicrobial Susceptibility Tests for Bacteria That Grow Aerobically- Fourth Edition; Approved standard M7-A4*. NCCLS, Villanova, Pennsylvania, U.S.A.
- National Committee for Clinical Laboratory Standards (NCCLS). (1997b). *Performance standards for antimicrobial disk susceptibility tests. Approved standards M2-A6*. NCCLS, Wayne, Pennsylvania, U.S.A.
- National Committee for Clinical Laboratory Standards (NCCLS). (1998). *Performance standards for antimicrobial susceptibility testing; Eighth informational Supplement M100-S8*. NCCLS, Villanova, Pennsylvania, U.S.A.

- O'Callaghan, M., Glare, T.R., Burgess, E.P.J. and Malone, L.A. (2005). Effects of plants genetically modified for insect resistance on non target organisms. *Annual Review of Entomology*. 50:271-292.
- OECD (1992). Guideline 429 OECD guideline for the testing of chemicals (Skin Sensitisation: Local Lymph Node Assay).
- Oksman-Caldentey, K.M. and Inze, D. (2004). Plant cell factories in the post-genomic era: New ways to produce designer secondary metabolites. *Trends Plant Science*. 9:433-440.
- Olson, H., Betton, G. and Robinson, D. (2000). Concordance of the toxicity of pharmaceuticals in humans and in animals. *Regulatory Toxicology and Pharmacology*. 32:56-67.
- Oyetayo, V.O., Adetuyi, F.C. and Akinyosoye, F.A. (2003). Safety and protective effect of *Lactobacillus acidophilus* and *Lactobacillus casei* used as probiotic agent *in vivo*. *African Journal of Biotechnology*. 2: 448-452.
- Parekh, J., Jadeja, D. and Chanda, S. (2005). Efficacy of aqueous and methanol extracts of some medicinal plants for potential antibacterial activity. *Turkish Journal of Biology*. 29: 203-210.
- Parekh, J., Karathia, N. and Chanda, S. (2006). Screening of some traditionally used medicinal plants for potential antibacterial activity. *Indian Journal of Pharmaceutical Sciences*. 68:832-834.
- Peng, C., Zhou, X. and Kaya, H.K. (2002). Virulence and site of infection of the fungus, *Hirsutella thompsonii*, to the honey bee ectoparasitic mite, *Varroa destructor*. *Journal of Invertebrate Pathology*. 81:185-195.
- Poolsup, N., Suthisisang, C., Prathanturarug, S., Asawamekin, A. and Chanchareon, U. (2004). *Andrographis paniculata* in the symptomatic treatment of uncomplicated upper respiratory tract infection: systematic review of randomized controlled trials. *Journal of Clinical Pharmacy Therapy*. 29:37-45.
- Prakash, A., Rigelhof, F. and Miller, E. (2001). *Antioxidant Activity*. Medallion Laboratories Analytical Progress: Minneapolis MN.
- Pringle, F.M. Johnson, K.N., Goodman, C.L., McIntosh, A.H. and Ball, L.A. (2003). Providence virus: a new member of the Tetraviridae that infects cultured insect cells. *Virology*. 306:359-370.
- Punja, Z.K. and Utkhede, R.S. (2003). Using fungi and yeasts to manage vegetable crop diseases. *Trends in Biotechnology*. 21:400-407.
- Pyun, M.S. and Shin, S. (2006). Antifungal effects of the volatile oils from *Allium* plants against *Trichophyton* species and synergism of the oils with ketoconazole. *Phytomedicine*. 13:394-400.

- Ramarathnam, N., Osawa, T., Ochi, H. and Kawakishi, S. (1995). The contribution of plant food antioxidants to human health. *Trends in Food Science and Technology*. 6:75-82.
- Raskin, I., Ribnicky, D.M., Komarnytsky, S., Ilic, N., Poulev, A., Borisjuk, N., Brinker, A., Moreno, D.A., Ripoll, C., Yakoby, N., O'Neal, J.M., Cornwell, T., Pastor, I. and Fridlender, B. (2002). Plants and human health in the twenty-first century. *Trends in Biotechnology*. 20:522-531.
- Rates, S.M.K. (2001). Plants as source of drugs. *Toxicol*. 39: 603-613.
- Rechner, A.R., Kuhnle, G., Bremmer, P., Hubbard, G.P., Moor, K.P. and Rice-Evans, C.A. (2002a). The metabolic fate of dietary polyphenols in humans. *Free Radical Biology & Medicine*. 33:220-235.
- Rechner, A.R., Wagner, E., Van Buren, L.V., Van De Put., F., Wiseman, S. and Rice-Evans, C.A. (2002b). Black tea represents a major source of dietary phenolics among regular tea drinkers. *Free Radical Research*. 36:1127–1135.
- Reddy, L., Odhav, B. and Bhoola, K.D. (2003). Natural products for cancer prevention: a global perspective. *Pharmacology and Therapeutics*. 99:1-13.
- Reddy, C.S.S.S., Subramanyam, M.V.V., Vani, R. and Devi, S.A. (2007). In vitro models of oxidative stress in rat erythrocytes: Effect of antioxidant supplements. *Toxicol In vitro*. 21: 1355-1364.
- Ren, Z., Guo, Z., Meydani, S.N. and Wu, D. (2008). White button mushroom enhances maturation of bone marrow-derived dendritic cells and their antigen presenting function in mice. *The Journal of Nutrition*. 138:544–50.
- Rhodes, C., Thomas, M., and Athis, J. (1993). Principles of testing for acute toxic effects. *General and Applied Toxicology*. 1:49-87.
- Robards, K., Prenzler, P.D., Tucker, G., Swatsitang, P. and Glover, W. (1999). Phenolic compounds and their role in oxidative processes in fruits. *Food Chemistry*. 66:401-436.
- Rojas, J.J., Ochoa, V.J., Ocampo, S.A. and Munoz, J.F. (2006). Screening for antimicrobial activity of ten medicinal plants used in Colombian folkloric medicine: a possible alternative in treatment of non-nosocomial infections. *BMC Complementary and Alternative Medicine*. 6:2.
- Rojas, R., Bustamante, B., Bauer, J., Alban, F.J. and Lock, O. (2003). Antimicrobial activity of selected Peruvian medicinal plants. *Journal of Ethnopharmacology*. 88:199-204.
- Rozeck, A., Friedrich, C.L. and Hancock, R.E. (2000a). Structure of the bovine antimicrobial peptide indolicidin bound to dodecylphosphocholine and sodium dodecyl sulfate micelles. *Biochemistry*. 39:15765-15774.
- Rozeck, T., Wegener, K.L., Bowie, J.H., Olver, I.N., Carver, J.A. and Wallace, J.C. (2000b). The antibiotic and anticancer active aurein peptides from the Australian

bell frogs *Litoria aurea* and *Litoria raniformis* the solution structure of aurein 1.2. *European Journal of Biochemistry*. 267:5330-5341.

- Ross, R.P., Morgan, S. and Hill, C. (2002). Preservation and fermentation: past, present and future. *International Journal of Food Microbiology*. 79:3-16.
- Ryu, Y.H., Baik, J.E., Yang, J.S., Kang, S.S., Im, J., Yun, C., Kim, D.W., Lee, K., Chung, D.K., Ju, H.R. and Han, S.H. (2009). Differential immunostimulatory effects of gram positive bacteria due to their lipoteichoic acids. *International Immunopharmacology*. 9:127-133.
- Sakanaka, S., Tachibana, Y., Ishihara, N. and Juneja, L.R. (2004). Antioxidant activity of egg-yolk protein hydrolysates in a linoleic acid oxidation system. *Food Chemistry*. 86:99-103.
- Santos, A.R., Filho, G.J.T., Nery, J.A., Duppre, N.C., Gallo, M.E., Suffys, P.N. and Degrave, W.M. (1995). Evaluation of PCR mediated DNA amplification in non-invasive biological specimens for subclinical detection of *Mycobacterium leprae*. *FEMS Immunology and Medical Microbiology*. 11:113-120.
- Sathishsekar, D. and Subramanian, S. (2005). Antioxidant properties of *Momordica Charantia* (bitter gourd) seeds on Streptozotocin induced diabetic rats. *Asia Pacific Journal of Clinical Nutrition*. 14:153-158.
- Sekar, D.S., Sivagnanam, K. and Subramanian, S. (2005). Antidiabetic activity of *Momordica charantia* seeds on streptozotocin induced diabetic rats. *Pharmazie*. 60:383-387.
- Scholte, E.J., Ng'habi, K., Kihonda, J., Takken, W., Paaijmans, K., Abdulla, S., Killeen, G.F. and Knols, B.G.J. (2005). An entomopathogenic fungus for control of adult African malaria mosquitoes. *Science*. 308:1641-1642.
- Sen, C.K. (1995). Oxidants and antioxidants in exercise. *Journal of Applied Physiology*. 79: 675-686.
- Seveno, M., Cabrera, G., Triguero, A., Burel, C., Leprince, J., Rihouey, C., Vezina, L., D'Aoust, M., Rudd, P.M., Royle, L., Dwek, R.A., Harvey, D.J., Lerouge, P., Cremata, J.A. and Bardor, M. (2008). Plant N-glycan profiling of minute amounts of material. *Analytical Biochemistry*. 379:66-72.
- Shadab, Q., Hanif, M. and Chaudhary, F.M. (1992). Antifungal activity by lemongrass essential oils. *Pakistan Journal of Scientific and Industrial Research*. 35:246-249.
- Shapoval, E.E.S., Silveira, S.M., Miranda, M.L., Alice, C.B. and Henriques, A.T. (1994). Evaluation of some pharmacological activities of *Eugenia uniflora*. *Journal of Ethnopharmacology*. 44:136-142.
- Sharma, H.C., Sharma, K.K. and Crouch, J.H. (2004). Genetic transformation of crops for insect resistance: Potential and limitations. *Critical Review in Plant Science*. 23:47-72.

- Sharma, R.A., Gescher, A.J. and Steward, W.P. (2005). Curcumin: The story so far. *European Journal of Cancer*. 41:1955-1968.
- Simic, M.G. (1988). Mechanisms of inhibition of free-radical processes in mutagenesis and carcinogenesis. *Mutation research*. 202:377-386.
- Singha, P.K., Roy, S. and Dey, S. (2003). Antimicrobial activity of *Andrographis paniculata*. *Fitoterapia*. 74:692-694.
- Sitaram, N. and Nagaraj, R. (2002). Host-defense antimicrobial peptides: Importance of structure for activity. *Current Pharmaceutical Design*. 8:727-742.
- Slack, J.M., Kuzio, J. and Faulkner, P. (1995). Characterization of V-Cath, a cathepsin L-like proteinase expressed by the baculovirus *Autographa californica* multiple nuclear polyhedrosis virus. *Journal of General Virology*. 76:1091-1098.
- Smeets, K., Van Damme, E.J.M., Verhaert, P., Barré, A., Rouge, P. and Van Leuven, F. (1997). Isolation, characterisation and molecular cloning of the mannose-binding lectins from leaves and roots of garlic (*Allium sativum* L.). *Plant Molecular Biology*. 33:223-34.
- Smith, P.K., Krohn, R.I., Hermanson, G.T., Mallia, A.K., Gartner, F.H., Provenzano, M.D., Fujimoto, E.K., Goeke, N.M., Olson, B.J. and Klenk, D.C. (1985). Measurement of protein using bicinchoninic acid. *Analytical Biochemistry*. 150:76-85.
- Stoscheck, C. (1990). Quantification of protein. *Methods in Enzymology*. 182:50-68.
- Storici, P., Tossi, A., Lenarcic, B. and Romeo, D. (1996) Purification and structural characterization of bovine cathelicidins, precursors of antimicrobial peptides. *European Journal of Biochemistry*. 238:769-76.
- Steep, R. (2004). The role of weeds as sources of pharmaceuticals. *Journal of Ethnopharmacology*. 92:163-166.
- Suja, K.P., Jayalekshmy, A. and Arumughan, C. (2004). Free radical scavenging behavior of antioxidant compounds of Sesame (*Sesamum indicum* L.) in DPPH System. *Journal of Agricultural and Food Chemistry*. 52:912-915.
- Taborsky, B. and Taborsky, M. (1992). Spatial organization of the North Island brown kiwi *Apteryx australis mantelli*: sex, pairing status and territoriality. *Ibis*. 134:1-10.
- Tal, J. and Attathom, T. (1993). Insecticidal potential of the insect parvovirus GmDNV. *Archives of Insect Biochemistry and Physiology*. 22:345-356.
- Tanada, Y. and Kaya, H.K. (1993). *Insect Pathology*. Academic Press:San Diego.
- Taniai, K. (2002). Expression efficiency of a scorpion neurotoxin, AaHIT, using baculovirus in insect cells. *Applied Entomology and Zoology*. 37:225-232.

- Taylor, R.S., Manandhar, N.P. and Towers, G.H.N. (1995). Screening of selected medicinal plants of Nepal for antimicrobial activities. *Journal of Ethnopharmacology*. 46:153-159.
- Tchoumboungang, F. Amvan Zollo, P.H., Dagne, E. and Mekonnen, Y. (2005). *In vitro* antimalarial activity of essential oils from *Cymbopogon citratus* and *Ocimum gratissimum* on mice infected with *Plasmodium berghei*. *Planta Medica*. 71:20-23.
- Terras, F.R.G., Torrekens, S., Van Leuven, F., Osborn, R.W., Vanderleyden, J. and Cammue, B.P.A. (1993). A new family of basic cysteine-rich plant antifungal proteins from Brassicaceae species. *Federation of European Biochemical Societies Letters*. 316:233-240.
- Tewtrakul, S. and Subhadhirasakul, S. (2007). Anti-allergic activity of some selected plants in the Zingiberaceae family. *Journal of Ethnopharmacology*. 109:535-538.
- Theologis, A., Ecker, J.R., Palm, C.J., Federspiel, N.A., Kaul, S., White, O., Alonso, J., Altafi, H., Araujo, R., Bowman, C.L., Brooks, S.Y., Buehler, E., Chan, A., Chao, Q., Chen, H., Cheuk, R.F., Chin, C.W., Chung, M.K. and Davis, R.W. (2000). Sequence and analysis of chromosome 1 of the plant *Arabidopsis thaliana*. *Nature*. 408:816-820.
- Tollefson, L. and Miller, M.A. (2000). Antibiotic use in food animals: Controlling the human health impact. *Journal of AOAC International*. 83:245-254.
- Turmel, M., Otis, C. and Lemieux, C. (2005). The complete chloroplast DNA sequences of the charophycean green algae *Staurastrum* and *Zygnema* reveal that the chloroplast genome underwent extensive changes during the evolution of the Zygnematales. *BMC Biology*. 3:22-22.
- Turner, L.W., Fu, Q., Wang, M.Q. & Eddy, J.M. (1997). New evidence on antioxidant nutrients: guidelines for health education. *American Journal of Health Behavior*. 21:216-289.
- Ukeda, H., Sarker, A.K., Kawana, D. and Sawamura, M. (1999). Flow-injection assay of superoxide dismutase based on the reduction of highly water-soluble tetrazolium. *Analytical Sciences*. 15:353-357.
- Umina, P.A., Hoffmann, A.A. and Weeks, A.R. (2004). Biology, ecology and control of the *Penthaeus* species complex (Acari: Penthaeidae). *Experimental & Applied Acarology*. 34:211-237.
- USDA Nutrient Database. (2010). Search the USDA National Nutrient Database for Standard Reference. Available at: <http://www.nal.usda.gov/fnic/foodcomp/search/> [accessed on 12th February 2010].
- Vail, P.V., Hosteller, D.L. and Hoffmann, D.F. (1999). Development of the multi-nucleocapsid nucleopolyhedroviruses (MNPVs) infectious to loopers

(Lepidoptera: Noctuidae: Plusiinae) as microbial control agents. *Integrated Pest Management Reviews*. 4:231–257.

- Valko, M., Leibfritz, D., Moncola, J., Cronin, M.T.D. Mazur, M. and Telser, J. (2007). Free radicals and antioxidants in normal physiological functions and human disease. *Review International Journal of Biochemistry and Cell Biology*. 39:44-84.
- Vlietinck, A.J., Van Hoof, L., Totte, J., Lasure, A., Vanden Berghe, D., Rwangabo, P.C. and Mvukiyumwami, J. (1995). Screening of hundred Rwandese medicinal plants for antimicrobial and antiviral properties. *Journal of ethnopharmacology*. 46:31-47.
- Vollekova, A.D., Kostalova and Sochorova, R. (2001). Isoquinoline Alkaloids from *Mahonia aquifolium* stem bark is active against *Malassezia sp.* *Folia Microbiologica*. 46:107-111.
- Volynski, K.E, Nosyreva, E.D., Ushkaryov, Y.A. and Grishin, E.V. (1999). Functional expression of alphalatrotoxin in baculovirus system. *Federation of European Biochemical Societies Letters*. 442:25–28.
- Wachinger, M., Kleinschmidt, A., Winder, D., von Pechmann, N., Ludvigsen, A. and Neumann, M. (1998). Antimicrobial peptides melittin and cercropin inhibit replication of human immunodeficiency virus 1 by suppressing viral gene expression. *Journal of General Virology*. 79:731-40.
- Wallace, J.R. (2004). Antimicrobial properties of Plant Secondary Metabolites. *The Proceedings of the Nutrition Society*. 63:621-629.
- Walther, Z. and Hall, J.L. (1995). The uni chromosome of Chlamydomonas: histone genes and nucleosome structure. *Nucleic Acids Research*. 23:3756-3763.
- Warburg, A. (1991). Entomopathogens of phlebotomine sand flies: laboratory experiments and natural infections. *Journal of Invertebrate Pathology*. 58:189-202.
- Weisiger, R.A. and Fridovich, I. (1973). Mitochondrial Superoxide Dismutase site of synthesis and intramitochondrial localization. *The Journal of Biological Chemistry*. 248:4793-4796.
- West, C.A and Warner, P.J. (1988). Plantacin B, a bacteriocin produced by *Lactobacillus plantarum* NCDO 1193. *Federation of European Microbiological Societies Microbiology Letters*. 49: 163-165.
- Westh, H., Zinn, C.S., Rosdahl, V.T., Couto, E., Struelens, M., Macgowan, A., Meurman, O., Etienne, J., Milatovic, D., Wallrauch, C., Paniara, O., Udo, E.E., Miciullevicene, J., Yasin, R., Cowley, N., Lang, S., Hofstad, T., Digranes, A., Mlynarczyk, G., Duse, A.G., Marco, F., Trilla, T., Walder, M., Laurell, H., Bruckner, D.A., Wilson, M.L., Weinstein, M.P., Pearman, J.W. and Coombs, G. (2004). An international multicenter study of antimicrobial consumption and resistance in *Staphylococcus aureus* isolates from 15 hospitals in 14 countries. *Microbial Drug Resistance*. 10:169-176.

- Wijesekera, R.O.B. (1991). Plant-Derived Medicines and their role in Global Health p.2. In Wijesekera, R.O. (ed), *The medicinal Plant Industry*. U.S.A.: CRC. Press Inc.
- Winder, D., Gunzburg, W.H., Erfle, V. and Salmons, B. (1998). Expression of antimicrobial peptides has an antitumor effect in human cells. *Biochemical and Biophysical Research Communications*. 242:608-612.
- Wollgast, J. and Anklem, E. (2000). Review on polyphenols in *Theobroma cacao*: changes in composition during the manufacture of chocolate and methodology for identification and quantification. *Food Research International*. 33:423-447.
- Yi, F., Zhang, J., Yu, H., Liu, C., Wang, J. and Hu, Y. (2005). Isolation and identification of a new tetravirus from *Dendrolimus punctatus* larvae collected from Yunnan Province, China. *Journal of General Virology*. 86:789-796.
- Yang, Z., 2000. Antimicrobial compounds and extracellular polysaccharides produced by lactic acid bacteria: structures and properties. Academic Dissertation. Department of Food Technology, University of Helsinki, 61.
- Yaoling, L.C., Jiunrong, S., Gsyh, M.Y.L., Mingler, L.I., Chen, J.R., Shien, M.S. and Shien, J.M. (1998). The effects of garlic powder on the hypolipidemic function and antioxidative status in hamsters. *Nutritional Sciences Journal*. 23:171-187.
- Yoo, K.M., Lee, C.H., Lee, H., Moon, B. and Lee, C.Y. (2008). Relative antioxidant and cytoprotective activities of common herbs. *Food Chemistry*. 106: 929-936.
- Yu, L., Fernig, D.G., Smith, J.A., Milton, J.D. and Rhodes, J.M. (1993). Reversible inhibition of proliferation of epithelial cell lines by *Agaricus bisporus* (edible mushroom) lectin. *Cancer Research*. 53: 4627-32.
- Zasloff, M. (2002). Antibacterial peptides of multicellular organism. *Nature*. 415:389-96.
- Zhang, X.L., Selsted, M.E. and Pardi, A. (1992) NMR studies of defensin antimicrobial peptides. 1. Resonance assignment and secondary structure determination of rabbit NP-2 and human HNP-1. *Biochemistry*. 31:11348-11356.